



Government  
of Canada

Gouvernement  
du Canada




Canadian  
Forestry  
Service

Service  
canadien des  
forêts

# The forest industry in the economy of the Northwest Territories, 1980-81

R.A. Bohning

Information Report NOR-X-277  
Northern Forestry Centre



**THE FOREST INDUSTRY IN THE ECONOMY OF  
THE NORTHWEST TERRITORIES, 1980-81**

*R.A. Bohning*

**INFORMATION REPORT NOR-X-277**

NORTHERN FORESTRY CENTRE  
CANADIAN FORESTRY SERVICE  
1986

©Minister of Supply and Services Canada 1986  
Catalogue No. Fo46-12/277E  
ISBN 0-662-14880-0  
ISSN 0704-7673

This publication is available at no charge from:

Northern Forestry Centre  
Canadian Forestry Service  
5320 - 122 Street  
Edmonton, Alberta  
T6H 3S5

Bohning, R.A. 1986. *The forest industry in the economy of the Northwest Territories, 1980-81*. Can. For. Serv., North. For. Cent., Edmonton, Alberta. Inf. Rep. NOR-X-277.

## ABSTRACT

The forest industry and consumers of forest products in the Northwest Territories were assessed in 1981. The results are analyzed in terms of forest resources, employment, production, consumption characteristics, and socioeconomic impact, and information on commercial forest industry producers is provided in a directory. Numerous tables and figures provide detailed information.

## RESUME

L'industrie forestière ainsi que les consommateurs de produits forestiers dans les Territoires du Nord-Ouest furent évalués en 1981. Ce rapport présente les résultats de l'évaluation en termes de ressources forestières, des emplois, de la production, des caractéristiques de consommation, et de l'impact socio-économique. L'information sur les producteurs commerciaux de l'industrie forestière est présentée sous forme d'annuaire. On y trouve un grand nombre de tableaux et de figures qui fournissent des renseignements détaillés.

# CONTENTS

	Page
I. INTRODUCTION .....	1
Study Area .....	1
Study Methods .....	1
II. THE FOREST RESOURCES OF THE NWT .....	3
III. THE FOREST INDUSTRY IN THE NWT—A PERSPECTIVE .....	7
Historical Development .....	7
Current Forest Industry .....	7
IV. EMPLOYMENT IN THE FOREST INDUSTRY OF THE NWT .....	10
V. PRODUCTION, CAPACITY, AND DOMESTIC MARKETS OF THE FOREST INDUSTRY IN THE NWT .....	13
Production .....	13
Sawmill industry .....	13
Miscellaneous roundwood industry .....	16
Fuelwood industry .....	16
Capacity .....	16
Domestic Markets .....	17
VI. CONSUMPTION OF FOREST PRODUCTS IN THE NWT .....	19
Consumption by Market Area .....	19
Consumption by Major Consuming Groups .....	21
Imports and Product Flows .....	21
Origin of imports .....	24
Wood product distribution .....	27
Wood product transportation .....	27
Types of Forest Products Used .....	30
Demand for Forest Products .....	34
Wood Product Availability .....	35
VII. THE SOCIOECONOMIC IMPACT OF THE FOREST INDUSTRY IN THE NWT .....	37
Employment and Wages and Salaries .....	37
Value Added .....	38
The Economic Stability of NWT Communities .....	38
SUMMARY .....	41
Forest Industry .....	41
Resource base .....	41
Industrial base .....	41
Wood products produced .....	41
Economic and social impacts .....	41
Forest Product Consumption .....	42
Consumption characteristics .....	42
Product imports .....	42
Product distribution .....	42
Product transportation .....	42
Product type .....	42

	Page
ACKNOWLEDGMENTS .....	43
REFERENCES .....	43

## APPENDIXES

1. Population by market area in the NWT, 1982 .....	46
2. Wood producer questionnaire .....	47
3. Directory of primary wood-using industries in the Northwest Territories, 1981 .....	51
4. Reasons for inadequate fuelwood records and method of estimating total fuelwood use .....	71
5. List of wood consumers .....	72
6. Selected metric units and conversion factors .....	73

## FIGURES

1. Wood product market areas .....	2
2. Classification of forest regions in the NWT .....	4
3. Forest inventory areas .....	6
4. Location of mills .....	8
5. Seasonality of employment in the forest industry, 1980 .....	12
6. Forest industry production by industry group, 1980-81 .....	14
7. Consumption of forest products by market, 1980-81 .....	20
8. Lumber consumption by market area, NWT, 1980-81 .....	22
9. Consumption of forest products by consumer group, 1980-81 .....	23
10. Zones of origin of imported wood products, 1980-81 .....	25
11. Origin of wood products imported into the NWT, 1980-81 .....	26
12. Wood product distribution, 1980-81 .....	28
13. Major transportation routes .....	29

## TABLES

1. Area classification of the NWT .....	3
2. Wood volume estimates for the NWT .....	5
3. Direct employment by forest industry group in the NWT 1980-81 .....	10
4. Regional distribution of forestry employment in the NWT, 1980-81 .....	11
5. Native employment in the forest industry in the NWT, 1980-81 .....	12
6. Forest industry production by market area in the NWT, 1980-81 .....	13
7. Products from NWT sawmill-planing mills and shingle mills, 1980-81 .....	15
8. Output of forest products in the NWT .....	16
9. Engineered capacity, normal output, and operating ratios by sawmill group in the NWT, 1980-81 .....	17
10. Markets for forest products in the NWT, 1980-81 .....	18
11. Value of production of the forest industry in the NWT, 1980-81 .....	18
12. Consumption of forest products by market area in the NWT, 1980-81 .....	19
13. Consumption of forest products by consumer groups in the NWT, 1980-81 .....	24
14. Imports of wood products into the NWT by area of origin, 1980-81 .....	27
15. Final mode of transportation for wood products consumed in the NWT by market area, 1980-81 ...	30

	Page
16. Highway distance from points in Alberta, British Columbia, the Yukon, and the NWT and corresponding average tariff for truckload lots . . . . .	31
17. Barge tariffs for the Mackenzie River and western arctic . . . . .	31
18. Lumber prices of distributors by market area in the NWT, 1980-81, in dollars per M fbm . . . . .	32
19. Detailed breakdown of lumber product consumption in the NWT, 1980-81 . . . . .	33
20. Plywood use by thickness and finish in the NWT, 1980-81 . . . . .	34
21. Wood products not readily available in the NWT, 1980-81 . . . . .	36
22. Employment, earnings, and average income per employee by forest industry group in the NWT, 1980-81 . . . . .	37
23. Sales in relation to wages and salaries in the forest industry in the NWT, 1980-81 . . . . .	38
24. Value added and sales of the forest industry in the NWT, 1980-81 . . . . .	39
25. Employment in the forest industry in some NWT communities, 1981 . . . . .	40

## NOTE

*The exclusion of certain manufactured products does not necessarily imply disapproval nor does the mention of other products necessarily imply endorsement by the Canadian Forestry Service.*

# CHAPTER I

## INTRODUCTION

The importance of the forest resource to the social welfare of residents in the Northwest Territories (NWT) cannot be defined in monetary terms alone. This is because of the intrinsic and invaluable contribution of the forest to traditional native lifestyles and its part in the cultural heritage of northern society. Historically the forest has played a particularly diverse and important role in the development of the north and in the future this role is expected to continue to evolve in terms of the type and nature of forest resource use. In order to ensure sound management decisions, more information is required on resource characteristics, production attributes, and resource development opportunities.

This report investigates a single<sup>1</sup> aspect of the forest resource in the NWT: forest products. Forest products in the NWT include fuelwood, building logs, lumber, shingles, pilings, and posts and poles. These products are either traded in active product markets or produced and consumed in local markets without the exchange of money. Both of these market structures are considered in this report.

In his 1977 report on the proposed Mackenzie Valley pipeline development, Chief Justice T. Berger (1977) recommended a 10-year moratorium on resource development. One of the reasons for the recommendation was to allow time to develop the renewable-resource sector in the NWT so that alternative employment opportunities appropriate to traditional lifestyles would be available. Development of the renewable-resource sector, however, is contingent on the existence of markets within which products from the sector will be competitive. An additional objective of this report, therefore, is to assess characteristics of wood consumption in the NWT and to analyze the extent to which locally produced forest products could substitute for imported materials.

In summary, the purpose of this report is to assess and describe various aspects relating to the production and consumption of forest products in the NWT. The report considers both the wage and nonwage sectors of the northern economy and provides improved information for use by development and resource management agencies in the NWT.

### Study Area

The study area was defined as the portion of the NWT that lies south and west of the tree line and the parts of the arctic coast where communities would be supplied from distribution centers within the forested area. The area is generally referred to as the western NWT. For ease of interpretation, the study area is divided into six market areas (Fig. 1). The delineation of the market areas is based on the present transportation infrastructure. Geographically, these areas generally correspond to the forest administration regions or subregions of Indian and Northern Affairs Canada (INAC). Community population figures by market area are provided in Appendix 1.

### Study Methods

Due to the lack of existing detailed information with which to fulfill the study objectives, a survey was undertaken to obtain the necessary data. In July 1981, a survey team from the Northern Forestry Centre, Canadian Forestry Service, Edmonton, conducted interviews with wood producers and major wood consumers in the NWT. Where personal interviews were not possible, telephone surveys were completed. Sample questionnaires are shown in Appendix 2. INAC records were initially used to determine the number and location of wood producers, and additional information was provided by field staff and other producers. Wood consumers were located through telephone and business directories and other consumers. The survey was based on a 12-month period beginning in 1980 and ending in 1981. Fiscal year-ends varied among respondents.

The information in this report was summarized by forest industry group and consuming group. For the purpose of this report, the definition of the forest industry is limited to primary wood-using industries. It includes only firms using roundwood in their manufacturing processes or engaging in logging activities. Three industry groups were identified: sawmill-planing mill complexes, miscellaneous roundwood producers, and fuelwood producers. Appendix 3 contains a directory of commercial producers and other relevant information on sawmill owners.

---

<sup>1</sup> Other goods and services associated with the forest include country food, fur-bearing animals, and tourism opportunities.





**Figure 1. Wood product market areas.**

In attempting to determine the total amount of fuelwood produced by commercial operators and individual users, it was found that INAC timber permit records did not adequately reflect the total amount of fuelwood used. In view of the limitation on time and monies available for an in-depth survey of the individual or domestic fuelwood users (those who cut fuelwood for their own use), estimates of total fuelwood consumption were derived. Reasons for inadequate fuelwood records and the method of estimating total fuelwood use are given in Appendix 4.

Consumers of wood products were classified into five major industrial groups. These were identified as

construction industry, mining industry, oil industry, government agencies, and others. The others group includes individual private consumers and other industrial firms not included in the designated groups. Wood product distributors (principally building supply firms) were identified and their role was explained. Surveyed wood consumers are listed in Appendix 5.

All measurements are provided in imperial units, because the industry has yet to convert to metric standards. Metric conversion values and timber product equivalents are provided in Appendix 6.

## CHAPTER II

### THE FOREST RESOURCES OF THE NWT

The total area of the Northwest Territories is 1 304 294 sq. mi., 40% of which is within the tree line<sup>2</sup>. Within this area approximately 237 390 sq. mi. are considered to be forest land<sup>3</sup>, of which 55 198 sq. mi. (23%) are considered to be productive forest land (Table 1). Productive forest land is defined by Bonnor (1982) as land capable of producing tree stand heights greater than 16.5 feet at base age of 50 years.

The forested area of the NWT is classified as Boreal Forest (Rowe 1972). The Boreal Forest in the NWT includes parts of seven forest sections; however, only three sections — Upper Liard, Hay River, and Upper Mackenzie — support forests of commercial significance (Fig. 2). Within these areas the river valleys have the most favorable environment for tree growth, and it is here that the best timber is found.

White spruce (*Picea glauca* (Moench) Voss) and

**Table 1. Area classification of the NWT<sup>a</sup>**

Classification	Area (sq. mi.)
Forest land	
Productive	55 198
Unproductive	182 192
Total	237 390
Wildland	290 110
Total land area within tree line	527 500
Tundra	725 456
Total land area	1 252 956
Total water area	51 338
Total area	1 304 294

<sup>a</sup> Source: Bonnor 1982.

balsam poplar (*Populus balsamifera* L.) are the pre-dominant species bordering the rivers. White spruce, trembling aspen (*Populus tremuloides* Michx.), white birch (*Betula papyrifera* Marsh), and jack pine (*Pinus banksiana* Lamb.) are found on the benches above the flood plains. In moist and wet locations, black spruce (*Picea mariana* (Mill) B.S.P.) and tamarack (*Larix laricina* (Du Roi) K. Koch) dominate. On the upland plateaus, black spruce and jack pine are the main tree species; however, scattered stands of white spruce are also found here. White spruce is the most important commercial tree species in the NWT and is the only species utilized to any extent.

Long distances, transportation and communication constraints, labor limitations, and a lack of other resources have made forest inventory work difficult in the NWT. As a result, comprehensive forest resource inventory data are not available, and precise estimates of wood volumes and forest productivity projections are not possible. Bonnor (1982) estimated gross merchantable volume (to 4-in. top diameter) for all tree species in the NWT at 15 750 MM (million) cu. ft., with 11 114 MM cu. ft. (70.6%) being coniferous. Approximately 68% of this total volume is mature and overmature timber. These volumes are found on 53 032 sq. mi. of the productive nonreserved forest land base.<sup>4</sup>

Productive forest land suitable for commercial development is estimated at 21 767 sq. mi., with a mean annual increment of 11.4 merchantable cubic feet per acre (Bickerstaff et al. 1981). This results in total merchantable timber growth of approximately 155 MM cu. ft. annually. Bickerstaff et al. (1981), however, assumed that 25% (38.6 MM cu. ft.) is unavailable for forest production because of factors such as low volume stands, size utilization, or local terrain problems influencing logging; therefore, 116.4 MM cu. ft. of new timber are available annually. Depletion was not considered in these estimates.

Depletion includes all reductions in growing stock caused by fire, insects and diseases, harvesting, and other physical factors. Depletion statistics are available only for harvests and fire. In the NWT, depletion of the forest resource by cutting is negligible<sup>5</sup>, but fire losses are significant. In 1979, 31% of the total inventoried

<sup>2</sup> This area covers latitudes 60–70°N and longitudes 95–137°W and is very diverse in terms of vegetation, climate, soils, and landforms.

<sup>3</sup> The forest resources of the NWT are administered by the Timber Management Section and the District Resource Management officers of INAC.

<sup>4</sup> Of the productive forest land base, 2166 sq. mi. are reserved and not available for harvesting of forest crops.




Figure 2. Classification of forest regions in the NWT.

**Table 2. Wood volume estimates for the NWT**

FMU <sup>a</sup> or district	Area (sq. mi.)	Volume <sup>b</sup> (MM fbm)	Source	Comment
Slave FMU	3 641	132	Gilmour <sup>c</sup>	32 MM fbm of volume from stands with marginal merchantability
Hay FMU	5 375	74	Gilmour <sup>d</sup>	17.6 MM fbm of volume from stands with marginal merchantability
Mackenzie River Valley, southern section	11 770	2 645	Hirvonen 1975	Volume for softwood stands only = 1824 MM fbm
Mackenzie River Valley, central section	7 150	489	Hirvonen 1975	Volume for softwood stands only = 356 MM fbm
Mackenzie River Valley, northern section	16 850	390	Hirvonen 1975	
Lower Liard FMU, survey area NWT only	4 200	2 754	Hirvonen 1968	
Lower Liard FMU, survey area only	2 727	1 857	Gilmour <sup>e</sup>	Spruce pulpwood volume 568 MM cu. ft.

<sup>a</sup> Forest Unit.

<sup>b</sup> Spruce sawtimber trees with height  $\geq 60$  ft. and diameter at breast height  $\geq 10$  in.

<sup>c</sup> Gilmour, J. 1979. White spruce sawtimber inventory, Slave Forest Unit. Indian and Northern Affairs Canada, Fort Smith, NWT. File report.

<sup>d</sup> Gilmour, J. 1979. An analysis of the forest resources of the NWT. Indian and Northern Affairs Canada, Fort Smith, NWT. File report.

<sup>e</sup> Gilmour, J. 1982. Lower Liard timber inventory, 1982. Indian and Northern Affairs Canada, Fort Smith, NWT. File report.

merchantable sawtimber in the Slave Forest Management Unit (FMU) was lost to fire (Gilmour<sup>6</sup>). Statistics show that annually from 1964 to 1973, 1.3% of the productive forest land in the NWT was burned over by fire (Bickerstaff et al. 1981). This loss is two times larger than losses in the Yukon (which has the second-largest fire loss value) and 10 times larger than those in Alberta. At the national level, 0.1-0.2% of the productive forest land area is burned over annually.

Volume estimates (mainly spruce sawtimber) for the Slave, Hay, and Lower Liard forest management units and the Mackenzie Valley (Fig. 3) are summarized in Table 2. While volumes estimates vary significantly, a resource of considerable value is evident. Gilmour<sup>7</sup> has

suggested that due to fire losses a sustained sawtimber yield, given the present harvest, is probably not possible in the Slave River and Hay River units.

The Liard FMU contains the largest and most productive single tract of good timber in the NWT. There have been at least five different forest inventory surveys of this area. All surveys cover somewhat different areas and methods vary among investigators; however, all estimates indicate that substantial volumes of mature spruce timber exist. The new all-weather road from Fort Nelson, B.C., to Fort Simpson provides direct access to this timber resource, and commercial exploitation of this timber will therefore now be more attractive.

<sup>5</sup> In the context of a theoretical total wood increment, cutting is negligible; however, sawlog production from suitable environments, such as the riverine stands along the Slave River or stands on the slopes of the Cameron Hills, is predicted on a controlled depletion cut from a limited production base.

<sup>6</sup> Gilmour, J. 1979. Whitespruce sawtimber inventory, Slave Forest Management Unit. Indian and Northern Affairs Canada, Fort Smith, NWT. File report.

<sup>7</sup> Gilmour, J. 1979. An analysis of the forest resources of the NWT. Indian and Northern Affairs Canada, Fort Smith, NWT. File report.

The most recent survey by Gilmour<sup>8</sup> shows that the Lower Liard FMU covers an area of 5.3 million acres, 81% of which is classified as productive, stocked land. The reliable minimum estimate for white spruce sawtimber<sup>9</sup> in the Lower Liard FMU harvest area is 1857 MM foot board measure (fbm). White spruce pulpwood<sup>10</sup> volume was calculated to be about 568 MM cu. ft. and hardwood pulpwood volume to be 874 MM cu. ft.

All stands in the Lower Liard FMU with a mean height of less than 50 ft. were considered to be immature stock. Estimates of volumes or growth were not made for these stands. Immature productive strata on site classes I and II occupy 968 580 acres; class I and II sites are considered good sites capable of growing white spruce to sawtimber size. Gilmour<sup>11</sup> did not consider these sites because sufficient data were not available to allow for any sound conclusions about their potential.




Figure 3. Forest inventory areas.

<sup>8, 11</sup> Gilmour, J. 1982. Lower Liard timber inventory, 1982. Indian and Northern Affairs Canada, Fort Smith, NWT. File report.

<sup>9</sup> Spruce sawtimber includes trees with heights equal to or greater than 60 ft. and with diameter at breast height equal to or greater than 10 in.

<sup>10</sup> Pulpwood includes trees with a minimum diameter at breast height of 6 in. and a 3-in. top diameter inside bark.

## CHAPTER III

### THE FOREST INDUSTRY IN THE NWT—A PERSPECTIVE

#### Historical Development

The first permanent settlements in the Northwest Territories were established by the European fur trade in the early part of the nineteenth century (Kitto 1930). The native people of the area gradually congregated around the trading posts. During this period wood was used for fuel and building logs.

The RCMP and religious organizations followed; Anglican and Roman Catholic orders established churches, schools, and hospitals. The growth of communities created a market for milled lumber and resulted in the establishment of several community sawmills. One of the earliest sawmills was constructed at Fort Resolution in the 1840s (Government of the Northwest Territories 1977); however, the demand for lumber was not significant and the sawmills were operated on a local demand basis only until the 1920s.

Demand for timber increased again with the development of the mining and petroleum industry in the NWT. Oil was discovered in 1920 at Norman Wells, and mineral exploration work began at Pine Point in 1929. Trees around these development sites were harvested for mine props, timbers, and construction lumber.

The forest resource played an important role in the development of the mining sector (INAC 1973):

After the discovery of pitchblende at Port Radium on Great Bear Lake in 1930, the development of the mine was dependent to a large extent on the availability of a good supply of mine timbers. Although the timber around Port Radium was not large, it was physically and economically suitable, and many millions of linear feet were cut and used, during the 30 years of its operating life.

Other developments, including the gold mines at Yellowknife and later the Canada Tungsten mine on the Upper Flat River adjacent to the NWT-Yukon border, created similar demands for lumber. Both mines had sawmills associated with their early development.

By the 1930s, four sawmills were operating in the NWT, two at or near Fort Smith, one at Fort Resolution, and one at Fort Simpson. Products from the mills were

transported by boat along the Mackenzie and Slave rivers from Fort Smith to Aklavik.

Early records on volumes of wood harvested are not available or are incomplete. Statistics from the Lands, Parks, and Forests Branch of the federal Department of the Interior (1931) indicate that timber permits were issued for the cutting of 57 000 linear feet of timber, 120 M (thousand) fbm of lumber, 893 roof poles, and 2466 cords of fuelwood in 1930. These figures do not include the volumes harvested on timber berths located mainly in Wood Buffalo National Park.

In the 1950s and 1960s, development evolved around an expansion of communication, transportation, and government service centers such as Inuvik, Hay River, Yellowknife, and Fort Smith. The growing demand for improved education, housing, and other social services sparked a period of intensive construction in both the private and public sectors.

During the 1970s and early 1980s, petroleum exploration in the Mackenzie Delta and the Beaufort Sea, continued activity in the Norman Wells production field, and a general expansion phase in the mining sector sustained the demand for wood products.

#### Current Forest Industry

The forest industry is currently composed of three industry groups: sawmills, miscellaneous roundwood producers, and fuelwood producers. In 1981 the sawmill industry consisted of nine operating sawmills: three in the Fort Smith area, three in Hay River, two in the Fort Simpson area, and one in the Norman Wells area (Fig. 4). The replacement value of the capital stock invested in the nine operating sawmills was estimated to be \$5.5 million. There were five community-managed sawmills (none operational in 1981) located at Jean Marie River, Wrigley, Arctic Red River, Fort Franklin, and Fort McPherson. Annual sawmill production totaled just over 6 MM fbm; however, only two sawmills (one at Fort Resolution and one near Hay River) each produced 1 MM fbm or more annually.

There were 25 miscellaneous roundwood producers holding timber permits and a number of producers without permits. The producers without permits were primarily located in isolated communities or were




Figure 4. Location of mills.

removing timber from Commissioner's Lands. Annual output per producer ranged from less than 100 cu. ft. to more than 50 000 cu. ft. Most of this timber was used as construction material for log homes in the local communities.

Fuelwood consumption in the NWT has steadily increased with population growth. With the initiation of rent and fuel oil subsidies in the 1950s, fuelwood demands dropped, especially in the larger communities. Fuelwood use in the more traditional, isolated communities was not affected. Escalating oil prices since the

1970s have led to renewed interest and demand for wood as fuel.

Today fuelwood is supplied by commercial operators and is harvested by individuals for their own use. There are 18 commercial operators producing anywhere from 30 to 1200 cords of wood annually. The domestic user can require from 8 to over 15 cords of wood per year. Domestic consumption is influenced by location, severity of winter, size of home, insulation, type of wood available, heating system, and probably most importantly, individual demands for heat.



## CHAPTER IV

### EMPLOYMENT IN THE FOREST INDUSTRY OF THE NWT

In 1980–81, the commercial forest industry in the Northwest Territories provided 91.4 person-years<sup>12</sup> (1097 person-months) of direct employment (Table 3). The sawmill-planing mill complex group provided 67% of this employment, while miscellaneous roundwood producers and commercial fuelwood suppliers contributed 15% and 18%, respectively.

In determining employment figures for fuelwood production, only the commercial operators were included, and no employment figures were gathered for the individual or domestic fuelwood producer. The domestic producer, however, accounted for 69% of the total fuelwood volume harvested. By applying the average employment productivity factor calculated for commercial fuelwood operations<sup>13</sup> to domestic production, the employment created by domestic fuelwood production was conservatively estimated to be 470 person-months. The combined calculated domestic and commercial employment totaled 55.5 person-years (667 person-months) and accounted for 43% of the total forest industry employment, which is significantly greater than

the 18% represented by using commercial fuelwood production data only (Table 3). Because the domestic fuelwood employment does not contribute to wage or employment statistics and an accountable cash income, however, it cannot be considered a measurable component of the wage economy. Even though domestic fuelwood production generates local economic activity, its employment impact is not fully considered in this report.

Most opportunities for employment existed in the Fort Smith area, which provided approximately 50% of forest industry employment. The Hay River and Yellowknife market areas were also fairly important employment centers, generating 21% and 17%, respectively, of forest industry employment. The other market areas of Fort Simpson, Norman Wells, and Inuvik had fewer jobs associated with the forest industry (Table 4).

There was a definite seasonal employment pattern in the NWT forest industry (Fig. 5). During a 6-month period (November to April) almost all logging associated

**Table 3. Direct employment by forest industry group in the NWT, 1980–81**

	Person-years of employment			% of forest industry
	Logging	Mill	Total	
Sawmills-planing mills and shingle mills	205	532	737	67
Miscellaneous roundwood: building logs, pillings, and posts and poles	163	N/A	163	15
Commercial fuelwood suppliers	197	N/A	197	18
<b>Total</b>	<b>565</b>	<b>532</b>	<b>1 097</b>	<b>100<sup>a</sup></b>

<sup>a</sup> Logging is 51% and mills are 49%.  
N/A Not applicable.

<sup>12</sup> A full person-year is defined as one person working 8 hours per day, 5 days per week, 48 weeks per year (1920 hours per year).

<sup>13</sup> The production of 20 cords of delivered stove-length fuelwood requires one person-month of labor.

with sawmill operations is completed. Access to the larger logging operations is often possible only during the winter months, when the ground is frozen and inexpensive, temporary roads can be constructed. During the summer months some miscellaneous roundwood and fuelwood producers log in areas where access is not a problem. Almost all sawmilling occurs during the warm months (May to October). In some operations, the loggers double as mill workers, doing both jobs at different times of the year. The available labor force is generally adequate, but experienced, skilled workers are difficult to attract and retain when operations involve only a 6-month working period.

Native<sup>14</sup> participation in the NWT forest industry is high, comprising 83% of the work force in 1981 (Table 5). A single person-year statistic often represents financial support for several families, as some native people seek

only short-term employment each year in order to finance their traditional activities of hunting, fishing, and trapping. Native employment is almost equally distributed between logging and sawmill workers.

The miscellaneous roundwood industry employed a higher percentage of natives (93%) than any other forest industry group. The Government of the Northwest Territories (GNWT) sponsors programs such as the Small Settlement Home Assistance Grant (SSHAG), which allows people in designated communities to make use of indigenous materials such as logs to construct homes.

In the forested area of the NWT, people of native ancestry made up only 37% of the population but comprised 83% of the direct forest industry employment. It is evident, therefore, that the forest industry is very important to the native peoples of the NWT. It is one of the few wage-oriented industries in the region dominated by a native work force.

**Table 4. Regional distribution of forestry employment in the NWT, 1980-81**

Market area	Total person-months of employment	% employment by region
Fort Smith	523	48
Hay River	235	21
Fort Simpson	57	5
Yellowknife	189	17
Norman Wells	40	4
Inuvik	53	5
Total	1 097	100

To calculate the total employment impact, indirect employment as well as direct employment must be considered. Indirect employment is created when forest industry firms purchase fuel, power, operating supplies, machinery, transportation, and other services. Indirect employment is also created as a result of forest workers purchasing consumer goods and services in the marketplace. Those job-creating effects are referred to as indirect employment impacts and are measured by an employment multiplier. Empirical evidence from the United States and Canada suggests that an average forest industry multiplier of 2.0 is reasonable for forest-based communities.<sup>15</sup> Using an employment multiplier of 2.0 means that for every person-month of direct employment in the forest industry, one person-month of indirect employment is created elsewhere in the NWT economy. Based on the employment multiplier, the total employment impact (both direct and indirect) was 183 person-years (2194 person-months) for the NWT forest industry in 1980-81.

<sup>14</sup> Natives are defined as Dene, Inuit, and Metis peoples.


<sup>15</sup> For a discussion of indirect employment impacts in the forest industry, see Ondro and Williamson (1984).

**Table 5. Native employment<sup>a</sup> in the forest industry in the NWT, 1980-81**

Industry group	Total industry employment <sup>b</sup>		Native employment			
	Logging	Mill	Logging		Mill	
			No. <sup>b</sup>	% of industry	No. <sup>b</sup>	% of industry
Sawmills-planning mills and shingle mills	205	532	151	74	425	80
Miscellaneous roundwood: building logs, pilings, and posts and poles	163	0	152	93	0	0
Commercial fuelwood suppliers	197	0	179	91	0	0
<b>Total</b>	<b>565</b>	<b>532</b>	<b>482</b>	<b>85</b>	<b>425</b>	<b>80</b>

<sup>a</sup> Defined as Dene, Inuit, and Metis peoples of the NWT.

<sup>b</sup> In person-months.

**Figure 5. Seasonality of employment in the forest industry, 1980.**

## CHAPTER V

### PRODUCTION, CAPACITY, AND DOMESTIC MARKETS OF THE FOREST INDUSTRY IN THE NWT

#### Production

Total forest industry production in the Northwest Territories for 1980-81 was 2624 M cu. ft. Of this total, 1255 M cu. ft. (47.8%) were produced by the sawmill industry, 277 M cu. ft. (10.6%) by the miscellaneous roundwood industry, and 1092 M cu. ft. (41.6%) by the commercial and domestic fuelwood industry (Fig. 6).

Total production varied considerably among market areas (Table 6). Fort Smith and Hay River were the largest producing areas, accounting for 32% and 29%, respectively, of all forest products. Yellowknife and Fort Simpson together produced 26%, and the rest was accounted for by Norman Wells and Inuvik.

The sawmill industry was concentrated in the Fort Smith and Hay River market areas and accounted for 90% of the total lumber production. More than 50% of the miscellaneous roundwood was produced in the Yellowknife area, approximately 20% in each of the Inuvik and Hay River areas, and 10% distributed among the three remaining market areas of Fort Smith, Fort Simpson, and Norman Wells. Total fuelwood production (commercial and domestic) was more evenly distributed

throughout the six market areas. It is important to note that the Yellowknife and Fort Smith areas were the biggest producers, each accounting for approximately 25% of the total. Commercial fuelwood production was concentrated in the Yellowknife area (39%), and domestic fuelwood production was greatest in the Fort Smith area, which had a 28% share.

#### Sawmill industry


Nine sawmills and one shingle mill were operated in the NWT during 1980-81. In addition, there were five community-owned sawmills that were not utilized during the survey period. Total sawmill production was 6275 M fbm of milled lumber, of which 4529 M fbm (72%) were planed or dressed (Table 7). The majority of the dimension and boards were cut in 16-ft. lengths, but timber lengths varied up to a length of 30 feet. All timber products were air-dried. At the time of this study, a dry kiln was being constructed in the Hay River area.

White spruce was the most important lumber species, accounting for 97% of the total lumber production. Small amounts of jack pine and white birch were cut on special orders.

**Table 6. Forest industry production by market area in the NWT, 1980-81**

Market area	Total production (cu. ft.)	Sawmill production (M fbm)	Miscellaneous roundwood (cu. ft.)	Commercial fuelwood (cords)	Domestic fuelwood (cords)	Total fuelwood (cords)
Fort Smith	850 840	2 880	11 800	620	2 668	3 288
Hay River	771 460	2 625	49 100	930	1 537	2 467
Fort Simpson	278 220	580	9 100	400	1 514	1 914
Yellowknife	409 860	--- <sup>a</sup>	144 900	1 645	1 667	3 312
Norman Wells	188 760	190	13 000	500	1 222	1 722
Inuvik	125 020	0	49 100	160	789	949
Total	2 624 160	6 275	277 000	4 255	9 397	13 652

<sup>a</sup> 560 bundles of shingles not included in total.



Total production = 2624 M cu. ft.

**Figure 6. Forest industry production by industry group, 1980-81.**

**Table 7. Products from NWT sawmill-planing mills and shingle mills, 1980-81**

Lumber product	Size (in.)	Planed (M fbm)	Rough (M fbm)	Total (M fbm)	% by size	% of all products
Dimension	2 X 4	1 416	234	1 650	45.1	
	2 X 6	889	232	1 121	30.6	
	2 X 8	195	73	268	7.3	
	2 X 10	371	54	425	11.6	
	2 X 12	168	29	197	5.4	
Total		3 039	622	3 661	100	58.3
Boards	1 X 4	440	35	475	28.6	
	1 X 6	882	94	976	58.8	
	1 X 8	152	31	183	11.0	
	1 X 10	10	10	20	1.2	
	1 X 12	6	—	6	0.4	
Total		1 490	170	1 660	100	26.5
Timbers	3 X 8	—	50	50	5.2	
	3 X 10	—	100	100	10.5	
	3 X 12	—	141	141	14.8	
	4 X 4	—	193	193	20.2	
	4 X 6	—	11	11	1.2	
	4 X 8	—	5	5	0.5	
	4 X 12	—	15	15	1.6	
	6 X 6	—	187	187	19.6	
	6 X 8	—	12	12	1.3	
	8 X 8	—	182	182	19.0	
	10 X 10	—	43	43	4.5	
	12 X 12	—	15	15	1.6	
Total		—	954	954	100	15.2
Total lumber				6 275		100
Other products						
Building logs	200 M fbm					
Pilings	60 M fbm					
Shingles	560 bundles					
Fuelwood	330 cords					

Dimension lumber comprised 58% (3661 M fbm) of all lumber produced, with boards and timbers comprising 27% and 15%, respectively, of the total output. Other products produced by sawmills included building logs, pilings, and fuelwood (Table 7).

The most important dimension lumber sizes were 2 X 4s and 2 X 6s. Together they comprised 75% of the total dimension material produced. The most common board sizes were 1 X 6s and 1 X 4s, representing 59% and 29%, respectively, of production. Timber sizes varied from 3 X 8s to 12 X 12s; no size dominated production, though 4 X 4s, 6 X 6s, and 8 X 8s were most preferred.

The shingle mill at Rae-Edzo began operating in 1981. At the time of this study approximately 560 bundles of shingles had been produced for the community. Shingles are normally 16 in. long, of different widths, and either treated with preservative or untreated. Shingles could be produced for sale given adequate demand.

#### ***Miscellaneous roundwood industry***

Most miscellaneous roundwood production consisted of building logs, and there was a small percentage of pilings, posts, and poles. Building logs were peeled and cut into varying sizes to suit the requirements of home construction. Pilings were cut to 8–10 in. top diameter

and used as is for temporary purposes or peeled and treated with preservative for more permanent installation. Pilings were used as foundation support for docks or buildings, especially in ice-rich soils.

#### ***Fuelwood industry***

Fuelwood production was estimated to be 13 652 cords; approximately 31% (4255 cords) was harvested by commercial suppliers and 69% (9397 cords) by the individual domestic users. Fuelwood was produced and sold in 8-ft. lengths or 16–24 in. stove-length pieces.

#### **Capacity**

The sawmill industry was the only group for which empirically accurate data were available; therefore, capacity is addressed only for the sawmill industry. In the last decade, sawmill industry output has averaged 6–7 MM fbm per year. Production increased during years when the commercial demand for lumber was high (e.g., 1973–74 and 1978–79) (Table 8). It is important, however, to note that full sawmill capacity was never attained. Operators offered a number of reasons for this:

1. Most operating costs are associated with the milling operation. Milling is completed in the summer months when production can be sold quickly and cash flow problems reduced.

**Table 8. Output of forest products<sup>a</sup> in the NWT<sup>b</sup>**

Fiscal year	Lumber (M fbm)	Miscellaneous roundwood (M cu. ft.)	Fuelwood (M cu. ft.)	Total production (M cu. ft.)
1970–71	7 710	159	192	1 893
1971–72	5 050	148	249	1 407
1972–73	6 765	267	321	1 941
1973–74	9 585	274	144	2 335
1974–75	5 985	120	142	1 459
1975–76	7 700	118	176	1 834
1976–77	5 610	59	256	1 437
1977–78	6 255	79	240	1 570
1978–79	8 980	61	237	2 094
1979–80	7 410	82	320	1 884
1980–81	8 095	100	196	1 915
1981–82	9 270	120	265	2 239

<sup>a</sup> The estimates were derived from information supplied on timber permits and may not reflect actual harvest.

<sup>b</sup> Source: Personal communication from J. Gilmour, Indian and Northern Affairs Canada, Fort Smith, NWT. 1982.

2. Mills are not enclosed or heated for winter operation.
3. There are shortages of reliable skilled labor.
4. The present operating period suits the social system of the Dene, who make up the majority of the labor force.
5. Inadequate access to harvestable stands of timber limits summer logging operations.
6. Timber volumes are inadequate in areas within economical hauling distance of the sawmills.
7. Operators are not interested in increasing production.

To determine sawmill capacity, this analysis was established around a 6-month operating period consisting of 120 working days during the warm months. In order to determine operating ratios, the nine sawmills were divided into three classes: sawmills with an annual production greater than 1 MM fbm; mills with annual production of 1 MM to 100 M fbm; and mills with annual production of less than 100 M fbm (Table 9). All mills surveyed operated with one shift per day.

Sawmills with annual production greater than 1 MM fbm achieved an average operating ratio per 8-hr. shift of 41% of their engineered capacity (Table 9). Operating

ratios measure the extent of underutilization of the productive potential of capital stock and shows the gap between potential and actual use of the capital stock (Statistics Canada 1978). Sawmill operators could increase production by utilizing the full engineered capacity of their mills and by operating two shifts per day, assuming adequate demand, a qualified labor force, and funding for modest improvements (e.g., lighting). Operating at full capacity would increase production by a factor of 2.5; two shifts per day would increase production by a factor of 5. Increased production by the other two smaller sawmill groups is also possible if operations were expanded in the same manner. Given sufficient demand and the absence of constraints such as an inadequate timber supply or shortage of labor, sawmill production in the NWT could be increased to 15–31 MM fbm annually with a limited capital investment.

### Domestic Markets

The forest products of the NWT were almost exclusively used within the region. All miscellaneous roundwood (277 M cu. ft.), all fuelwood (13 652 cords), and 87% (5488 M fbm) of the lumber was sold and used in the NWT. Lumber was marketed in all six market areas in the NWT. Normally, miscellaneous roundwood is marketed locally within the production area. Fuelwood sales are also restricted to the local market.

The marketing flow of domestic lumber in 1980–81 was as follows: commercial distributors (building supply

**Table 9. Engineered capacity, normal output, and operating ratios<sup>a</sup> by sawmill group in the NWT, 1980–81**

Sawmill group by production	No. of firms	Average engineered capacity per 8-hr. shift (fbm)	Average normal output per 8-hr. shift (fbm)	Average operating days (8-hr. day)	Average operating ratio per 8-hr. shift	Average operating ratio per production year <sup>b</sup>	
						One shift per day	Two shifts per day
1 MM fbm or over	2	44 350	19 189	114	0.41	0.41	0.21
100 M fbm to 1 MM fbm	4	11 510	7 042	60	0.61	0.31	0.15
Less than 100 M fbm	3	14 580	2 258	31	0.16	0.04	0.02

<sup>a</sup> Operating ratio =  $\frac{\text{Number of operating shifts} \times \text{normal output}}{\text{Total number of potential shifts} \times \text{capacity per shift}}$

<sup>b</sup> Production year is assumed to be a period of 120 operating days, usually from May to October.



companies) purchased 81% (5123 M fbm) of sawmill production and consumers purchased 6% (365 M fbm) directly; 13% (790 M fbm) was exported to Alberta (primarily the Edmonton area). In view of the fact that the information was collected for a composite year, some inconsistencies in the aggregate data base were identified. For example, the amount of lumber sold in the NWT and the amount exported by one particular sawmill varied from the volume that commercial distributors indicated they purchased. The amount of lumber exported to Alberta could therefore be greater than the reported 13%. Volumes as large as 50% of total production have been documented for some years.

It is not clearly understood how sawmill operators can compete in the highly competitive Alberta market, especially in view of high transportation costs. It is possible that truckers returning to Alberta after delivering freight in the NWT reduce transportation tariffs in order to obtain a payload for the return trip.

**Table 10. Markets for forest products produced in the NWT, 1980-81**

Market area	Lumber (M fbm)	Miscellaneous roundwood (cu. ft.)	Fuelwood <sup>a</sup> (cords)
Fort Smith	779	11 800	3 288
Hay River	3 525	49 100	2 467
Fort Simpson	378	9 100	1 914
Yellowknife	198	144 900	3 312
Norman Wells	202	13 000	1 722
Inuvik	403	49 100	949
Alberta	790	0	0
Total	6 275	277 000	13 652

<sup>a</sup> Includes both commercial and domestic fuelwood.

The market area accounting for the greatest proportion of consumption of domestically produced lumber was the Hay River region (Table 10). Most of this lumber is purchased by distributors in the Hay River market

area. It is difficult to determine the final destination and amount used in each individual market area because the domestic lumber is grouped with imported lumber and redistributed to all market areas.

Miscellaneous roundwood is used locally for the construction of log homes. More than 50% (144 900 cu. ft.) of the domestic miscellaneous roundwood was purchased for use in the Yellowknife market area.

Residents in the Yellowknife and Fort Smith market areas consumed 48% (6600 cords) of the fuelwood. These two market areas had the greatest percentage of residents dependent on fuelwood and except for the Inuvik market area, which does not have a readily available wood source, had the largest populations of the NWT.

The estimated value of the NWT forest industry production totaled \$2 123 880 in 1980-81 (Table 11). Lumber accounted for 73% of the gross value of sales, and miscellaneous roundwood and commercial fuelwood accounted for 16% and 11%, respectively. If the calculated value of domestic fuelwood is added to this figure, the total value of forestry production would be \$2 684 570.

**Table 11. Value of production of the forest industry in the NWT, 1980-81**

Product	Value (\$)	% of total
Lumber: dimension, boards, and timbers	1 546 600	72.8
Miscellaneous roundwood: building logs, pilings, and posts and poles	340 900	16.1
Commercial fuelwood	236 380	11.1
Total value of production <sup>a</sup>	2 123 880	100

<sup>a</sup> If the domestic component of fuelwood were considered in value calculations, total value would increase by \$560 690 to \$2 684 570.

## CHAPTER VI

### CONSUMPTION OF FOREST PRODUCTS IN THE NWT

#### Consumption by Market Area

Consumption of forest products in 1980-81 by market area is outlined in Table 12. The largest consumption zone for wood products was the Inuvik market area, where 55% (17 078 M fbm) of the lumber, 46% (3335 M sq. ft.) of the plywood, and 57% (337 M cu. ft.) of the miscellaneous roundwood were consumed (Fig. 7). Only 7% (949 cords), however, of the total fuelwood was consumed here. Most wood consumption was directly related to oil exploration and associated construction activities.

Residents in the Hay River market area consumed the second-largest volume of lumber and plywood at 22% and 17%, respectively. Most of the wood products were used by construction firms such as Ranger Homes Ltd., which constructed prefabricated homes under contract to the GNWT and shipped them to northern settlements.


The Yellowknife market area was the third-largest consumption zone for lumber (8.6%) and plywood (16.3%). Though the Yellowknife market area has the largest population, it is an established service center for government and local gold mines, and most of the building infrastructure is already in place. The only major

activity in 1980-81 revolved around the construction of the Echo Bay gold mine (Lupine project) at Contwoyto Lake. Residents of the Yellowknife market area consumed the second-largest volume (23%) of miscellaneous roundwood in 1980-81. Most roundwood materials were used to construct log homes in the Rae-Edzo area and further north. Residents of the Yellowknife market area consumed the largest amount of fuelwood (24%). This high consumption rate was partially attributed to high fuel oil prices in the western NWT. In addition, fuelwood was readily available in Rae-Edzo, whose residents were among the highest per-capita users of fuelwood in the NWT.


Residents of the Fort Smith, Fort Simpson, and Norman Wells market areas were minor consumers of most forest products. The data indicate each area used approximately 5% of the lumber and 8% or less of the plywood; when combined, residents from these market areas consumed approximately 2% of the miscellaneous roundwood. The main wage employers in the Fort Smith market area were the GNWT, the Government of Canada, mining companies, and some sawmills. There was no expansion of the existing industrial base nor any new developments to warrant an increase in the consumption of processed wood products. In the Fort Simpson market area, mining companies consumed most

**Table 12. Consumption of forest products by market area in the NWT, 1980-81**


Market area	Dimension	Lumber (M fbm)		Total	Plywood (M sq. ft.)	Miscellaneous roundwood (M cu. ft.)	Fuelwood (cords)
		Boards	Timbers				
Fort Smith	1 460	491	200	2 151	542	7	3 288
Hay River	6 493	325	1 252	8 070	1 239	71	2 467
Fort Simpson	1 048	217	778	2 043	601	27	1 914
Yellowknife	1 403	800	984	3 187	1 184	140	3 312
Norman Wells	755	87	252	1 094	380	14	1 722
Inuvik	17 078	118	3 211	20 407	3 335	337	949
Total	28 237	2 038	6 677	36 952	7 281	596	13 652




Lumber — 36 953 M fbm



Plywood — 7281 M sq. ft.



Miscellaneous roundwood  
596 M cu. ft.



Fuelwood — 13 652 cords

Figure 7. Consumption of forest products by market, 1980-81.

of the processed wood products. The Norman Wells market area, which had the smallest population, accounted for the smallest consumption rate of wood products. The oil industry centered in Norman Wells utilized most of the wood products in that area.

Fuelwood use patterns were different from those documented for other forest products. Fuelwood consumption was more evenly distributed among the market areas with the exception of Inuvik, as noted above. Almost all fuelwood was used in the same area in which it was produced, and most of the fuelwood was consumed by residents of the more traditional communities. Fuelwood use ranged from 24% (3300 cords) in the Yellowknife and Fort Smith market areas to 7% (950 cords) in the Inuvik area.

The consumption patterns per market area for dimension lumber and timbers (Fig. 8) were similar to the total lumber consumption ratios described earlier. The Inuvik market area dominated consumption and was followed by Hay River and Yellowknife. The consumption patterns for boards were different; the Yellowknife market area residents dominated consumption (39% of the market), Fort Smith market area residents consumed 24%, and Hay River market area residents consumed 16%. The residents of the remaining market areas collectively consumed 21%.

Boards were used for a variety of purposes, including fencing material, form cribbing, and small home-oriented projects (activities for which kiln-dried material is not necessarily required). In addition, some boards were used for siding and trim and in manufacturing pallets and core boxes. In Yellowknife and Fort Smith there was a greater demand for fencing material than in other communities due to a larger number of privately owned homes.

### **Consumption by Major Consuming Groups**

Consumers can be divided into five major groups: construction companies, mining companies, oil companies, government agencies, and others. The last group includes individual consumers, community groups, social and church organizations, cooperatives, and miscellaneous consumers. Consumption by the others group was determined by totaling purchases from distributors of the four major groups and subtracting that amount from the total sold by the distributors. The remaining volume plus direct sales to identified members of this group were allocated to the others category. High transportation costs for small orders of goods shipped into the NWT combined with the nonpermanent or transient status of a large percentage of the residents led to the assumption

that only a small, insignificant volume of wood products would be brought into the NWT by individuals. The location and number of firms per consumer group are listed in Appendix 5.


In examining total lumber and plywood requirements for each of the consumer groups, it was determined that (by weight) significantly more lumber than plywood is used in the NWT. In comparing the consumption on a weight basis, oil companies used 2 times more lumber than plywood, mining companies and government agencies used approximately 3.5 times more lumber than plywood, and construction companies used over 10 times more lumber than plywood.

Total consumption by consumer group is shown in Table 13 and Figure 9. The construction companies group was the largest consumer of lumber and plywood: 24 486 M fbm (66%) and 2652 M sq. ft. (36%), respectively. As expected, a large percentage of construction work was completed by companies for other users in industry and government. An analysis of the miscellaneous roundwood statistics indicates that the others group consumed 229 M cu. ft. (38%) of the total volume; the oil companies and construction companies groups each consumed 150 M cu. ft. (25%). This material was primarily used for pilings. The volume consumed by the others group was primarily used for building log homes. Although government agencies (such as Parks and Social Services) purchased and distributed a percentage of the total fuelwood consumed, the results from this study show that most of the fuelwood was consumed by people in the others category.


In considering the detailed breakdown of lumber consumption, it was apparent that the construction companies were the largest users of dimension material and timbers. The others group consumed the greatest volume of board material, which was attributed to use in home improvements.

### **Imports and Product Flows**


The majority of wood products used in the NWT in 1980-81 were imported. Eighty-five percent of the lumber (31.5 MM fbm), 100% of the plywood (7281 M sq. ft.), and 54% of the miscellaneous roundwood (319 M cu. ft.) that was consumed was produced outside the NWT. In contrast, all of the fuelwood consumed was produced in the NWT. Wood products were imported principally by two groups: distributors (building supply companies); and commercial consumers, principally the construction, mining, and petroleum companies.



Dimension — 28 237 M fbm (76%)




Boards — 2038 M fbm (6%)




Timbers — 6677 M fbm (18%)


Figure 8. Lumber consumption by market area, NWT, 1980-81.




Lumber — 36 952 M fbm



Plywood — 7 281 M sq. ft.



Miscellaneous roundwood  
596 M cu. ft.



Fuelwood — 13 652 cords

Figure 9. Consumption of forest products by consumer group, 1980-81.

**Table 13. Consumption of forest products by consumer groups in the NWT, 1980-81**

Consumer group	Lumber (M fbm)			Total lumber (M fbm)	Plywood (M sq. ft.)	Miscellaneous roundwood (M cu. ft.)	Fuelwood (cords)
	Dimension	Boards	Timbers				
Construction companies	20 049	124	4 313	24 486	2 652	151	—
Mining companies	1 448	312	1 213	2 973	991	29	—
Oil companies	1 426	47	323	1 796	1 379	153	—
Government agencies	2 685	506	208	3 399	1 042	34	—
Others <sup>a</sup>	2 629	1 049	620	4 298	1 217	229	13 652
<b>Total</b>	<b>28 237</b>	<b>2 038</b>	<b>6 677</b>	<b>36 952</b>	<b>7 281</b>	<b>596</b>	<b>13 652</b>

<sup>a</sup> Includes individual consumers, community groups, social and church organizations, cooperatives, and other private groups.

### **Origin of imports**

The points of origin of imported<sup>16</sup> wood products were divided into five zones: the Yukon, Edmonton, northern Alberta, southern B.C., and northern B.C. (Fig. 10). The main supply centers in the Yukon were Watson Lake and Whitehorse. Most of this material went to the Inuvik market area; however, a small percentage was shipped to the Fort Simpson market area (tungsten mine). Edmonton is a major wood products distribution center, and material was shipped from Edmonton to all six NWT market areas in 1980-81. Northern Alberta is defined as the area of the province north of an east-west line drawn through the town of Peace River, and the principal supply points in northern Alberta are High Level, La Crete, Hines Creek, and Peace River. Distributors from northern Alberta serviced the four most southern market areas of Fort Smith, Hay River, Fort Simpson, and Yellowknife. The northern B.C. import area is defined as the part of the province north of an east-west line that bisects Chetwynd, just south of Dawson Creek. Distributors in Fort Nelson serviced the Fort Simpson market area via the Liard highway (winter only) and the Inuvik market area. The southern B.C. import zone includes all parts of the province south of the Chetwynd line. The largest supply center in this zone is Vancouver and surrounding area, and other distribution centers include Kamloops, Smithers, and Prince George.

Inuvik, Hay River, Yellowknife, and Fort Simpson were serviced by distributors in southern B.C. The amount of wood product imports by region of origin is shown in Table 14.

Of the 31.5 MM fbm of lumber imported into the NWT, the largest share (36%) originated in Edmonton; 32% was imported from southern B.C., distributors in the Yukon accounted for 21% of the imports, and the remaining (approximately 11%) volumes originated in northern Alberta and northern B.C. (Fig. 11). It is not clear why the majority of lumber (68%) was imported from Edmonton and southern B.C. instead of the Yukon, northern Alberta, and northern B.C., all of which are considerably closer to the NWT. In northern Alberta, sawmills produced over 120 MM fbm of kiln-dried lumber (spruce-pine-fir) per year, 66% of which is dimension stock. Northern B.C. mills produced more than 160 MM fbm, most of which was also kiln-dried dimension stock. Most of this production was exported to the United States, which is considerably further from the producing area than the NWT. The location of brokers and wholesalers, amount of sale per transaction, tied markets, and the selection and price of the products are all factors that influence distribution patterns.

All plywood consumed in the NWT is imported from the south. Most plywood (51%) originated in

<sup>16</sup> Wood product imports are identified as to area of purchase, but not necessarily area of production. For example, most plywood bought in Edmonton is produced in British Columbia.






Figure 10. Zones of origin of imported wood products, 1980-81.






Lumber — 31 467 M fbm (85%)



Plywood — 7281 M sq. ft. (100%)



Miscellaneous roundwood  
319 M cu. ft. (54%)

Figure 11. Origin of wood products imported into the NWT, 1980-81.

southern B.C., although 39% was imported from Edmonton.

The Yukon supplied 88% of the imported miscellaneous roundwood, and the bulk of that material was consumed in the Inuvik market area for use as pilings.

### **Wood product distribution**

The distribution of forest products in the NWT was shared among three groups: NWT distributors (building supply firms), NWT producers, and a number of consumers who import a percentage of their needs directly.

The lumber market was almost equally divided between consumers who imported directly (51%) and distributors (48%), and approximately 1% of the product was sold by NWT sawmills directly to consumers (Fig. 12). Possible reasons for consumers bypassing the NWT distributors and ordering from wholesalers outside the NWT included product price, selection, availability, and delivery time.

NWT distributors controlled 73% of the plywood market, and consumers purchased 27% of the plywood directly from southern wholesalers. Northwest Territories distributors handled more plywood because it generates a greater return on per-item and per-weight bases. The markup price for lumber averages 16–27%; however, the markup price for plywood can be as high as 45%. On a relative-weight basis, more lumber than plywood is required by consumers. Consumers may have need for lumber by the truck load; however, the amount of plywood per load is more than is normally required by most individual consumers. Smaller amounts are therefore purchased locally.

The miscellaneous roundwood market was almost equally split between consumers who import directly (53%) and NWT producers (47%) (Fig. 12). Distributors generally did not handle roundwood because the demand was not large enough and product selection range was very diverse.

The fuelwood distributing system was producer-oriented, with all fuelwood being handled by producers.


### **Wood product transportation**

Wood product movement in the NWT is a complex web involving all forms of transport, including road, water, air, and rail. Figure 13 illustrates the main transportation routes and shows the major supply centers. Most large communities are serviced by all-weather roads; however, communities in the arctic coast area, the Norman Wells district, Snowdrift, and other areas are supplied through a barge service. There are some communities (e.g., Rae Lakes, and Lac La Martre) and mines that are serviced by winter roads. In addition, most areas in the NWT are serviced by air.


In many instances wood products are delivered using a variety of transportation techniques and routes. For example, lumber and plywood can be transported to Inuvik via truck from Vancouver or Edmonton. The wood is then trucked through the Yukon along the Dempster Highway. On the other hand, wood products can be trucked to Hay River and barged down the Mackenzie River to Inuvik. In winter, products can be transported via the winter roads to Tuktoyaktuk. If time is critical, freight can be shipped by air. Table 15 outlines the final mode of transportation of wood products in the NWT by market area.

**Table 14. Imports of wood products into the NWT by area of origin, 1980–81**


Wood products	Area of origin					Total imported	Total consumed	% imports of total consumed
	Yukon	Alberta (Edmonton)	Alberta (Northern)	British Columbia (Southern)	British Columbia (Northern)			
Lumber (M fbm)	6 720	11 191	2 307	10 097	1 152	31 467	36 952	85
Plywood (M sq. ft.)	662	2 851	46	3 716	6	7 281	7 281	100
Miscellaneous roundwood (M cu. ft.)	279	0	30	0	10	319	596	54




Lumber — 36 952 M fbm



Plywood — 7281 M sq. ft.



Miscellaneous roundwood  
596 M cu. ft.



Fuelwood — 13 652 cords

Figure 12. Wood product distribution, 1980-81.




Figure 13. Major transportation routes.

**Table 15. Final mode of transportation<sup>a</sup> for wood products consumed in the NWT by market area, 1980-81**

Market area of use	Lumber (M fbm)				Plywood (M sq. ft.)			
	Air	Water	Road <sup>b</sup>	Total	Air	Water	Road <sup>b</sup>	Total
Fort Smith	—	20	2 131	2 151	—	12	530	542
Hay River	—	—	8 070	8 070	—	—	1 239	1 239
Fort Simpson	—	20	2 023	2 043	—	13	589	602
Yellowknife	892	—	2 295	3 187	601	—	583	1 184
Norman Wells	—	1 094	—	1 094	—	380	—	380
Inuvik	2 659	869	16 879	20 407	558	370	2 406	3 334
Total	3 551	2 003	31 398	36 952	1 159	775	5 347	7 281
% total	9.6	5.4	85	100	15.9	10.6	73.5	100

<sup>a</sup> Approximately 739 M fbm of lumber and 947 M sq. ft. of plywood are brought into the NWT (Hay River) by rail and then redistributed by truck, barge, and air.

<sup>b</sup> Includes all-weather and winter roads.

In 1980-81 most of the lumber (85%) and plywood (74%) was transported to its final destination via roads. Table 16 lists distances and corresponding tariffs for supply centers in British Columbia, Alberta, the Yukon, and the NWT.

Approximately 5% of the lumber and 11% of the plywood was transported by barge. Most barge traffic serviced the Norman Wells and Inuvik market areas. The main terminal for barge freight was Hay River. Eighty-eight percent (by weight) of all barge traffic of wood products originated in Hay River. Barge tariffs are listed in Table 17.

Air transport accounted for shipment of 10% of the lumber and 16% of the plywood used in the NWT. Most of this air freight originated at the airports in Yellowknife and Inuvik. The principal destinations were arctic coast communities, mine sites, and industrial exploration sites in the Inuvik and Yellowknife market areas. A significant percentage of the air freight was transported via chartered flights. Unfortunately, associated freight costs for these

shipments could not be obtained. Because tariffs listed for scheduled routes are much higher, no air freight costs are given.

The Canadian National Railway (CNR) transported approximately 2% of the lumber and 13% of the plywood used in the NWT. These products were unloaded at the CNR railhead at Hay River and redistributed by truck to the four southern market areas.

Lumber price differentials largely reflect transportation costs incurred in moving the wood products to the area of use. For example, the price of lumber in the two most northerly market areas (Inuvik and Norman Wells) was 100% higher than in the four southern market areas (Table 18).

### Types of Forest Products Used

Spruce-pine-fir<sup>17</sup> (79%) and Douglas-fir (21%) were the main tree species utilized for lumber in the NWT in 1980-81. Unmeasurable amounts of other species

<sup>17</sup> These Canadian timber species have similar performance properties that make them interchangeable in use. For the purpose of identification, certain species are given a common designation on grade stamps because they cannot be visually separated in lumber form. A complete explanation of grading standards is provided by the National Lumber Grades Authority (1982).

**Table 16. Highway distance from points in Alberta, British Columbia, the Yukon, and the NWT and corresponding average tariff for truckload lots<sup>a</sup>**

Point of lading	Destination	Distance (miles)	Tariff (cents per 100 lb.)	
			1981	1982
Vancouver	Inuvik	2 150	22.00	23.00
Edmonton	Inuvik	2 064	20.00	20.57
Fort Nelson	Inuvik	1 395	12.50	14.60
Whitehorse	Inuvik	778	10.50	9.85
Dawson	Inuvik	457	5.31	5.31
Vancouver	Hay River	1 526	11.85	12.64
Edmonton	Hay River	683	4.89	5.94
Peace River	Hay River	381	3.00	3.65
High Level	Hay River	197	1.96	2.39
Vancouver	Yellowknife	1 833	14.12	15.06
Edmonton	Yellowknife	941	6.88	8.36
High Level	Yellowknife	451	3.85	4.70
Hay River	Fort Smith	174	1.86	2.27
Hay River	Yellowknife	307	2.54	3.09
Hay River	Fort Simpson	272	2.30	2.79

<sup>a</sup> A truckload lot is 40 000 lb. or more.

**Table 17. Barge tariffs<sup>a</sup> for the Mackenzie River and western arctic<sup>b</sup>**

Point of lading	Destination	Tariff (cents per 100 lb.)	
		1981	1982
Hay River	Fort Simpson	2.71	3.11
	Wrigley	3.23	3.72
	Fort Norman	3.49	4.01
	Norman Wells	3.49	4.01
	Fort Good Hope	4.23	4.87
	Arctic Red River	5.13	5.90
	Inuvik	5.40	6.21
	Tuktoyaktuk	6.08	6.99
	Holman	9.16	10.54
	Cambridge Bay	12.14	13.96
	Gjoa Haven	14.12	16.24
Fort Good Hope	Spence Bay	14.84	17.06
	Snowdrift	3.60	4.14
	Arctic Red River	1.35	1.56
Otaratue River	Inuvik	2.71	3.11
	Tuktoyaktuk	3.80	4.37
Tuktoyaktuk	Holman	5.00	5.74
	Cambridge Bay	7.99	9.19
	Gjoa Haven	9.96	11.46
	Spence Bay	10.68	12.29

<sup>a</sup> Tariff based on shipments of 40 000 lb. or more.

<sup>b</sup> Source: Personal communication in 1982 from Northern Transportation Company Limited, Hay River, NWT.

(e.g., exotic hardwoods) were also consumed. Table 19 presents a detailed description of lumber consumption by product type and size. Dimension lumber (76.4%) was the most common lumber product consumed, followed by timbers (18.1%) and boards (5.5%). Most dimension and board lumber was planed, but most timbers were sold rough.

Most lumber products, with the exception of timbers, were kiln-dried. Lower weight and therefore lower transport costs, Canadian Mortgage and Housing Corporation building code standards, and builders' preferences all contributed to the high demand for kiln-dried material.

The most common length of imported dimension lumber and boards was 16 feet. With 16-ft. material, shorter lengths can be made as needed. Timber lengths varied from 8 to 30 ft.; no standard length prevailed. Almost all lumber imported from Alberta, British Columbia, and the Yukon was graded under the authority of the different grading associations found in those areas. The NWT Grade Stamping Agency was established in 1979 and will eventually grade all lumber produced in its jurisdiction.

Of the dimension lumber used, 2 X 4s accounted for 51% of the total. Consumption of 2 X 10s (18.4%) was

higher than that of 2 X 6s (15.3%) or 2 X 8s (9.3%). This pattern was expected because 2 X 10s are predominantly used by the construction industry for floor joist material. It should be noted that the Douglas-fir component of the dimension lumber consumed was mostly in the larger size classes (2 X 10s and 2 X 12s).

The greatest demand in board material was for 1 X 6s, with a 56% share of the board market. On the other hand, 1 X 4s and 1 X 8s each represented 20% of the market; 1 X 2s, 1 X 10s, and 1 X 12s represented less than 5% of the market. Almost all spruce board lumber was supplied by NWT producers; however, 15% of the boards were imported Douglas-fir.

The demand for 8 X 10 timbers represented 35% of the market. This particular size group was composed primarily of laminated beams (dressed Douglas-fir). Other preferred timber sizes included 8 X 8s, 6 X 6s, and 3 X 12s, which represented 50% of the timber market. Sixty-seven percent of the timbers were rough and usually air-dried.

Most of the plywood consumed was manufactured from Douglas-fir (88%). Approximately 10% of the plywood was manufactured from spruce, and the remaining 2% was manufactured from other species. The amount of plywood consumed was determined on a

**Table 18. Lumber prices<sup>a</sup> of distributors by market area in the NWT, 1980-81, in dollars per M fbm**

Market area	Kiln-dried dressed lumber		Partially air-dried dressed lumber (spruce <sup>b</sup> )	Timber (rough)	
	Spruce <sup>b</sup>	Douglas fir <sup>c</sup>		Spruce <sup>b</sup>	Douglas fir <sup>c</sup>
Fort Smith	325	N/A	260	300	N/A
Hay River	325	380	300	300	N/A
Fort Simpson	N/A	N/A	300	310	N/A
Yellowknife	320	N/A	320	320	N/A
Norman Wells	650	N/A	650	600	N/A
Inuvik	650	796	N/A	690	680

<sup>a</sup> Price quoted is average price of sales, which may be one or any combination of retail, wholesale, or contract bid prices.

<sup>b</sup> Includes spruce, pine, and balsam fir but commonly referred to as just spruce.

<sup>c</sup> Fir is generally used for larger dimension stock (2 X 10, 2 X 12 in.).

N/A Product or prices not available.

**Table 19. Detailed breakdown of lumber product consumption in the NWT, 1980-81**

Lumber Product	Size (in.)	Planed (M fbm)	Rough (M fbm)	% by size	% of all products
Dimension	2 X 4	14 170	280	51.2	
	2 X 6	4 094	238	15.3	
	2 X 8	2 536	93	9.3	
	2 X 10	5 072	110	18.4	
	2 X 12	1 600	44	5.8	
Total		27 472	765	100	76.4
Boards	1 X 2	2	0	0.1	
	1 X 4	445	23	23.0	
	1 X 6	1 008	144	56.5	
	1 X 8	350	25	18.4	
	1 X 10	15	5	1.0	
	1 X 12	15	6	1.0	
Total		1 835	203	100	5.5
Timbers	3 X 4	—	5	0.1	
	3 X 6	—	9	0.2	
	3 X 8	—	105	1.6	
	3 X 10	—	76	1.1	
	3 X 12	9	800	12.1	
	4 X 4	33	280	4.7	
	4 X 6	—	162	2.4	
	6 X 6	86	795	13.2	
	6 X 8	—	138	2.1	
	8 X 8	90	875	14.4	
	8 X 10 <sup>a</sup>	2 000	354	35.3	
	8 X 12	—	70	1.0	
	10 X 10	—	85	1.3	
	10 X 14	—	35	0.5	
	12 X 12	—	670	10.0	
Total		2 218	4 459	100	18.1
Total		31 525	5 427		100

<sup>a</sup> Most planed timbers of this size are laminated beams.



surface, square-foot basis. Sheet thickness varied from 1/8-in. paneling to 3/4 in., with no specific thickness dominating. Approximately 20% of the market was represented by each of the 1/4-in., 3/8-in., 1/2-in., and 3/4-in. plywood size groups (Table 20). All plywood was purchased as 4 X 8 ft. sheets (standard dimension) unless specially ordered in other sizes. The most preferred plywood finishes were good-one-side and standard-sheathing. Each product represented approximately 40% of the market. (Table 20).

The miscellaneous roundwood market was composed of three groups: building logs, pilings (spruce), and post and poles (cedar, pine, or fir). Building logs and pilings combined represented 95% of the total market; posts and poles comprised 5% of the market. There was great variability in size classes, both in diameter and in lengths; however, a detailed description within this group was not developed. Products were sold by the piece or by cubic-foot measure. In total, 596 M cu. ft. of miscellaneous roundwood were consumed.

In 1980-81, 13 652 cords of fuelwood were consumed. Species utilized by commercial fuelwood operators were spruce (60%), jack pine (35%), and birch and poplar (5%). These operators delivered 55% of their product in 8-ft. lengths and the remaining 45% in 16- to

24-in. stove lengths. No attempt was made to determine species or size of fuelwood gathered by individuals for their own use.

### Demand for Forest Products

Previous forecasts of forest product demand in the NWT vary considerably in approach and in final assessment of market size. Schultz (1970) estimated forest product consumption in 1970 at 1000 fbm per capita for the NWT. This estimate of forest product consumption included lumber, plywood, and miscellaneous roundwood. Schultz (1975) reviewed previous estimates of forest product demand and used the 1000 fbm per-capita consumption figure to estimate the demand for forest products for 1980 in the NWT. Forest product demand was thus estimated to be 40 200 M fbm.

Schultz (1975) also examined the market potential for lumber only and projected the demand for NWT in 1980 at 17 350 M fbm (per-capita consumption of 432 fbm). Data from our study show lumber consumption at 36 952 M fbm, or a per-capita consumption of 1118 fbm. Plywood and miscellaneous roundwood consumption on a per-capita basis was 220 sq. ft. and 18 cu. ft., respectively, for 1980-81.

**Table 20. Plywood use by thickness and finish in the NWT, 1980-81**

Quantity	Thickness (in.)							Total
	1/8 <sup>a</sup>	1/4	5/16	3/8	1/2	5/8	3/4	
Number of sheets	1 906	40 031	13 656	50 969	46 875	31 063	43 031	227 531
M sq. ft.	61	1 281	437	1 631	1 500	994	1 377	7 281
% of total	0.8	17.6	6.0	22.4	20.6	13.7	18.9	100.0

Quantity	Finish						Total
	Paneling <sup>a</sup>	Good two sides	Good one side	Tongue and groove <sup>b</sup>	Formply <sup>c</sup>	Standard sheathing	
M sq. ft.	61	6	3 055	752	544	2 863	7 281
% of total	0.8	0.1	42.0	10.3	7.5	39.3	100.0

<sup>a</sup> Paneling, usually 1/8-in. thickness or more.

<sup>b</sup> Select and better (plywood grades).

<sup>c</sup> Select one side (plywood grades).

Although the principal goal of this survey was to determine the amount of forest products consumed in the NWT during 1980-81, future demand was also considered relevant. All consumers were questioned about their anticipated future requirements. Most respondents qualified their answers by indicating that demand depended on a number of factors. Almost all respondents felt that a significant increase in wood product demand would depend on the start-up of proposed megaprojects. Projects such as the Slave River power dam or the construction of pipelines south from the Beaufort Sea or Norman Wells were cited. Other respondents indicated that an active and expanding economy was necessary before demand would rise to any extent. As megaprojects have been delayed and the economy has not expanded rapidly, a projected increase in wood consumption might have been optimistic.

The greatest increase in demand for lumber and plywood was expected in the Inuvik market area. This increase in demand was dependent on continued growth

in the oil exploration field and the construction of the proposed Mackenzie Valley pipeline.

The construction companies anticipated the largest increase in use of wood products, and oil companies and government agencies predicted smaller increases. Mining companies envisioned a decrease in demand for wood products. With the projected increase in population<sup>18</sup> and the continued increase in the price of oil (and if government policy promotes the substitution of wood for fuel oil in heating), the domestic demand for fuelwood could increase substantially in the future.

### **Wood Product Availability**

All consumers were questioned about the availability of wood products in their area (Table 21). Two products, kiln-dried lumber and preserved wood, were most often cited as being unavailable; however, 41% of the consumers responded that all products sought were readily available within a reasonable delivery time.

---

<sup>18</sup> A comparison of the 1971 census to the 1981 census shows that the NWT population over the last 10-year period increased an average of 3% per year.

**Table 21. Wood products not readily available in the NWT, 1980-81**

Product	Number of consumer responses by market area						Total	%
	Fort Smith	Hay River	Fort Simpson	Yellowknife	Norman Wells	Inuvik		
Kiln-dried lumber	5	1	2	—	—	1	9	16
Graded lumber	1	—	—	—	—	—	1	2
Fir lumber in quantity	—	—	—	1	—	1	2	4
Timbers	1	1	—	—	—	—	2	4
Preserved lumber, plywood, posts, and pilings	4	—	—	2	—	1	7	13
Miscellaneous roundwood: posts, mine timbers, and building logs	—	1	1	1	—	1	4	7
Machined wood stock mouldings, paneling, tongue and groove, siding	1	—	2	1	—	1	5	9
Hardwoods: plywood, lumber	1	—	—	—	—	—	1	2
Fireproofed wood	—	—	—	1	—	—	1	2
All products available	2	1	2	7	3	8	23	41
Total	15	4	7	13	3	13	55	100

## CHAPTER VII

### THE SOCIOECONOMIC IMPACT OF THE FOREST INDUSTRY IN THE NWT

No single criterion is appropriate to measure adequately the socioeconomic contribution of a particular industry to a regional, territorial or national economy. This report assesses the economic contribution of the Northwest Territories forest industry to the territorial economy using information on employment, wages and salaries, value of sales, value added, and community stability.

#### Employment and Wages and Salaries

Descriptive measures of employment associated with the forest industry in the NWT were discussed in Chapter IV. This section discusses the economic impact of the forest industry by describing the proportion of product value spent on wages and salaries, total wages and salaries paid, and the total number employed.

The total employed labor force in the NWT in 1981 was estimated to be 17 615 persons (NWT Bureau of Statistics 1983). Approximately 92 person-years of employment were in the forest industry (primary wood-using). By including the calculated employment value for domestic fuelwood, 39 additional person-years were identified. This total, however, represents less than 1% of the total employed work force in the NWT.

Total person-years of employment, total wages and salaries paid, and average income per employee for each of the NWT forest industry groups are outlined in Table 22. The sawmill industry generated most of the jobs and showed the highest income per employee.

The average income (for each occupational category) for all income tax filers in the NWT in 1981 was \$15 406 (NWT Bureau of Statistics 1984). Average annual income for people working in the forest industry was \$9425, higher than that for farmers and fisherman (\$9098) and unclassified employees (\$8284), but well below the average territorial income.

The proportion of final sales expended on wages and salaries for each of the NWT forest industry groups is shown in Table 23. The commercial fuelwood industry spent the greatest proportion of sales on wages and salaries (60%). Wages and salaries were approximately 41% of the total value of shipments in the NWT, compared to 25% in the prairie provinces (Alberta, Saskatchewan, and Manitoba) as a whole (Ondro and Williamson 1982, 1984, 1985). Wages and salaries were the greatest single expenditure in all forest industry groups in the NWT.

**Table 22. Employment, earnings, and average income per employee by forest industry group in the NWT, 1981**

Industry group	Total employment (person-years)	Total wages and salaries (\$)	Average income per person-year of employment (\$)
Sawmills	61.4	602 266	9 809
Miscellaneous roundwood	13.6	117 360	8 629
Commercial fuelwood	16.4	141 840	8 649
Total	91.4	861 466	9 425
Domestic <sup>a</sup> fuelwood	39.2	300 800	7 673

<sup>a</sup> These values are not included in the total but are presented for information.

**Table 23. Sales in relation to wages and salaries in the forest industry in the NWT, 1981**

Industry group	Value of shipments of goods of own manufacturing (\$)	Wages and salaries (\$)	% of sales spent on wages and salaries
Sawmills	1 546 600	602 266	38.9
Miscellaneous roundwood	340 900	117 360	34.4
Commercial fuelwood	236 380	141 840	60.0
Total	2 123 880	861 466	40.6
Domestic <sup>a</sup> fuelwood	560 690	300 800	53.6

<sup>a</sup> These values are not included in the total but are presented for information.

### Value Added

The value added for the country as a whole is often described as its gross domestic product (GDP). The value added generated by a particular industry is a measure of that industry's contribution to a total regional, territorial, or national income; therefore, value added is a useful parameter for assessing the economic contribution of the forest industry to the territorial economy.

Value added can be defined as the difference between the total revenue of a firm and the cost of raw materials, services, and components. Thus it measures the value that has been added to materials and components by the processes of production. Value added includes labor costs (salaries and wages), capital costs (interest, rent, depreciation), and the return to the enterprise (profits).

The GDP in the Northwest Territories in 1981 was estimated at \$650 million at factor cost, with the goods-producing sector accounting for 56%.<sup>19</sup> The manufacturing sector was small, contributing only 1.1% of value added in the goods-producing sector. Within the manufacturing sector, the forest industry contributed 34% to total value added. This large contribution by the forest industry is the result of the relatively small manufacturing

sector in the NWT. In contrast, the manufacturing sector in the prairie provinces contributed between 13 and 41% to the goods-producing sector, and the forest industry accounted for approximately 18% of value added in manufacturing (Ondro and Williamson 1982, 1984, 1985). In terms of contribution to the GDP, the forest industry in the prairie provinces contributed from 1.2 to 2.8%, but in the NWT the forest industry made up only 0.2% of the GDP.

Table 24 outlines the value added and the value of shipments by forest industry group. A total of \$1 387 824 of value added was created by the industry, with the total value of shipments amounting to \$2 123 880. Sawmills were the most important group in terms of value added and value of shipments, contributing 72% to each category. In terms of value added per person-year of employment, the miscellaneous roundwood group ranked first at \$17 546, and sawmills were second at \$16 406.

### The Economic Stability of NWT Communities

Most communities within the forested area of the NWT rely to some extent on forest resources (e.g., for fuelwood, building logs, lumber, and indirect benefits such as wildlife habitat). The relationship between the

<sup>19</sup> Personal communication from J. Carboneau, Statistics Canada, Ottawa, Ontario. 1982.

forest industry and the community was addressed in terms of the dependence of a particular community on the forest industry for continued economic and social benefit. The criterion used for judging economic dependence is the percentage of the total population of a particular community directly employed in the forest industry. Forest industry employment in this regard was considered to include all sawmill, miscellaneous roundwood, commercial fuelwood, domestic fuelwood, and governmental forest-related employment.

In order to attain community stability, Hornberger (1974) suggests that 25% of the total population should represent the labor force and that "a single industry should not employ more than 5% of the labor supply initially and 10% ultimately for the financial protection of the community." If more than 2.5% of the total population is employed in one industry, the financial security of

the community is subject to the continued vitality of that industry. In this report, communities with 2.5% or more of their populations employed in the forest industry are considered fully dependent. Communities with 1.0–2.5% employed in the forest industry are deemed to be heavily dependent.

Northwest Territories communities with forest industry reliance are listed in Table 25. Five of the communities are considered fully dependent: Fort Resolution, Fort Liard, Trout Lake, Colville Lake, and Norman Wells. Fourteen communities are considered heavily dependent, and a number of other communities accounted for additional forest industry employment. These communities could be considered marginally dependent, but because less than 1% of each of their populations was employed in the forest industry, they were not listed.

**Table 24. Value added and sales of the forest industry in the NWT, 1980–81**

Forest industry group	Value added of manufacturing activity (\$)	Value of shipments (\$)	Average value added per person-years of employment (\$)
Sawmill and planing industry	1 007 366	1 546 600	16 406
Miscellaneous roundwood	238 630	340 900	17 546
Commercial fuelwood	141 828	236 380	8 648
Total	1 387 824	2 123 880	15 184
Domestic <sup>a</sup> fuelwood	392 483	560 690	10 012

<sup>a</sup> These values are not included in the total but are presented for information.

**Table 25. Employment in the forest industry in some NWT communities, 1981**

Employment center	Total population <sup>a</sup>	Forest industry <sup>b</sup> employment (person-months)	% of population employed by forest industry
<b>Fully dependent communities</b>			
Fort Resolution	480	512	8.9
Fort Liard	405	136	2.8
Trout Lake	59	18	2.5
Colville Lake	57	17	2.5
Norman Wells <sup>c</sup>	420	127	2.5
<b>Heavily dependent communities</b>			
Fort Smith	2 298	643	2.3
Kakisa Lake	36	9	2.1
Fort Simpson	980	248	2.1
Paradise Gardens	48	9	1.6
Wrigley	137	24	1.5
Snowdrift	253	41	1.4
Fort Providence	605	100	1.4
Enterprise	46	7	1.3
Fort Good Hope	463	64	1.1
Rae-Edzo	1 378	180	1.1
Reliance	15	2	1.1
Red River	120	16	1.1
Rae Lakes	200	24	1.0
Snare Lakes	69	8	1.0

<sup>a</sup> Source: Statistics Canada 1982.

<sup>b</sup> Includes all governmental forest-related employment in the Northern Affairs Program, which includes employment relating to fire and land use management activities. Government activity accounts for 45% of the total employment represented in this table.

<sup>c</sup> Total population does not include oil-field workers who reside outside the area and therefore may be misleading in terms of dependency.

## SUMMARY

The following summary provides highlights of the report.

### Forest Industry

#### *Resource base*

- In the NWT, 237 390 sq. mi. (19% of the total land area) are forested. Productive forest land is estimated to be 55 198 sq. mi. (23% of the forested area).
- In 1980–81, 2624 M cu. ft. of timber were harvested.
- The Liard Forest Management Unit contains the largest, most productive single tract of timber in the NWT.

#### *Industrial base*

- In 1980–81, the primary wood-using industry of NWT consisted of 9 sawmills, 1 shingle mill, 25 miscellaneous roundwood producers, 18 commercial fuelwood producers, and numerous domestic fuelwood producers.
- The nine sawmills varied in productive capacity from less than 3000 fbm to 30 000 fbm per 8-hour shift.
- Two sawmills (Slave River Sawmill and Patterson's Sawmill) produced over 1 MM fbm per year, accounting for 70% of lumber production in the NWT.
- The total replacement value of the capital stock of NWT sawmills was greater than \$5.5 million.

#### *Wood products produced*

- The primary wood-using industry produced 6275 M fbm of lumber, 277 M cu. ft. of miscellaneous roundwood, and approximately 13 600 cords of fuelwood.
- All production was marketed in the NWT, except for 790 M fbm of lumber that was exported to Alberta.
- White spruce was the most important tree species, accounting for 97% of lumber production.

- The Fort Smith and Hay River market areas accounted for 90% of lumber production and 65% of all other forest products produced.
- Dimension material was the major lumber product, representing 58% of total production. Approximately 72% of all lumber produced was planed.
- The Yellowknife market area produced the greatest amount of miscellaneous roundwood (52%).
- The Fort Smith and Yellowknife market areas together, with almost equal shares, produced 48% of the fuelwood.

#### *Economic and social impacts*

- Gross sales in the forest industry amounted to over \$2.1 million in 1980–81.
- Exported lumber generated an estimated \$172 000 in income to the territory.
- Total direct employment in the forest industry was 91.5 person-years. An additional 91.5 jobs were supported indirectly by the industry.
- Employees of native ancestry comprised over 80% of the forest industry labor force.
- The total direct payroll of the forest industry was \$861 000. The average income per person-year of employment was \$9425.
- Value added by NWT primary forest industry groups was \$1 388 000. These industries accounted for over 30% of the total value added to the manufacturing sector.
- Value added per employee was \$16 406 in the sawmill industry group, \$17 546 in the miscellaneous roundwood industry group, and \$8648 in the commercial fuelwood industry group. This resulted in an average value added per person-year of employment in the forest industry of \$15 184.
- Five NWT communities, with a total population of 1381 people, were fully dependent on the forest industry, and 14 communities were considered heavily dependent.



## **Forest Product Consumption**

### ***Consumption characteristics***

- NWT users consumed 37 MM fbm of lumber, 7.3 MM sq. ft. of plywood, 600 M cu. ft. of miscellaneous roundwood, and 13 600 cords of fuelwood in 1980-81.
- The largest consumption zone for wood products was the Inuvik market area, which used 56% of the lumber, 46% of the plywood, and 57% of the miscellaneous roundwood.
- The Yellowknife and Fort Smith market areas were the largest consumers of fuelwood; their combined consumption represented 50% of the total fuelwood production.
- Considering the lumber market only, the Inuvik market area consumed most of the dimension material (60%) and timbers (48%). Users in the Yellowknife market area consumed the largest amount of board material (39%).
- There were five major consuming groups: construction companies, oil companies, mining companies, government agencies, and others.
- The largest consuming group was composed of the construction companies, which consumed 66% of the lumber, 36% of the plywood, and 25% of the miscellaneous roundwood.
- On a per-capita basis, the NWT consumed 1118 fbm of lumber, 220 sq. ft. of plywood, and 18 cu. ft. of miscellaneous roundwood in 1980-81.

### ***Product imports***

- Most wood products were imported: 85% of the lumber, 100% of the plywood, and 54% of the miscellaneous roundwood. No fuelwood was imported.
- Most of the lumber was imported from Edmonton (36%) and southern B.C. (32%).
- Plywood was mainly imported from southern B.C. (51%) and Edmonton (39%).

- Most of the imported miscellaneous roundwood (88%) was supplied from the Yukon.

### ***Product distribution***

- The lumber market was almost equally divided between consumers who import directly (51%) and distributors (building supply companies), which handled 48% of the product.
- The largest portion of the plywood market was handled by distributors (73%); 27% was imported directly by consumers.
- The miscellaneous roundwood market was almost equally split between consumers who imported directly (53%) and NWT producers (47%).
- All fuelwood was handled by NWT producers.

### ***Product transportation***

- The majority of wood products, 85% of the lumber, and 74% of the plywood were transported by road to their final destinations.
- Even though most wood products were moved by road, air and water transport were identified as other important modes of transportation.
- To a large extent, lumber prices reflect transportation costs involved in moving the product into a market area.

### ***Product type***

- Of lumber consumed, 79% was spruce and the rest was primarily Douglas-fir.
- Of plywood used, 88% was Douglas-fir and the rest was mainly spruce.
- Dimension material was the major lumber product, representing 76% of the demand. Timbers and boards accounted for 18% and 6%, respectively, of the market.
- Of the total dimension material consumed, 51% was 2 X 4s, 18% was 2 X 10s, 15% was 2 X 6s, 9% was 2 X 8s, and 7% was 2 X 12s.

## ACKNOWLEDGMENTS

The author wishes to thank personnel of all forest industry groups and wood-consuming groups for their cooperation in providing confidential information on their operations. In addition, thanks are due to all headquarters and field staff of INAC in the NWT for their assistance in providing information and transportation when needed. Thanks are extended to P. Gray and J. Gilmour for their

valuable critical comments on the manuscript. Finally, the assistance of members of the Northern Forestry Centre, particularly H. Stewart, D. Kuhnke, and W.J. Ondro, in data collection and compilation, table presentation, figures and graphs, and verification is gratefully acknowledged.

## REFERENCES

- Berger, T.R. 1977. Northern frontier, northern homeland. Report of the Mackenzie Valley pipeline enquiries, Vol. 2. Publ. Cent., Supply Serv. Can., Ottawa, Ontario.
- Bickerstaff, A.; Wallace, W.L.; Evert, F. 1981. Growth of forests in Canada. Part 2: A quantitative description of the land base and the mean annual increment. Environ. Can., Can. For. Serv., Petawawa Natl. For. Inst., Chalk River, Ontario. Inf. Rep. PI-X-1.
- Bonnor, G.M. 1982. Canada's forest inventory—1981. Environ. Can., Can. For. Serv., Stat. Syst. Branch, Ottawa, Ontario.
- Department of Indian Affairs and Northern Development. 1973. North of 60. The forests of Northern Canada. Indian Aff. North. Dev. Publ. QS-0849-000-BB-A3.
- Department of the Interior. 1931. 1930 Annual Report—Lands, Parks, and Forests Branch. Ottawa, Ontario.
- Government of the Northwest Territories. 1977. The forest industry in Fort Resolution: an historical review. Dep. Plann. Prog. Eval., Yellowknife, Northwest Territories.
- Hirvonen, R.P. 1968. Report on the forest conditions in the lower Liard River basin Yukon/NWT. Dep. Environ., Can. For. Serv., For. Manage. Inst., Ottawa, Ontario. North. Surv. Rep. 3.
- Hirvonen, R.P. 1975. Forest resources of the Mackenzie River valley, NWT. Dep. Environ., Can. For. Serv., For. Manage. Inst., Ottawa, Ontario. Inf. Rep. FMR-X-71.
- Hornberger, G.A. 1974. Pages 85-86 in L.R. Whiting, editor. Rural industrialization: problems and potential. Iowa State University Press, Ames, Iowa.
- Kitto, F.H. 1930. The North West Territories. Dep. Int., Ottawa, Ontario.
- National Lumber Grades Authority. 1982. Canadian lumber grading manual. Vancouver, B.C.
- Northwest Territories Bureau of Statistics. 1983. Labour force statistics, 1981. Census Data Publ. SPE81B30. Yellowknife, NWT.
- Northwest Territories Bureau of Statistics. 1984. Personal income statistics, NWT. Yellowknife, NWT.
- Ondro, W.J.; Williamson, T.B. 1982. The forest industry in the economy of Alberta, 1978-79. Environ. Can., Can. For. Serv., North. For. Res. Cent., Edmonton, Alberta. Inf. Rep. NOR-X-246.
- Ondro, W.J.; Williamson, T.B. 1984. The forest industry in the economy of Manitoba, 1979-80. Environ. Can., Can. For. Serv., North. For. Res. Cent., Edmonton, Alberta. Inf. Rep. NOR-X-263.
- Ondro, W.J.; Williamson, T.B. 1985. The forest industry in the economy of Saskatchewan, 1979-80. Environ. Can., Can. For. Serv., North. For. Res. Cent., Edmonton, Alberta. Inf. Rep. NOR-X-270.
- Rowe, J.S. 1972. Forest regions of Canada. Dep. Environ., Can. For. Serv., Ottawa, Ontario. Publ. 1300.
- Schultz, C.D. 1970. Preliminary appreciation of prospects for forest conversion plant development in the Northwest Territories, Canada. C.D. Schultz and Company, Vancouver, B.C.
- Schultz, C.D. 1975. A study of location and feasibility of a poleyard and sawmill operation in the Mackenzie Valley, NWT. C.D. Schultz and Company, Vancouver, B.C.
- Statistics Canada. 1978. Capacity utilization rates in Canadian manufacturing third quarter, 1978. Cat. No. 31-003. Ottawa, Ontario.
- Statistics Canada. 1982. 1981 census of Canada. Cat. No. E-570. Ottawa, Ontario.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

## ***APPENDIXES***

**Appendix 1.** Population by market area in the NWT, 1982.

**Appendix 2.** Wood producer questionnaire.

**Appendix 3.** Directory of primary wood-using industries in the Northwest Territories, 1981.

**Appendix 4.** Reasons for inadequate fuelwood records and method of estimating total fuelwood use.

**Appendix 5.** List of wood consumers.

**Appendix 6.** Selected metric (SI) units and conversion factors.

# APPENDIX 1

## POPULATION<sup>a</sup> BY MARKET AREA IN THE NWT, 1982<sup>b</sup>

HAY RIVER		FORT SMITH		INUVIK	
Communities	Population	Communities	Population	Communities	Population
Hay River	2 863	Fort Smith	2 298	Inuvik	3 147
Fort Providence	605	Pine Point	1 861	Tuktoyaktuk	772
Paradise Gardens	48	Fort Resolution	480	Aklavik	721
Enterprise	46	Snowdrift	253	Fort McPherson	632
Kakisa Lake	36	Reliance	15	Arctic Red River	120
Unorganized	47	Fitzgerald <sup>c</sup>	21	Unorganized	6
		Wood Buffalo Park <sup>c</sup>	188		
		Unorganized	46	Western arctic coast	
Total	3 645			Cambridge Bay	815
		Total	5 162	Coppermine	809
NORMAN WELLS		YELLOWKNIFE		Gjoa Haven	523
Communities	Population	Communities	Population	Spense Bay	431
Norman Wells	420	Yellowknife	9 483	Holman Island	300
Fort Franklin	521	Rae-Edzo	1 378	Paulatuk	174
Fort Good Hope	463	Lac La Marte	268	Sachs Harbour	161
Fort Norman	286	Rae Lakes	200	Bay Chimo	60
Colville Lake	57	Detah	143	Bathurst Inlet	20
Unorganized	5	Snare Lakes	69	Unorganized	30
		Port Radium	56		
Total	1 752	Unorganized	68	Total	8 721
FORT SIMPSON					
Communities	Population	Total	11 665		
Fort Simpson	980				
Fort Liard	405				
Tungsten (Mine)	320				
Wrigley	137				
Nahanni Butte	85				
Jean Marie River	69				
Trout Lake	59				
Unorganized	66				
Total	2 121				

<sup>a</sup> Total population of western NWT: 33 066

<sup>b</sup> Source: Statistics Canada, 1982. 1981 census of Canada. Cat. No. E-570 Ottawa, Ontario.

<sup>c</sup> Area supplied from Fort Smith and considered part of the market area.

## ***APPENDIX 2***

### **WOOD PRODUCER QUESTIONNAIRE**

Industry Group:

Size:

Region:

NAME &amp; ADDRESS/PHONE NO.

LOCATION OF MILL:

PRODUCTS:

MARKETS:

Dimension:

Boards:

Timbers:

Pilings:

Plywood:

Fuelwood:

Others:

(By grades, lengths, and price if possible)

SPECIES USED BY %:

WOOD SOURCE:

EMPLOYMENT:

(Numbers) Wage \_\_\_\_\_ Salary \_\_\_\_\_ Contract \_\_\_\_\_

No. of employees  
by  
Month

Woodlands \_\_\_\_\_

Mill \_\_\_\_\_

% Employees of native origin \_\_\_\_\_

TRANSPORTATION OF WOOD INPUTS (type and distance) (mls):

MILL CAPACITY (8-hr. shift):

EST. REPLACEMENT COST (New cost): Mills \_\_\_\_\_

Mobile and woodlands equipment \_\_\_\_\_

TOTAL APPRAISED ASSET-VALUE OF MILL OPERATIONS: \_\_\_\_\_

USE: Stationary

Portable

AGE OF EQUIPMENT:

OWNERSHIP:

% PERSONAL INCOME DERIVED:

MANAGEMENT:

SPECIAL SERVICES:

MEMBERSHIPS (if NWT Grading Assoc. - Mill Stamp No.):

MILL FACILITIES/EQUIPMENT:

COST OF PRODUCTION:

Maintenance & repairs \_\_\_\_\_

Fuel & electricity costs \_\_\_\_\_

Payment for stumpage \_\_\_\_\_

Total wages paid \_\_\_\_\_

Other costs:

TOTAL COST: \_\_\_\_\_

ENERGY SUPPLY FOR MILL:

USAGE OF WOOD RESIDUES:

NOTES AND OBSERVATIONS:

## WOOD USER'S QUESTIONNAIRE

Consumer: (e.g. building contractor, mine, oil company, government regular lumber use)

NAME & ADDRESS/PHONE NO.:

PRESENT CONSUMPTION (1980/81 or specify) lumber in M fbm or cu. ft.:

Plywood ft<sup>2</sup> basis or number \_\_\_\_\_

of sheets by size \_\_\_\_\_

PRODUCTS (% Rough or Dressed)

Dimension (2 X X):

Boards (1 X X):

Timber (4 X X):

Pilings:

Plywood:

Fuelwood:

Other (e.g. mine props, panel products)  
(specify % kiln dried)

SPECIES USED BY %:

WOOD SOURCE (origin by %):

NWT region

1) Fort Smith \_\_\_\_\_

2) Hay River \_\_\_\_\_

3) Fort Simpson \_\_\_\_\_

4) Yellowknife \_\_\_\_\_



5) Norman Wells \_\_\_\_\_

6) Inuvik \_\_\_\_\_

7) Other (specify) \_\_\_\_\_

IMPORTS FROM ALBERTA (specify region of origin) \_\_\_\_\_

IMPORTS FROM BRITISH COLUMBIA (specify region of origin) \_\_\_\_\_

IMPORTS FROM ELSEWHERE \_\_\_\_\_

TRANSPORTATION (in miles) (Indicate points of origin, transfer points, and final destination).

Truck:

Rail:

Barge:

Air:

Other:

#### TOTAL PRODUCT PRICE AND TRANSPORTATION COSTS

	Price per unit	Estimate of transportation costs (relate to points of origin)
Dimension		
Boards		
Timbers		
Other (specify)		

#### LIMITING FACTORS FOR HIGHER CONSUMPTION IN NWT

1. Time lag in product delivery
2. Market fluctuation (uncertainty for selling) for consumer's product
3. Seasonality
4. Product quality
5. Other (specify):

EXPECTED CONSUMPTION IN 1982: \_\_\_\_\_

EXPECTED CONSUMPTION IN 1985: \_\_\_\_\_

PRODUCTS DESIRED THAT ARE PRESENTLY NOT READILY AVAILABLE: \_\_\_\_\_

PRODUCT TREATMENT(e.g. kiln dried, preserved)

### APPENDIX 3

## DIRECTORY OF PRIMARY WOOD-USING INDUSTRIES IN THE NORTHWEST TERRITORIES, 1981

### ANDERSON MILLS LTD.

ADDRESS: Box 344  
Fort Simpson  
X0E 0N0

TELEPHONE: (403) 695-2770 Mobile 2M4610

MILL LOCATION: 4 miles south of Fort Simpson

OWNERS: G. Allan Anderson and Company

MILL CAPACITY: Sawmill: 10 M fbm/8-hr. shift  
Planing mill: 20 M fbm/8-hr. shift

PRODUCTION 1980-81: Lumber: 500 M fbm  
Building logs: 70 M fbm

PRODUCTS: Dimension lumber: 2 X 4—23%, 2 X 6—20% 2 X 8—7%,  
2 X 10—13%, 2 X 12—3%

Board lumber: 1 X 4—3%, 1 X 6—6%, 1 X 8—3%  
Random lengths, dressed, P.A.D.<sup>a</sup>

Timbers: 4 X 4—2%, 6 X 6—3%, 8 X 8—3%, 10 X 10—1%,  
12 X 12—1%

Building logs: all sizes 12%  
Firewood: 80 cords

SPECIES UTILIZED: White spruce

WOOD SUPPLY: Timber permit

AVERAGE LOG-HAUL WOODS TO MILL: 5 miles

YEAR MILL WAS CONSTRUCTED OR  
REBUILT: 1972

AVERAGE EMPLOYMENT-MONTHS  
OF OPERATION: LANDS: 5<sup>b</sup> . . . . J . . . . N D<sup>c</sup>  
MILL: 5 . . . A M J . . . . .

<sup>a</sup> Partial air dried.

<sup>b</sup> Indicates number of employment months.

<sup>c</sup> Indicates months of employment during the calendar year.

TRANSPORTATION:	INPUTS: Truck OUTPUTS: Truck
MARKETS:	Hay River and Fort Simpson
SPECIAL SERVICES	Cut to customer's specifications, graded, unit strapped, specializes in timbers up to 20 ft. Will supply pilings and power poles.
MEMBERSHIPS:	NWT Grade Stamp Agency, Stamp #8
ENERGY SUPPLY FOR MILL:	Electricity—Northern Canada Power Commission
USAGE OF WOOD RESIDUES:	Slabs and edgings: 5% used for firewood, rest burned. Tops and culls: firewood. Sawdust: piled. Shavings: 5% used for insulation, rest piled
WOODLANDS EQUIPMENT:	1 - Tree Farmer skidder 1 - Hough skidder 1 - International log truck 1 - 175 Michigan loader 1 - Logging Arch 1 - Caterpillar 337 light plant
MILL FACILITIES AND EQUIPMENT:	Stationary sawmill—planing complex 1 - Prince Albert #2 sawmill with 48 in. circular headsaw 1 - Edger 1 - Resaw 1 - Alco planer 1 - Trimsaw 1 - 24" resaw
ESTIMATED REPLACEMENT COST OF BUILDINGS, FIXED AND MOBILE EQUIPMENT:	\$340 000

### C. PLAMONDON LUMBER

ADDRESS: Box 672  
Fort Smith  
X0E 0P0

TELEPHONE: None

MILL LOCATION: 17 miles west of Fort Smith

OWNERS: C. Plamondon

MILL MANAGEMENT: C. Plamondon

MILL CAPACITY: Sawmill: 20 M fbm/8-hr. shift  
Planing mill: 48 M fbm/8-hr. shift

PRODUCTION 1980-81: 80 M fbm

PRODUCTS: Dimension lumber: 2 X 4—14%, 2 X 6—22%,  
2 X 8—12%, 2 X 10—2%  
  
Board lumber: 1 X 4—12%, 1 X 6—18%, 1 X 8—12%  
Random lengths, 50% dressed, P.A.D.  
  
Timbers: 6 X 6—4%, 8 X 8—4%

SPECIES UTILIZED: White spruce

WOOD SUPPLY: Timber permit

AVERAGE LOG-HAUL WOODS TO MILL: 35 miles

YEAR MILL WAS CONSTRUCTED OR  
REBUILT: 1967

AVERAGE EMPLOYMENT MONTHS  
OF OPERATION: WOODLANDS: 1 J F - - - - - N D  
MILL: 2 - - - M J J A S O - -

TRANSPORTATION: INPUTS: Truck  
OUTPUTS: Truck

MARKETS: Fort Smith

SPECIAL SERVICES: Cut to customer's specifications, custom sawing, graded, unit  
strapped

MEMBERSHIPS: NWT. Grade Stamping Agency, Stamp #6

ENERGY SUPPLY FOR MILL: Self-generated

USAGE OF WOOD RESIDUES: Slabs and edgings: 5% use for firewood,  
rest burned  
  
Sawdust and shavings: burned

**WOODLANDS EQUIPMENT:**

- 1 - Timberjack skidder
- 1 - Kenworth logging truck

**MILL FACILITIES AND EQUIPMENT:**

- Stationary sawmill - planing mill complex
- 1 - 44-in. circular headsaw
- 1 - Edger
- 1 - Alco 007 planer
- 1 - Timber toter forklift

**ESTIMATED REPLACEMENT COST  
OF BUILDINGS, FIXED AND MOBILE  
EQUIPMENT:****\$220 000**

## KEN KIMBLE SAWMILL

ADDRESS:	Box 91 Hay River X0E 0R0
TELEPHONE:	None
MILL LOCATION:	2 miles west on Fort Simpson turnoff, mile 119 on Mackenzie Highway.
OWNERS:	Ken Kimble
MILL MANAGEMENT:	Ken Kimble
MILL CAPACITY:	18 M fbm/8-hr. shift
PRODUCTION 1980-81:	50 M fbm
PRODUCTS:	Dimension lumber: 2 X 4—16%, 2 X 6—12%, 2 X 8—2%  Board lumber: 1 X 4—2%, 1 X 6—8% 16-ft. lengths, rough, P.A.D.  Timbers: 6 X 6—24%, 8 X 8—24%, 4 X 6—12%
SPECIES UTILIZED:	White spruce
WOOD SUPPLY:	Timber permit
AVERAGE LOG-HAUL WOODS TO MILL:	32 miles
YEAR MILL WAS CONSTRUCTED OR REBUILT:	1978
AVERAGE EMPLOYMENT MONTHS OF OPERATION:	WOODLANDS: 4 J F . . . . . MILL: 4 . . . A M . . . . .
TRANSPORTATION:	INPUTS: Truck OUTPUTS: Truck
MARKETS:	Yellowknife
SPECIAL SERVICES:	Cut to customer's specifications, custom sawing
MEMBERSHIPS:	None
ENERGY SUPPLY FOR MILL:	Self-generated
USAGE OF WOOD RESIDUES:	Slabs and edgings: no use, burned Sawdust: burned
WOODLANDS EQUIPMENT:	1 - C7D Tree Farmer skidder 1 - D7 Caterpillar crawler 1 - 955 Caterpillar with grapple loader 1 - Kenworth logging truck
MILL FACILITIES AND EQUIPMENT:	Stationary sawmill 1 - 46-in. circular headsaw 1 - Edger 1 - D4 Caterpillar crawler 1 - Shingle mill
ESTIMATED REPLACEMENT COST OF BUILDINGS, FIXED AND MOBILE EQUIPMENT:	\$100 000

**KOVATCH AND SONS LOGGING LTD.**

**ADDRESS:** Box 1362  
 Hay River  
 X0E 0R0

**TELEPHONE:** (403) 874-6431 Mobile 2M4217

**MILL LOCATION:** 10 mile west of Enterprise on Mackenzie  
 Highway (portable mill)

**OWNERS:** Steve Kovatch and Sons

**MILL MANAGEMENT:** Steve Kovatch

**MILL CAPACITY:** 3 M fbm/8-hr. shift

**PRODUCTION 1980-81:** 200 M fbm

**PRODUCTS:** Dimension lumber: 2 X 4—22%, 2 X 6—28%,  
 2 X 8—10%, 2 X 10—10%  
  
 Board lumber: 1 X 4—6%, 1 X 6—6%, 1 X 8—3%  
 Random lengths, dressed, P.A.D.  
  
 Timbers: 4 X 4—15%

**SPECIES UTILIZED:** White spruce: 90%  
 Jack pine: 10%

**WOOD SUPPLY:** Timber permit

**AVERAGE LOG-HAUL WOODS TO MILL:** 1/2 mile

**YEAR MILL WAS CONSTRUCTED OR REBUILT:** 1981

**AVERAGE EMPLOYMENT MONTHS OF OPERATION:** WOODLANDS (Contract) 3 - - M A M J J - - - -  
 MILL: 5 - - M A M J J - - - -

**TRANSPORTATION:** INPUTS: Skidder  
 OUTPUTS: Truck

**MARKETS:** Hay River

**SPECIAL SERVICES:** Cut to customer's specifications, graded, unit strapped, specialty  
 products - tongue and groove, siding, custom sawing.

**MEMBERSHIPS:** NWT Grade Stamp Agency, Stamp #11

**ENERGY SUPPLY FOR MILL:** Self-generated

## USAGE OF WOOD RESIDUES:

Slabs and edgings: energy conversion at Fort Providence

Sawdust and shavings: no use, piled

## WOODLANDS EQUIPMENT:

1 - 518 Caterpillar skidder

## MILL FACILITIES and EQUIPMENT:

Portable sawmill - planing mill complex

1 - Mobile 30-in. circular saw

1 - Alco planer

1 - Koehring loader

1 - Homelite 5KW power plant

\*Installing edger, trim saws and green chain to be operational in 1982.

ESTIMATED REPLACEMENT COST  
OF BUILDINGS, FIXED AND MOBILE  
EQUIPMENT:

\$260 000



**PATTERSON ENTERPRISES LTD.**

**ADDRESS:** Box 979  
Hay River  
X0E 0R0

**TELEPHONE:** (403) 874-6814

**MILL LOCATION:** 12 miles south of Hay River

**OWNERS:** Eugene Patterson and Company

**MILL MANAGEMENT:** Eugene Patterson

**MILL CAPACITY:** Sawmill: 25 M fbm/8-hr. shift  
Planing mill: 25 M fbm/8-hr shift

**PRODUCTION 1980-81:** Lumber: 2375 M fbm  
Building logs: 125 M fbm

**PRODUCTS:** Dimension lumber 2 X 4—16%, 2 X 6—16%, 2 X 8—2%,  
2 X 10—4%, 2 X 12—2%

60% dressed, 40% rough

Board lumber 1 X 4—10%, 1 X 6—18%, 1 X 8—5%,  
1 X 10—2%

85% dressed, 15% rough  
Mainly 16-ft. lengths, P.A.D.

Timbers all sizes, from 3 X 10 to 12 X 12—20%

Building logs, all sizes - 5%

**SPECIES UTILIZED:** White spruce- 95%  
Jack pine: 2%  
Poplar and birch: 3%

**WOOD SUPPLY:** Timber permit

**AVERAGE LOG-HAUL WOOD TO MILL:** 75 miles

**YEAR MILL WAS CONSTRUCTED OR REBUILT:** 1972

**AVERAGE EMPLOYMENT MONTHS OF OPERATION:** WOODLANDS: 6.5 J F M . . . . . N D  
MILL: 6.5 . . . A M J J A S O . .  
OFFICE/SALES: 1.5 J F M A M J J A S O N D

**TRANSPORTATION:** INPUTS: Truck  
OUTPUTS: Truck, barge

MARKETS:	Hay River, Yellowknife, Pine Point, and Beaufort Sea.
SPECIAL SERVICES:	Cut to customer's specifications, Timbers up to 35 feet long, unit strapped, graded
MEMBERSHIPS:	NWT Grade Stamping Agency #2 and #3
ENERGY SUPPLY FOR MILL:	Self-generated
USAGE OF WOOD RESIDUES:	Slabs and edgings: burned Sawdust, shavings: burned
WOODLANDS EQUIPMENT:	1 - 667 Clark skidder 1 - 667 C Clark skedder 2 - Kenworth logging trucks
MILL FACILITIES AND EQUIPMENT:	Stationary sawmill - planing complex 1 - 54-in. circular headsaw 1 - Alco Beaver planner 1 - Clark loader 1 - Terex loader * Constructing dry kiln to be in operation in 1982
ESTIMATED REPLACEMENT COST OF BUILDINGS, FIXED AND MOBILE EQUIPMENT:	\$750 000

**RAE-EDZO SHINGLE MILL**

ADDRESS:	Box 68 Rae X0E 0Y0
TELEPHONE:	(403) 392-6500
MILL LOCATION:	Rae
OWNERS:	Hamlet of Rae-Edzo
MILL MANAGEMENT:	Pete Anderson
MILL CAPACITY:	13 bundles of shingles per 8-hr. day
PRODUCTION 1980-81:	560 bundles (approximately 15 M fbm)
PRODUCTS:	Shingles #1 roof grade - 60% #2 siding - 40% 16-in. lengths, treated with preservative
PRESERVATIVES USED:	Pentachlorophenal
SPECIES UTILIZED:	Black spruce
WOOD SUPPLY:	Timber permit
AVERAGE LOG-HAUL WOODS TO MILL:	12 miles
YEAR MILL WAS CONSTRUCTED OR REBUILT:	1981
AVERAGE EMPLOYMENT MONTHS OF OPERATION:	WOODLANDS: 2 J . . . . . MILL: 5 . . . . . J J A S . . .
TRANSPORTATION:	INPUTS: Truck OUTPUTS: Truck
MARKETS:	Own use, NWT
SPECIAL SERVICES:	Cut to customer's specifications, treating with preservative
MEMBERSHIPS:	None
ENERGY SUPPLY FOR MILL:	Self-generated
USAGE OF WOOD RESIDUES:	All burned
WOODLANDS EQUIPMENT:	None
MILL FACILITIES AND EQUIPMENT:	Shingle mill
ESTIMATED REPLACEMENT COST OF BUILDING, FIXED AND MOBILE EQUIPMENT:	\$10 000

# SLAVE RIVER SAWMILL CO. LTD.

**ADDRESS:** General Delivery  
 Fort Resolution  
 X0E 0M0

**TELEPHONE:** (403) 394-4331 Telex 034-4344  
 394-3191

**MILL LOCATION:** Town of Fort Resolution

**OWNERS:** People of Fort Resolution

**MILL MANAGEMENT:** Ray Orbell  
 Office Manager - Tim Acey

**MILL CAPACITY:** Sawmill: 68 M fbm/8-hr. shift  
 Planing mill: 80 M fbm/8-hr. shift

**PRODUCTION 1980-81:** 2 MM fbm

**PRODUCTS:** Dimension lumber: 2 X 4—45%, 2 X 6—16%, 2 X 8—2%,  
 2 X 10—8%, 2 X 12—4%  
  
 Board lumber: 1 X 4—15%, 1 X 6—4%, Other: 1%  
 Random lengths, dressed, P.A.D.  
  
 Timbers: 4 X 4—4%, 6 X 6—8 X 8, 10 X 10 and other—1%

**SPECIES UTILIZED:** White spruce

**WOOD SUPPLY:** Timber permit

**AVERAGE LOG-HAUL WOODS TO MILL:** 30 miles

**YEAR MILL WAS CONSTRUCTED OR REBUILT:** 1974

**AVERAGE EMPLOYMENT MONTHS OF OPERATION:**

**WOODLANDS:**  
 CONTRACT: 22 J F M . . . . .  
 OWN: 12 J F M . . . . .  
 MILL: 55 . . . ½ M J J A S O . .  
 OFFICE/ SALES: 3 J F M A M J J A S O N D

**TRANSPORTATION:** INPUTS: Truck  
 OUTPUTS: Truck

**MARKETS:** Edmonton, Fort Smith, Hay River, and Yellowknife

**SPECIAL SERVICES:** Cut to customer's specifications, precision end trimmed, end coated,  
 unit strapped, graded

MEMBERSHIPS:	NWT Grade Stamp Agency, Stamp #9
ENERGY SUPPLY FOR MILL:	Self-generated
USAGE OF WOOD RESIDUES:	Slabs and edgings: burned Sawdust and shavings: burned Tops and culls: firewood
WOODLANDS EQUIPMENT:	1 - D6 Caterpillar crawler 1 - HD4 Allis Chalmers crawler 1 - M100 Allis Chalmers grader 1 - Wabco grader 1 - 666 Ranger skidder 1 - 544 John Deere loader 1 - 45B Michigan loader
MILL FACILITIES AND EQUIPMENT:	Stationary sawmill-planing complex 1 - 8-in. Salem drive feedworks 1 - 54-in. top and bottom circular headsaw 1 - 8-in. bull edger 1 - 36-in. line bar resaw 1 - double end trimsaw 1 - greenchain 2 - Caterpillar 346 power units 1 - 8V92 Detroit, 550 volt generator 1 - A20 Yates planer 1 - W18 Case loader 1 - 7251 Terex loader * Installing small log CanCar chipping saw to be operational in 1982.
ESTIMATED REPLACEMENT COST OF BUILDINGS, FIXED AND MOBILE EQUIPMENT:	\$2 500 000

## SOO CONSTRUCTION

ADDRESS:	Box 28 Fort Simpson X0E 0N0
TELEPHONE:	None
MILL LOCATION:	103 miles southeast of Fort Simpson on the Liard Highway
OWNERS:	Edwin Lindberg
MILL MANAGEMENT:	Edwin Lindberg
MILL CAPACITY:	7 M fbm/8-hr. shift
PRODUCTION 1980-81:	Lumber: 80 M fbm Building logs: 5 M fbm  Dimension lumber: 2 X 4—6%, 2 X 6—12%, 2 X 8—18%, 2 X 10—6%, 2 X 12—6%  Board lumber: 1 X 4—2%, 1 X 6—3%, 1 X 8—6%, Random lengths, rough, P.A.D.  Timber: 4 X 4—6%, 4 X 6—6%, 4 X 8—6%, 4 X 12—17%  Building logs: 6%
SPECIES UTILIZED:	White spruce
WOOD SUPPLY:	Timber permit
AVERAGE LOG-HAUL WOODS TO MILL:	1/2 mile
YEAR MILL WAS CONSTRUCTED OR REBUILT:	1980
AVERAGE EMPLOYMENT MONTHS OF OPERATION:	WOODLANDS: 2 - - M A - - - - - MILL: 2 - - - M J J A S - - -
TRANSPORTATION:	INPUTS: Skidder OUTPUTS: Truck, barge
MARKETS:	Fort Simpson area.
SPECIAL SERVICES:	Cut to customer's specifications, custom sawing, unit strapped
MEMBERSHIPS:	None
ENERGY SUPPLY FOR MILL:	Self-generated

## USAGE OF WOOD RESIDUES:

Slabs and edgings: 5% for firewood, rest burned  
Sawdust: piled.

## WOODLANDS EQUIPMENT:

1 - Ford 4000 tractor  
1 - John Deer skidder  
1 - D4 Caterpillar crawler

## MILL FACILITIES AND EQUIPMENT:

Portable sawmill  
1 - #127 Dimension sawmill with 34-in. circular  
saw plus edger.  
1 - HD5 Allis Chalmers crawler  
1 - 3 ton truck

ESTIMATED REPLACEMENT COST  
OF BUILDING, FIXED AND MOBILE  
EQUIPMENT:

\$90 000

## W.C. LOGGING AND CONTRACTING LTD.

ADDRESS:	Box 623, Fort Smith X0E 0P0
TELEPHONE:	None
MILL LOCATION:	10 miles west of Fort Smith
OWNERS:	Joe Kennedy and Company
MILL MANAGEMENT:	Joe Kennedy
MILL CAPACITY:	Sawmill: 15 M fbm/8-hr. shift Planing mill: 45 M fbm/8-hr. shift
PRODUCTION 1980-81:	800 M fbm
PRODUCTS:	Dimension lumber: 2 X 4—18%, 2 X 6—18%, 2 X 8—9%, 2 X 10—9%, 2 X 12—6%  Board lumber: 1 X 4—7%, 1 X 6—16%, 1 X 8—1% Random lengths, dressed, P.A.D.  Timbers: 4 X 4—6%, 6 X 6—6%, 3 X 12—2%, 6 X 8—2%
SPECIES UTILIZED:	White spruce
WOOD SUPPLY:	Timber permit
AVERAGE LOG-HAUL WOODS TO MILL:	30 miles
YEAR MILL WAS CONSTRUCTED OR REBUILT:	1979
AVERAGE EMPLOYMENT MONTHS OF OPERATION:	WOODLANDS: (Contract): 6 J-.....D MILL: 7 - - - - - J J A S - - -
TRANSPORTATION:	INPUTS: Truck OUTPUTS: Truck
MARKETS:	Fort Smith, other NWT communities, and Alberta
SPECIAL SERVICES:	Cut to customer's specifications, end trimmed, graded, unit strapped, specializes in timbers
MEMBERSHIPS:	NWT Grade Stamp Agency, Stamp #10
ENERGY SUPPLY FOR MILL:	Electricity - Northern Canada Power Commission



**USAGE OF WOOD RESIDUES:**

Slabs and edgings: burned  
Sawdust and shavings: burned

**WOODLANDS EQUIPMENT:**

1 - HD5 Allis Chalmers crawler  
1 - D6 Caterpillar crawler  
1 - D7 Caterpillar crawler  
1 - Hays log truck  
1 - Kenworth log truck

**MILL FACILITIES AND EQUIPMENT:**

Stationary sawmill-planing mill complex  
1 - 44-in. circular headsaw  
1 - 4-in. edger  
1 - Pini Kay Wiens gangsaw  
1 - Bandsaw  
1 - Trimsaw  
1 - 35A American planer  
1 - Blue Chip forklift  
1 - Massey Ferguson forklift

**ESTIMATED REPLACEMENT COST OF  
BUILDINGS, FIXED AND MOBILE  
EQUIPMENT:**

\$1 000 000

## TERRITORIAL CONSTRUCTION AND SUPPLY LTD.

ADDRESS:	General Delivery Fort Good Hope X0E 0H0
TELEPHONE:	Mobile JS3-6678
MILL LOCATION:	60 miles north of Fort Good Hope on the Mackenzie River at the mouth of the Ontaratue River
OWNERS:	Fred Sorenson and family
MILL MANAGEMENT:	Fred Sorenson
MILL CAPACITY:	10 M fbm/8-hr. shift
PRODUCTION 1980-81:	Lumber: 190 M fbm Pilings: 60 M fbm
PRODUCTS:	Dimension lumber: 2 X 4—4%, 2 X 6—12%, 2 X 8—12%  Board lumber: 1 X 4—4%, 1 X 6—4%, 1 X 10 —4%, 16-ft. lengths mainly, all rough and P.A.D.  Timbers: 3 X 12—22%, 8 X 8—7%, 10 X 10—7%  Pilings: 600 pieces - 24%
SPECIES UTILIZED:	White spruce
WOOD SUPPLY:	Timber permit
AVERAGE LOG-HAUL WOOD TO MILL:	5 miles
YEAR MILL WAS CONSTRUCTED OR REBUILT:	1975
AVERAGE EMPLOYMENT MONTHS OF OPERATION:	WOODLANDS: (Contract): 3 ½ J F M A . . . . . MILL: 6 . . . . . J J . . . . .
TRANSPORTATION:	INPUTS: Skidder on river ice OUTPUTS: Barge
MARKETS:	Inuvik, Tuktoyaktuk, Fort Good Hope, and own use
SPECIAL SERVICES:	Cut to customer's specifications, dressed and unit strapped
MEMBERSHIPS:	None
ENERGY SUPPLY FOR MILL:	Self-generated

## USAGE OF WOOD RESIDUES:

Slabs and edgings: burned

Sawdust: 5% use for insulation rest burned

## WOODLANDS EQUIPMENT:

1 - 664 Clark Ranger skidder

## MILL FACILITIES AND EQUIPMENT:

Stationary sawmill

1 - Coutts #4 sawmill with 48-in. circular headsaw

1 - Edger

1 - Patrick forklift

1 - D6 Caterpillar crawler

1 - 4600 Caterpillar power unit

1 - 471 General motors power unit

\* Installing Alco planer

ESTIMATED REPLACEMENT COST  
OF BUILDINGS, FIXED AND MOBILE  
EQUIPMENT:

\$230 000

### Miscellaneous Roundwood Producers<sup>a</sup> in NWT

Name	Address	District of operation
Bourke, G	Fort Smith	Fort Smith
Government of NWT, Vocational Education Latourneau, W.	Box 600, Fort Smith Fort Smith	Fort Smith
Braithwaite, W. Coolson, W. Desnoyers, J. Hay River Dene Band South Mackenzie Correctional Centre Vandell, N.	Pine Point Hay River Hay River Box 1638, Hay River Box 160, Hay River Fort Providence	Hay River
Beaulieu, S. Jean Marie Co-op McKee, J.	Fort Liard Jean Marie River Fort Liard	Fort Simpson
Brun, A. Haluska, J. Larabie, H. Larkin, C. Rae-Edzo Dene Housing Schneides, E.L.	Yellowknife Yellowknife Box 1202, Yellowknife Yellowknife Rae Yellowknife	Yellowknife
Fort Good Hope Band Council Fort Norman Contracting	Fort Good Hope Fort Norman	Norman Wells
Firth, E. Fort McPherson Band Council Harrison, J. Harrison, Bros. J & H Villebrun, P.	Fort McPherson Fort McPherson Inuvik Inuvik Fort McPherson	Inuvik

---

<sup>a</sup> Producers with permits or production of 50 logs or trees or greater.

### Commercial Fuelwood Producers in NWT

Name	Address	District of operation	Amounts in cords
C. Plamondon Lumber	Box 672, Fort Smith	Fort Smith	80
Trans North Expediting Ltd.	Box 1077, Fort Smith		120
Fitz-Smith Dene Band	Box 960, Fort Smith		200
Salt River Company	Box 564, Fort Smith		50
Slave River Sawmill Co. Ltd.	General Delivery, Fort Resolution		170
Hay River Dene Band	Box 1638, Hay River	Hay River	515
South Mackenzie Correctional Centre	Box 160, Hay River		200
Vandell, Norman	General Delivery, Fort Providence		115
Town of Hay River	Box 1306, Hay River		100
Anderson Mills Ltd.	Box 979, Fort Simpson	Fort Simpson	80
Browning, Tom	Box 55, Fort Simpson		70
Fort Simpson Dene Band Council	Box 469, Fort Simpson		165
Friesen, R.W.	General Delivery, Fort Liard		35
Village of Fort Simpson	Box 438, Fort Simpson		50
Koyine, Eddie	General Delivery, Rae	Yellowknife	1200
Larabie, Henry	Box 1202, Yellowknife		300
Smith, Alberta	Box Box 703, Yellowknife		145
NWT Housing Corp.	Fort Franklin	Norman Wells	500
Button, Dave	Box 2357, Inuvik	Inuvik	40
Fort McPherson Band Council	General Delivery, Fort McPherson		120

## **APPENDIX 4**

### **REASONS FOR INADEQUATE FUELWOOD RECORDS AND METHOD OF ESTIMATING TOTAL FUELWOOD USE**

Reasons for inadequate fuelwood records include the following:

1. Many residents of the NWT consider fuelwood a free commodity and normally do not obtain timber permits when harvesting fuelwood for personal consumption.
2. People pursuing a transient life (e.g., trappers, prospectors, and hunters) do not require a timber permit when cutting fuelwood for their own use.
3. Under current forestry regulations, up to 25 cords of stacked wood are made available free by timber permit to NWT residents. This amount of wood is more than is needed for a year's heating needs. It is unlikely that those who do obtain a 25-cord permit cut the total amount permitted.
4. In some communities there is no practical system of registering fuelwood permits.
5. The land surrounding most of the communities is Commissioner's Land managed by the Government of the Northwest Territories. Regulatory control of timber cutting on these lands is not within the jurisdiction of INAC and as a result, complete records were not available.
6. A considerable amount of driftwood is still used for fuelwood, especially by residents of the northern communities, and no records of such use are available.
7. Especially in the larger communities, people gather wood on a part-time basis in association with other activities to reduce fuel oil costs. It is doubtful that many permits are obtained.

Estimates of total fuelwood consumption were developed by the following steps:

1. determining production of commercial fuelwood supplies;
2. gathering information locally by talking to knowledgeable people in the different communities in order to determine the number of homes using fuelwood for heating or cooking purposes;
3. estimating the amount of fuelwood used in each home for all communities, which provides a total consumption value; and,
4. subtracting the commercial production from the total consumption value to compute the domestic fuelwood value.

Domestic fuelwood was considered to be all fuelwood cut by individuals for their own use. The relationship between commercial producers, domestic producers, and total fuelwood production can be shown as follows:

Total fuelwood production — Commercial production = Domestic production.

## **APPENDIX 5**

### **LIST OF WOOD CONSUMERS**

#### **CONSTRUCTION COMPANIES**

Arctic Transportation Ltd., Inuvik  
 Bat Construction Ltd., Inuvik  
 Berton Construction, Fort Smith  
 C & R Construction, Fort Smith  
 Finto Motor Inn, Inuvik  
 Fort Smith Construction, Fort Smith  
 Franks Construction, Yellowknife  
 Iglookpiuktit Ltd., Inuvik  
 J.K. Construction Ltd., Norman Wells  
 Nor-Build Construction, Fort Smith  
 P.C.L., Yellowknife  
 Ranger Homes Ltd., Yellowknife  
 Smith Ed Construction Co. Ltd., Inuvik

#### **MINE COMPANIES**

Canada Tungsten Mining Corp. Ltd., Watson Lake  
 Cominco Ltd., Yellowknife  
 Cominco Ltd., Pine Point  
 Echo Bay Mines Ltd., Yellowknife  
 Giant Yellowknife Mines Ltd., Yellowknife  
 Terra Mining Exploration Ltd., Hay River  
 Cadillac Mines, Nahanni Butte

#### **OIL COMPANIES**

Dome Petroleum, Inuvik  
 Esso Resources, Norman Wells  
 Esso Resources, Inuvik  
 Roberts Rathole Drilling Ltd., Inuvik

#### **GOVERNMENT AGENCIES**

##### **Territorial Government**

NWT Housing Corporation:	Fort Simpson Hay River Inuvik Yellowknife
Department of Public Works:	Aklavik Arctic Red River Fort Franklin Fort McPherson Fort Norman Fort Simpson Fort Smith Inuvik Norman Wells Tuktoyaktuk Yellowknife

##### **Federal Government**

Department of Public Works:	Fort Smith Hay River Inuvik Yellowknife
Indian and Northern Affairs	Fort Smith
Inuvik General Hospital	Inuvik
Parks Canada	Fort Smith

#### **DISTRIBUTORS**

##### **(Building supply companies)**

Chatham Steel Northern Ltd., Inuvik  
 Igloo Building Supplies Ltd., Fort Simpson  
 Igloo Building Supplies Ltd., Hay River  
 Johnson's Building Supplies Ltd., Yellowknife  
 Link Hardware - Evans Electric Co., Fort Smith  
 Manton Building Supplies Ltd., Fort Smith  
 Norms Building Supplies Ltd., Inuvik  
 Northern Rentals and Lumber, Yellowknife  
 Riverside Stores, Norman Wells  
 Suna-Likaa Ltd., Inuvik

## APPENDIX 6

### SELECTED METRIC (SI) UNITS AND CONVERSION FACTORS<sup>a</sup>

Imperial		Metric (SI)
1 inch	=	2.54 cm
1 mile	=	1.609 km
1 acre	=	0.405 ha
1 square mile	=	2.590 km <sup>2</sup>
1 cu. ft.	=	0.028 m <sup>3</sup>
1 cunit (100 cu. ft. solid wood)	=	2.832 m <sup>3</sup>
1 ton (2000 lb.)	=	0.907 t
1 cord (stacked) per acre	=	8.956 m <sup>3</sup> (stacked) per ha
1000 board feet	=	4.29 m <sup>3</sup> (roundwood)
1 M foot board measure (fbm)	=	1.623 m <sup>3</sup> (lumber)
1 bone dry unit (BDU) wood chips (2400 lb.)	=	1090 kg

<sup>a</sup> Source: Environment Canada 1974. Selected metric (SI) units and conversion factors for Canadian forestry. Environ. Can. Ottawa, Ontario. Unnumbered.

### Conversion Factors for Timber Products in NWT

These factors are approximate values and may vary depending upon tree size, manufacturing practice, species, etc.

Timber product		Equivalent value
1 cord	=	80 cu. ft.
1 cord (128 stacked cu. ft.)	=	3.645 m <sup>3</sup> (stacked)
1 m <sup>3</sup> (stacked)	=	0.625 m <sup>3</sup> (solid)
1 cu. ft.	=	5.0 fbm
1 m <sup>3</sup>	=	175 fbm
1 fbm (White spruce)	=	1.5 lb.
1 fbm (Douglas fir)	=	1.6 lb.
1 plywood lift (spruce)	=	2800 lb.
1 plywood lift (fir)	=	3000 lb.
fbm	=	board feet (feet board measure)
M	=	thousand
MM	=	million