

LIST OF SPECIES DEPOSITED IN THE
MYCOLOGICAL HERBARIUM OF THE FOREST RESEARCH LABORATORY,
WINNIPEG, MANITOBA--SUPPLEMENT 1 (to June 1, 1968)

Project No. PZ-2(f)

by

B.C. Sutton

FOREST RESEARCH LABORATORY
WINNIPEG, MANITOBA
INTERNAL REPORT MS-68

LIST OF SPECIES DEPOSITED IN THE
MYCOLOGICAL HERBARIUM OF THE FOREST RESEARCH LABORATORY,
WINNIPEG, MANITOBA--SUPPLEMENT 1 (to June 1, 1968)

by

B.C. Sutton

This supplement enumerates the additions, deletions, redispositions and corrections in citation which have been made since the first list was produced in 1967. The information has been presented in this supplementary form to coincide with the publication of a separate host-fungus index which includes accessions to June 1, 1968.

The publication of 'An annotated index of plant diseases in Canada' by I.L. Connors (Canada Department of Agriculture, Research Branch, publication 1251, 1967) has filled an enormous gap in Canadian literature on plant pathology. As a direct result of this index it has been possible to bring some uniformity to the citation of species names and authorities for pathogenic organisms—hence the corrections.

As in the first list, fungi not from the Manitoba-Saskatchewan Region are designated by an asterisk*. New additions are designated #.

GENERIC LISTDELETIONS

Adelopus Theiss.
Coccophacidium Rehm
Gloeocystidium Karst.
Keithia Sacc.
Mamiania Ces. & deNot.
Ovularia Sacc.
Physalospora Niessl

ADDITIONS

<i>Aecidium</i> Pers.	Uredinales
<i>Bispora</i> Cda	Deuteromycotina
<i>Calocera</i> (Fr.) Fr.	Basidiomycotina
<i>Didymascella</i> Maire & Sacc.	Ascomycotina
<i>Frommea</i> Arth.	Uredinales
<i>Gloeocystidiellum</i> Donk	Basidiomycotina
<i>Hirschioporus</i> Donk	Basidiomycotina
<i>Hormococcus</i> Robak	Deuteromycotina
<i>Karschia</i> Körber	Ascomycotina
<i>Laxitextum</i> Lentz	Basidiomycotina
<i>Oncospora</i> Kalchbr.	Deuteromycotina
<i>Panus</i> Fr.	Basidiomycotina
<i>Phaeocryptopus</i> Naumov	Ascomycotina
<i>Pirobasidium</i> Höhn.	Deuteromycotina

<i>Solenia</i> Pers. ex Fr.	Basidiomycotina
<i>Strasseria</i> Bres. & Sacc.	Deuteromycotina
<i>Suttoniella</i> Ahmad	Deuteromycotina
<i>Tubaria</i> (W.G. Smith) Gill.	Basidiomycotina
<i>Vararia</i> (Karst.) Karst.	Basidiomycotina

SPECIFIC LIST

- # *Acrodictys globulosa* (Tóth) M.B. Ellis
- # *Acrodictys* tax. sp. 2
- # *Acrodictys* tax. sp. 3
- * *Adelopus nudans* (Pk) Höhn. → *Phaeocryptopus nudus*
- * # *Aecidium hydnoideum* Berk. & Curt.
 - Aleurodiscus amorphus* (Pers. ex Fr.) Schroet.
 - Aleurodiscus roseus* (Bres.) Höhn. & Litsch.
- # *Amphisphaerella xylostei* (Pers.) Munk
- # *Arcyria denudata* (L.) Wettst.
 - Armillaria mellea* (Vahl ex Fr.) Kummer
- * # *Ascochyta maydis* Stout
- # *Asterosporium asterospermum* (Pers. ex S.F. Gray) Hughes
 - Asterosporium hoffmannii* Kunze → *Asterosporium asterospermum*
- * # *Bipolaris sorokiniana* (Sacc.) Shoemaker
- * # *Bispora antennata* (Pers. ex Fr.) Mason
- * # *Bispora betulina* (Cda) Hughes
- * # *Botryosphaeria stevensii* Shoemaker
- * *Brachysporiella gayana* Batista → *Spadicoides grovei* M.B. Ellis
- # *Calocera* sp.
- * *Catinella nigro-olivacea* (Currey) Boud.
 - Cenangium ferruginosum* Fr. ex Fr.
 - Cenangium populneum* (Pers.) Rehm
 - Cenangium pruinatum* (Ell. & Ev.) Seav. → *Cenangium singulare*
 - Cenangium singulare* (Rehm ex Starb.) Davidson & Cash
- # *Cenangium* sp.

- Ceratiomyxa fruticulosa (Muell.) Macbr.
- # Chloridium chlamydosporis (v. Beyma) Hughes
Chlorociboria aeruginascens (Nyl.) Kanouse
Chrysomyxa empetri Schroet, ex Cummins
Chrysomyxa ledi deBary
Chrysomyxa ledi deBary var. cassandrae (Pk & Clint.) Savile
* Chrysomyxa ledi deBary var. glandulosi Savile
* Chrysomyxa ledi deBary var. groenlandici Savile
* Chrysomyxa ledi deBary var. vaccinii Ziller
Chrysomyxa ledicola Lagerh.
* Chrysomyxa woroninii Tranz.
* Ciborinia pseudobifrons Whetzel ex Groves & Bowerm.
Ciborinia whetzelii (Seav.) Seav.
Claudopus nidulans (Pers. ex Fr.) Karst. → Phyllocladus nidulans
* Coccophacidium pini (Fr.) Rehm → Cocomyces strobi
Collybia velutipes (Curt. ex Fr.) Kummer
Coniella granati (Sacc.) Petrak & Syd.
* Coniophora byssoides (Pers.) Fr. → Peniophora byssoides
Conoplea juniperi Hughes
Corticium effuscatum Cke & Ell. → Vararia effuscata
Crepidotus cinnabarinus Pk
Crepidotus dorsalis Pk
Crepidotus mollis Pk
Crinula sp.
* Cronartium quercuum (Berk.) Miyabe ex Shirai

Dacrymyces deliquescens Bull. ex Duby

Daedalea ambigua Berk.

Daedalea confragosa Bolt. ex Fr.

Daedalea unicolor Bull. ex Fr.

Daldinia concentrica (Bolt. ex Fr.) Ces. & deNot.

Dasyscyphus cerinus (Pers.) Fckl

Dasyscyphus occidentalis Hahn & Ayers

Dasyscyphus sp.

*# Didymascella thujina (Durand) Maire

Didymosphaeria futilis (Berk. & Br.) Rehm

*# Drechslera graminea (Rabenh. ex Schlecht.) Shoemaker

* Erysiphe martii Lév. (Discarded)

*# Excipula strobi (Pers.) Fr.

Exidia glandulosa Bull. ex Fr.

Fabraea maculata Atk.

Favolus canadensis Klotzsch → Favolus alveolaris

Flammula connissans (Fr.) Gillet

Fomes igniarius (L. ex Fr.) Kickx

* Fomes nigrolimitatus (Rom.) Egel.

Fomes pini (Brot. ex Fr.) Karst.

* Fomes rimosus (Berk.) Cke

Fomes roseus (Alb. & Schw. ex Fr.) Karst.

*# Frommea obtusa (Strauss) Arth.

Ganoderma applanatum (Pers. ex Wallr.) Pat.

Ganoderma lucidum (Leyss. ex Fr.) Karst.

* *Ganoderma tsugae* Murr.

Gliocladium roseum (Lk) Bainier

Gloeocystidium karstenii Bourd & Galz. → *Gloeocystidiellum karstenii*

Gnomonia sp.

Godronia multispora Groves

Gymnosporangium clavariiforme (Pers.) DC.

Gymnosporangium clavipes (Cke & Pk) Cke & Pk

Gyromitra esculenta (Pers. ex Fr.) Fr.

* *Helminthosporium gramineum* Rabenh. → *Drechslera graminea*

* *Helminthosporium sativum* Pam., King & Bakke → *Bipolaris sorokiniana*

Hericium laciniatum Leers ex Bunker

Hirschioporus fuscoviolaceus (Ehrenb. ex Fr.) Donk

Hormococcus sp.

Hymenochaete badioferruginea (Mont.) Lev.

Hymenochaete rufiginosa Dicks. ex Lev.

Hymenochaete tabacina (Sow. ex Fr.) Lev.

Hypocrea sulphurea (Schw.) Sacc.

Hypsizygus tessulatus (Bull. ex Fr.) Singer

Karschia sp.

* *Keithia thujina* Durand → *Didymascella thujina*

- Lachnella occidentalis (Hahn & Ayers) Seav. → Dasyscyphus occidentalis
- * Lachnum bicolor (Bull.) Karst.
- # Laxitextum crassum (Lev.) Lentz
- Lenzites betulina (L. ex Fr.) Fr.
- # Lenzites laricina Karst.
- Lenzites saepiaria (Wolf. ex Fr.) Fr.
- Lenzites trabea Pers. ex Fr.
- * Leptosphaeria acuta (Moug.) Karst.
- Leptosphaeria doliolum (Pers.) Ces. & deNot.
- # Linospora capreae (deNot.) Fckl
- # Lophiostoma sp.
- Lophodermium sphaerioides (Alb. & Schw. ex Fr.) Duby
- # Lycogala flavofuscum Rost.
- * Mamianiella coryli (Batsch. ex Fr.) Ces. & deNot. → Gnomoniella coryli
- Massaria inquinans (Tode) Ces. & deNot.
- Melampsora abietis-canadensis Ludwig ex Arth.
- Melampsoridium betulinum (Fr.) Kleb.
- * Melanconis chrysostoma (Fr.) Tul. var. ellisii Wehm.
- * Memnoniella echinulata (Riv.) Galloway
- Merulius lachrymans Wulf. ex Fr.
- Odontia bicolor (Alb. & Schw. ex Fr.) Quél.
- * Odontia crustosa (Pers.) Quél.
- Odontia fimbriata Pers. ex Fr.
- # Odontia uda (Fr.) Bres.

Oncospora pinastri (Moug.) Died.

* *Ophiobolus anguillides* (Cke) Sacc.

Ovularia destructiva (Ph. & Pl.) Massee → *Ramularia destructiva*

Panus rufus Fr.

Peniophora aurantiaca (Bres.) Höhn. & Litsch.

* *Peniophora cinerea* (Fr.) Cke

* *Peniophora cremerae* (Bres.) Sacc. & Syd.

Peronospora farinosa (Fr.) Fr.

Peronospora variabilis Gaumann → *Peronospora farinosa*

* *Pezicula aurantia* (Rehm) Rehm

* # *Phaeocryptopus nudus* (Pk) Petrank

* # *Phialocephala bactrospora* Kendrick

* # *Phialocephala dimorphospora* Kendrick

* # *Phialophora compacta* (Carrion) Emmons

Phlebia radiata Fr.

Pholiota adiposa (Fr.) Kummer

Pholiota aurivella (Batsch ex Fr.) Kummer

Pholiota destruens (Brond.) Quél.

Pholiota spectabilis (Weinm. ex Fr.) Quél.

Pholiota squarrosa (Pers. ex Fr.) Kummer

Phomopsis sorbicola Grove

Phragmidium fusiforme Schroet.

Phragmidium potentillae-canadensis Diet. → *Frommea obtusa*

Phragmidium rosae-acicularis Liro → *Phragmidium fusiforme*

* *Physalospora mutila* N.E. Stev. —→ *Botryosphaeria stevensii*

Pirobasidium sp.

* *Pleospora herbarum* (Fr.) Rabenh.

Pleurotus ostreatus (Jacq. ex Fr.) Kummer

Pleurotus serotinus (Schrad. ex Fr.) Kummer

Pleurotus tessulatus Bull. ex Fr. —→ *Hypsizygus tessulatus*

Pleurotus ulmarius (Bull. ex Fr.) Kummer

Podosphaera oxyacanthae (DC.) Lév.

Polyporus abietinus Dicks. ex Fr.

Polyporus adustus Willd. ex Fr.

Polyporus betulinus Bull. ex Fr.

Polyporus biformis Klotzsch ex Fr.

Polyporus cinnabarinus Jacq. ex Fr. —→ *Pycnoporus cinnabarinus*

Polyporus elegans Bull. ex Fr.

Polyporus fibrillosus Karst.

Polyporus hirsutus Wulf. ex Fr.

Polyporus immitis Pk

Polyporus pubescens Schum. ex Fr.

Polyporus sulphureus Bull. ex Fr.

Polyporus versicolor L. ex Fr.

Poria albobrunnea (Rom.) Baxt.

Poria aneirina (Sommerf.) Cke

Poria obliqua (Pers. ex Fr.) Karst.

Poria pulchella (Schw.) Cke —→ *Poria tenuis* var. *pulchella*

Poria similis Bres.

Poria taxicola (Pers.) Cke

Poria vaillantii (DC. ex Fr.) Cke

Puccinia andropogonis Schw. var. *pustulata* Arth.

* *Puccinia extensicola* var. *hydnoidea* (Berk. & Curt.) Arth. → *Aecidium hydnideum*

* *Puccinia granulispora* Ell. & Gall. ex Ell. & Ev.

Puccinia malvacearum Bert. ex Mart.

* *Puccinia mesomajalis* Berk. & Curt.

Puccinia monoica Arth.

* *Puccinia obscura* Schroet. ex Pers.

Puccinia peridermiospora (Ell. & Tr.) Arth. → *Puccinia sparganioides*

Puccinia rubigo-vera DC. → *Puccinia recondita*

Puccinia rubigo-vera var. *impatientis* (Arth.) Mains → *Puccinia recondita*

Puccinia sparganioides Ell. & Barth.

Pucciniastrum myrtilli (Schum.) Arth. → *Pucciniastrum vaccinii*

Pucciniastrum pustulatum Diet.

Pycnoporus cinnabarinus (Jacq. ex Fr.) Karst.

Pyrenophrora teres (Died.) Drechs.

Ramularia cercosporoides Ell. & Ev. → *Ramularia montana*

Ramularia decipiens Ell. & Ev.

Ramularia destructiva Ph. & Pl.

Ramularia montana Speg.

* *Ramularia rubicunda* Bres. → *Ramularia subsanguinea*

Ramularia subsanguinea (Ell. & Ev.) Savile

Rhytisma acerinum (Pers.) Fr.

Rhytisma andromedae (Pers.) Fr.

Rhytisma punctatum (Pers.) Fr.

Rhytisma salicinum (Pers.) Fr.

* *Rhytisma vaccinii* Schroet.

* *Rosellinia mammiformis* (Pers.) Sacc.

Russula aurantiolutea Kauffm.

Russula fragilis (Pers. ex Fr.) Fr.

Sclerophoma pithya (Thüm.) Hohn.

Septoria atropurpurea Pk

Septotrullula sp.

Solenia sp.

* # *Spadicoides grovei* M.B. Ellis

Spadicoides sp.

Sphaerotheca pannosa (Wallr. ex Fr.) Lev.

Sporidesmium anglicum (Grove) M.B. Ellis

Stachybotrys atra Cda

* *Steganosporium pyriforme* (Hoffm. ex Fr.) Cda

* *Stereum abietinum* (Pers. ex Fr.) Fr.

Stereum bicolor (Pers. ex Fr.) Fr.

* *Stereum chaillettii* (Pers. ex Fr.) Fr.

Stereum fasciatum Schw. → *Stereum ostreum*

Stereum fuscum (Schrad.) Quél. → *Stereum bicolor*

Stereum hirsutum (Willd. ex Fr.) S.F. Gray

Stereum ochraceoflavum (Schw.) Ell.

Stereum ostreum Blume & Nees ex Fr.

Stereum purpureum Fr.

* *Stereum rugosiusculum* Berk. & Curt. → *Stereum purpureum*

Stereum striatum (Fr.) Fr.

* *Stilbospora pinicola* Berk. & Curt. var. *fennica* Karst.

Strasseria carpophila Bres. & Sacc.

* # *Suttoniella eriobotryae* (Ahmad) Ahmad

* # *Suttoniella gaubae* (Petrak) Ahmad

Tapesia strobilicola (Rehm) Sacc.

Taphrina pruni Tul.

Thelephora terrestris Ehrh. ex Fr.

* *Tomentella fusca* (Fr.) Schroet.

Trametes mollis (Sommerf.) Fr.

Trichothecium roseum Pers.

Uncinula salicis (DC. ex Merat) Wint.

* *Uromyces betaiae* Tul. ex Kickx

Uromyces fabae (Grev.) deBary ex Cke

* *Uromyces trifolii* (Hedw. ex DC.) Lev.

* *Valsa abietis* Fr.

Valsa friesii Duby

* *Valsaria insitiva* (Tode) Ces. & deNot.

Vararia effuscata (Cke & Ell.) Rogers & Jacks.

Verticillium sp.