

Information Report FF-X-34

April, 1972

A CLIMATOLOGICAL SUMMARY OF  
THE CANADIAN FOREST FIRE WEATHER INDEX

by

A. J. Simard and J. Valenzuela

FOREST FIRE RESEARCH INSTITUTE  
CANADIAN FORESTRY SERVICE

DEPARTMENT OF ENVIRONMENT  
Nicol Building  
331 Cooper Street  
Ottawa, Ontario  
K1A 0H3

CONTENTS

	Page
Introduction .....	1
Procedure .....	2
Discussion .....	5
References .....	10
Appendix .....	11
New Brunswick .....	12
Nova Scotia .....	27
Newfoundland .....	43
Quebec .....	68
Ontario .....	127
Manitoba .....	196
Saskatchewan .....	225
Alberta .....	256
Northwest Territories and Yukon Territories .....	318
British Columbia .....	353

# A CLIMATOLOGICAL SUMMARY OF THE CANADIAN FOREST FIRE WEATHER INDEX

---

## Introduction

A new Canadian Forest Fire Weather Index was recently published by the Canadian Forestry Service (1970). Through experience, field personnel have gained an ability to relate index values to observed fire behaviour characteristics. As a result, the system is now being used as a basis for fire protection planning in several areas. Results obtained through implementation of the system will continue to improve as experience increases.

To date, implementation of the system has been limited by the rate at which experience can be gained. Because forest fire behaviour is an exceedingly complex phenomenon, several seasons of experience are normally required before any new fire weather index system can be fully incorporated into the planning activities of a fire protection organization. The implementation process can be accelerated by calculating index values for past fire seasons and comparing these values with previously observed fire behaviour and occurrence characteristics. Such an approach reduces the amount of new experience which must be acquired.

In an effort to aid in the comparison of historical fire data with corresponding index values which would have been observed in the past, a project was undertaken in which each code and index value in the new system was calculated for every day from April through October for the period 1957 to 1966 for 364 stations across Canada. All together, approximately 750,000 individual days of data have been accumulated. The data acquisition project is described in detail in another report (Simard, 1972).

With the availability of this data on magnetic tape, it was a fairly straightforward matter to determine frequency distributions of each of the new index values. A computer program was written from which overall distributions for each station were obtained as well as summaries by year (for all months) and by month (for all years)\*. In all, 18 distribution tables were determined

---

\* The program itself is of rather specific applicability, and therefore is not listed in this report. Specific inquiries with regard to the program should be directed to either of the authors.

for each station, region and province (10 years, 7 months and overall). This amounts to over 7,500 individual tables. A considerable percentage of this information is primarily useful for planning on a local or ranger district level. For this reason and due to the volume of information available, the yearly and monthly tables for individual stations will not be published. Detailed information for any specific station is available, however from the Forest Fire Research Institute.

The overall station distributions are more generally useful, particularly for planning on broader scales and for comparing stations or regions with each other. The purpose of this report is to present the overall distribution of the Canadian Forest Fire Weather Index for each station, region and province. The remainder of the text describes the tables, the methods by which they were produced and some of the implications derivable therefrom.

#### Procedure

Each of the six codes and indices in the Fire Weather Index system were divided into 25 classes. The ranges for each class are listed in Table 1. A computer program was written which determined the number of observations in each class and total number of observations by year, month and overall for each station region and province. In addition, percent of observations in each class and cumulative percentages were determined. Lastly, the average and maximum values were also tabulated.

Weather data for each season starts on April 1st and continues through October 30th. If the index values were tabulated for this entire period, a significant percentage would have very low values because in actual fact, the fire season had either not started or was over. Such observations would bias the distributions which are intended to reflect values observed during the fire season. For this reason, the program to calculate index values contained a start of fire season routine. The index was calculated starting on the third consecutive day that the dry bulb temperature was equal to or greater than 48°F. This value was found to be reasonably closely related to the average date of snow melt in Eastern Canada. All index values prior to this date were assumed to equal zero and were not tabulated by the distribution program. A similar problem occurs at the end of the season. The distribution program stopped tabulating index values on the third consecutive day after September 15 that the ADMC was less than 10.

TABLE 1

LIST OF CLASS RANGES USED FOR FWI FREQUENCY DISTRIBUTION ANALYSIS

<u>Class</u>	<u>FFMC</u>	<u>DMC</u>	<u>DC</u>	<u>ISI</u>	<u>ADMC</u>	<u>FWI</u>
1	0-10	0- 2	0- 10	0.0	0- 1	0
2	11-15	3- 4	11- 20	0.1- 0.5	2	1
3	16-20	5- 6	21- 30	0.6- 1.0	3	2
4	21-25	7- 8	31- 40	1.1- 1.5	4	3
5	26-30	9- 10	41- 50	1.6- 2.0	5- 6	4
6	31-35	11- 12	51- 60	2.1- 2.5	7- 8	5- 6
7	36-40	13- 14	61- 80	2.6- 3.0	9- 10	7- 8
8	41-45	15- 16	81-100	3.1- 4.0	11- 12	9- 10
9	46-50	17- 18	101-120	4.1- 5.0	13- 14	11- 14
10	51-55	19- 20	121-140	5.1- 6.0	15- 16	15- 18
11	56-60	21- 25	141-160	6.1- 8.0	17- 18	19- 22
12	61-65	26- 30	161-180	8.1- 10.0	19- 20	23- 26
13	66-70	31- 35	181-200	10.1- 12.0	21- 25	27- 30
14	71-75	36- 40	201-225	12.1- 16.0	26- 30	31- 40
15	76-80	41- 50	226-250	16.1- 20.0	31- 35	41- 50
16	81-82	51- 60	251-275	20.1- 30.0	36- 40	51- 60
17	83-84	61- 70	276-300	30.1- 40.0	41- 50	61- 70
18	85-86	71- 80	301-350	40.1- 50.0	51- 60	71- 80
19	87-88	81-110	351-400	50.1- 60.0	61- 70	81- 90
20	89-90	111-140	401-450	60.1- 70.0	71- 80	91-100
21	91-92	141-170	451-500	70.1- 80.0	81- 90	101-125
22	93-94	171-200	501-600	80.1-100.0	91-100	126-150
23	95-96	201-250	601-700	100.1-125.0	101-125	151-175
24	97-98	251-300	701-800	125.1-150.0	126-150	176-200
25	99-100	301+	801+	150.1+	151+	201+

1  
3  
1

The average fire season starting date determined by the above routine was May 3, and the average ending date was October 6. Thus out of a total of 214 days between April 1 and October 31, an average of 58 days were eliminated, leaving an average of 156 days in the fire season. As a check of the reliability of the season starting and ending procedure, the percentage of zero FWI observations for each region were summarized by month. The results are: April and May, 14.8 percent, June through August, 7.9 percent, September and October, 20.3 percent. If it is assumed that only half of the eliminated days would have had an FWI of zero, the percentage of zero observations in the early and late months would have increased to more than 30 percent in both instances. Thus the routines significantly reduced the bias in favour of the low end of the distribution which would have occurred had these observations not been eliminated.

Determination of whether or not the reduction was sufficient is possible only in an intuitive sense. It is to be expected that the early and late portions of a normal fire season will tend to have lower index values. The increase of 87 percent more zero FWI observations at the start of the season may not be much in excess of what would normally be expected. It is not unreasonable to assume that an increase of 50 percent in the number of zero FWI's would be close to normal. Simply increasing the starting temperature test by 20°F from 48° to 50° would add an average of five days to the starting date, which would in turn, result in slightly less than 12 percent of the April and May FWI observations being equal to zero.

In contrast, at the end of the season it is questionable that there would be two and a half times as many zero observations as during the normal fire season. Examination of the distributions disclosed that for a number of stations, the fire season was artificially prolonged beyond a normal ending date because the ADCM test was not started until September 15th. For future work the distribution program will start the ADCM test three weeks earlier - on August 25th. A second problem was also noted with respect to ending the fire season. In dryer regions, particularly in the north, the DC, and hence the ADCM will build up to fairly high values during the season. As a result, considerable amounts of precipitation are needed to reduce the ADCM to less than 10. A series of light fall rains or snow may well be sufficient to reduce the risk of fire starts to close to zero, although the ADCM remains greater than 10. In such cases a more appropriate test for ending the fire season would be a number of consecutive days where the FWI does not exceed a low value - for example the FWI not exceeding 1 for five consecutive days.

Although it is not possible to quantify the accuracy of the season starting and ending routines, from an intuitive analysis the starting routine appears to have started the fire season an average of less than one week sooner than desirable. The ending routine appears to have prolonged the season about two weeks longer than desirable.

Therefore, while the percentage of low FWI observations indicated by the distributions will be slightly higher than what would probably be experienced during an average fire season, the differences should not be sufficient to cause a significant error when interpreting the various distributions. Because of the artificial nature of the computed starting and ending dates it was felt that inclusion of average dates in this report would be of limited usefulness. Analyses of records of actual dates determined by field personnel would be considerably more useful for this purpose.


The distributions are grouped by province. The first distribution in each group is the overall provincial average based on individual observations. This is followed by from one to nine distributions of regional averages. The regional boundaries are shown in Figure 1. The regional distributions are followed by listings for individual stations in alphabetical order by station name.

### Discussion







The overall distributions for each code and index for the province of Ontario are plotted in Figures 2 through 7. The maximum values and lower boundary of the extreme class (assuming that 3 percent of the highest observations should be classified as extreme) are also shown in the same figures. These distributions are reasonably representative of the types of patterns which are found at a majority of stations, and are therefore used as an example for the discussion which follows.

The Fine Fuel Moisture Code (FFMC) distribution (Fig. 2) is unique in many ways. It is skewed to the right with a highest occurrence probability (87) greater than the average value (74). The extreme class is less than 5 percent of the total observed range. Seventy percent of the observations are greater than 65, the point at which it has been shown that ignition probability begins to increase significantly (Simard, 1972). These observations suggest that a majority of days in the fire season have conditions suitable for fires to start.

The Duff Moisture Code (DMC) distribution (Fig. 3) has many characteristics in common with the remaining set of distributions. It is skewed to the left, with a highest occurrence probability (8) less than the average value (18). There is a long asymptotic tail to the right, with the result that the extreme region occupies almost 70 percent of the total observed range. This implies that on a majority of days, fires will exhibit only a moderate range of behaviour characteristics, while fires on a small percentage of days will have a considerable range of behaviour characteristics.







The Drought Code (DC), being a long term drought code, is relatively insensitive to normal meteorological fluctuations and generally tends to build up gradually during all but the wettest fire seasons. The distribution in Figure 4 demonstrates this effect. The highest occurrence probability has the most gradual peak of all the distributions, and the extreme class occupies only 40 percent of the total observed range - the lowest of all the codes other than the FFMC. The lack of sharp peaks and significant inflection points indicates that during normal fire seasons, the DC will not be as well correlated with fire behaviour as the DMC. It is primarily in the unusually dry fire seasons that this code will be an important indicator of significant changes in fire behaviour.

The Initial Spread Index (ISI) combines wind speed and the FFMC. Wind speed is highly variable in nature and can fluctuate rapidly. These characteristics are reflected in the ISI distribution in Figure 5. There is a very sharp peak at the highest probability of occurrence which is also very low (0.5). The extreme class occupies by far the highest percentage of the total observed range - 84 percent. This indicates that on a considerable majority of days, the observed rates of spread will be within a fairly narrow range while on a few days, the rates of spread will demonstrate extreme variability.

The Adjusted Duff Moisture Code (ADMC) is a combination of the DMC and DC. Therefore, its distribution (Fig. 6) exhibits some of the characteristics of each. Its peak is about halfway between the two in sharpness, while the extreme class occupies about 55 percent of the observed range, also nearly halfway between the DMC and DC. As an average of long and short term drying of duff layers, the ADCM should be the best overall indicator of expected fire behaviour for a majority of fire seasons.


While the Fire Weather Index (FWI) is a combination of the ISI and ADCM, its distribution (Fig. 7) also displays some unique characteristics. This is the only distribution with a peak frequency at zero and a sharp point of inflection which occurs at two. A considerable percentage of days (36%) have an index value between zero and two. The inflection point is not a natural phenomenon, but rather a reflection of one of the design characteristics of the FWI. There is, in fact, a range of gradually decreasing fire behaviour potential between an FWI of zero and a theoretical zero which, for the sake of discussion, could be a snow covered forest in mid-winter. All observations in this range are called zero\*. Setting the FWI zero level at a point above the theoretical zero level allows for greater

---

\* This fact also results in an above average number of observations at the 1 and 2 level.

accuracy at the more critical higher index values without increasing the range of numbers in the scale. The loss in accuracy at the low end is not considered significant. The asymptotic tail to the right is a composite of the ISI and ADMC in that 70 percent of the observed range lies within the extreme category.

One last point to consider is the difference between distributions obtained from individual observations and those obtained from regional averages. As an example, the overall individual station FWI distribution for New Brunswick is plotted on the same graph as the regional average distribution for that province in Figure 8. The average value in both cases is 6. The observed range for the individual observations is almost twice as great as the range for the regional averages, however. Also, the lower boundary of the extreme class ( $E_I$ ) is higher than the same boundary for the regional averages ( $E_R$ ). At the opposite end of the scale, the frequency of very low individual index values is about twice that for the regional averages.



These differences result from the fact that while an individual observation may be very high or low, an average of all observations for any given day will, in most instances, be closer to normal. In other words, distributions of regional averages will always have a heavier concentration in the normal portion of its range, and a lesser concentration at both extremes relative to a distribution obtained from individual observations. The means will always be the same, however. If Fire Weather Index classes are established on the basis of percentage of observations falling in various classes, the above differences have to be taken into consideration. The class ranges obtained from each of the two distributions will differ from each other with distributions based on individual observations tending to have broader ranges at the high end, and narrower ranges at the low end of the scale. Distributions for both regional averages and individual observations are included in this report. The final use to which these values are to be put should be the criteria by which a decision is made as to which set of distributions are analyzed.

In conclusion, it can be seen that a great deal of information is available through an analysis of the distributions of the various codes and indices which make up the Canadian Forest Fire Weather Index. If one factor stands out however, it is that on a majority of days in each fire season fire behaviour characteristics will be reasonably predictable, and they will fall within a relatively narrow range. On a smaller percentage of days however, fire behaviour will be considerably more erratic and will display a considerable range of behaviour. The above information when combined with comparisons of index values between individual stations and regions can yield a fairly accurate and detailed summary of expected conditions which should be of considerable assistance to the fire protection manager in planning prevention, presuppression and detection activities.

#### References

- Canadian Forestry Service. 1970. Canadian Forest Fire Weather Index. Forest Fire Res. Inst., Cdn. For. Serv., Ottawa.
- Simard, A.J. 1972. Forest fire weather index data - reference manual and station catalogue. Forest Fire Res. Inst., Information Rept. FF-X-32.

APPENDIX

FOREST FIRE WEATHER INDEX DISTRIBUTIONS

FINAL TOTALS FOR THE PROVINCE OF NEW BRUNSWICK

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	* 16	0.1	0.1	* 540	2.7	2.7	* 749	3.7	3.7	* 1164	5.7	5.7	* 89	0.4	0.4	* 4839	23.9	23.9	* 1
2	* 60	0.3	0.4	* 1271	6.3	8.9	* 1058	5.2	8.9	* 2517	12.4	18.2	* 231	1.1	1.6	* 2819	13.9	37.8	* 2
3	* 144	0.7	1.1	* 1818	9.0	17.9	* 993	4.9	13.8	* 2393	11.8	30.0	* 274	1.4	2.9	* 1281	6.3	44.1	* 3
4	* 330	1.6	2.7	* 2063	10.2	28.1	* 1028	5.1	18.9	* 1790	8.8	38.8	* 373	1.8	4.8	* 1262	6.2	50.3	* 4
5	* 447	2.2	4.9	* 2071	10.2	38.3	* 1018	5.0	23.9	* 1613	8.0	46.7	* 928	4.6	9.3	* 1163	5.7	56.0	* 5
6	* 447	2.2	7.1	* 1923	9.5	47.8	* 975	4.8	28.7	* 1246	6.1	52.9	* 1157	5.7	15.1	* 1964	9.7	65.7	* 6
7	* 452	2.2	9.3	* 1720	8.5	56.2	* 1860	9.2	37.9	* 1179	5.8	58.7	* 1272	6.3	21.3	* 1639	8.1	73.8	* 7
8	* 475	2.3	11.7	* 1485	7.3	63.6	* 1706	8.4	46.3	* 1927	9.5	68.2	* 1373	6.8	28.1	* 1225	6.0	79.8	* 8
9	* 612	3.0	14.7	* 1269	6.3	69.8	* 1451	7.2	53.4	* 1549	7.6	75.8	* 1449	7.1	35.2	* 1822	9.0	88.8	* 9
10	* 745	3.7	18.4	* 1099	5.4	75.2	* 1248	6.2	59.6	* 1071	5.3	81.1	* 1418	7.0	42.2	* 1021	5.0	93.9	* 10
11	* 932	4.6	23.0	* 1861	9.2	84.4	* 1223	6.0	65.6	* 1626	8.0	89.1	* 1333	6.6	48.8	* 565	2.8	96.7	* 11
12	* 1086	5.4	28.3	* 1183	5.8	90.3	* 1072	5.3	70.9	* 1034	5.1	94.2	* 1232	6.1	54.9	* 317	1.6	98.2	* 12
13	* 1229	6.1	34.4	* 721	3.6	93.8	* 988	4.9	75.8	* 461	2.3	96.5	* 2560	12.6	67.5	* 153	0.8	99.0	* 13
14	* 1646	8.1	42.5	* 453	2.2	96.0	* 983	4.8	80.6	* 440	2.2	98.7	* 2030	10.0	77.5	* 158	0.8	99.7	* 14
15	* 2663	13.1	55.6	* 423	2.1	98.1	* 950	4.7	85.3	* 159	0.8	99.5	* 1433	7.1	84.6	* 34	0.2	99.9	* 15
16	* 1500	7.4	63.0	* 195	1.0	99.1	* 785	3.9	89.2	* 67	0.3	99.8	* 919	4.5	89.1	* 10	0.0	100.0	* 16
17	* 1789	8.8	71.9	* 99	0.5	99.6	* 677	3.3	92.5	* 32	0.2	100.0	* 1084	5.3	94.5	* 2	0.0	100.0	* 17
18	* 2111	10.4	82.3	* 48	0.2	99.8	* 808	4.0	96.5	* 8	0.0	100.0	* 510	2.5	97.0	* 2	0.0	100.0	* 18
19	* 1904	9.4	91.7	* 37	0.2	100.0	* 454	2.2	98.8	* 3	0.0	100.0	* 275	1.4	98.3	* 3	0.0	100.0	* 19
20	* 1188	5.9	97.5	* 0	0.0	100.0	* 196	1.0	99.7	* 0	0.0	100.0	* 164	0.8	99.1	* 0	0.0	100.0	* 20
21	* 458	2.3	99.8	* 0	0.0	100.0	* 48	0.2	100.0	* 0	0.0	100.0	* 89	0.4	99.6	* 0	0.0	100.0	* 21
22	* 45	0.2	100.0	* 0	0.0	100.0	* 9	0.0	100.0	* 0	0.0	100.0	* 49	0.2	99.8	* 0	0.0	100.0	* 22
23	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 31	0.2	100.0	* 0	0.0	100.0	* 23
24	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 6	0.0	100.0	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 71.1      DMC = 15.9      DC = 134.4      ISI = 3.6      ADMC = 38.8      FWI = 5.9

THE TOTAL NUMBER OF OBSERVATIONS IS 20,279

MAXIMUM VALUES

FFMC = 94.0      DMC = 100.0      DC = 537.0      ISI = 54.8      ADMC = 136.0      FWI = 84.0

\*\*\*TOTALS FOR REGION 1 NEW BRUNSWICK

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CLASS						
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.						
1	*	7	0.4	0.4	*	45	2.7	2.7	*	71	4.3	4.3	*	8	0.5	0.5	*	12	0.7	0.7	*	215	12.9	12.9	*	1
2	*	6	0.4	0.8	*	84	5.1	7.8	*	74	4.5	8.7	*	167	10.1	10.5	*	17	1.0	1.7	*	185	11.1	24.1	*	2
3	*	13	0.8	1.6	*	104	6.3	14.0	*	59	3.6	12.3	*	155	9.3	19.9	*	27	1.6	3.4	*	162	9.8	33.8	*	3
4	*	18	1.1	2.6	*	128	7.7	21.7	*	48	2.9	15.2	*	170	10.2	30.1	*	37	2.2	5.6	*	162	9.8	43.6	*	4
5	*	29	1.7	4.4	*	148	8.9	30.6	*	70	4.2	19.4	*	157	9.5	39.6	*	45	2.7	8.3	*	133	8.0	51.6	*	5
6	*	35	2.1	6.5	*	188	11.3	42.0	*	59	3.6	22.9	*	149	9.0	48.5	*	76	4.6	12.9	*	219	13.2	64.8	*	6
7	*	39	2.3	8.9	*	177	10.7	52.6	*	143	8.6	31.5	*	116	7.0	55.5	*	76	4.6	17.5	*	163	9.8	74.6	*	7
8	*	47	2.8	11.7	*	152	9.2	61.8	*	141	8.5	40.0	*	203	12.2	67.7	*	89	5.4	22.8	*	113	6.8	81.4	*	8
9	*	56	3.4	15.1	*	144	8.7	70.4	*	148	8.9	48.9	*	133	8.0	75.7	*	84	5.1	27.9	*	167	10.1	91.5	*	9
10	*	76	4.6	19.6	*	101	6.1	76.5	*	143	8.6	57.6	*	117	7.0	82.8	*	109	6.6	34.4	*	76	4.6	96.0	*	10
11	*	82	4.9	24.6	*	163	9.8	86.3	*	121	7.3	64.8	*	159	9.6	92.4	*	116	7.0	41.4	*	42	2.5	98.6	*	11
12	*	125	7.5	32.1	*	106	6.4	92.7	*	87	5.2	70.1	*	57	3.4	95.8	*	126	7.6	49.0	*	11	0.7	99.2	*	12
13	*	152	9.2	41.2	*	52	3.1	95.8	*	95	5.7	75.8	*	38	2.3	98.1	*	309	18.6	67.6	*	7	0.4	99.6	*	13
14	*	205	12.3	53.6	*	27	1.6	97.5	*	130	7.8	83.6	*	23	1.4	99.5	*	196	11.8	79.4	*	5	0.3	99.9	*	14
15	*	238	14.3	67.9	*	25	1.5	99.0	*	78	4.7	88.3	*	6	0.4	99.8	*	125	7.5	86.9	*	1	0.1	100.0	*	15
16	*	98	5.9	73.8	*	16	1.0	99.9	*	79	4.8	93.1	*	3	0.2	100.0	*	82	4.9	91.9	*	0	0.0	100.0	*	16
17	*	143	8.6	82.4	*	1	0.1	100.0	*	79	4.8	97.8	*	0	0.0	100.0	*	75	4.5	96.4	*	0	0.0	100.0	*	17
18	*	131	7.9	90.3	*	0	0.0	100.0	*	26	1.6	99.4	*	0	0.0	100.0	*	26	1.6	98.0	*	0	0.0	100.0	*	18
19	*	95	5.7	96.0	*	0	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	22	1.3	99.3	*	0	0.0	100.0	*	19
20	*	60	3.6	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	99.8	*	0	0.0	100.0	*	20
21	*	6	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE/VALUES

FFMC = 69.2      DMC = 15.8      DC = 132.9      ISI = 3.5      ADMC = 39.2      FWI = 6.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1661

MAXIMUM VALUES

FFMC = 91.0      DMC = 62.0      DC = 381.0      ISI = 24.3      ADMC = 84.0      FWI = 46.0

\*\*\*TOTALS FOR STATION 13 ALMA LONG. 6457 LAT. 4536

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	35	2.3	2.3	*	62	4.1	4.1	*	92	6.0	6.0	*	1	.1	0.1	*	380	25.0	25.0	*	1
2	*	1	0.1	0.1	*	114	7.5	9.8	*	89	5.9	9.9	*	173	11.4	17.4	*	16	1.1	1.1	*	234	15.4	40.4	*	2
3	*	5	0.3	0.4	*	155	10.2	20.0	*	91	6.0	15.9	*	183	12.0	29.5	*	29	1.9	3.0	*	107	7.0	47.4	*	3
4	*	25	1.6	2.0	*	220	14.5	34.5	*	96	6.3	22.2	*	153	10.1	39.5	*	29	1.9	4.9	*	112	7.4	54.8	*	4
5	*	49	3.2	5.3	*	215	14.1	48.6	*	104	6.8	29.1	*	135	8.9	48.4	*	86	5.7	10.6	*	109	7.2	61.9	*	5
6	*	36	2.4	7.6	*	184	12.1	60.7	*	93	6.1	35.2	*	112	7.4	55.8	*	105	6.9	17.5	*	170	11.2	73.1	*	6
7	*	42	2.8	10.4	*	149	9.8	70.5	*	175	11.5	46.7	*	94	6.2	61.9	*	106	7.0	24.5	*	135	8.9	82.0	*	7
8	*	35	2.3	12.7	*	108	7.1	77.6	*	150	9.9	56.5	*	180	11.8	73.8	*	152	10.0	34.5	*	91	6.0	88.0	*	8
9	*	49	3.2	15.9	*	63	4.1	81.7	*	127	8.3	64.9	*	109	7.2	80.9	*	161	10.6	45.0	*	98	6.4	94.4	*	9
10	*	56	3.7	19.6	*	66	4.3	86.1	*	127	8.3	73.2	*	70	4.6	85.5	*	145	9.5	54.6	*	49	3.2	97.6	*	10
11	*	73	4.8	24.4	*	91	6.0	92.0	*	114	7.5	80.7	*	120	7.9	93.4	*	135	8.9	63.4	*	18	1.2	98.8	*	11
12	*	97	6.4	30.8	*	49	3.2	95.3	*	52	3.4	84.2	*	54	3.6	97.0	*	96	6.3	69.8	*	11	0.7	99.5	*	12
13	*	105	6.9	37.7	*	39	2.6	97.8	*	57	3.7	87.9	*	18	1.2	98.2	*	185	12.2	81.9	*	2	0.1	99.7	*	13
14	*	141	9.3	46.9	*	14	0.9	98.8	*	58	3.8	91.7	*	20	1.3	99.5	*	99	6.5	88.4	*	5	0.3	100.0	*	14
15	*	283	18.6	65.5	*	17	1.1	99.9	*	35	2.3	94.0	*	3	0.2	99.7	*	55	3.6	92.0	*	0	0.0	100.0	*	15
16	*	123	8.1	73.6	*	2	0.1	100.0	*	28	1.8	95.9	*	5	0.3	100.0	*	32	2.1	94.1	*	0	0.0	100.0	*	16
17	*	153	10.1	83.7	*	0	0.0	100.0	*	30	2.0	97.8	*	0	0.0	100.0	*	48	3.2	97.3	*	0	0.0	100.0	*	17
18	*	151	9.9	93.6	*	0	0.0	100.0	*	17	1.1	98.9	*	0	0.0	100.0	*	24	1.6	98.9	*	0	0.0	100.0	*	18
19	*	80	5.3	98.9	*	0	0.0	100.0	*	10	0.7	99.6	*	0	0.0	100.0	*	12	0.8	99.7	*	0	0.0	100.0	*	19
20	*	17	1.1	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.5      DMC = 12.7      DC = 104.6      ISI = 3.1      ADMC = 32.1      FWI = 4.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1521

MAXIMUM VALUES

FFMC = 90.0      DMC = 52.0      DC = 435.0      ISI = 27.0      ADMC = 80.0      FWI = 36.0



\*\*\*TOTALS FOR STATION 9 AROOSTOOK LONG. 6744 LAT. 4647

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	35	2.2	2.2	*	55	3.5	3.5	*	77	4.8	4.8	*	8	0.5	0.5	*	336	21.1	21.1	*	1
2	*	4	0.3	0.3	*	84	5.3	7.5	*	57	3.6	7.0	*	180	11.3	16.2	*	17	1.1	1.6	*	242	15.2	36.3	*	2
3	*	7	0.4	0.7	*	131	8.2	15.7	*	57	3.6	10.6	*	190	11.9	28.1	*	13	0.8	2.4	*	109	6.9	43.2	*	3
4	*	30	1.9	2.6	*	161	10.1	25.8	*	70	4.4	15.0	*	167	10.5	38.6	*	19	1.2	3.6	*	109	6.9	50.0	*	4
5	*	26	1.6	4.2	*	149	9.4	35.2	*	73	4.6	19.6	*	141	8.9	47.5	*	58	3.6	7.2	*	100	6.3	56.3	*	5
6	*	26	1.6	5.8	*	134	8.4	43.6	*	75	4.7	24.3	*	102	6.4	53.9	*	75	4.7	11.9	*	155	9.7	66.1	*	6
7	*	26	1.6	7.5	*	156	9.8	53.4	*	159	10.0	34.3	*	83	5.2	59.1	*	98	6.2	18.1	*	131	8.2	74.3	*	7
8	*	42	2.6	10.1	*	136	8.5	62.0	*	150	9.4	43.7	*	129	8.1	67.2	*	95	6.0	24.1	*	98	6.2	80.5	*	8
9	*	32	2.0	12.1	*	128	8.0	70.0	*	132	8.3	52.0	*	124	7.8	75.0	*	119	7.5	31.6	*	131	8.2	88.7	*	9
10	*	62	3.9	16.0	*	90	5.7	75.7	*	125	7.9	59.9	*	83	5.2	80.2	*	127	8.0	39.5	*	89	5.6	94.3	*	10
11	*	70	4.4	20.4	*	171	10.7	86.4	*	143	9.0	68.9	*	124	7.8	88.0	*	110	6.9	46.4	*	42	2.6	96.9	*	11
12	*	88	5.5	26.0	*	96	6.0	92.5	*	131	8.2	77.1	*	81	5.1	93.1	*	96	6.0	52.5	*	29	1.8	98.7	*	12
13	*	98	6.2	32.1	*	55	3.5	95.9	*	93	5.8	83.0	*	44	2.8	95.9	*	216	13.6	66.1	*	10	0.6	99.4	*	13
14	*	137	8.6	40.7	*	25	1.6	97.5	*	86	5.4	88.4	*	41	2.6	98.4	*	213	13.4	79.4	*	9	0.6	99.9	*	14
15	*	230	14.5	55.2	*	26	1.6	99.1	*	79	5.0	93.3	*	16	1.0	99.4	*	123	7.7	87.2	*	1	0.1	100.0	*	15
16	*	117	7.4	62.5	*	7	0.4	99.6	*	61	3.8	97.2	*	6	0.4	99.8	*	82	5.2	92.3	*	0	0.0	100.0	*	16
17	*	138	8.7	71.2	*	3	0.2	99.7	*	35	2.2	99.4	*	3	0.2	100.0	*	75	4.7	97.0	*	0	0.0	100.0	*	17
18	*	139	8.7	79.9	*	4	0.3	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	31	1.9	99.0	*	0	0.0	100.0	*	18
19	*	166	10.4	90.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	99.6	*	0	0.0	100.0	*	19
20	*	97	6.1	96.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	99.9	*	0	0.0	100.0	*	20
21	*	52	3.3	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.6      DMC = 15.6      DC = 123.3      ISI = 3.7      ADMC = 38.2      FWI = 5.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1591

MAXIMUM VALUES

FFMC = 93.0      DMC = 79.0      DC = 336.0      ISI = 38.0      ADMC = 86.0      FWI = 42.0

\*\*\*TOTALS FOR STATION 2 BATHURST LONG. 6539 LAT. 4737

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	4	0.3	0.3	*	18	1.1	1.1	*	36	2.3	2.3	*	65	4.1	4.1	*	2	0.1	0.1	*	292	18.4	18.4	*	1
2	*	7	0.4	0.7	*	60	3.8	4.9	*	54	3.4	5.7	*	162	10.2	14.3	*	8	0.5	0.6	*	189	11.9	30.3	*	2
3	*	13	0.8	1.5	*	102	6.4	11.4	*	56	3.5	9.2	*	176	11.1	25.4	*	7	0.4	1.1	*	99	6.2	36.6	*	3
4	*	14	0.9	2.4	*	123	7.8	19.1	*	68	4.3	13.5	*	127	8.0	33.4	*	18	1.1	2.2	*	95	6.0	42.6	*	4
5	*	18	1.1	3.5	*	147	9.3	28.4	*	62	3.9	17.4	*	128	8.1	41.5	*	43	2.7	4.9	*	104	6.6	49.1	*	5
6	*	32	2.0	5.6	*	142	9.0	37.4	*	51	3.2	20.6	*	98	6.2	47.7	*	60	3.8	8.7	*	158	10.0	59.1	*	6
7	*	33	2.1	7.6	*	131	8.3	45.6	*	99	6.2	26.9	*	96	6.1	53.8	*	74	4.7	13.4	*	137	8.6	67.8	*	7
8	*	27	1.7	9.3	*	120	7.6	53.2	*	107	6.8	33.6	*	150	9.5	63.2	*	89	5.6	19.0	*	102	6.4	74.2	*	8
9	*	38	2.4	11.7	*	122	7.7	60.9	*	118	7.4	41.1	*	138	8.7	71.9	*	92	5.8	24.8	*	169	10.7	84.9	*	9
10	*	45	2.8	14.6	*	101	6.4	67.3	*	93	5.9	46.9	*	87	5.5	77.4	*	102	6.4	31.2	*	99	6.2	91.1	*	10
11	*	64	4.0	18.6	*	195	12.3	79.6	*	93	5.9	52.8	*	143	9.0	86.4	*	99	6.2	37.5	*	55	3.5	94.6	*	11
12	*	92	5.8	24.4	*	125	7.9	87.4	*	107	6.8	59.6	*	90	5.7	92.1	*	93	5.9	43.3	*	37	2.3	96.9	*	12
13	*	89	5.6	30.0	*	60	3.8	91.2	*	88	5.6	65.1	*	42	2.6	94.8	*	208	13.1	56.5	*	17	1.1	98.0	*	13
14	*	118	7.4	37.5	*	41	2.6	93.8	*	68	4.3	69.4	*	45	2.8	97.6	*	196	12.4	68.8	*	21	1.3	99.3	*	14
15	*	234	14.8	52.2	*	42	2.6	96.5	*	90	5.7	75.1	*	20	1.3	98.9	*	157	9.9	78.7	*	7	0.4	99.7	*	15
16	*	125	7.9	60.1	*	26	1.6	98.1	*	82	5.2	80.3	*	9	0.6	100.0	*	99	6.2	85.0	*	2	0.1	99.9	*	16
17	*	139	8.8	68.9	*	19	1.2	99.3	*	87	5.5	85.7	*	5	0.3	100.0	*	100	6.3	91.3	*	0	0.0	99.9	*	17
18	*	174	11.0	79.9	*	7	0.4	99.7	*	104	6.6	92.3	*	3	0.2	100.0	*	53	3.3	94.6	*	1	0.1	99.9	*	18
19	*	170	10.7	90.6	*	4	0.3	100.0	*	97	6.1	98.4	*	2	0.1	100.0	*	27	1.7	96.3	*	1	0.1	100.0	*	19
20	*	109	6.9	97.5	*	0	0.0	100.0	*	25	1.6	100.0	*	0	0.0	100.0	*	29	1.8	98.2	*	0	0.0	100.0	*	20
21	*	37	2.3	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	1.0	99.2	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.8	99.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.2      DMC = 18.6      DC = 167.0      ISI = 4.2      ADMC = 45.3      FWI = 7.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1585

MAXIMUM VALUES

FFMC = 93.0      DMC = 90.0      DC = 447.0      ISI = 54.8      ADMC = 101.0      FWI = 83.0

\*\*\*TOTALS FOR STATION 3 CAMPBELLTON LONG. 6640 LAT. 4800

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	4	0.3	0.3	*	55	3.8	3.8	*	53	3.6	3.6	*	122	8.4	8.4	*	8	0.5	0.5	*	447	30.6	30.6	*	1
2	*	8	0.5	0.8	*	138	9.4	13.2	*	86	5.9	9.5	*	224	15.3	23.7	*	23	1.6	2.1	*	222	15.2	45.8	*	2
3	*	16	1.1	1.9	*	163	11.2	24.4	*	89	6.1	15.6	*	199	13.6	37.3	*	28	1.9	4.0	*	87	6.0	51.7	*	3
4	*	39	2.7	4.6	*	171	11.7	36.1	*	72	4.9	20.5	*	127	8.7	46.0	*	39	2.7	6.7	*	89	6.1	57.8	*	4
5	*	38	2.6	7.2	*	149	10.2	46.3	*	66	4.5	25.1	*	104	7.1	53.1	*	83	5.7	12.4	*	92	6.3	64.1	*	5
6	*	43	2.9	10.1	*	147	10.1	56.3	*	79	5.4	30.5	*	82	5.6	58.7	*	99	6.8	19.2	*	149	10.2	74.3	*	6
7	*	28	1.9	12.0	*	110	7.5	63.9	*	117	8.0	38.5	*	108	7.4	66.1	*	106	7.3	26.4	*	114	7.8	82.1	*	7
8	*	30	2.1	14.1	*	93	6.4	70.2	*	112	7.7	46.1	*	161	11.0	77.1	*	109	7.5	33.9	*	69	4.7	86.9	*	8
9	*	54	3.7	17.8	*	90	6.2	76.4	*	101	6.9	53.0	*	116	7.9	85.1	*	108	7.4	41.3	*	103	7.0	93.9	*	9
10	*	61	4.2	22.0	*	72	4.9	81.3	*	66	4.5	57.6	*	58	4.0	89.0	*	110	7.5	48.8	*	48	3.3	97.2	*	10
11	*	79	5.4	27.4	*	104	7.1	88.4	*	57	3.9	61.5	*	75	5.1	94.2	*	100	6.8	55.6	*	19	1.3	98.5	*	11
12	*	83	5.7	33.1	*	69	4.7	93.2	*	82	5.6	67.1	*	50	3.4	97.6	*	86	5.9	61.5	*	11	0.8	99.2	*	12
13	*	108	7.4	40.5	*	36	2.5	95.6	*	79	5.4	72.5	*	17	1.2	98.8	*	178	12.2	73.7	*	3	0.2	99.5	*	13
14	*	123	8.4	48.9	*	32	2.2	97.8	*	83	5.7	78.2	*	11	0.8	99.5	*	142	9.7	83.4	*	7	0.5	99.9	*	14
15	*	156	10.7	59.5	*	27	1.8	99.7	*	89	6.1	84.3	*	4	0.3	99.8	*	80	5.5	88.0	*	1	0.1	100.0	*	15
16	*	109	7.5	67.0	*	5	0.3	100.0	*	57	3.9	88.2	*	3	0.2	100.0	*	45	3.1	92.0	*	0	0.0	100.0	*	16
17	*	134	9.2	76.2	*	0	0.0	100.0	*	69	4.7	92.9	*	0	0.0	100.0	*	56	3.8	95.8	*	0	0.0	100.0	*	17
18	*	141	9.7	85.8	*	0	0.0	100.0	*	54	3.7	96.6	*	0	0.0	100.0	*	36	2.5	98.3	*	0	0.0	100.0	*	18
19	*	125	8.6	94.4	*	0	0.0	100.0	*	28	1.9	98.5	*	0	0.0	100.0	*	19	1.3	99.6	*	0	0.0	100.0	*	19
20	*	68	4.7	99.0	*	0	0.0	100.0	*	22	1.5	100.0	*	0	0.0	100.0	*	5	0.3	99.9	*	0	0.0	100.0	*	20
21	*	14	1.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 68.9      DMC = 13.7      DC = 137.3      ISI = 2.7      ADMC = 34.6      FWI = 4.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1461

MAXIMUM VALUES

FFMC = 92.0      DMC = 57.0      DC = 449.0      ISI = 25.9      ADMC = 83.0      FWI = 41.0

\*\*\*TOTALS FOR STATION 1 CHATHAM LONG. 6527 LAT. 4701

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	1	0.1	0.1	*	40	2.4	2.4	*	47	2.9	2.9	*	110	6.7	6.7	*	5	0.3	0.3	*	348	21.3	21.3	*	1
2	*	6	0.4	0.4	*	75	4.6	7.0	*	71	4.3	7.2	*	179	10.9	17.7	*	20	1.2	1.5	*	200	12.2	33.5	*	2
3	*	19	1.2	1.6	*	122	7.5	14.5	*	73	4.5	11.7	*	169	10.3	28.0	*	16	1.0	2.5	*	88	5.4	38.9	*	3
4	*	33	2.0	3.6	*	114	7.0	21.4	*	71	4.3	16.0	*	120	7.3	35.3	*	26	1.6	4.1	*	88	5.4	44.2	*	4
5	*	35	2.1	5.7	*	150	9.2	30.6	*	60	3.7	19.7	*	128	7.8	43.1	*	55	3.4	7.5	*	87	5.3	49.5	*	5
6	*	36	2.2	7.9	*	140	8.6	39.2	*	44	2.7	22.4	*	90	5.5	48.6	*	78	4.8	12.2	*	147	9.0	58.5	*	6
7	*	37	2.3	10.2	*	134	8.2	47.3	*	104	6.4	28.7	*	67	4.1	52.7	*	82	5.0	17.2	*	125	7.6	66.2	*	7
8	*	42	2.6	12.8	*	117	7.1	54.5	*	120	7.3	36.0	*	148	9.0	61.8	*	84	5.1	22.4	*	93	5.7	71.8	*	8
9	*	37	2.3	15.0	*	97	5.9	60.4	*	100	6.1	42.2	*	123	7.5	69.3	*	86	5.3	27.6	*	178	10.9	82.7	*	9
10	*	45	2.7	17.8	*	93	5.7	66.1	*	99	6.0	48.2	*	91	5.6	74.8	*	85	5.2	32.8	*	109	6.7	89.4	*	10
11	*	71	4.3	22.1	*	187	11.4	77.5	*	103	6.3	54.5	*	158	9.7	84.5	*	88	5.4	38.2	*	65	4.0	93.3	*	11
12	*	83	5.1	27.2	*	131	8.0	85.5	*	95	5.8	60.3	*	108	6.6	91.1	*	94	5.7	43.9	*	40	2.4	95.8	*	12
13	*	88	5.4	32.6	*	86	5.3	90.8	*	100	6.1	66.4	*	50	3.1	94.1	*	198	12.1	56.0	*	16	1.0	96.8	*	13
14	*	109	6.7	39.2	*	50	3.1	93.8	*	94	5.7	72.1	*	50	3.1	97.2	*	168	10.3	66.3	*	39	2.4	99.1	*	14
15	*	196	12.0	51.2	*	39	2.4	96.2	*	95	5.8	77.9	*	24	1.5	98.7	*	153	9.3	75.6	*	8	0.5	99.6	*	15
16	*	118	7.2	58.4	*	16	1.0	97.2	*	71	4.3	82.3	*	10	0.6	99.3	*	112	6.8	82.5	*	3	0.2	99.8	*	16
17	*	129	7.9	66.3	*	10	0.6	97.8	*	50	3.1	85.3	*	6	0.4	99.7	*	146	8.9	91.4	*	0	0.0	99.8	*	17
18	*	179	10.9	77.2	*	15	0.9	98.7	*	106	6.5	91.8	*	4	0.3	99.9	*	61	3.7	95.1	*	1	0.1	99.9	*	18
19	*	170	10.4	87.6	*	21	1.3	100.0	*	70	4.3	96.1	*	2	0.1	100.0	*	24	1.5	96.6	*	2	0.1	100.0	*	19
20	*	137	8.4	96.0	*	0	0.0	100.0	*	47	2.9	99.0	*	0	0.0	100.0	*	13	0.8	97.4	*	0	0.0	100.0	*	20
21	*	55	3.4	99.3	*	0	0.0	100.0	*	8	0.5	99.5	*	0	0.0	100.0	*	15	0.9	98.3	*	0	0.0	100.0	*	21
22	*	11	0.7	100.0	*	0	0.0	100.0	*	9	0.5	100.0	*	0	0.0	100.0	*	9	0.5	98.8	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.8	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES:

FFMC = 72.2      DMC = 19.0      DC = 164.3      ISI = 4.6      ADMC = 45.8      FWI = 7.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1637

MAXIMUM VALUES

FFMC = 94.0      DMC = 100.0      DC = 537.0      ISI = 54.8      ADMC = 136.0      FWI = 84.0

\*\*\*TOTALS FOR STATION 10 DOAKTOWN LONG. 6609 LAT. 4633

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	1	0.1	0.1	*	40	2.5	2.5	*	51	3.2	3.2	*	81	5.1	5.1	*	7	0.4	0.4	*	310	19.4	19.4	*	1
2	*	1	0.1	0.1	*	66	4.1	6.6	*	56	3.5	6.7	*	167	10.5	15.5	*	18	1.1	1.6	*	223	14.0	33.4	*	2
3	*	18	1.1	1.3	*	96	6.0	12.7	*	55	3.4	10.2	*	164	10.3	25.8	*	16	1.0	2.6	*	102	6.4	39.8	*	3
4	*	23	1.4	2.7	*	136	8.5	21.2	*	70	4.4	14.5	*	160	10.0	35.8	*	26	1.6	4.2	*	85	5.3	45.1	*	4
5	*	27	1.7	4.4	*	139	8.7	29.9	*	64	4.0	18.5	*	128	8.0	43.9	*	47	2.9	7.1	*	90	5.6	50.8	*	5
6	*	33	2.1	6.5	*	144	9.0	38.9	*	66	4.1	22.7	*	119	7.5	51.3	*	69	4.3	11.5	*	152	9.5	60.3	*	6
7	*	26	1.6	8.1	*	120	7.5	46.4	*	134	8.4	31.1	*	84	5.3	56.6	*	69	4.3	15.8	*	118	7.4	67.7	*	7
8	*	34	2.1	10.2	*	124	7.8	54.2	*	102	6.4	37.5	*	136	8.5	65.1	*	77	4.8	20.6	*	106	6.6	74.3	*	8
9	*	39	2.4	12.7	*	105	6.6	60.8	*	93	5.8	43.3	*	112	7.0	72.1	*	89	5.6	26.2	*	162	10.2	84.5	*	9
10	*	48	3.0	15.7	*	79	4.9	65.7	*	79	4.9	48.2	*	94	5.9	78.0	*	89	5.6	31.8	*	100	6.3	90.7	*	10
11	*	56	3.5	19.2	*	177	11.1	76.8	*	78	4.9	53.1	*	136	8.6	86.7	*	85	5.3	37.1	*	62	3.9	94.6	*	11
12	*	83	5.2	24.4	*	117	7.3	84.1	*	58	3.6	56.8	*	100	6.3	92.9	*	91	5.7	42.8	*	39	2.4	97.1	*	12
13	*	93	5.8	30.2	*	80	5.0	89.2	*	73	4.6	61.3	*	50	3.1	96.1	*	214	13.4	56.2	*	25	1.6	98.6	*	13
14	*	122	7.6	37.8	*	54	3.4	92.5	*	101	6.3	67.7	*	39	2.4	98.5	*	175	11.0	67.2	*	18	1.1	99.7	*	14
15	*	220	13.8	51.6	*	66	4.1	96.7	*	95	6.0	73.6	*	16	1.0	99.5	*	130	8.1	75.3	*	3	0.2	99.9	*	15
16	*	132	8.3	59.9	*	22	1.4	98.1	*	102	6.4	80.0	*	5	0.3	99.7	*	99	6.2	81.5	*	1	0.1	100.0	*	16
17	*	112	7.0	66.9	*	16	1.0	99.1	*	85	5.3	85.3	*	3	0.2	100.0	*	134	8.4	89.9	*	0	0.0	100.0	*	17
18	*	150	9.4	76.3	*	8	0.5	99.6	*	163	10.2	95.6	*	0	0.0	100.0	*	61	3.8	93.7	*	0	0.0	100.0	*	18
19	*	189	11.8	88.2	*	7	0.4	100.0	*	55	3.4	99.0	*	0	0.0	100.0	*	42	2.6	96.4	*	0	0.0	100.0	*	19
20	*	129	8.1	96.2	*	0	0.0	100.0	*	13	0.8	99.8	*	0	0.0	100.0	*	26	1.6	98.0	*	0	0.0	100.0	*	20
21	*	54	3.4	99.6	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	16	1.0	99.0	*	0	0.0	100.0	*	21
22	*	6	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.8	99.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.3      DMC = 19.0      DC = 164.3      ISI = 3.9      ADMC = 46.0      FWI = 7.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1596

MAXIMUM VALUES

FFMC = 93.0      DMC = 99.0      DC = 460.0      ISI = 38.0      ADMC = 109.0      FWI = 56.0

\*\*\*TOTALS FOR STATION 4 EDMUNSTON-FRASER CO. LONG. 6820 LAT. 4722

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	1	0.1	0.1	*	44	2.9	2.9	*	75	5.0	5.0	*	55	3.7	3.7	*	5	0.3	0.3	*	398	26.6	26.6	*	1
2	*	1	0.1	0.1	*	112	7.5	10.4	*	111	7.4	12.4	*	223	14.9	18.6	*	20	1.3	1.7	*	244	16.3	43.0	*	2
3	*	6	0.4	0.5	*	170	11.4	21.8	*	97	6.5	18.9	*	208	13.9	32.5	*	30	2.0	3.7	*	116	7.8	50.7	*	3
4	*	13	0.9	1.4	*	188	12.6	34.4	*	102	6.8	25.8	*	158	10.6	43.1	*	39	2.6	6.3	*	105	7.0	57.8	*	4
5	*	25	1.7	3.1	*	179	12.0	46.4	*	84	5.6	31.4	*	121	8.1	51.2	*	90	6.0	12.3	*	112	7.5	65.3	*	5
6	*	23	1.5	4.6	*	158	10.6	57.0	*	81	5.4	36.8	*	115	7.7	58.9	*	95	6.4	18.7	*	142	9.5	74.8	*	6
7	*	23	1.5	6.2	*	117	7.8	64.8	*	153	10.2	47.1	*	118	7.9	66.8	*	125	8.4	27.0	*	115	7.7	82.5	*	7
8	*	36	2.4	8.6	*	105	7.0	71.8	*	123	8.2	55.3	*	146	9.8	76.6	*	133	8.9	35.9	*	64	4.3	86.7	*	8
9	*	58	3.9	12.4	*	89	6.0	77.8	*	88	5.9	61.2	*	105	7.0	83.6	*	117	7.8	43.8	*	111	7.4	94.2	*	9
10	*	72	4.8	17.3	*	71	4.8	82.5	*	96	6.4	67.6	*	60	4.0	87.6	*	113	7.6	51.3	*	50	3.3	97.5	*	10
11	*	91	6.1	23.4	*	109	7.3	89.8	*	90	6.0	73.6	*	87	5.8	93.4	*	102	6.8	58.2	*	23	1.5	99.1	*	11
12	*	96	6.4	29.8	*	60	4.0	93.8	*	73	4.9	78.5	*	58	3.9	97.3	*	91	6.1	64.3	*	10	0.7	99.7	*	12
13	*	101	6.8	36.5	*	39	2.6	96.5	*	58	3.9	82.4	*	14	0.9	98.3	*	177	11.8	76.1	*	2	0.1	99.9	*	13
14	*	131	8.8	45.3	*	31	2.1	98.5	*	69	4.6	87.0	*	19	1.3	99.5	*	127	8.5	84.6	*	2	0.1	100.0	*	14
15	*	198	13.3	58.6	*	16	1.1	99.6	*	86	5.8	92.8	*	6	0.4	99.9	*	98	6.6	91.2	*	0	0.0	100.0	*	15
16	*	112	7.5	66.1	*	6	0.4	100.0	*	60	4.0	96.8	*	1	0.1	100.0	*	48	3.2	94.4	*	0	0.0	100.0	*	16
17	*	136	9.1	75.2	*	0	0.0	100.0	*	33	2.2	99.0	*	0	0.0	100.0	*	58	3.9	98.3	*	0	0.0	100.0	*	17
18	*	145	9.7	84.9	*	0	0.0	100.0	*	15	1.0	100.0	*	0	0.0	100.0	*	17	1.1	99.4	*	0	0.0	100.0	*	18
19	*	114	7.6	92.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	99.9	*	0	0.0	100.0	*	19
20	*	78	5.2	97.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	20
21	*	31	2.1	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.7      DMC = 13.5      DC = 109.1      ISI = 2.9      ADMC = 33.0      FWI = 4.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1494

MAXIMUM VALUES

FFMC = 93.0      DMC = 58.0      DC = 334.0      ISI = 22.0      ADMC = 76.0      FWI = 38.0

\*\*\*TOTALS FOR STATION 7 FREDERICTON LONG, 6632 LAT, 4552

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	14	0.8	0.8	*	39	2.3	2.3	*	93	5.4	5.4	*	0	0.0	0.0	*	353	20.7	20.7	*	1
2	*	6	0.4	0.4	*	65	3.8	4.6	*	66	3.9	6.1	*	212	12.4	17.9	*	9	0.5	0.5	*	194	11.4	32.0	*	2
3	*	11	0.6	1.0	*	99	5.8	10.4	*	59	3.5	9.6	*	175	10.2	28.1	*	12	0.7	1.2	*	86	5.0	37.1	*	3
4	*	22	1.3	2.3	*	136	8.0	18.4	*	54	3.2	12.8	*	113	6.6	34.7	*	17	1.0	2.2	*	110	6.4	43.5	*	4
5	*	39	2.3	4.6	*	143	8.4	26.8	*	56	3.3	16.0	*	103	6.0	40.7	*	43	2.5	4.7	*	66	3.9	47.4	*	5
6	*	45	2.6	7.2	*	145	8.5	35.2	*	65	3.8	19.8	*	102	6.0	46.7	*	63	3.7	8.4	*	146	8.5	55.9	*	6
7	*	40	2.3	9.5	*	148	8.7	43.9	*	152	8.9	28.7	*	85	5.0	51.7	*	70	4.1	12.5	*	151	8.8	64.8	*	7
8	*	35	2.0	11.6	*	126	7.4	51.3	*	127	7.4	36.2	*	160	9.4	61.1	*	86	5.0	17.6	*	110	6.4	71.2	*	8
9	*	51	3.0	14.6	*	112	6.6	57.8	*	120	7.0	43.2	*	136	8.0	69.0	*	108	6.3	23.9	*	200	11.7	82.9	*	9
10	*	57	3.3	17.9	*	127	7.4	65.3	*	105	6.1	49.4	*	101	5.9	74.9	*	110	6.4	30.3	*	116	6.8	89.7	*	10
11	*	73	4.3	22.2	*	187	10.9	76.2	*	117	6.9	56.2	*	157	9.2	84.1	*	103	6.0	36.4	*	79	4.6	94.3	*	11
12	*	72	4.2	26.4	*	139	8.1	84.4	*	115	6.7	62.9	*	111	6.5	90.6	*	103	6.0	42.4	*	42	2.5	96.8	*	12
13	*	85	5.0	31.4	*	91	5.3	89.7	*	88	5.2	68.1	*	65	3.8	94.4	*	236	13.8	56.2	*	26	1.5	98.3	*	13
14	*	118	6.9	38.3	*	56	3.3	93.0	*	98	5.7	73.8	*	60	3.5	98.0	*	184	10.8	67.0	*	19	1.1	99.4	*	14
15	*	155	9.1	47.4	*	56	3.3	96.3	*	79	4.6	78.5	*	20	1.2	99.1	*	157	9.2	76.2	*	8	0.5	99.9	*	15
16	*	106	6.2	53.6	*	38	2.2	98.5	*	66	3.9	82.3	*	9	0.5	99.6	*	101	5.9	82.1	*	1	0.1	99.9	*	16
17	*	146	8.5	62.1	*	20	1.2	99.6	*	63	3.7	85.0	*	6	0.4	100.0	*	140	8.2	90.3	*	1	0.1	100.0	*	17
18	*	200	11.7	73.8	*	4	0.2	99.9	*	127	7.4	93.4	*	0	0.0	100.0	*	69	4.0	94.3	*	0	0.0	100.0	*	18
19	*	200	11.7	85.5	*	2	0.1	100.0	*	90	5.3	98.7	*	0	0.0	100.0	*	44	2.6	96.9	*	0	0.0	100.0	*	19
20	*	160	9.4	94.9	*	0	0.0	100.0	*	22	1.3	100.0	*	0	0.0	100.0	*	32	1.9	98.8	*	0	0.0	100.0	*	20
21	*	82	4.8	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.8	99.6	*	0	0.0	100.0	*	21
22	*	5	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	99.8	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.1      DMC = 19.3      DC = 160.1      ISI = 4.3      ADMC = 46.2      FWI = 7.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1708

MAXIMUM VALUES

FFMC = 94.0      DMC = 86.0      DC = 430.0      ISI = 38.0      ADMC = 109.0      FWI = 64.0

\*\*\*TOTALS FOR STATION 9 MCADAM LONG. 6720 LAT. 4535

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS					
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.						
1	*	3	0.2	0.2	*	27	1.6	1.6	*	79	4.8	4.8	*	76	4.6	4.6	*	5	0.3	0.3	*	329	19.9	19.9	*	1
2	*	4	0.2	0.4	*	79	4.8	6.4	*	104	6.3	11.1	*	187	11.3	15.9	*	14	0.9	1.1	*	221	13.4	33.3	*	2
3	*	10	0.6	1.0	*	122	7.4	13.3	*	69	4.2	15.2	*	163	9.9	25.8	*	21	1.3	2.4	*	161	6.1	39.4	*	3
4	*	17	1.0	2.1	*	142	8.6	22.4	*	62	3.9	19.0	*	142	8.6	34.4	*	23	1.4	3.8	*	112	6.8	46.2	*	4
5	*	33	2.0	4.1	*	143	8.7	31.0	*	78	4.7	23.7	*	146	8.9	43.2	*	77	4.7	8.5	*	86	5.2	51.4	*	5
6	*	24	1.5	5.5	*	152	9.2	40.2	*	69	4.2	27.9	*	107	6.5	49.7	*	93	5.6	14.1	*	148	9.0	60.3	*	6
7	*	40	2.4	7.9	*	161	9.7	50.0	*	169	10.2	33.1	*	62	3.8	53.4	*	80	4.8	18.9	*	122	7.4	67.7	*	7
8	*	33	2.0	9.9	*	138	8.3	58.3	*	162	9.8	47.9	*	157	9.5	62.9	*	68	4.1	23.0	*	135	8.2	75.9	*	8
9	*	47	2.8	12.8	*	116	7.0	65.3	*	140	8.5	56.4	*	120	7.3	70.2	*	97	5.9	28.9	*	178	10.8	86.6	*	9
10	*	55	3.3	16.1	*	110	6.7	72.0	*	85	5.1	61.5	*	101	6.1	76.3	*	100	6.0	35.0	*	94	5.7	92.3	*	10
11	*	70	4.2	20.3	*	159	9.6	81.6	*	71	4.3	65.8	*	159	9.6	85.9	*	105	6.4	41.3	*	63	3.8	96.1	*	11
12	*	61	3.7	24.0	*	123	7.4	89.1	*	90	5.4	71.3	*	104	6.3	92.2	*	118	7.1	48.5	*	36	2.2	98.3	*	12
13	*	86	5.2	29.2	*	78	4.7	93.8	*	90	5.4	76.7	*	53	3.2	95.4	*	259	15.7	64.1	*	12	0.7	99.0	*	13
14	*	120	7.3	36.5	*	35	2.1	95.9	*	74	4.5	81.2	*	48	2.9	98.3	*	202	12.2	76.3	*	12	0.7	99.8	*	14
15	*	220	13.3	49.8	*	44	2.7	98.5	*	86	5.2	86.4	*	18	1.1	99.4	*	121	7.3	83.7	*	3	0.2	99.9	*	15
16	*	110	6.7	56.4	*	12	0.7	99.3	*	85	5.1	91.5	*	7	0.4	99.8	*	86	5.2	88.9	*	1	0.1	100.0	*	16
17	*	130	7.9	64.3	*	6	0.4	99.6	*	62	3.8	95.3	*	3	0.2	100.0	*	98	5.9	94.8	*	0	0.0	100.0	*	17
18	*	207	12.5	76.8	*	5	0.3	99.9	*	49	3.0	98.2	*	0	0.0	100.0	*	44	2.7	97.5	*	0	0.0	100.0	*	18
19	*	194	11.7	88.6	*	1	0.1	100.0	*	19	1.1	99.4	*	0	0.0	100.0	*	21	1.3	98.7	*	0	0.0	100.0	*	19
20	*	136	8.2	96.8	*	0	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	7	0.4	99.2	*	0	0.0	100.0	*	20
21	*	49	3.0	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	99.4	*	0	0.0	100.0	*	21
22	*	4	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	99.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.6      DMC = 17.0      DC = 129.0      ISI = 4.0      ADMC = 41.3      FWI = 6.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1653

MAXIMUM VALUES

FFMC = 94.0      DMC = 82.0      DC = 437.0      ISI = 33.1      ADMC = 112.0      FWI = 55.0



\*\*\*TOTALS FOR STATION 12 MONCTON

LONG. 6441 LAT. 4607

		FFMC		DMC		DC		ISI		ADMC		FWI								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS					
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.						
1	*	0	0.0	0.0	* 38	2.3	2.3	* 57	3.4	3.4	* 72	4.3	4.3	* 16	1.0	1.0	* 306	18.4	18.4	* 1
2	*	1	0.1	0.1	* 60	3.6	5.9	* 68	4.1	7.5	* 167	10.1	14.4	* 11	0.7	1.6	* 197	11.9	30.3	* 2
3	*	8	0.5	0.5	* 123	7.4	13.3	* 56	3.4	10.9	* 174	10.5	24.9	* 12	0.7	2.3	* 92	5.5	35.8	* 3
4	*	18	1.1	1.6	* 128	7.7	21.0	* 73	4.4	15.3	* 112	6.7	31.6	* 19	1.1	3.5	* 84	5.1	40.9	* 4
5	*	36	2.2	3.8	* 153	9.2	30.2	* 63	3.8	19.1	* 122	7.3	39.0	* 54	3.3	6.7	* 76	4.6	45.5	* 5
6	*	32	1.9	5.7	* 151	9.1	39.3	* 61	3.7	22.8	* 80	4.8	43.8	* 63	3.8	10.5	* 159	9.6	55.0	* 6
7	*	42	2.5	8.2	* 144	8.7	48.0	* 101	6.1	28.8	* 99	6.0	49.7	* 77	4.6	15.2	* 152	9.2	64.2	* 7
8	*	40	2.4	10.7	* 146	8.8	56.8	* 101	6.1	34.9	* 137	8.2	58.0	* 93	5.6	20.8	* 114	6.9	71.0	* 8
9	*	51	3.1	13.7	* 115	6.9	63.7	* 93	5.6	40.5	* 144	8.7	66.6	* 95	5.7	26.5	* 195	11.7	82.8	* 9
10	*	46	2.8	16.5	* 101	6.1	69.8	* 107	6.4	47.0	* 109	6.6	73.2	* 97	5.8	32.3	* 126	7.6	90.4	* 10
11	*	69	4.2	20.7	* 198	11.9	81.7	* 98	5.9	52.9	* 182	11.0	84.2	* 104	6.3	38.6	* 69	4.2	94.5	* 11
12	*	75	4.5	25.2	* 102	6.1	87.8	* 75	4.5	57.4	* 123	7.4	91.6	* 107	6.4	45.0	* 36	2.2	96.7	* 12
13	*	107	6.4	31.6	* 66	4.0	91.8	* 77	4.6	62.0	* 48	2.9	94.5	* 237	14.3	59.2	* 31	1.9	98.6	* 13
14	*	115	6.9	38.5	* 40	2.4	94.2	* 85	5.1	67.1	* 59	3.6	98.0	* 195	11.7	71.0	* 19	1.1	99.7	* 14
15	*	185	11.1	49.7	* 39	2.3	96.6	* 52	3.1	70.3	* 18	1.1	99.1	* 153	9.2	80.3	* 2	0.1	99.8	* 15
16	*	120	7.2	56.9	* 33	2.0	98.6	* 76	4.6	74.8	* 9	0.5	99.6	* 92	5.5	85.8	* 2	0.1	99.9	* 16
17	*	174	10.5	67.4	* 17	1.0	99.6	* 111	6.7	81.5	* 5	0.3	99.9	* 88	5.3	91.1	* 1	0.1	100.0	* 17
18	*	214	12.9	80.3	* 5	0.3	99.9	* 137	8.2	89.8	* 1	0.1	100.0	* 54	3.3	94.3	* 0	0.0	100.0	* 18
19	*	185	11.1	91.4	* 2	0.1	100.0	* 82	4.9	94.7	* 0	0.0	100.0	* 40	2.4	96.7	* 0	0.0	100.0	* 19
20	*	100	6.0	97.4	* 0	0.0	100.0	* 51	3.1	97.8	* 0	0.0	100.0	* 27	1.6	98.4	* 0	0.0	100.0	* 20
21	*	39	2.3	99.8	* 0	0.0	100.0	* 37	2.2	100.0	* 0	0.0	100.0	* 15	0.9	99.3	* 0	0.0	100.0	* 21
22	*	4	0.2	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 7	0.4	99.7	* 0	0.0	100.0	* 22
23	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 5	0.3	100.0	* 0	0.0	100.0	* 23
24	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 24
25	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 25

MAXIMUM VALUES

FFMC = 73.1      DMC = 17.9      DC = 175.4      ISI = 4.4      ADMC = 44.1      FWI = 7.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1661

MAXIMUM VALUES

FFMC = 93.0      DMC = 85.0      DC = 499.0      ISI = 43.8      ADMC = 118.0      FWI = 69.0

\*\*\*TOTALS FOR STATION 5 RILEY BROOK LONG. 6712 LAT. 4710

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS						
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.							
1	*	0	0.0	*	32	2.1	2.1	*	54	3.5	3.5	*	48	3.1	3.1	*	3	0.2	0.2	*	383	24.9	24.9	*	1
2	*	6	0.4	*	112	7.3	9.4	*	97	6.3	9.8	*	214	13.9	17.0	*	12	0.8	1.0	*	252	16.4	41.2	*	2
3	*	7	0.5	*	163	10.6	19.9	*	96	6.2	16.0	*	205	13.3	30.3	*	22	1.4	2.4	*	114	7.4	48.6	*	3
4	*	16	1.0	*	207	13.4	33.4	*	97	6.3	22.3	*	159	10.3	40.6	*	26	1.7	4.1	*	101	6.6	55.2	*	4
5	*	14	0.9	*	167	10.8	44.2	*	100	6.5	28.8	*	137	8.9	49.5	*	76	4.9	9.0	*	90	5.8	61.0	*	5
6	*	17	1.1	*	151	9.8	54.0	*	110	7.1	36.0	*	85	5.5	55.1	*	114	7.4	16.4	*	150	9.7	70.8	*	6
7	*	28	1.8	*	136	8.8	62.9	*	185	12.0	48.0	*	116	7.5	62.6	*	138	9.0	25.4	*	125	8.1	78.9	*	7
8	*	33	2.1	*	91	5.9	68.8	*	169	11.0	59.0	*	161	10.5	73.1	*	139	9.0	34.4	*	94	6.1	85.0	*	8
9	*	44	2.9	*	85	5.5	74.3	*	109	7.1	66.0	*	117	7.6	80.6	*	139	9.0	43.4	*	117	7.6	92.6	*	9
10	*	79	5.1	*	73	4.7	79.0	*	112	7.3	73.3	*	86	5.6	86.2	*	134	8.7	52.1	*	59	3.8	96.4	*	10
11	*	71	4.6	*	119	7.7	86.8	*	94	6.1	79.4	*	99	6.4	92.7	*	100	6.5	58.6	*	37	2.4	98.8	*	11
12	*	100	6.5	*	75	4.9	91.6	*	68	4.4	83.8	*	61	4.0	96.6	*	96	6.2	64.9	*	13	0.8	99.7	*	12
13	*	97	6.3	*	40	2.6	94.2	*	53	3.4	87.3	*	24	1.6	98.2	*	161	10.5	75.3	*	2	0.1	99.8	*	13
14	*	137	8.9	*	34	2.2	96.4	*	51	3.3	90.6	*	18	1.2	99.4	*	129	8.4	83.7	*	2	0.1	99.9	*	14
15	*	197	12.8	*	32	2.1	98.5	*	43	2.8	93.4	*	8	0.5	99.9	*	76	4.9	88.6	*	1	0.1	100.0	*	15
16	*	104	6.8	*	21	1.4	99.9	*	48	3.1	96.5	*	2	0.1	100.0	*	48	3.1	91.8	*	0	0.0	100.0	*	16
17	*	160	10.4	*	2	0.1	100.0	*	39	2.5	99.0	*	0	0.0	100.0	*	65	4.2	96.0	*	0	0.0	100.0	*	17
18	*	176	11.4	*	0	0.0	100.0	*	12	0.8	99.8	*	0	0.0	100.0	*	38	2.5	98.4	*	0	0.0	100.0	*	18
19	*	131	8.5	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	19	1.2	99.7	*	0	0.0	100.0	*	19
20	*	98	5.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	20
21	*	30	1.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	5	0.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.8      DMC = 14.6      DC = 103.3      ISI = 3.1      ADMC = 34.3      FWI = 4.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1540

MAXIMUM VALUES

FFMC = 94.0      DMC = 63.0      DC = 369.0      ISI = 25.9      ADMC = 77.0      FWI = 43.0

\*\*\*TOTALS FOR STATION 11 ST. JOHN A LONG. 6553 LAT. 4519

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	38	2.5	2.5	*	68	4.5	4.5	*	127	8.5	8.5	*	7	0.5	0.5	*	398	26.5	26.5	*	1
2	*	0	0.0	0.0	*	107	7.1	9.7	*	89	5.9	10.5	*	174	11.6	20.1	*	19	1.3	1.7	*	172	11.5	38.0	*	2
3	*	5	0.3	0.3	*	166	11.1	20.7	*	82	5.5	15.9	*	156	10.4	30.4	*	25	1.7	3.4	*	92	6.1	44.1	*	3
4	*	38	2.5	2.9	*	163	10.9	31.6	*	104	6.9	22.9	*	112	7.5	37.9	*	27	1.8	5.2	*	86	5.7	49.8	*	4
5	*	58	3.9	6.7	*	201	13.4	45.0	*	111	7.4	30.2	*	112	7.5	45.4	*	86	5.7	10.9	*	79	5.3	55.1	*	5
6	*	60	4.0	10.7	*	164	10.9	55.9	*	91	6.1	36.3	*	75	5.0	50.4	*	101	6.7	17.7	*	170	11.3	66.4	*	6
7	*	47	3.1	13.9	*	126	8.4	64.3	*	173	11.5	47.8	*	84	5.6	56.0	*	118	7.9	25.5	*	144	9.6	76.0	*	7
8	*	43	2.9	16.7	*	103	6.9	71.2	*	143	9.5	57.4	*	166	11.1	67.0	*	124	8.3	33.8	*	101	6.7	82.7	*	8
9	*	45	3.0	19.7	*	91	6.1	77.2	*	104	6.9	64.3	*	131	8.7	75.7	*	141	9.4	43.2	*	140	9.3	92.1	*	9
10	*	47	3.1	22.9	*	71	4.7	81.9	*	80	5.3	69.6	*	84	5.6	81.3	*	122	8.1	51.3	*	69	4.6	96.7	*	10
11	*	56	3.7	26.6	*	105	7.0	88.9	*	90	6.0	75.6	*	141	9.4	90.7	*	107	7.1	58.4	*	25	1.7	98.3	*	11
12	*	71	4.7	31.3	*	63	4.2	93.1	*	63	4.2	79.8	*	78	5.2	95.9	*	95	6.3	64.8	*	13	0.9	99.2	*	12
13	*	79	5.3	36.6	*	40	2.7	95.8	*	84	5.6	85.4	*	30	2.0	97.9	*	170	11.3	76.1	*	7	0.5	99.7	*	13
14	*	141	9.4	46.0	*	33	2.2	98.0	*	66	4.4	89.8	*	24	1.6	99.5	*	118	7.9	83.9	*	5	0.3	100.0	*	14
15	*	208	13.9	59.8	*	17	1.1	99.1	*	83	5.5	95.3	*	5	0.3	99.9	*	85	5.7	80.6	*	0	0.0	100.0	*	15
16	*	127	8.5	68.3	*	7	0.5	99.6	*	45	3.0	98.3	*	1	0.1	99.9	*	48	3.2	92.8	*	0	0.0	100.0	*	16
17	*	147	9.8	78.1	*	6	0.4	100.0	*	11	0.7	99.1	*	1	0.1	100.0	*	61	4.1	96.9	*	0	0.0	100.0	*	17
18	*	154	10.3	88.3	*	0	0.0	100.0	*	14	0.9	100.0	*	0	0.0	100.0	*	22	1.5	98.3	*	0	0.0	100.0	*	18
19	*	128	8.5	96.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	11	0.7	99.1	*	0	0.0	100.0	*	19
20	*	39	2.6	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	99.6	*	0	0.0	100.0	*	20
21	*	8	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.1      DMC = 13.9      DC = 105.4      ISI = 3.4      ADMC = 34.0      FWI = 5.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1501

MAXIMUM VALUES

FFMC = 92.0      DMC = 66.0      DC = 347.0      ISI = 31.5      ADMC = 87.0      FWI = 34.0

\*\*\*TOTALS FOR STATION 6 SUMMIT DEPOT LONG, 6820 LAT. 4747

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	2	0.2	0.2	*	124	9.3	9.3	*	73	5.5	5.5	*	146	11.0	11.0	*	22	1.7	1.7	*	559	42.0	42.0	*	1
2	*	15	1.1	1.3	*	199	15.0	24.3	*	110	8.3	13.7	*	255	19.2	30.1	*	44	3.3	5.0	*	229	17.2	59.2	*	2
3	*	19	1.4	2.7	*	206	15.5	39.7	*	113	8.5	22.2	*	231	17.4	47.5	*	43	3.2	8.2	*	88	6.6	65.8	*	3
4	*	42	3.2	5.9	*	174	13.1	52.8	*	89	6.7	28.9	*	140	10.5	58.0	*	65	4.9	13.1	*	86	6.5	72.3	*	4
5	*	49	3.7	9.5	*	136	10.2	63.0	*	97	7.3	36.2	*	108	8.1	66.1	*	130	9.8	22.8	*	72	5.4	77.7	*	5
6	*	40	3.0	12.5	*	111	8.3	71.4	*	90	6.8	43.0	*	79	5.9	72.1	*	142	10.7	33.5	*	118	8.9	86.6	*	6
7	*	40	3.0	15.6	*	88	6.6	78.0	*	139	10.4	53.4	*	83	6.2	78.3	*	129	9.7	43.2	*	70	5.3	91.8	*	7
8	*	45	3.4	18.9	*	78	5.9	83.8	*	140	10.5	63.9	*	96	7.2	85.5	*	124	9.3	52.5	*	48	3.6	95.4	*	8
9	*	67	5.0	24.0	*	56	4.2	88.1	*	126	9.5	73.4	*	74	5.6	91.1	*	97	7.3	59.8	*	40	3.0	98.4	*	9
10	*	72	5.4	29.4	*	45	3.4	91.4	*	74	5.6	79.0	*	47	3.5	94.6	*	84	6.3	66.1	*	13	1.0	99.4	*	10
11	*	89	6.7	36.1	*	59	4.4	95.9	*	75	5.6	84.6	*	43	3.2	97.8	*	95	7.1	73.3	*	8	0.6	100.0	*	11
12	*	85	6.4	42.4	*	34	2.6	98.4	*	63	4.7	89.3	*	16	1.2	99.0	*	66	5.0	78.2	*	0	0.0	100.0	*	12
13	*	93	7.0	49.4	*	11	0.8	99.2	*	48	3.6	92.9	*	6	0.5	99.5	*	121	9.1	87.3	*	0	0.0	100.0	*	13
14	*	134	10.1	59.5	*	8	0.6	99.8	*	50	3.8	96.7	*	6	0.5	99.9	*	82	6.2	93.5	*	0	0.0	100.0	*	14
15	*	181	13.6	73.1	*	2	0.2	100.0	*	38	2.9	99.5	*	1	0.1	100.0	*	45	3.4	96.8	*	0	0.0	100.0	*	15
16	*	97	7.3	80.4	*	0	0.0	100.0	*	4	0.3	99.8	*	0	0.0	100.0	*	27	2.0	98.9	*	0	0.0	100.0	*	16
17	*	91	6.8	87.2	*	0	0.0	100.0	*	2	0.2	100.0	*	0	0.0	100.0	*	15	1.1	100.0	*	0	0.0	100.0	*	17
18	*	81	6.1	93.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	52	3.9	97.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	30	2.3	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	7	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 64.4      DMC = 9.9      DC = 87.2      ISI = 2.0      ADMC = 25.2      FWI = 2.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1331

MAXIMUM VALUES

FFMC = 92.0      DMC = 47.0      DC = 285.0      ISI = 16.7      ADMC = 47.0      FWI = 22.0

FINAL TOTALS FOR THE PROVINCE OF NOVA SCOTIA

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	6	0.0	0.0	*	593	2.8	2.8	*	770	3.7	3.7	*	1142	5.4	5.4	*	124	0.6	0.6	*	4566	21.8	21.8	*	1
2	*	37	0.2	0.2	*	1382	6.6	9.4	*	1021	4.9	8.5	*	2232	10.6	16.1	*	209	1.0	1.6	*	3107	14.8	36.6	*	2
3	*	127	0.6	0.8	*	1945	9.3	18.7	*	1073	5.1	13.6	*	2498	11.9	28.0	*	273	1.3	2.9	*	1425	6.8	43.3	*	3
4	*	296	1.4	2.2	*	2174	10.4	29.0	*	990	4.7	18.4	*	1975	9.4	37.4	*	425	2.0	4.9	*	1244	5.9	49.3	*	4
5	*	460	2.2	4.4	*	2230	10.6	39.7	*	1026	4.9	23.2	*	1718	8.2	45.6	*	983	4.7	9.6	*	1124	5.4	54.6	*	5
6	*	517	2.5	6.9	*	1960	9.3	49.0	*	997	4.7	28.0	*	1260	6.0	51.6	*	1244	5.9	15.5	*	1999	9.5	64.1	*	6
7	*	470	2.2	9.1	*	1649	7.9	56.9	*	1795	8.6	36.6	*	1113	5.3	56.9	*	1341	6.4	21.9	*	1679	8.0	72.1	*	7
8	*	516	2.5	11.6	*	1482	7.1	63.9	*	1587	7.6	44.1	*	2040	9.7	66.6	*	1492	7.1	29.0	*	1323	6.3	78.5	*	8
9	*	697	3.3	14.9	*	1207	5.8	69.7	*	1363	6.5	50.6	*	1627	7.8	74.3	*	1477	7.0	36.1	*	1901	9.1	87.5	*	9
10	*	787	3.7	18.6	*	1040	5.0	74.6	*	1306	6.2	56.8	*	1210	5.8	80.1	*	1421	6.8	42.8	*	1108	5.3	92.8	*	10
11	*	938	4.5	23.1	*	1822	8.7	83.3	*	1267	6.0	62.9	*	1780	8.5	88.6	*	1329	6.3	49.2	*	651	3.1	95.9	*	11
12	*	1138	5.4	28.5	*	1203	5.7	89.0	*	1077	5.1	68.0	*	1025	4.9	93.5	*	1202	5.7	54.9	*	397	1.9	97.8	*	12
13	*	1451	6.9	35.4	*	760	3.6	92.6	*	989	4.7	72.7	*	560	2.7	96.1	*	2477	11.8	66.7	*	212	1.0	98.8	*	13
14	*	1834	8.7	44.2	*	494	2.4	95.0	*	1093	5.2	77.9	*	546	2.6	98.7	*	1872	8.9	75.6	*	186	0.9	99.7	*	14
15	*	3040	14.5	58.7	*	580	2.8	97.8	*	962	4.6	82.5	*	163	0.8	99.5	*	1341	6.4	82.0	*	55	0.3	99.9	*	15
16	*	1607	7.7	66.3	*	246	1.2	98.9	*	875	4.2	86.7	*	77	0.4	99.9	*	1016	4.8	86.8	*	10	0.0	100.0	*	16
17	*	1892	9.0	75.3	*	104	0.5	99.4	*	781	3.7	90.4	*	15	0.1	100.0	*	1257	6.0	92.8	*	2	0.0	100.0	*	17
18	*	2054	9.8	85.1	*	54	0.3	99.7	*	1190	5.7	96.1	*	7	0.0	100.0	*	635	3.0	95.8	*	1	0.0	100.0	*	18
19	*	1720	8.2	93.3	*	65	0.3	100.0	*	511	2.4	98.5	*	2	0.0	100.0	*	393	1.9	97.7	*	0	0.0	100.0	*	19
20	*	1050	5.0	98.3	*	0	0.0	100.0	*	170	0.8	99.3	*	0	0.0	100.0	*	212	1.0	98.7	*	0	0.0	100.0	*	20
21	*	309	1.5	99.8	*	0	0.0	100.0	*	78	0.4	99.7	*	0	0.0	100.0	*	116	0.6	99.3	*	0	0.0	100.0	*	21
22	*	42	0.2	100.0	*	0	0.0	100.0	*	69	0.3	100.0	*	0	0.0	100.0	*	62	0.3	99.6	*	0	0.0	100.0	*	22
23	*	2	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	64	0.3	99.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	0.1	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.1      DMC = 16.2      DC = 141.9      ISI = 3.7      ADMC = 39.8      FWI = 6.2

THE TOTAL NUMBER OF OBSERVATIONS IS 20,990

MAXIMUM VALUES

FFMC = 95.0      DMC = 109.0      DC = 589.0      ISI = 54.8      ADMC = 149.0      FWI = 78.0

\*\*\*TOTALS FOR REGION 2 NOVA SCOTIA

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	4	0.2	0.2	*	26	1.6	1.6	*	60	3.6	3.6	*	4	0.2	0.2	*	7	0.4	0.4	*	155	9.4	9.4	*	1
2	*	10	0.6	0.8	*	86	5.2	6.8	*	74	4.5	8.1	*	117	7.1	7.3	*	12	0.7	1.2	*	207	12.5	21.9	*	2
3	*	10	0.6	1.5	*	133	8.1	14.8	*	79	4.8	12.9	*	174	10.5	17.9	*	30	1.8	3.0	*	166	10.1	32.0	*	3
4	*	12	0.7	2.2	*	154	9.3	24.2	*	68	4.1	17.0	*	163	9.9	27.7	*	16	1.0	3.9	*	156	9.4	41.4	*	4
5	*	21	1.3	3.5	*	169	10.2	34.4	*	54	3.3	20.3	*	151	9.1	36.9	*	75	4.5	8.5	*	114	6.9	48.3	*	5
6	*	30	1.8	5.3	*	148	9.0	43.4	*	67	4.1	24.3	*	124	7.5	44.4	*	80	4.8	13.3	*	216	13.1	61.4	*	6
7	*	34	2.1	7.3	*	148	9.0	52.3	*	151	9.1	33.5	*	116	7.0	51.4	*	94	5.7	19.0	*	194	11.8	73.2	*	7
8	*	63	3.8	11.1	*	131	7.9	60.3	*	161	9.8	43.2	*	242	14.7	66.1	*	115	7.0	26.0	*	151	9.1	82.3	*	8
9	*	72	4.4	15.5	*	114	6.9	67.2	*	114	6.9	50.2	*	171	10.4	76.4	*	96	5.8	31.8	*	166	10.1	92.4	*	9
10	*	92	5.6	21.1	*	112	6.8	74.0	*	111	6.7	56.9	*	135	8.2	84.6	*	106	6.4	38.2	*	75	4.5	96.9	*	10
11	*	106	6.4	27.5	*	196	11.9	85.8	*	77	4.7	61.5	*	141	8.5	93.2	*	98	5.9	44.2	*	29	1.8	98.7	*	11
12	*	112	6.8	34.3	*	105	6.4	92.2	*	62	3.8	65.3	*	72	4.4	97.5	*	112	6.8	50.9	*	15	0.9	99.6	*	12
13	*	181	11.0	45.2	*	70	4.2	96.4	*	99	6.0	71.3	*	25	1.5	99.0	*	239	14.5	65.4	*	4	0.2	99.8	*	13
14	*	207	12.5	57.8	*	30	1.8	98.2	*	100	6.1	77.3	*	14	0.8	99.9	*	174	10.5	76.0	*	3	0.2	100.0	*	14
15	*	258	15.6	73.4	*	19	1.2	99.4	*	142	8.6	85.9	*	2	0.1	100.0	*	113	6.8	82.8	*	0	0.0	100.0	*	15
16	*	137	8.3	81.7	*	8	0.5	99.9	*	112	6.8	92.7	*	0	0.0	100.0	*	108	6.5	89.3	*	0	0.0	100.0	*	16
17	*	133	8.1	89.8	*	2	0.1	100.0	*	62	3.8	96.5	*	0	0.0	100.0	*	117	7.1	96.4	*	0	0.0	100.0	*	17
18	*	108	6.5	96.3	*	0	0.0	100.0	*	38	2.3	98.8	*	0	0.0	100.0	*	33	2.0	98.4	*	0	0.0	100.0	*	18
19	*	50	3.0	99.3	*	0	0.0	100.0	*	9	0.5	99.3	*	0	0.0	100.0	*	13	0.8	99.2	*	0	0.0	100.0	*	19
20	*	8	0.5	99.8	*	0	0.0	100.0	*	11	0.7	100.0	*	0	0.0	100.0	*	7	0.4	99.6	*	0	0.0	100.0	*	20
21	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	99.9	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE / VALUES

FFMC = 67.9      DMC = 15.8      DC = 137.6      ISI = 3.5      ADMC = 39.5      FWI = 6.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1651

MAXIMUM VALUES

FFMC = 91.0      DMC = 64.0      DC = 433.0      ISI = 19.3      ADMC = 92.0      FWI = 35.0

\*\*\*TOTALS FOR STATION 15 ANNAPOLIS ROYAL LONG. 6533 LAT. 4445

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	26	1.6	1.6	*	55	3.4	3.4	*	58	3.6	3.6	*	6	0.4	0.4	*	307	19.2	19.2	*	1
2	*	5	0.3	0.3	*	78	4.9	6.5	*	80	5.0	8.4	*	170	10.6	14.3	*	6	0.4	0.8	*	211	13.2	32.4	*	2
3	*	1	0.1	0.4	*	123	7.7	14.2	*	91	5.7	14.1	*	179	11.2	25.5	*	15	0.9	1.7	*	110	6.9	39.3	*	3
4	*	14	0.9	1.3	*	162	10.1	24.3	*	76	4.8	18.9	*	148	9.3	34.7	*	23	1.4	3.1	*	89	5.6	44.8	*	4
5	*	22	1.4	2.6	*	156	9.8	34.1	*	77	4.8	23.7	*	120	7.5	42.2	*	69	4.3	7.4	*	73	4.6	49.4	*	5
6	*	38	2.4	5.0	*	144	9.0	43.1	*	56	3.5	27.2	*	86	5.4	47.6	*	96	6.0	13.4	*	147	9.2	58.6	*	6
7	*	36	2.3	7.3	*	123	7.7	50.8	*	95	5.9	33.1	*	71	4.4	52.0	*	84	5.3	18.7	*	112	7.0	65.6	*	7
8	*	36	2.3	9.5	*	104	6.5	57.3	*	90	5.6	38.8	*	165	10.3	62.4	*	99	6.2	24.9	*	134	8.4	74.0	*	8
9	*	45	2.8	12.3	*	89	5.6	62.9	*	89	5.6	44.3	*	129	8.1	70.4	*	105	6.6	31.5	*	176	11.0	85.0	*	9
10	*	54	3.4	15.7	*	69	4.3	67.2	*	78	4.9	49.2	*	98	6.1	76.5	*	103	6.4	37.9	*	94	5.9	90.9	*	10
11	*	67	4.2	19.9	*	154	9.6	76.8	*	68	4.3	53.5	*	166	10.4	86.9	*	94	5.9	43.8	*	58	3.6	94.5	*	11
12	*	77	4.8	24.7	*	118	7.4	84.2	*	83	5.2	58.7	*	94	5.9	92.8	*	81	5.1	48.8	*	39	2.4	96.9	*	12
13	*	89	5.6	30.3	*	81	5.1	89.2	*	115	7.2	65.9	*	53	3.3	96.1	*	165	10.3	59.2	*	17	1.1	98.0	*	13
14	*	129	8.1	38.3	*	60	3.8	93.0	*	84	5.3	71.1	*	40	2.5	98.6	*	145	9.1	68.2	*	20	1.3	99.2	*	14
15	*	209	13.1	51.4	*	65	4.1	97.1	*	80	5.0	76.1	*	8	0.5	99.1	*	107	6.7	74.9	*	9	0.6	99.8	*	15
16	*	119	7.4	58.8	*	21	1.3	98.4	*	62	3.9	80.0	*	12	0.8	99.9	*	96	6.0	80.9	*	2	0.1	99.9	*	16
17	*	161	10.1	68.9	*	9	0.6	98.9	*	95	5.9	85.9	*	1	0.1	99.9	*	127	7.9	88.9	*	1	0.1	100.0	*	17
18	*	196	12.3	81.2	*	6	0.4	99.3	*	142	8.9	94.8	*	1	0.1	100.0	*	78	4.9	93.7	*	0	0.0	100.0	*	18
19	*	169	10.6	91.7	*	11	0.7	100.0	*	45	2.8	97.6	*	0	0.0	100.0	*	44	2.8	96.5	*	0	0.0	100.0	*	19
20	*	105	6.6	98.3	*	0	0.0	100.0	*	13	0.8	98.4	*	0	0.0	100.0	*	26	1.6	98.1	*	0	0.0	100.0	*	20
21	*	23	1.4	99.7	*	0	0.0	100.0	*	9	0.6	99.0	*	0	0.0	100.0	*	10	0.6	98.7	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	16	1.0	100.0	*	0	0.0	100.0	*	4	0.3	99.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	99.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.3      DMC = 18.5      DC = 160.4      ISI = 4.0      ADMC = 44.8      FWI = 7.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1599

MAXIMUM VALUES

FFMC = 94.0      DMC = 109.0      DC = 589.0      ISI = 41.0      ADMC = 149.0      FWI = 65.0

\*\*\*TOTALS FOR STATION 22 BADDECK LONG. 6045 LAT. 4606

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS		
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CLASS
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	
1	*	0	0.0	0.0	* 51	3.4	3.4	* 69	4.6	4.6	* 60	4.0	4.0	* 9	0.6	0.6	* 271	18.0	18.0	* 1
2	*	1	0.1	0.1	* 116	7.7	11.1	* 73	4.9	9.4	* 111	7.4	11.4	* 22	1.5	2.1	* 243	16.1	34.2	* 2
3	*	7	0.5	0.5	* 157	10.4	21.5	* 75	5.0	14.4	* 180	12.0	23.3	* 29	1.9	4.0	* 98	6.5	40.7	* 3
4	*	10	0.7	1.2	* 182	12.1	33.6	* 64	4.3	18.7	* 144	9.6	32.9	* 34	2.3	6.2	* 99	6.6	47.2	* 4
5	*	31	2.1	3.3	* 163	10.8	44.5	* 56	3.7	22.4	* 115	7.6	40.5	* 74	4.9	11.2	* 92	6.1	53.4	* 5
6	*	26	1.7	5.0	* 184	12.2	56.7	* 62	4.1	26.5	* 100	6.6	47.2	* 91	6.0	17.2	* 153	10.2	63.5	* 6
7	*	32	2.1	7.1	* 137	9.1	65.8	* 183	12.2	38.7	* 84	5.6	52.8	* 106	7.0	24.3	* 161	10.7	74.2	* 7
8	*	31	2.1	9.2	* 120	8.0	73.8	* 137	9.1	47.8	* 164	10.9	63.7	* 127	8.4	32.7	* 114	7.6	81.8	* 8
9	*	49	3.3	12.4	* 90	6.0	79.7	* 96	6.4	54.2	* 144	9.6	73.2	* 126	8.4	41.1	* 126	8.4	90.2	* 9
10	*	56	3.7	16.1	* 72	4.8	84.5	* 137	9.1	63.3	* 103	6.8	80.1	* 93	6.2	47.2	* 84	5.6	95.7	* 10
11	*	79	5.2	21.4	* 128	8.5	93.0	* 132	8.8	72.0	* 133	8.8	88.9	* 111	7.4	54.6	* 31	2.1	97.8	* 11
12	*	86	5.7	27.1	* 59	3.9	96.9	* 90	6.0	78.0	* 77	5.1	94.0	* 120	8.0	62.6	* 21	1.4	99.2	* 12
13	*	111	7.4	34.5	* 32	2.1	99.1	* 59	3.9	81.9	* 37	2.5	96.5	* 211	14.0	76.6	* 10	0.7	99.9	* 13
14	*	150	10.0	44.5	* 7	0.5	99.5	* 50	3.3	85.2	* 41	2.7	99.2	* 127	8.4	85.0	* 2	0.1	100.0	* 14
15	*	232	15.4	59.9	* 7	0.5	100.0	* 42	2.8	88.0	* 9	0.6	99.8	* 76	5.0	90.1	* 0	0.0	100.0	* 15
16	*	150	10.0	69.8	* 0	0.0	100.0	* 42	2.8	90.8	* 3	0.2	100.0	* 64	4.3	94.4	* 0	0.0	100.0	* 16
17	*	168	11.2	81.0	* 0	0.0	100.0	* 21	1.4	92.2	* 0	0.0	100.0	* 57	3.8	98.1	* 0	0.0	100.0	* 17
18	*	147	9.8	90.8	* 0	0.0	100.0	* 88	5.8	98.1	* 0	0.0	100.0	* 19	1.3	99.4	* 0	0.0	100.0	* 18
19	*	96	6.4	97.1	* 0	0.0	100.0	* 29	1.9	100.0	* 0	0.0	100.0	* 9	0.6	100.0	* 0	0.0	100.0	* 19
20	*	41	2.7	99.9	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 20
21	*	2	0.1	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 21
22	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 22
23	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 23
24	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 24
25	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 71.5      DMC = 12.8      DC = 125.6      ISI = 3.8      ADMC = 33.9      FWI = 5.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1505

MAXIMUM VALUES

FFMC = 91.0      DMC = 46.0      DC = 384.0      ISI = 27.7      ADMC = 69.0      FWI = 38.0



\*\*\*TOTALS FOR STATION 23 COLLEGEVILLE LONG. 6201 LAT. 4529

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	0	0.0	0.0	*	21	1.4	1.4	*	48	3.2	3.2	*	24	1.6	1.6	*	199	13.2	13.2	*	1				
2	*	0	0.0	0.0	*	64	4.2	5.6	*	54	3.6	6.8	*	92	6.1	7.7	*	12	0.8	0.9	*	205	13.6	26.8	*	2
3	*	2	0.1	0.1	*	111	7.4	13.0	*	84	5.6	12.4	*	158	10.5	18.2	*	12	0.8	1.7	*	97	6.4	33.3	*	3
4	*	7	0.5	0.6	*	145	9.6	22.6	*	52	3.5	15.8	*	128	8.5	26.7	*	18	1.2	2.9	*	82	5.4	38.7	*	4
5	*	6	0.4	1.0	*	148	9.8	32.5	*	69	4.6	20.4	*	120	8.0	34.7	*	54	3.6	6.4	*	86	5.7	44.4	*	5
6	*	23	1.5	2.5	*	164	10.9	43.4	*	73	4.8	25.2	*	87	5.8	40.4	*	74	4.9	11.4	*	145	9.6	54.1	*	6
7	*	20	1.3	3.9	*	131	8.7	52.1	*	133	8.8	34.1	*	67	4.4	44.9	*	89	5.9	17.3	*	139	9.2	63.3	*	7
8	*	31	2.1	5.9	*	126	8.4	60.4	*	125	8.3	42.4	*	164	10.9	55.8	*	96	6.4	23.6	*	116	7.7	71.0	*	8
9	*	43	2.9	8.8	*	113	7.5	67.9	*	106	7.0	49.4	*	135	9.0	64.7	*	100	6.6	30.3	*	202	13.4	84.4	*	9
10	*	36	2.4	11.2	*	89	5.9	73.8	*	109	7.2	56.6	*	109	7.2	72.0	*	89	5.9	36.2	*	115	7.6	92.0	*	10
11	*	74	4.9	16.1	*	167	11.1	84.9	*	115	7.6	64.3	*	161	10.7	82.7	*	105	7.0	43.2	*	64	4.2	96.3	*	11
12	*	93	6.2	22.2	*	109	7.2	92.2	*	76	5.0	69.3	*	117	7.8	90.4	*	103	6.8	50.0	*	30	2.0	98.3	*	12
13	*	100	6.6	28.9	*	60	4.0	96.1	*	62	4.1	73.4	*	53	3.5	94.0	*	221	14.7	64.7	*	17	1.1	99.4	*	13
14	*	121	8.0	36.9	*	26	1.7	97.9	*	75	5.0	78.4	*	63	4.2	98.1	*	166	11.0	75.7	*	5	0.3	99.7	*	14
15	*	248	16.5	53.4	*	25	1.7	99.5	*	75	5.0	83.4	*	20	1.3	99.5	*	124	8.2	83.9	*	4	0.3	100.0	*	15
16	*	143	9.5	62.9	*	7	0.5	100.0	*	73	4.8	88.2	*	7	0.5	99.9	*	88	5.8	89.8	*	0	0.0	100.0	*	16
17	*	134	8.9	71.8	*	0	0.0	100.0	*	68	4.5	92.8	*	1	0.1	100.0	*	100	6.6	96.4	*	0	0.0	100.0	*	17
18	*	181	12.0	83.8	*	0	0.0	100.0	*	73	4.8	97.6	*	0	0.0	100.0	*	30	2.0	98.4	*	0	0.0	100.0	*	18
19	*	165	11.0	94.8	*	0	0.0	100.0	*	22	1.5	99.1	*	0	0.0	100.0	*	11	0.7	99.1	*	0	0.0	100.0	*	19
20	*	68	4.5	99.3	*	0	0.0	100.0	*	14	0.9	100.0	*	0	0.0	100.0	*	8	0.5	99.7	*	0	0.0	100.0	*	20
21	*	10	0.7	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.5      DMC = 16.0      DC = 140.4      ISI = 4.7      ADMC = 40.0      FWI = 7.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1506

MAXIMUM VALUES

FFMC = 93.0      DMC = 57.0      DC = 449.0      ISI = 33.2      ADMC = 87.0      FWI = 46.0

\*\*\*TOTALS FOR STATION 24 DEMING LONG. 6111 LAT. 4513

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	114	10.1	10.1	*	74	6.6	6.6	*	115	10.2	10.2	*	26	2.3	2.3	*	429	38.0	38.0	*	1
2	*	2	0.2	0.2	*	181	16.0	26.2	*	106	9.4	16.0	*	178	15.8	26.0	*	35	3.1	5.4	*	252	22.3	60.4	*	2
3	*	12	1.1	1.2	*	201	17.8	44.0	*	90	8.0	23.9	*	182	16.1	42.1	*	52	4.6	10.0	*	91	8.1	68.4	*	3
4	*	27	2.4	3.6	*	199	16.8	60.7	*	72	6.4	30.3	*	148	13.1	55.2	*	58	5.1	15.2	*	74	6.6	75.0	*	4
5	*	49	4.3	8.0	*	141	12.5	73.2	*	82	7.3	37.6	*	125	11.1	66.3	*	102	9.0	24.2	*	58	5.1	80.1	*	5
6	*	62	5.5	13.5	*	91	8.1	81.3	*	85	7.5	45.1	*	85	7.5	73.8	*	138	12.2	36.4	*	102	9.0	89.2	*	6
7	*	39	3.5	16.9	*	67	5.9	87.2	*	123	10.9	56.0	*	60	5.3	79.2	*	120	10.6	47.1	*	47	4.2	93.4	*	7
8	*	52	4.6	21.5	*	47	4.2	91.4	*	121	10.7	66.8	*	100	8.9	88.0	*	119	10.5	57.6	*	39	3.5	96.8	*	8
9	*	69	6.1	27.7	*	36	3.2	94.6	*	104	9.2	76.0	*	34	3.0	91.0	*	94	8.3	66.0	*	18	1.6	98.4	*	9
10	*	75	6.6	34.3	*	20	1.8	96.4	*	78	6.9	82.9	*	35	3.1	94.1	*	89	7.9	73.8	*	11	1.0	99.4	*	10
11	*	56	5.0	39.3	*	25	2.2	98.6	*	59	5.2	98.1	*	44	3.9	98.0	*	65	5.8	79.6	*	5	0.4	99.8	*	11
12	*	88	7.8	47.1	*	6	0.5	99.1	*	40	3.5	91.7	*	13	1.2	99.2	*	55	4.9	84.5	*	1	0.1	99.9	*	12
13	*	126	11.2	58.2	*	5	0.4	99.6	*	30	2.7	94.3	*	5	0.4	99.6	*	84	7.4	91.9	*	1	0.1	100.0	*	13
14	*	142	12.6	70.8	*	5	0.4	100.0	*	15	1.3	95.7	*	3	0.2	99.9	*	43	3.8	95.7	*	0	0.0	100.0	*	14
15	*	193	17.1	87.9	*	0	0.0	100.0	*	17	1.5	97.2	*	1	0.1	100.0	*	19	1.7	97.4	*	0	0.0	100.0	*	15
16	*	56	5.0	92.9	*	0	0.0	100.0	*	13	1.2	98.3	*	0	0.0	100.0	*	12	1.1	98.5	*	0	0.0	100.0	*	16
17	*	44	3.9	96.8	*	0	0.0	100.0	*	7	0.6	98.9	*	0	0.0	100.0	*	8	0.7	99.2	*	0	0.0	100.0	*	17
18	*	30	2.7	99.5	*	0	0.0	100.0	*	11	1.0	99.9	*	0	0.0	100.0	*	7	0.6	99.8	*	0	0.0	100.0	*	18
19	*	6	0.5	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	2	0.2	100.0	*	0	0.0	100.0	*	19
20	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 61.5      DMC = 8.3      DC = 83.9      ISI = 2.0      ADMC = 23.0      FWI = 2.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1128

MAXIMUM VALUES

FFMC = 88.0      DMC = 40.0      DC = 353.0      ISI = 17.1      ADMC = 62.0      FWI = 27.0

\*\*\*TOTALS FOR STATION 19 ECUM SECUM LONG. 6209 LAT. 4458

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	2	0.2	0.2	*	92	6.9	6.9	*	70	5.3	5.3	*	146	11.0	11.0	*	22	1.7	1.7	*	510	38.3	38.3	*	1
2	*	9	0.7	0.8	*	171	12.8	19.7	*	100	7.5	12.8	*	240	18.0	29.0	*	31	2.3	4.0	*	302	22.7	60.9	*	2
3	*	26	2.0	2.8	*	227	17.0	36.8	*	98	7.4	20.1	*	232	17.4	46.4	*	36	2.7	6.7	*	101	7.6	68.5	*	3
4	*	40	3.0	5.8	*	195	14.6	51.4	*	89	6.7	26.8	*	164	12.3	58.7	*	52	3.9	10.6	*	107	8.0	76.5	*	4
5	*	54	4.1	9.8	*	174	13.1	64.4	*	102	7.7	34.4	*	125	9.4	68.0	*	119	3.9	19.5	*	59	4.4	80.9	*	5
6	*	51	3.8	13.7	*	142	10.7	75.1	*	85	6.4	40.8	*	93	7.0	75.0	*	132	9.9	29.4	*	93	7.0	87.9	*	6
7	*	52	3.9	17.6	*	102	7.7	82.7	*	174	13.1	53.9	*	76	5.7	80.7	*	136	10.2	39.6	*	75	5.6	93.5	*	7
8	*	51	3.8	21.4	*	76	5.7	88.4	*	132	9.9	63.8	*	94	7.1	87.8	*	145	10.9	50.5	*	33	2.5	96.0	*	8
9	*	63	4.7	26.1	*	42	3.2	91.6	*	72	5.4	69.2	*	61	4.6	92.3	*	119	8.9	59.4	*	29	2.2	98.2	*	9
10	*	80	6.0	32.1	*	22	1.7	93.2	*	92	6.9	76.1	*	28	2.1	94.4	*	103	7.7	67.1	*	6	0.5	98.6	*	10
11	*	82	6.2	38.3	*	33	2.5	95.7	*	87	6.5	82.6	*	41	3.1	97.5	*	90	6.8	73.9	*	5	0.4	99.0	*	11
12	*	97	7.3	45.5	*	19	1.4	97.1	*	50	3.8	86.3	*	15	1.1	98.6	*	80	6.0	79.9	*	11	0.8	99.8	*	12
13	*	124	9.3	54.8	*	16	1.2	98.3	*	46	3.5	89.8	*	9	0.7	99.3	*	115	8.6	88.5	*	2	0.2	100.0	*	13
14	*	153	11.5	66.3	*	10	0.8	99.1	*	51	3.8	93.6	*	6	0.5	99.8	*	56	4.2	92.7	*	0	0.0	100.0	*	14
15	*	229	17.2	83.5	*	5	0.4	99.5	*	31	2.3	95.9	*	2	0.2	99.9	*	36	2.7	95.4	*	0	0.0	100.0	*	15
16	*	73	5.5	89.0	*	7	0.5	100.0	*	23	1.7	97.7	*	1	0.1	100.0	*	22	1.7	97.1	*	0	0.0	100.0	*	16
17	*	77	5.8	94.7	*	0	0.0	100.0	*	20	1.5	99.2	*	0	0.0	100.0	*	23	1.7	98.8	*	0	0.0	100.0	*	17
18	*	28	2.1	96.8	*	0	0.0	100.0	*	11	0.8	100.0	*	0	0.0	100.0	*	5	0.4	99.2	*	0	0.0	100.0	*	18
19	*	30	2.3	99.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	99.5	*	0	0.0	100.0	*	19
20	*	7	0.5	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.5	99.9	*	0	0.0	100.0	*	20
21	*	4	0.3	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 62.2      DMC = 9.9      DC = 93.8      ISI = 1.9      ADMC = 26.2      FWI = 2.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1333

MAXIMUM VALUES

FFMC = 93.0      DMC = 59.0      DC = 327.0      ISI = 22.0      ADMC = 81.0      FWI = 30.0

\*\*\*TOTALS FOR STATION 14 GREENWOOD LONG. 6455 LAT. 4459

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS					
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.						
1	*	1	0.1	0.1	*	29	1.7	1.7	*	42	2.4	2.4	*	76	4.4	4.4	*	12	0.7	0.7	*	309	17.8	17.8	*	1
2	*	1	0.1	0.1	*	55	3.2	4.8	*	55	3.2	5.6	*	182	10.5	14.8	*	6	0.3	1.0	*	195	11.2	29.0	*	2
3	*	3	0.2	0.3	*	105	6.0	10.9	*	50	2.9	8.5	*	166	9.5	24.4	*	10	0.6	1.6	*	108	6.2	35.2	*	3
4	*	16	0.9	1.2	*	138	7.9	18.8	*	62	3.6	12.0	*	129	7.4	31.8	*	11	0.6	2.2	*	71	4.1	39.3	*	4
5	*	34	2.0	3.2	*	149	8.6	27.4	*	54	3.1	15.1	*	114	6.6	38.4	*	48	2.8	5.0	*	65	3.7	43.0	*	5
6	*	52	3.0	6.2	*	140	8.1	35.4	*	72	4.1	19.3	*	85	4.9	43.2	*	65	3.7	8.7	*	146	8.4	51.4	*	6
7	*	29	1.7	7.8	*	124	7.1	42.6	*	119	6.8	26.1	*	74	4.3	47.5	*	66	3.8	12.5	*	136	7.8	59.2	*	7
8	*	40	2.3	10.1	*	108	6.2	48.8	*	92	5.3	31.4	*	144	8.3	55.8	*	95	5.5	18.0	*	96	5.5	64.7	*	8
9	*	52	3.0	13.1	*	103	5.9	54.7	*	103	5.9	37.3	*	128	7.4	63.1	*	104	6.0	24.0	*	195	11.2	76.0	*	9
10	*	54	3.1	16.2	*	101	5.8	60.5	*	76	4.4	41.7	*	103	5.9	69.1	*	96	5.5	29.5	*	147	8.5	84.4	*	10
11	*	70	4.0	20.2	*	174	10.0	70.5	*	96	5.5	47.2	*	178	10.2	79.3	*	97	5.6	35.1	*	91	5.2	89.6	*	11
12	*	71	4.1	24.3	*	134	7.7	78.2	*	102	5.9	53.1	*	135	7.8	87.1	*	98	5.6	40.7	*	68	3.9	93.6	*	12
13	*	80	4.6	28.9	*	99	5.7	83.9	*	77	4.4	57.5	*	91	5.2	92.3	*	193	11.1	51.8	*	36	2.1	95.6	*	13
14	*	111	6.4	35.3	*	78	4.5	88.4	*	98	5.6	63.1	*	78	4.5	96.8	*	164	9.4	61.2	*	52	3.0	98.6	*	14
15	*	179	10.3	45.6	*	103	5.9	94.3	*	112	6.4	69.6	*	33	1.9	98.7	*	142	8.2	69.4	*	21	1.2	99.8	*	15
16	*	108	6.2	51.8	*	46	2.6	97.0	*	79	4.5	74.1	*	16	0.9	99.6	*	104	6.0	75.4	*	2	0.1	99.9	*	16
17	*	141	8.1	59.9	*	22	1.3	98.2	*	83	4.8	78.9	*	4	0.2	99.8	*	143	8.2	83.6	*	0	0.0	99.9	*	17
18	*	193	11.1	71.0	*	13	0.7	99.0	*	177	10.2	89.1	*	2	0.1	99.9	*	107	6.2	89.8	*	1	0.1	100.0	*	18
19	*	216	12.4	83.4	*	18	1.0	100.0	*	118	6.8	95.9	*	1	0.1	100.0	*	73	4.2	94.0	*	0	0.0	100.0	*	19
20	*	199	11.4	94.9	*	0	0.0	100.0	*	41	2.4	98.2	*	0	0.0	100.0	*	45	2.6	96.5	*	0	0.0	100.0	*	20
21	*	83	4.8	99.7	*	0	0.0	100.0	*	15	0.9	99.1	*	0	0.0	100.0	*	26	1.5	98.0	*	0	0.0	100.0	*	21
22	*	6	0.3	100.0	*	0	0.0	100.0	*	16	0.9	100.0	*	0	0.0	100.0	*	15	0.9	98.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	11	0.6	99.5	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.3      DMC = 21.5      DC = 185.6      ISI = 4.9      ADMC = 50.9      FWI = 9.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1739

MAXIMUM VALUES

FFMC = 94.0      DMC = 106.0      DC = 589.0      ISI = 53.7      ADMC = 146.0      FWI = 78.0

\*\*\*TOTALS FOR STATION 25 INGNISH BEACH LONG. 6024 LAT. 4639

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	2	0.1	0.1	*	41	3.0	3.0	*	48	3.6	3.6	*	70	5.2	5.2	*	6	0.4	0.4	*	262	19.5	19.5	*	1
2	*	2	0.1	0.3	*	101	7.5	10.5	*	66	4.9	8.5	*	112	8.3	13.5	*	18	1.3	1.8	*	198	14.7	34.1	*	2
3	*	14	1.0	1.3	*	139	10.3	20.9	*	68	5.0	13.5	*	148	11.0	24.5	*	20	1.5	3.3	*	73	5.4	39.6	*	3
4	*	17	1.3	2.6	*	128	9.5	30.4	*	64	4.8	18.3	*	117	8.7	33.2	*	31	2.3	5.6	*	77	5.7	45.3	*	4
5	*	28	2.1	4.7	*	144	10.7	41.1	*	68	5.0	23.3	*	107	7.9	41.1	*	62	4.6	10.2	*	58	4.3	49.6	*	5
6	*	23	1.7	6.4	*	112	8.3	49.4	*	68	5.0	28.4	*	70	5.2	46.3	*	93	6.9	17.1	*	152	11.3	60.9	*	6
7	*	26	1.9	8.3	*	103	7.6	57.0	*	131	9.7	38.1	*	69	5.1	51.4	*	81	6.0	23.1	*	109	8.1	69.0	*	7
8	*	24	1.8	10.1	*	89	6.6	63.6	*	97	7.2	45.3	*	127	9.4	60.9	*	108	8.0	31.1	*	90	6.7	75.6	*	8
9	*	54	4.0	14.1	*	77	5.7	69.3	*	106	7.9	53.2	*	115	8.5	69.4	*	79	5.9	37.0	*	133	9.9	85.5	*	9
10	*	60	4.5	18.6	*	86	6.4	75.7	*	92	6.8	60.0	*	82	6.1	75.5	*	82	6.1	43.1	*	82	6.1	91.6	*	10
11	*	62	4.6	23.2	*	149	11.1	86.8	*	67	5.0	65.0	*	116	8.6	84.1	*	87	6.5	49.5	*	48	3.6	95.2	*	11
12	*	89	6.6	29.8	*	83	6.2	92.9	*	66	4.9	69.9	*	74	5.5	89.6	*	69	5.1	54.6	*	32	2.4	97.6	*	12
13	*	70	5.2	35.0	*	42	3.1	96.1	*	61	4.5	74.4	*	45	3.3	92.9	*	170	12.6	67.3	*	17	1.3	98.8	*	13
14	*	134	9.9	44.9	*	19	1.4	97.5	*	52	3.9	78.2	*	65	4.8	97.8	*	139	10.3	77.6	*	13	1.0	99.8	*	14
15	*	174	12.9	57.8	*	25	1.9	99.3	*	45	3.3	81.6	*	21	1.6	99.3	*	95	7.1	84.6	*	2	0.1	99.9	*	15
16	*	96	7.1	65.0	*	8	0.6	99.9	*	73	5.4	87.0	*	4	0.3	99.6	*	78	5.8	90.4	*	1	0.1	100.0	*	16
17	*	141	10.5	75.4	*	1	0.1	100.0	*	64	4.8	91.8	*	3	0.2	99.9	*	73	5.4	95.8	*	0	0.0	100.0	*	17
18	*	150	11.1	86.6	*	0	0.0	100.0	*	75	5.6	97.3	*	1	0.1	99.9	*	29	2.2	98.0	*	0	0.0	100.0	*	18
19	*	107	7.9	94.5	*	0	0.0	100.0	*	22	1.6	99.0	*	1	0.1	100.0	*	16	1.2	99.2	*	0	0.0	100.0	*	19
20	*	61	4.5	99.0	*	0	0.0	100.0	*	11	0.8	99.8	*	0	0.0	100.0	*	11	0.8	100.0	*	0	0.0	100.0	*	20
21	*	13	1.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.1      DMC = 14.9      DC = 137.3      ISI = 4.4      ADMC = 37.5      FWI = 6.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1347

MAXIMUM VALUES

FFMC = 92.0      DMC = 62.0      DC = 469.0      ISI = 54.8      ADMC = 79.0      FWI = 52.0

\*\*\*TOTALS FOR STATION 27 LIVERPOOL BIG FALLS LONG. 6456 LAT. 4408

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	28	1.7	1.7	*	82	4.9	4.9	*	44	2.6	2.6	*	12	0.7	0.7	*	254	15.1	15.1	*	1
2	*	3	0.2	0.2	*	69	4.1	5.8	*	81	4.8	9.7	*	131	7.8	10.4	*	12	0.7	1.4	*	204	12.1	27.3	*	2
3	*	7	0.4	0.6	*	93	5.5	11.3	*	79	4.7	14.4	*	181	10.8	21.2	*	18	1.1	2.5	*	92	5.5	32.7	*	3
4	*	10	0.6	1.2	*	115	6.8	18.2	*	80	4.8	19.2	*	134	8.0	29.2	*	25	1.5	4.0	*	67	4.0	36.7	*	4
5	*	15	0.9	2.1	*	125	7.4	25.6	*	74	4.4	23.6	*	115	6.8	36.0	*	42	2.5	6.5	*	104	6.2	42.9	*	5
6	*	21	1.2	3.3	*	123	7.3	32.9	*	70	4.2	27.7	*	93	5.5	41.5	*	68	4.0	10.5	*	164	9.8	52.7	*	6
7	*	22	1.3	4.6	*	111	6.6	39.5	*	114	6.8	34.5	*	96	5.7	47.3	*	82	4.9	15.4	*	136	8.1	60.8	*	7
8	*	23	1.4	6.0	*	103	6.1	45.7	*	90	5.4	39.9	*	193	11.5	58.7	*	93	5.5	21.0	*	114	6.8	67.6	*	8
9	*	36	2.1	8.2	*	86	5.1	50.8	*	80	4.8	44.6	*	160	9.5	68.3	*	96	5.7	26.7	*	216	12.9	80.4	*	9
10	*	46	2.7	10.9	*	76	4.5	55.3	*	77	4.6	49.2	*	140	8.3	76.6	*	96	5.7	32.4	*	138	8.2	88.6	*	10
11	*	62	3.7	14.6	*	148	8.8	64.1	*	81	4.8	54.0	*	200	11.9	88.5	*	75	4.5	36.8	*	92	5.5	94.1	*	11
12	*	84	5.0	19.6	*	139	8.3	72.4	*	78	4.6	58.7	*	98	5.8	94.3	*	73	4.3	41.2	*	43	2.6	96.7	*	12
13	*	97	5.8	25.4	*	126	7.5	79.9	*	80	4.8	63.5	*	49	2.9	97.3	*	147	8.7	49.9	*	23	1.4	98.0	*	13
14	*	106	6.3	31.7	*	93	5.5	85.4	*	111	6.6	70.1	*	32	1.9	99.2	*	134	8.0	57.9	*	28	1.7	99.7	*	14
15	*	187	11.1	42.8	*	127	7.6	93.0	*	91	5.4	75.5	*	12	0.7	99.9	*	99	5.9	63.8	*	3	0.2	99.9	*	15
16	*	116	6.9	49.7	*	62	3.7	96.7	*	89	5.3	80.8	*	2	0.1	100.0	*	107	6.4	70.2	*	2	0.1	100.0	*	16
17	*	178	10.6	60.3	*	32	1.9	98.6	*	82	4.9	85.7	*	0	0.0	100.0	*	201	12.0	82.1	*	0	0.0	100.0	*	17
18	*	223	13.3	73.6	*	10	0.6	99.2	*	110	6.5	92.2	*	0	0.0	100.0	*	117	7.0	89.1	*	0	0.0	100.0	*	18
19	*	210	12.5	86.1	*	14	0.8	100.0	*	65	3.9	96.1	*	0	0.0	100.0	*	75	4.5	93.6	*	0	0.0	100.0	*	19
20	*	175	10.4	96.5	*	0	0.0	100.0	*	27	1.6	97.7	*	0	0.0	100.0	*	44	2.6	96.2	*	0	0.0	100.0	*	20
21	*	54	3.2	99.7	*	0	0.0	100.0	*	17	1.0	98.7	*	0	0.0	100.0	*	30	1.8	98.0	*	0	0.0	100.0	*	21
22	*	5	0.3	100.0	*	0	0.0	100.0	*	22	1.3	100.0	*	0	0.0	100.0	*	18	1.1	99.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.3      DMC = 23.0      DC = 162.9      ISI = 4.1      ADMC = 51.9      FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1680

MAXIMUM VALUES

FFMC = 94.0      DMC = 104.0      DC = 568.0      ISI = 28.8      ADMC = 143.0      FWI = 57.0

\*\*\*TOTALS FOR STATION 16 OXFORD LONG. 6352 LAT. 4544

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	15	0.9	0.9	*	22	1.3	1.3	*	51	3.1	3.1	*	0	0.0	0.0	*	249	15.2	15.2	*	1
2	*	1	0.1	0.1	*	54	3.3	4.2	*	46	2.8	4.2	*	145	8.9	12.0	*	4	0.2	0.2	*	188	11.5	26.7	*	2
3	*	2	0.1	0.2	*	83	5.1	9.3	*	46	2.8	7.0	*	162	9.9	21.9	*	5	0.3	0.6	*	95	5.8	32.6	*	3
4	*	10	0.6	0.8	*	127	7.8	17.1	*	55	3.4	10.3	*	136	8.3	30.2	*	20	1.2	1.8	*	87	5.3	37.9	*	4
5	*	21	1.3	2.1	*	149	9.1	26.2	*	71	4.3	14.7	*	113	6.9	37.1	*	29	1.8	3.5	*	98	6.0	43.9	*	5
6	*	28	1.7	3.8	*	132	8.1	34.3	*	52	3.2	17.9	*	88	5.4	42.5	*	48	2.9	6.5	*	120	7.3	51.2	*	6
7	*	33	2.0	5.8	*	114	7.0	41.2	*	103	6.3	24.2	*	74	4.5	47.1	*	73	4.5	11.0	*	121	7.4	58.6	*	7
8	*	30	1.8	7.6	*	118	7.2	48.5	*	136	8.3	32.5	*	150	9.2	56.2	*	90	5.5	16.5	*	117	7.2	65.8	*	8
9	*	42	2.6	10.2	*	97	5.9	54.4	*	105	6.4	38.9	*	130	8.0	64.2	*	103	6.3	22.8	*	206	12.6	78.4	*	9
10	*	44	2.7	12.9	*	96	5.9	60.3	*	116	7.1	46.0	*	100	6.1	70.3	*	97	5.9	28.7	*	127	7.8	86.2	*	10
11	*	58	3.5	16.5	*	184	11.3	71.5	*	120	7.3	53.4	*	180	11.0	81.3	*	95	5.8	34.5	*	76	4.7	90.8	*	11
12	*	76	4.7	21.1	*	117	7.2	78.7	*	84	5.1	58.5	*	127	7.8	89.1	*	92	5.6	40.1	*	54	3.3	94.1	*	12
13	*	86	5.3	26.4	*	78	4.8	83.5	*	74	4.5	63.0	*	67	4.1	93.2	*	213	13.0	53.2	*	42	2.6	96.7	*	13
14	*	130	8.0	34.3	*	75	4.6	88.1	*	57	3.5	66.5	*	64	3.9	97.1	*	160	9.8	63.0	*	38	2.3	99.0	*	14
15	*	176	10.8	45.1	*	75	4.6	92.7	*	64	3.9	70.4	*	27	1.7	98.8	*	130	8.0	70.9	*	13	0.8	99.8	*	15
16	*	108	6.6	51.7	*	45	2.8	95.4	*	100	6.1	76.6	*	15	0.9	99.7	*	102	6.2	77.2	*	2	0.1	99.9	*	16
17	*	148	9.1	60.8	*	28	1.7	97.1	*	99	6.1	82.6	*	3	0.2	99.9	*	123	7.5	84.7	*	1	0.1	100.0	*	17
18	*	207	12.7	73.4	*	25	1.5	98.7	*	133	8.1	90.8	*	2	0.1	100.0	*	77	4.7	89.4	*	0	0.0	100.0	*	18
19	*	201	12.3	85.7	*	22	1.3	100.0	*	75	4.6	95.3	*	0	0.0	100.0	*	53	3.2	92.7	*	0	0.0	100.0	*	19
20	*	158	9.7	95.4	*	0	0.0	100.0	*	27	1.7	97.0	*	0	0.0	100.0	*	30	1.8	94.5	*	0	0.0	100.0	*	20
21	*	61	3.7	99.1	*	0	0.0	100.0	*	34	2.1	99.1	*	0	0.0	100.0	*	30	1.8	96.3	*	0	0.0	100.0	*	21
22	*	13	0.8	99.9	*	0	0.0	100.0	*	15	0.9	100.0	*	0	0.0	100.0	*	22	1.3	97.7	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	37	2.3	99.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.5      DMC = 22.1      DC = 178.8      ISI = 4.8      ADMC = 51.9      FWI = 8.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1634

MAXIMUM VALUES

FFMC = 95.0      DMC = 101.0      DC = 574.0      ISI = 50.0      ADMC = 127.0      FWI = 64.0

\*\*\*TOTALS FOR STATION 17 PARRSBORO LONG. 6420 LAT. 4524

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS					
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.					
1	*	1	0.1	0.1	*	41	2.7	2.7	*	58	3.8	3.8	*	87	5.8	5.8	*	8	0.5	0.5	*	336	22.3	22.3	*	1
2	*	2	0.1	0.2	*	85	5.6	8.3	*	68	4.5	8.3	*	171	11.3	17.1	*	17	1.1	1.7	*	235	15.6	37.8	*	2
3	*	10	0.7	0.9	*	123	8.1	16.5	*	86	5.7	14.0	*	185	12.3	29.3	*	16	1.1	2.7	*	90	6.0	43.8	*	3
4	*	30	2.0	2.8	*	141	9.3	25.8	*	93	6.2	20.2	*	157	10.4	39.7	*	32	2.1	4.8	*	95	6.3	50.1	*	4
5	*	27	1.8	4.6	*	169	11.2	37.0	*	95	6.3	26.5	*	107	7.1	46.8	*	71	4.7	9.5	*	79	5.2	55.3	*	5
6	*	37	2.5	7.1	*	136	9.0	46.0	*	92	6.1	32.6	*	89	5.9	52.7	*	80	5.3	14.8	*	155	10.3	65.6	*	6
7	*	31	2.1	9.1	*	129	8.5	54.6	*	122	8.1	40.7	*	81	5.4	58.1	*	96	6.4	21.2	*	134	8.9	74.4	*	7
8	*	27	1.8	10.9	*	122	8.1	62.6	*	95	6.3	47.0	*	145	9.6	67.7	*	90	6.0	27.2	*	97	6.4	80.9	*	8
9	*	55	3.6	14.6	*	104	6.9	69.5	*	71	4.7	51.7	*	117	7.7	75.4	*	105	7.0	34.1	*	132	8.7	89.6	*	9
10	*	55	3.6	18.2	*	93	6.2	75.7	*	71	4.7	56.4	*	101	6.7	82.1	*	121	8.0	42.1	*	73	4.8	94.4	*	10
11	*	58	3.8	22.1	*	141	9.3	85.0	*	62	4.1	60.5	*	132	8.7	90.9	*	102	6.8	48.9	*	43	2.8	97.3	*	11
12	*	88	5.8	27.9	*	94	6.2	91.3	*	54	3.6	64.0	*	59	3.9	94.8	*	81	5.4	54.2	*	26	1.7	99.0	*	12
13	*	108	7.2	35.0	*	51	3.4	94.6	*	67	4.4	68.5	*	40	2.6	97.4	*	188	12.5	66.7	*	9	0.6	99.6	*	13
14	*	123	8.1	43.2	*	24	1.6	96.2	*	98	6.5	75.0	*	27	1.8	99.2	*	129	8.5	75.2	*	5	0.3	99.9	*	14
15	*	230	15.2	58.4	*	41	2.7	98.9	*	85	5.6	80.6	*	6	0.4	99.6	*	99	6.6	81.8	*	0	0.0	99.9	*	15
16	*	134	8.9	67.3	*	16	1.1	100.0	*	74	4.9	85.5	*	4	0.3	99.9	*	90	6.0	87.7	*	1	0.1	100.0	*	16
17	*	129	8.5	75.8	*	0	0.0	100.0	*	72	4.8	90.3	*	1	0.1	99.9	*	100	6.6	94.4	*	0	0.0	100.0	*	17
18	*	153	10.1	86.0	*	0	0.0	100.0	*	128	8.5	98.7	*	1	0.1	100.0	*	36	2.4	96.8	*	0	0.0	100.0	*	18
19	*	141	9.3	95.3	*	0	0.0	100.0	*	15	1.0	99.7	*	0	0.0	100.0	*	35	2.3	99.1	*	0	0.0	100.0	*	19
20	*	60	4.0	99.3	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	13	0.9	99.9	*	0	0.0	100.0	*	20
21	*	10	0.7	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.1      DMC = 15.7      DC = 140.4      ISI = 3.5      ADMC = 39.2      FWI = 5.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1510

MAXIMUM VALUES

FFMC = 93.0      DMC = 60.0      DC = 422.0      ISI = 41.0      ADMC = 81.0      FWI = 54.0



\*\*\*TOTALS FOR STATION 18 SHEARWATER LONG. 6330 LAT. 4438

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS			
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.				
1	*	0	0.0	0.0	*	23	1.6	1.6	*	45	3.1	3.1	*	124	8.4	8.4	*	388	26.4	26.4	*	1
2	*	2	0.1	0.1	*	103	7.0	8.6	*	85	5.8	8.9	*	194	13.2	21.7	*	195	13.3	39.7	*	2
3	*	16	1.1	1.2	*	137	9.3	17.9	*	71	4.8	13.7	*	169	11.5	33.2	*	117	8.0	47.7	*	3
4	*	39	2.7	3.9	*	147	10.0	27.9	*	71	4.8	18.5	*	125	8.5	41.7	*	28	1.9	3.2	*	4
5	*	49	3.3	7.2	*	134	12.5	40.5	*	75	5.1	23.6	*	135	9.2	50.9	*	90	6.1	9.5	*	5
6	*	38	2.6	9.8	*	153	10.4	50.9	*	64	4.4	28.0	*	87	5.9	56.8	*	87	5.9	15.4	*	6
7	*	38	2.6	12.4	*	127	8.7	59.5	*	127	8.7	36.6	*	85	5.8	62.6	*	92	6.3	21.7	*	7
8	*	53	3.6	16.0	*	129	8.8	68.3	*	119	8.1	44.8	*	150	10.2	72.8	*	119	8.1	29.8	*	8
9	*	46	3.1	19.1	*	103	7.0	75.3	*	107	7.3	52.0	*	128	8.7	81.5	*	98	6.7	36.4	*	9
10	*	63	4.3	23.4	*	84	5.7	81.1	*	95	6.5	58.5	*	73	5.0	86.5	*	107	7.3	43.7	*	10
11	*	62	4.2	27.7	*	127	8.7	89.7	*	106	7.2	65.7	*	104	7.1	93.6	*	109	7.4	51.2	*	11
12	*	71	4.8	32.5	*	80	5.4	95.2	*	97	6.6	72.3	*	50	3.4	97.0	*	88	6.0	57.2	*	12
13	*	106	7.2	39.7	*	43	2.9	98.1	*	68	4.6	77.0	*	13	0.9	97.9	*	191	13.0	70.2	*	13
14	*	113	7.7	47.4	*	10	0.7	98.8	*	100	6.8	83.8	*	24	1.6	99.5	*	164	11.2	81.2	*	14
15	*	217	14.8	62.2	*	8	0.5	99.3	*	95	6.5	90.3	*	4	0.3	99.8	*	105	7.2	88.5	*	15
16	*	126	8.6	70.8	*	5	0.3	99.7	*	59	4.0	94.3	*	3	0.2	100.0	*	58	4.0	92.4	*	16
17	*	151	10.3	81.1	*	5	0.3	100.0	*	32	2.2	96.5	*	0	0.0	100.0	*	81	5.5	98.0	*	17
18	*	153	10.4	91.5	*	0	0.0	100.0	*	40	2.7	99.2	*	0	0.0	100.0	*	15	1.0	99.0	*	18
19	*	77	5.2	96.7	*	0	0.0	100.0	*	11	0.7	99.9	*	0	0.0	100.0	*	4	0.3	99.2	*	19
20	*	35	2.4	99.1	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	4	0.3	99.5	*	20
21	*	9	0.6	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	99.8	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 68.5      DMC = 14.2      DC = 128.6      ISI = 3.0      ADMC = 36.4      FWI = 4.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1468

MAXIMUM VALUES

FFMC = 93.0      DMC = 67.0      DC = 401.0      ISI = 22.2      ADMC = 95.0      FWI = 35.0

\*\*\*TOTALS FOR STATION 21 SYDNEY LONG. 6003 LAT. 4610

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	33	2.2	2.2	*	35	2.4	2.4	*	102	6.9	6.9	*	1	0.1	0.1	*	314	21.3	21.3	*	1
2	*	4	0.3	0.3	*	104	7.1	9.3	*	49	3.3	5.7	*	141	9.6	16.5	*	9	0.6	0.7	*	184	12.5	33.8	*	2
3	*	11	0.7	1.0	*	151	10.3	19.6	*	74	5.0	10.7	*	135	9.2	25.7	*	17	1.2	1.8	*	102	6.9	40.7	*	3
4	*	21	1.4	2.4	*	160	10.9	30.4	*	62	4.2	14.9	*	125	8.5	34.1	*	30	2.0	3.9	*	94	6.4	47.1	*	4
5	*	49	3.3	5.8	*	171	11.6	42.0	*	71	4.8	19.8	*	127	8.6	42.8	*	72	4.9	8.8	*	77	5.2	52.3	*	5
6	*	49	3.3	9.1	*	134	9.1	51.1	*	80	5.4	25.2	*	91	6.2	48.9	*	93	6.3	15.1	*	152	10.3	62.7	*	6
7	*	39	2.6	11.7	*	125	8.5	59.6	*	147	10.0	35.2	*	74	5.0	54.0	*	116	7.9	22.9	*	123	8.4	71.0	*	7
8	*	38	2.6	14.3	*	114	7.7	67.3	*	147	10.0	45.1	*	137	9.3	63.3	*	96	6.5	29.5	*	105	7.1	78.1	*	8
9	*	41	2.8	17.1	*	98	6.7	74.0	*	125	8.5	53.6	*	126	8.6	71.8	*	105	7.1	36.6	*	152	10.3	88.5	*	9
10	*	53	3.6	20.7	*	74	5.0	79.0	*	84	5.7	59.3	*	80	5.4	77.3	*	117	7.9	44.5	*	66	4.5	92.9	*	10
11	*	56	3.8	24.5	*	135	9.2	88.2	*	94	6.4	65.7	*	142	9.6	86.9	*	102	6.9	51.5	*	45	3.1	96.0	*	11
12	*	68	4.6	29.1	*	82	5.6	93.8	*	75	5.1	70.8	*	76	5.2	92.1	*	87	5.9	57.4	*	30	2.0	98.0	*	12
13	*	109	7.4	36.5	*	34	2.3	96.1	*	72	4.9	75.7	*	39	2.6	94.7	*	185	12.6	69.9	*	18	1.2	99.3	*	13
14	*	136	9.2	45.8	*	22	1.5	97.6	*	76	5.2	80.9	*	57	3.9	98.6	*	148	10.0	80.0	*	9	0.6	99.9	*	14
15	*	218	14.8	60.6	*	29	2.0	99.5	*	40	2.7	83.6	*	15	1.0	99.6	*	102	6.9	86.9	*	2	0.1	100.0	*	15
16	*	116	7.9	68.4	*	7	0.5	100.0	*	33	2.2	85.8	*	4	0.3	99.9	*	64	4.3	91.2	*	0	0.0	100.0	*	16
17	*	161	10.9	79.4	*	0	0.0	100.0	*	27	1.8	87.6	*	2	0.1	100.0	*	61	4.1	95.4	*	0	0.0	100.0	*	17
18	*	140	9.5	88.9	*	0	0.0	100.0	*	99	6.7	94.4	*	0	0.0	100.0	*	36	2.4	97.8	*	0	0.0	100.0	*	18
19	*	106	7.2	96.1	*	0	0.0	100.0	*	67	4.5	98.9	*	0	0.0	100.0	*	23	1.6	99.4	*	0	0.0	100.0	*	19
20	*	51	3.5	99.5	*	0	0.0	100.0	*	16	1.1	100.0	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	20
21	*	7	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.7      DMC = 14.4      DC = 141.2      ISI = 4.0      ADMC = 37.0      FWI = 6.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1473

MAXIMUM VALUES

FFMC = 92.0      DMC = 60.0      DC = 447.0      ISI = 36.7      ADMC = 79.0      FWI = 44.0

\*\*\*TOTALS FOR STATION 20 UPPER STEWACKE LONG. 6300 LAT. 4513

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	25	1.5	1.5	*	49	3.0	3.0	*	51	3.1	3.1	*	7	0.4	0.4	*	255	15.6	15.6	*	1
2	*	2	0.1	0.1	*	74	4.5	6.1	*	74	4.5	7.5	*	136	8.3	11.5	*	11	0.7	1.1	*	210	12.9	28.5	*	2
3	*	5	0.3	0.4	*	104	6.4	12.4	*	83	5.1	12.6	*	163	10.0	21.5	*	8	0.5	1.6	*	111	6.8	35.3	*	3
4	*	13	0.8	1.2	*	152	9.3	21.8	*	77	4.7	17.4	*	137	8.4	29.9	*	23	1.4	3.0	*	114	7.0	42.3	*	4
5	*	20	1.2	2.5	*	168	10.3	32.1	*	66	4.0	21.4	*	130	8.0	37.8	*	57	3.5	6.5	*	86	5.3	47.6	*	5
6	*	21	1.3	3.7	*	145	8.9	41.0	*	74	4.5	25.9	*	99	6.1	43.9	*	74	4.5	11.0	*	176	10.8	58.4	*	6
7	*	32	2.0	5.7	*	140	8.6	49.5	*	118	7.2	33.2	*	104	6.4	50.3	*	86	5.3	16.3	*	157	9.6	68.0	*	7
8	*	29	1.8	7.5	*	146	9.0	58.5	*	124	7.6	40.8	*	177	10.9	61.1	*	101	6.2	22.5	*	127	7.8	75.8	*	8
9	*	42	2.6	10.1	*	103	6.3	64.8	*	129	7.9	48.7	*	164	10.1	71.2	*	110	6.7	29.2	*	166	10.2	86.0	*	9
10	*	56	3.4	13.5	*	102	6.3	71.1	*	128	7.8	56.5	*	115	7.1	78.2	*	121	7.4	36.7	*	108	6.6	92.6	*	10
11	*	54	3.3	16.8	*	165	10.1	81.2	*	105	6.4	63.0	*	155	9.5	87.7	*	100	6.1	42.8	*	68	4.2	96.8	*	11
12	*	72	4.4	21.2	*	107	6.6	87.7	*	101	6.2	69.2	*	86	5.3	93.0	*	92	5.6	48.4	*	32	2.0	98.7	*	12
13	*	117	7.2	28.4	*	74	4.5	92.3	*	89	5.5	74.6	*	58	3.6	96.6	*	222	13.6	62.0	*	14	0.9	99.6	*	13
14	*	119	7.3	35.7	*	46	2.8	95.1	*	97	5.9	80.6	*	45	2.8	99.3	*	172	10.5	72.6	*	6	0.4	99.9	*	14
15	*	236	14.5	50.2	*	52	3.2	98.3	*	91	5.6	86.1	*	5	0.3	99.6	*	135	8.3	80.9	*	1	0.1	100.0	*	15
16	*	130	8.0	58.1	*	21	1.3	99.6	*	83	5.1	91.2	*	6	0.4	100.0	*	92	5.6	86.5	*	0	0.0	100.0	*	16
17	*	166	10.2	68.3	*	7	0.4	100.0	*	78	4.8	96.0	*	0	0.0	100.0	*	118	7.2	93.7	*	0	0.0	100.0	*	17
18	*	208	12.8	81.1	*	0	0.0	100.0	*	50	3.1	99.1	*	0	0.0	100.0	*	58	3.6	97.3	*	0	0.0	100.0	*	18
19	*	179	11.0	92.0	*	0	0.0	100.0	*	13	0.8	99.9	*	0	0.0	100.0	*	26	1.6	98.9	*	0	0.0	100.0	*	19
20	*	89	5.5	97.5	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	9	0.6	99.4	*	0	0.0	100.0	*	20
21	*	33	2.0	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	21
22	*	7	0.4	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.5      DMC = 17.3      DC = 163.3      ISI = 4.0      ADMC = 41.7      FWI = 6.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1631

MAXIMUM VALUES

FFMC = 95.0      DMC = 69.0      DC = 407.0      ISI = 26.9      ADMC = 89.0      FWI = 47.0

\*\*\*TOTALS FOR STATION 26 YARMOUTH LONG. 6605 LAT. 4350

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	54	3.8	3.8	*	73	5.1	5.1	*	134	9.3	9.3	*	11	0.8	0.8	*	483	33.6	33.6	*	1
2	*	3	0.2	0.2	*	127	8.8	12.6	*	84	5.8	10.9	*	229	15.9	25.3	*	21	1.5	2.2	*	285	19.8	53.4	*	2
3	*	11	0.8	1.0	*	191	13.3	25.9	*	78	5.4	16.4	*	258	18.0	43.2	*	22	1.5	3.8	*	140	9.7	63.2	*	3
4	*	42	2.9	3.9	*	193	13.4	39.3	*	73	5.1	21.4	*	183	12.7	55.9	*	40	2.8	6.5	*	93	6.5	69.7	*	4
5	*	55	3.8	7.7	*	189	13.2	52.5	*	66	4.6	26.0	*	165	11.5	67.4	*	94	6.5	13.1	*	99	6.9	76.5	*	5
6	*	48	3.3	11.1	*	160	11.1	63.6	*	64	4.5	30.5	*	107	7.4	74.9	*	105	7.3	20.4	*	149	10.4	86.9	*	6
7	*	41	2.9	13.9	*	116	8.1	71.7	*	106	7.4	37.9	*	98	6.8	81.7	*	114	7.9	28.3	*	86	6.0	92.9	*	7
8	*	51	3.5	17.5	*	80	5.6	77.2	*	82	5.7	43.6	*	130	9.0	90.7	*	114	7.9	36.3	*	51	3.5	96.5	*	8
9	*	60	4.2	21.6	*	66	4.6	81.8	*	70	4.9	48.4	*	56	3.9	94.6	*	133	9.3	45.5	*	40	2.8	99.2	*	9
10	*	55	3.8	25.5	*	56	3.9	85.7	*	73	5.1	53.5	*	43	3.0	97.6	*	107	7.4	53.0	*	9	0.6	99.9	*	10
11	*	98	6.8	32.3	*	92	6.4	92.1	*	75	5.2	58.7	*	28	1.9	99.6	*	97	6.8	59.7	*	1	0.1	99.9	*	11
12	*	78	5.4	37.7	*	56	3.9	96.0	*	81	5.6	64.4	*	4	0.3	99.9	*	83	5.8	65.5	*	1	0.1	100.0	*	12
13	*	128	8.9	46.6	*	19	1.3	97.4	*	89	6.2	70.6	*	1	0.1	99.9	*	172	12.0	77.5	*	0	0.0	100.0	*	13
14	*	167	11.6	58.2	*	19	1.3	98.7	*	129	9.0	79.5	*	1	0.1	100.0	*	125	8.7	86.2	*	0	0.0	100.0	*	14
15	*	312	21.7	80.0	*	18	1.3	99.9	*	94	6.5	86.1	*	0	0.0	100.0	*	72	5.0	91.2	*	0	0.0	100.0	*	15
16	*	132	9.2	89.1	*	1	0.1	100.0	*	72	5.0	91.1	*	0	0.0	100.0	*	39	2.7	93.9	*	0	0.0	100.0	*	16
17	*	93	6.5	95.6	*	0	0.0	100.0	*	33	2.3	93.4	*	0	0.0	100.0	*	42	2.9	96.8	*	0	0.0	100.0	*	17
18	*	45	3.1	98.7	*	0	0.0	100.0	*	53	3.7	97.1	*	0	0.0	100.0	*	21	1.5	98.3	*	0	0.0	100.0	*	18
19	*	17	1.2	99.9	*	0	0.0	100.0	*	28	1.9	99.0	*	0	0.0	100.0	*	18	1.3	99.5	*	0	0.0	100.0	*	19
20	*	1	0.1	100.0	*	0	0.0	100.0	*	14	1.0	100.0	*	0	0.0	100.0	*	7	0.5	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 66.9      DMC = 12.2      DC = 138.4      ISI = 1.8      ADMC = 32.7      FWI = 2.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1437

MAXIMUM VALUES

FFMC = 90.0      DMC = 51.0      DC = 446.0      ISI = 12.8      ADMC = 79.0      FWI = 23.0

FINAL TOTALS FOR THE PROVINCE OF NEWFOUNDLAND\*

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	45	0.2	0.2	*	2131	11.6	11.6	*	1919	10.4	10.4	*	1634	8.9	8.9	*	705	3.8	3.8	*	7429	40.3	40.3	*	1
2	*	137	0.7	1.0	*	2617	14.2	25.7	*	1037	5.6	16.0	*	3618	19.6	28.5	*	788	4.3	8.1	*	3181	17.2	57.5	*	2
3	*	265	1.4	2.4	*	2404	13.0	38.8	*	1115	6.0	22.1	*	3347	18.1	46.6	*	737	4.0	12.1	*	1317	7.1	64.7	*	3
4	*	437	2.4	4.8	*	2206	12.0	50.7	*	1013	5.5	27.6	*	2054	11.1	57.8	*	741	4.0	16.1	*	1119	6.1	70.7	*	4
5	*	518	2.8	7.6	*	1888	10.2	61.0	*	931	5.0	32.6	*	1461	7.9	65.7	*	1497	8.1	24.2	*	895	4.9	75.6	*	5
6	*	578	3.1	10.7	*	1501	8.1	69.1	*	879	4.8	37.4	*	1238	6.7	72.4	*	1517	8.2	32.5	*	1330	7.2	82.8	*	6
7	*	614	3.3	14.1	*	1209	6.6	75.7	*	1570	8.5	45.9	*	833	4.5	76.9	*	1488	8.1	40.5	*	894	4.8	87.7	*	7
8	*	690	3.7	17.8	*	962	5.2	80.9	*	1542	8.4	54.3	*	1339	7.3	84.2	*	1444	7.8	48.4	*	639	3.5	91.1	*	8
9	*	880	4.8	22.6	*	771	4.2	85.1	*	1288	7.0	61.2	*	797	4.3	88.5	*	1336	7.2	55.6	*	822	4.5	95.6	*	9
10	*	1149	6.2	28.8	*	591	3.2	88.3	*	1086	5.9	67.1	*	622	3.4	91.9	*	1170	6.3	61.9	*	398	2.2	97.7	*	10
11	*	1283	7.0	35.8	*	954	5.2	93.5	*	988	5.4	72.5	*	696	3.8	95.7	*	1038	5.6	67.6	*	207	1.1	98.9	*	11
12	*	1399	7.6	43.4	*	503	2.7	96.2	*	889	4.8	77.3	*	360	2.0	97.6	*	874	4.7	72.3	*	106	0.6	99.4	*	12
13	*	1524	8.3	51.6	*	302	1.6	97.8	*	765	4.1	81.5	*	208	1.1	98.7	*	1690	9.2	81.5	*	64	0.3	99.8	*	13
14	*	1828	9.9	61.5	*	175	0.9	98.8	*	929	5.0	86.5	*	150	0.8	99.5	*	1196	6.5	88.0	*	37	0.2	100.0	*	14
15	*	2562	13.9	75.4	*	157	0.9	99.6	*	742	4.0	90.5	*	43	0.2	99.8	*	778	4.2	92.2	*	3	0.0	100.0	*	15
16	*	1140	6.2	81.6	*	49	0.3	99.9	*	530	2.9	93.4	*	32	0.2	100.0	*	501	2.7	94.9	*	0	0.0	100.0	*	16
17	*	1212	6.6	88.2	*	10	0.1	99.9	*	395	2.1	95.5	*	9	0.0	100.0	*	515	2.8	97.7	*	0	0.0	100.0	*	17
18	*	920	5.0	93.2	*	6	0.0	100.0	*	409	2.2	97.8	*	0	0.0	100.0	*	216	1.2	98.9	*	0	0.0	100.0	*	18
19	*	710	3.9	97.0	*	5	0.0	100.0	*	245	1.3	99.1	*	0	0.0	100.0	*	115	0.6	99.5	*	0	0.0	100.0	*	19
20	*	417	2.3	99.3	*	0	0.0	100.0	*	121	0.7	99.7	*	0	0.0	100.0	*	53	0.3	99.8	*	0	0.0	100.0	*	20
21	*	124	0.7	100.0	*	0	0.0	100.0	*	39	0.2	100.0	*	0	0.0	100.0	*	27	0.1	99.9	*	0	0.0	100.0	*	21
22	*	9	0.0	100.0	*	0	0.0	100.0	*	5	0.0	100.0	*	0	0.0	100.0	*	11	0.1	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 64.5      DMC = 10.7      DC = 113.2      ISI = 2.2      ADMC = 28.2      FWI = 3.2

THE TOTAL NUMBER OF OBSERVATIONS IS 18,441

MAXIMUM VALUES

FFMC = 94.0      DMC = 92.0      DC = 530.0      ISI = 32.2      ADMC = 112.0      FWI = 46.0

\* DOES NOT INCLUDE LABRADOR

\*\*\*TOTALS FOR REGION

NEWFOUNDLAND

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	3	0.2	0.2	*	39	2.9	2.9	*	30	2.2	2.2	*	3	0.2	0.2	*	227	16.7	16.7	*	1				
2	*	5	0.4	0.6	*	125	9.2	12.1	*	71	5.2	7.4	*	165	12.2	12.4	*	12	0.9	1.2	*	269	19.8	36.6	*	2
3	*	11	0.8	1.4	*	188	13.9	25.9	*	57	4.2	11.6	*	235	17.3	29.7	*	32	2.4	3.5	*	213	15.7	52.2	*	3
4	*	24	1.8	3.2	*	208	15.3	41.3	*	66	4.9	16.5	*	199	14.7	44.4	*	36	2.7	6.2	*	136	10.0	62.3	*	4
5	*	27	2.0	5.2	*	194	14.3	55.6	*	70	5.2	21.7	*	201	14.8	59.2	*	73	5.4	11.6	*	125	9.2	71.5	*	5
6	*	37	2.7	7.9	*	172	12.7	68.2	*	64	4.7	26.4	*	111	8.2	67.4	*	108	8.0	19.5	*	161	11.9	83.3	*	6
7	*	55	4.1	11.9	*	117	8.6	76.9	*	140	10.3	36.7	*	88	6.5	73.8	*	120	8.8	28.4	*	92	6.8	90.1	*	7
8	*	66	4.9	16.8	*	72	5.3	82.2	*	90	6.6	43.3	*	145	10.7	84.5	*	139	10.2	38.6	*	67	4.9	95.1	*	8
9	*	90	6.6	23.4	*	76	5.6	87.8	*	153	11.3	54.6	*	105	7.7	92.3	*	123	9.1	47.7	*	48	3.5	98.6	*	9
10	*	117	8.6	32.1	*	52	3.8	91.6	*	136	10.0	64.6	*	38	2.8	95.1	*	139	10.2	57.9	*	15	1.1	99.7	*	10
11	*	141	10.4	42.4	*	80	5.9	97.5	*	113	8.3	73.0	*	49	3.6	98.7	*	112	8.3	66.2	*	4	0.3	100.0	*	11
12	*	150	11.1	53.5	*	20	1.5	99.0	*	84	6.2	79.1	*	14	1.0	99.7	*	92	6.8	73.0	*	0	0.0	100.0	*	12
13	*	169	12.5	66.0	*	8	0.6	99.6	*	82	6.0	85.2	*	4	0.3	100.0	*	154	11.3	84.3	*	0	0.0	100.0	*	13
14	*	171	12.6	78.6	*	6	0.4	100.0	*	51	3.8	88.9	*	0	0.0	100.0	*	86	6.3	90.6	*	0	0.0	100.0	*	14
15	*	161	11.9	90.4	*	0	0.0	100.0	*	53	3.9	92.9	*	0	0.0	100.0	*	57	4.2	94.8	*	0	0.0	100.0	*	15
16	*	65	4.8	95.2	*	0	0.0	100.0	*	29	2.1	95.0	*	0	0.0	100.0	*	38	2.8	97.6	*	0	0.0	100.0	*	16
17	*	46	3.4	98.6	*	0	0.0	100.0	*	35	2.6	97.6	*	0	0.0	100.0	*	23	1.7	99.3	*	0	0.0	100.0	*	17
18	*	16	1.2	99.8	*	0	0.0	100.0	*	33	2.4	100.0	*	0	0.0	100.0	*	8	0.6	99.9	*	0	0.0	100.0	*	18
19	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	19
20	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE/VALUES

FFMC = 61.3      DMC = 10.9      DC = 119.5      ISI = 2.3      ADMC = 29.8      FWI = 3.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1357

MAXIMUM VALUES

FFMC = 87.0      DMC = 40.0      DC = 325.0      ISI = 11.7      ADMC = 61.0      FWI = 22.0

\*\*\*TOTALS FOR REGION 4

EASTERN LABRADOR

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	3	0.3	0.3	*	98	9.0	9.0	*	14	1.3	1.3	*	18	1.7	1.7	*	25	2.3	2.3	*	274	25.3	25.3	*	1
2	*	16	1.5	1.8	*	176	16.2	25.3	*	51	4.7	6.0	*	182	16.8	18.5	*	23	2.1	4.4	*	154	17.9	43.2	*	2
3	*	14	1.3	3.0	*	210	19.4	44.6	*	64	5.9	11.9	*	171	15.8	34.2	*	38	3.5	7.9	*	126	11.6	54.8	*	3
4	*	37	3.4	6.5	*	173	16.0	60.6	*	87	8.0	19.9	*	120	11.1	45.3	*	39	3.6	11.5	*	80	7.4	62.2	*	4
5	*	44	4.1	10.5	*	128	11.8	72.4	*	82	7.6	27.5	*	91	8.4	53.7	*	128	11.8	23.3	*	58	5.4	67.5	*	5
6	*	61	5.6	16.1	*	91	8.4	80.8	*	64	5.9	33.4	*	79	7.3	61.0	*	145	13.4	36.7	*	113	10.4	78.0	*	6
7	*	68	6.3	22.4	*	59	5.4	86.3	*	121	11.2	44.6	*	49	4.5	65.5	*	139	12.8	49.5	*	72	6.6	84.6	*	7
8	*	67	6.2	28.6	*	58	5.4	91.6	*	148	13.7	58.2	*	87	8.0	73.5	*	104	9.6	59.1	*	53	4.9	89.5	*	8
9	*	105	9.7	38.3	*	45	4.2	95.8	*	142	13.1	71.3	*	75	6.9	80.4	*	81	7.5	66.6	*	56	5.2	94.6	*	9
10	*	72	6.6	44.9	*	21	1.9	97.7	*	102	9.4	80.7	*	44	4.1	84.5	*	73	6.7	73.3	*	30	2.8	97.4	*	10
11	*	78	7.2	52.1	*	18	1.7	99.4	*	57	5.3	86.0	*	71	6.5	91.1	*	63	5.8	79.2	*	16	1.5	98.9	*	11
12	*	76	7.0	59.1	*	3	0.3	99.6	*	43	4.0	89.9	*	38	3.5	94.6	*	65	6.0	85.1	*	4	0.4	99.3	*	12
13	*	94	8.7	67.8	*	4	0.4	100.0	*	38	3.5	93.5	*	16	1.5	96.0	*	89	8.2	93.4	*	4	0.4	99.6	*	13
14	*	133	12.3	80.1	*	0	0.0	100.0	*	34	3.1	96.6	*	22	2.0	98.1	*	49	4.5	97.9	*	3	0.3	99.9	*	14
15	*	121	11.2	91.2	*	0	0.0	100.0	*	35	3.2	99.8	*	7	0.6	98.7	*	15	1.4	99.3	*	1	0.1	100.0	*	15
16	*	36	3.3	94.6	*	0	0.0	100.0	*	2	0.2	100.0	*	7	0.6	99.4	*	4	0.4	99.6	*	0	0.0	100.0	*	16
17	*	31	2.9	97.4	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.6	99.9	*	4	0.4	100.0	*	0	0.0	100.0	*	17
18	*	14	1.3	98.7	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	12	1.1	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	2	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 56.9      DMC = 8.3      DC = 94.5      ISI = 3.3      ADMC = 22.4      FWI = 4.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1084

MAXIMUM VALUES

FFMC = 89.0      DMC = 33.0      DC = 257.0      ISI = 42.8      ADMC = 47.0      FWI = 41.0

\*\*\*TOTALS FOR REGION 5 WESTERN LABRADOR

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CLASS				
	OBS.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.						
1	*	6	0.6	0.6	*	187	19.1	19.1	*	35	3.6	3.6	*	24	2.5	2.5	*	49	5.0	5.0	*	298	30.5	30.5	*	1
2	*	9	0.9	1.5	*	146	14.9	34.0	*	54	5.5	9.1	*	166	17.0	19.4	*	48	4.9	9.9	*	201	20.6	51.0	*	2
3	*	17	1.7	3.3	*	137	14.0	48.1	*	58	5.9	15.0	*	173	17.7	37.1	*	53	5.4	15.3	*	93	9.5	60.5	*	3
4	*	12	1.2	4.5	*	103	10.5	58.6	*	43	4.4	19.4	*	127	13.0	50.1	*	45	4.6	19.9	*	80	8.2	68.7	*	4
5	*	28	2.9	7.4	*	96	9.8	68.4	*	53	5.4	24.8	*	94	9.6	59.7	*	116	11.9	31.8	*	58	5.9	74.6	*	5
6	*	32	3.3	10.6	*	70	7.2	75.6	*	52	5.3	30.2	*	80	8.2	67.9	*	82	8.4	40.2	*	64	6.5	81.2	*	6
7	*	43	4.4	15.0	*	60	6.1	81.7	*	105	10.7	40.9	*	47	4.8	72.7	*	77	7.9	48.1	*	68	7.0	88.1	*	7
8	*	28	2.9	17.9	*	56	5.7	87.4	*	135	13.8	54.7	*	69	7.1	79.8	*	89	9.1	57.2	*	38	3.9	92.0	*	8
9	*	50	5.1	23.0	*	34	3.5	90.9	*	160	16.4	71.1	*	50	5.1	84.9	*	77	7.9	65.0	*	37	3.8	95.8	*	9
10	*	59	6.0	29.0	*	31	3.2	94.1	*	78	8.0	79.0	*	38	3.9	88.8	*	71	7.3	72.3	*	20	2.0	97.9	*	10
11	*	99	10.1	39.2	*	31	3.2	97.2	*	77	7.9	86.9	*	49	5.0	93.8	*	40	4.1	76.4	*	12	1.2	99.1	*	11
12	*	96	9.8	49.0	*	14	1.4	98.7	*	59	6.0	92.9	*	20	2.0	95.8	*	42	4.3	80.7	*	4	0.4	99.5	*	12
13	*	111	11.3	60.3	*	5	0.5	99.2	*	29	3.0	95.9	*	14	1.4	97.2	*	87	8.9	89.6	*	3	0.3	99.8	*	13
14	*	126	12.9	73.2	*	7	0.7	99.9	*	10	1.0	96.9	*	16	1.6	98.9	*	57	5.8	95.4	*	1	0.1	99.9	*	14
15	*	105	10.7	83.9	*	1	0.1	100.0	*	5	0.5	97.4	*	5	0.5	99.4	*	29	3.0	98.4	*	1	0.1	100.0	*	15
16	*	35	3.6	87.5	*	0	0.0	100.0	*	12	1.2	98.7	*	4	0.4	99.8	*	6	0.6	99.0	*	0	0.0	100.0	*	16
17	*	36	3.7	91.2	*	0	0.0	100.0	*	13	1.3	100.0	*	1	0.1	99.9	*	10	1.0	100.0	*	0	0.0	100.0	*	17
18	*	38	3.9	95.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	21	2.1	97.2	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	21	2.1	99.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	5	0.5	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 62.4      DMC = 8.6      DC = 95.5      ISI = 2.8      ADMC = 22.6      FWI = 3.5

THE TOTAL NUMBER OF OBSERVATIONS IS 978

MAXIMUM VALUES

FFMC = 93.0      DMC = 42.0      DC = 288.0      ISI = 52.0      ADMC = 49.0      FWI = 47.0



\*\*\*TOTALS FOR STATION 34 ARGENTIA A LONG. 5400 LAT. 4718

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	74	6.1	6.1	*	31	2.6	2.6	*	52	4.3	4.3	*	8	0.7	0.7	*	383	31.8	31.8	*	1
2	*	1	0.1	0.1	*	191	15.8	22.0	*	45	3.7	6.3	*	187	15.5	19.8	*	19	1.6	2.2	*	275	22.8	54.6	*	2
3	*	3	0.2	0.3	*	179	14.8	36.8	*	55	4.6	10.9	*	259	21.5	41.3	*	32	2.7	4.9	*	119	9.9	64.4	*	3
4	*	16	1.3	1.7	*	139	11.5	48.3	*	69	5.7	16.6	*	197	16.3	57.6	*	38	3.2	8.0	*	97	8.0	72.5	*	4
5	*	24	2.0	3.6	*	119	9.9	58.2	*	55	4.6	21.1	*	129	10.7	68.3	*	121	10.0	18.1	*	66	5.5	77.9	*	5
6	*	29	2.4	6.1	*	101	8.4	66.6	*	51	4.2	25.4	*	120	10.0	78.3	*	101	8.4	26.5	*	120	10.0	87.9	*	6
7	*	42	3.5	9.5	*	82	6.8	73.4	*	102	8.5	33.8	*	72	6.0	84.2	*	112	9.3	35.7	*	65	5.4	93.3	*	7
8	*	43	3.6	13.1	*	66	5.5	78.9	*	87	7.2	41.0	*	92	7.6	91.9	*	86	7.1	42.9	*	31	2.6	95.9	*	8
9	*	60	5.0	18.1	*	46	3.8	82.7	*	72	6.0	47.0	*	57	4.7	96.6	*	94	7.8	50.7	*	31	2.6	98.4	*	9
10	*	72	6.0	24.0	*	39	3.2	85.9	*	63	5.2	52.2	*	21	1.7	98.3	*	83	6.9	57.5	*	13	1.1	99.5	*	10
11	*	87	7.2	31.3	*	55	4.6	90.5	*	78	6.5	58.7	*	15	1.2	99.6	*	69	5.7	63.3	*	5	0.4	99.9	*	11
12	*	126	10.4	41.7	*	30	2.5	93.0	*	60	5.0	63.7	*	3	0.2	99.8	*	61	5.1	68.3	*	1	0.1	100.0	*	12
13	*	138	11.4	53.2	*	19	1.6	94.5	*	61	5.1	68.7	*	2	0.2	100.0	*	104	8.6	76.9	*	0	0.0	100.0	*	13
14	*	191	15.8	69.0	*	23	1.9	96.4	*	63	5.2	74.0	*	0	0.0	100.0	*	61	5.1	82.0	*	0	0.0	100.0	*	14
15	*	245	20.3	89.3	*	32	2.7	99.1	*	63	5.2	79.2	*	0	0.0	100.0	*	56	4.6	86.6	*	0	0.0	100.0	*	15
16	*	71	5.9	95.2	*	11	0.9	100.0	*	30	2.5	81.7	*	0	0.0	100.0	*	34	2.8	89.5	*	0	0.0	100.0	*	16
17	*	42	3.5	98.7	*	0	0.0	100.0	*	26	2.2	83.8	*	0	0.0	100.0	*	46	3.8	93.3	*	0	0.0	100.0	*	17
18	*	11	0.9	99.6	*	0	0.0	100.0	*	54	4.5	88.3	*	0	0.0	100.0	*	31	2.6	95.9	*	0	0.0	100.0	*	18
19	*	5	0.4	100.0	*	0	0.0	100.0	*	51	4.2	92.5	*	0	0.0	100.0	*	30	2.5	98.3	*	0	0.0	100.0	*	19
20	*	0	0.0	100.0	*	0	0.0	100.0	*	63	5.2	97.8	*	0	0.0	100.0	*	17	1.4	99.8	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	27	2.2	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 64.9      DMC = 12.0      DC = 161.6      ISI = 1.7      ADMC = 33.0      FWI = 2.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1206

MAXIMUM VALUES

FFMC = 87.0      DMC = 57.0      DC = 494.0      ISI = 11.5      ADMC = 83.0      FWI = 25.0

\*\*\*TOTALS FOR STATION 44 BATTLE HARBOUR LORAN LONG. 5536 LAT. 5215

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	77	8.4	8.4	*	259	28.4	28.4	*	40	4.4	4.4	*	147	16.1	16.1	*	85	9.3	9.3	*	387	42.4	42.4	*	1
2	*	13	1.4	9.9	*	162	17.8	46.2	*	39	4.3	8.7	*	120	13.2	29.3	*	109	12.0	21.3	*	169	18.5	61.0	*	2
3	*	15	1.6	11.5	*	139	15.2	61.4	*	41	4.5	13.2	*	132	14.5	43.7	*	24	2.6	23.9	*	51	5.6	66.6	*	3
4	*	19	2.1	13.6	*	102	11.2	72.6	*	41	4.5	17.7	*	78	8.6	52.3	*	50	5.5	29.4	*	44	4.8	71.4	*	4
5	*	15	1.6	15.2	*	94	10.3	82.9	*	45	4.9	22.6	*	92	10.1	62.4	*	95	10.4	39.8	*	41	4.5	75.9	*	5
6	*	26	2.9	18.1	*	43	4.7	87.6	*	51	5.6	28.2	*	55	6.0	68.4	*	88	9.6	49.5	*	52	5.7	81.6	*	6
7	*	29	3.2	21.3	*	42	4.6	92.2	*	96	10.5	38.7	*	40	4.4	72.8	*	85	9.3	58.8	*	52	5.7	87.3	*	7
8	*	32	3.5	24.8	*	32	3.5	95.7	*	73	8.0	46.7	*	50	5.5	78.3	*	87	9.5	68.3	*	29	3.2	90.5	*	8
9	*	33	3.6	28.4	*	22	2.4	98.1	*	77	8.4	55.2	*	33	3.6	81.9	*	48	5.3	73.6	*	36	3.9	94.4	*	9
10	*	43	4.7	33.1	*	10	1.1	99.2	*	96	10.5	65.7	*	29	3.2	85.1	*	52	5.7	79.3	*	20	2.2	96.6	*	10
11	*	82	9.0	42.1	*	5	0.5	99.8	*	52	5.7	71.4	*	40	4.4	89.5	*	50	5.5	84.8	*	11	1.2	97.8	*	11
12	*	88	9.6	51.8	*	2	0.2	100.0	*	59	6.5	77.9	*	29	3.2	92.7	*	23	2.5	87.3	*	6	0.7	98.5	*	12
13	*	88	9.6	61.4	*	0	0.0	100.0	*	65	7.1	85.0	*	22	2.4	95.1	*	61	6.7	94.0	*	5	0.5	99.0	*	13
14	*	119	13.0	74.5	*	0	0.0	100.0	*	63	6.9	91.9	*	13	1.4	96.5	*	41	4.5	98.5	*	6	0.7	99.7	*	14
15	*	114	12.5	87.0	*	0	0.0	100.0	*	30	3.3	95.2	*	13	1.4	97.9	*	10	1.1	99.6	*	2	0.2	99.9	*	15
16	*	35	3.8	90.8	*	0	0.0	100.0	*	37	4.1	99.2	*	7	0.8	98.7	*	2	0.2	99.8	*	0	0.0	99.9	*	16
17	*	35	3.8	94.6	*	0	0.0	100.0	*	7	0.8	100.0	*	5	0.5	99.2	*	2	0.2	100.0	*	1	0.1	100.0	*	17
18	*	29	3.2	97.8	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.3	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	13	1.4	99.2	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.2	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	4	0.4	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	3	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE/CLASS

FFMC = 57.9      DMC = 6.1      DC = 114.7      ISI = 3.7      ADMC = 18.4      FWI = 3.6

THE TOTAL NUMBER OF OBSERVATIONS IS 912

MAXIMUM VALUES

FFMC = 91.0      DMC = 29.0      DC = 290.0      ISI = 62.8      ADMC = 45.0      FWI = 61.0

\*\*\*TOTALS FOR STATION 29 BONAVISTA LONG. 5305 LAT. 4842

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	3	0.3	0.3	*	93	7.8	7.8	*	41	3.4	3.4	*	98	8.2	8.2	*	15	1.3	1.3	*	378	31.7	31.7	*	1
2	*	13	1.1	1.3	*	147	12.3	20.1	*	78	6.5	10.0	*	180	15.1	23.3	*	28	2.3	3.6	*	221	18.5	50.2	*	2
3	*	14	1.2	2.5	*	144	12.1	32.2	*	83	7.0	16.9	*	175	14.7	37.9	*	36	3.0	6.6	*	101	8.5	58.6	*	3
4	*	23	1.9	4.4	*	149	12.5	44.6	*	57	4.8	21.7	*	147	12.3	50.3	*	44	3.7	10.3	*	82	6.9	65.5	*	4
5	*	33	2.8	7.2	*	140	11.7	56.4	*	46	3.9	25.5	*	116	9.7	60.0	*	95	8.0	18.3	*	93	7.8	73.3	*	5
6	*	31	2.6	9.8	*	108	9.0	65.4	*	47	3.9	29.5	*	93	7.8	67.8	*	100	8.4	26.6	*	96	8.0	81.3	*	6
7	*	27	2.3	12.1	*	88	7.4	72.8	*	85	7.1	36.6	*	68	5.7	73.5	*	83	7.0	33.6	*	70	5.9	87.2	*	7
8	*	40	3.4	15.4	*	73	6.1	78.9	*	84	7.0	43.6	*	106	8.9	82.3	*	88	7.4	41.0	*	47	3.9	91.1	*	8
9	*	59	4.9	20.4	*	61	5.1	84.0	*	65	5.4	49.1	*	59	4.9	87.3	*	73	6.1	47.1	*	54	4.5	95.6	*	9
10	*	60	5.0	25.4	*	35	2.9	86.9	*	55	4.6	53.7	*	34	2.8	90.1	*	93	7.8	54.9	*	28	2.3	98.0	*	10
11	*	58	4.9	30.2	*	87	7.3	94.2	*	41	3.4	57.1	*	64	5.4	95.5	*	67	5.6	60.5	*	15	1.3	99.2	*	11
12	*	79	6.6	36.9	*	32	2.7	96.9	*	48	4.0	61.1	*	25	2.1	97.6	*	71	5.9	66.4	*	5	0.4	99.7	*	12
13	*	104	8.7	45.6	*	15	1.3	98.2	*	51	4.3	65.4	*	16	1.3	98.9	*	139	11.6	78.1	*	3	0.3	99.9	*	13
14	*	151	12.6	58.2	*	11	0.9	99.1	*	108	9.0	74.5	*	8	0.7	99.6	*	96	8.0	86.1	*	1	0.1	100.0	*	14
15	*	191	16.0	74.2	*	9	0.8	99.8	*	106	8.9	83.3	*	3	0.3	99.8	*	68	5.7	91.8	*	0	0.0	100.0	*	15
16	*	83	7.0	81.2	*	2	0.2	100.0	*	53	4.4	87.8	*	2	0.2	100.0	*	46	3.9	95.6	*	0	0.0	100.0	*	16
17	*	101	8.5	89.6	*	0	0.0	100.0	*	26	2.2	89.9	*	0	0.0	100.0	*	24	2.0	97.7	*	0	0.0	100.0	*	17
18	*	55	4.6	94.2	*	0	0.0	100.0	*	44	3.7	93.6	*	0	0.0	100.0	*	15	1.3	98.9	*	0	0.0	100.0	*	18
19	*	59	4.9	99.2	*	0	0.0	100.0	*	63	5.3	98.9	*	0	0.0	100.0	*	7	0.6	99.5	*	0	0.0	100.0	*	19
20	*	7	0.6	99.7	*	0	0.0	100.0	*	13	1.1	100.0	*	0	0.0	100.0	*	6	0.5	100.0	*	0	0.0	100.0	*	20
21	*	3	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 66.6      DMC = 11.3      DC = 146.8      ISI = 2.4      ADMC = 31.1      FWI = 3.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1194

MAXIMUM VALUES

FFMC = 91.0      DMC = 51.0      DC = 436.0      ISI = 23.8      ADMC = 77.0      FWI = 34.0

49

\*\*\*TOTALS FOR STATION 38 BURGO 2 LONG. 5737 LAT. 4737

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	11	1.1	1.1	*	155	15.3	15.3	*	121	12.0	12.0	*	187	18.5	18.5	*	35	3.5	3.5	*	625	61.9	61.9	*	1
2	*	28	2.8	3.9	*	245	24.3	39.6	*	149	14.8	26.7	*	259	25.6	44.2	*	49	4.9	8.3	*	199	19.7	81.6	*	2
3	*	40	4.0	7.8	*	220	21.8	61.4	*	134	13.3	40.0	*	222	22.0	66.1	*	88	8.7	17.0	*	63	6.2	87.8	*	3
4	*	42	4.2	12.0	*	138	13.7	75.0	*	127	12.6	52.6	*	129	12.8	78.9	*	67	6.6	23.7	*	53	5.2	93.1	*	4
5	*	56	5.5	17.5	*	93	9.2	84.3	*	102	10.1	62.7	*	73	7.2	86.1	*	174	17.2	40.9	*	22	2.2	95.2	*	5
6	*	32	3.2	20.7	*	58	5.7	90.0	*	76	7.5	70.2	*	56	5.5	91.7	*	150	14.9	55.7	*	28	2.8	98.0	*	6
7	*	39	3.9	24.6	*	42	4.2	94.2	*	114	11.3	81.5	*	29	2.9	94.6	*	121	12.0	67.7	*	11	1.1	99.1	*	7
8	*	46	4.6	29.1	*	21	2.1	96.2	*	68	6.7	88.2	*	34	3.4	97.9	*	83	8.2	75.9	*	3	0.3	99.4	*	8
9	*	53	5.2	34.4	*	15	1.5	97.7	*	38	3.8	92.0	*	9	0.9	98.8	*	65	6.4	82.4	*	1	0.1	99.5	*	9
10	*	60	5.9	40.3	*	9	0.9	98.6	*	23	2.3	94.3	*	5	0.5	99.3	*	52	5.1	87.5	*	0	0.0	99.5	*	10
11	*	76	7.5	47.8	*	12	1.2	99.8	*	5	0.5	94.8	*	2	0.2	99.5	*	43	4.3	91.8	*	0	0.0	99.5	*	11
12	*	66	6.5	54.4	*	2	0.2	100.0	*	3	0.3	95.0	*	0	0.0	99.5	*	25	2.5	94.3	*	2	0.2	99.7	*	12
13	*	125	12.4	66.7	*	0	0.0	100.0	*	4	0.4	95.4	*	0	0.0	99.5	*	26	2.6	96.8	*	2	0.2	99.9	*	13
14	*	108	10.7	77.4	*	0	0.0	100.0	*	5	0.5	95.9	*	0	0.0	99.5	*	13	1.3	98.1	*	1	0.1	100.0	*	14
15	*	122	12.1	89.5	*	0	0.0	100.0	*	17	1.7	97.6	*	0	0.0	99.5	*	13	1.3	99.4	*	0	0.0	100.0	*	15
16	*	53	5.2	94.8	*	0	0.0	100.0	*	21	2.1	99.7	*	2	0.2	99.7	*	4	0.4	99.8	*	0	0.0	100.0	*	16
17	*	34	3.4	98.1	*	0	0.0	100.0	*	3	0.3	100.0	*	3	0.3	100.0	*	2	0.2	100.0	*	0	0.0	100.0	*	17
18	*	9	0.9	99.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	10	1.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 56.6      DMC = 6.4      DC = 54.1      ISI = 1.1      ADMC = 16.6      FWI = 1.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1010

MAXIMUM VALUES

FFMC = 88.0      DMC = 29.0      DC = 279.0      ISI = 32.2      ADMC = 45.0      FWI = 32.0

\*\*\*TOTALS FOR STATION 35 CAPE RACE LONG. 5304 LAT. 4639

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	129	13.2	13.2	*	62	6.3	6.3	*	120	12.3	12.3	*	20	2.0	2.0	*	461	47.1	47.1	*	1
2	*	2	0.2	0.2	*	206	21.1	34.3	*	93	9.5	15.8	*	187	19.1	31.4	*	49	5.0	7.1	*	193	19.7	66.9	*	2
3	*	13	1.3	1.5	*	167	17.1	51.3	*	93	9.5	25.4	*	189	19.3	50.7	*	43	4.4	11.5	*	74	7.6	74.4	*	3
4	*	34	3.5	5.0	*	162	16.6	67.9	*	89	9.1	34.5	*	132	13.5	64.2	*	64	6.5	18.0	*	69	7.1	81.5	*	4
5	*	49	5.0	10.0	*	95	9.7	77.6	*	91	9.3	43.8	*	84	8.6	72.8	*	138	14.1	32.1	*	55	5.6	87.1	*	5
6	*	45	4.6	14.6	*	76	7.8	85.4	*	80	8.2	51.9	*	66	6.7	79.6	*	110	11.2	43.4	*	61	6.2	93.4	*	6
7	*	43	4.4	19.0	*	53	5.4	90.8	*	117	12.0	63.9	*	55	5.6	85.2	*	107	10.9	54.3	*	29	3.0	96.3	*	7
8	*	41	4.2	23.2	*	29	3.0	93.8	*	112	11.5	75.4	*	67	6.9	92.0	*	110	11.2	65.5	*	17	1.7	98.1	*	8
9	*	59	6.0	29.2	*	19	1.9	95.7	*	80	8.2	83.5	*	32	3.3	95.3	*	80	8.2	73.7	*	14	1.4	99.5	*	9
10	*	77	7.9	37.1	*	19	1.9	97.6	*	51	5.2	88.8	*	19	1.9	97.2	*	63	6.4	80.2	*	4	0.4	99.9	*	10
11	*	68	7.0	44.1	*	17	1.7	99.4	*	38	3.9	92.6	*	17	1.7	99.0	*	51	5.2	85.4	*	0	0.0	99.9	*	11
12	*	71	7.3	51.3	*	5	0.5	99.9	*	25	2.6	95.2	*	2	0.2	99.2	*	40	4.1	89.5	*	1	0.1	100.0	*	12
13	*	84	8.6	59.9	*	1	0.1	100.0	*	20	2.0	97.2	*	5	0.5	99.7	*	51	5.2	94.7	*	0	0.0	100.0	*	13
14	*	120	12.3	72.2	*	0	0.0	100.0	*	19	1.9	99.2	*	2	0.2	99.9	*	25	2.6	97.2	*	0	0.0	100.0	*	14
15	*	153	15.6	87.8	*	0	0.0	100.0	*	6	0.6	99.8	*	0	0.0	99.9	*	15	1.5	98.8	*	0	0.0	100.0	*	15
16	*	54	5.5	93.4	*	0	0.0	100.0	*	2	0.2	100.0	*	1	0.1	100.0	*	9	0.9	99.7	*	0	0.0	100.0	*	16
17	*	40	4.1	97.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.3	100.0	*	0	0.0	100.0	*	17
18	*	13	1.3	98.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	8	0.8	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	3	0.3	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 60.3      DMC = 7.4      DC = 71.1      ISI = 1.6      ADMC = 20.1      FWI = 1.8

THE TOTAL NUMBER OF OBSERVATIONS IS 978

MAXIMUM VALUES

FFMC = 92.0      DMC = 31.0      DC = 258.0      ISI = 23.1      ADMC = 43.0      FWI = 26.0

\*\*\*TOTALS FOR STATION 45 CARTWRIGHT LONG. 5701 LAT. 5343

CLASS	NO.OF	FFMC		DMC		DC		ISI		ADMC		FWI		* CLASS						
		OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.							
1	*	79	6.7	6.7	* 188	16.1	16.1	* 35	3.0	3.0	* 181	15.5	15.5	* 50	4.3	4.3	* 413	35.3	35.3	* 1
2	*	21	1.8	8.5	* 189	16.1	32.2	* 50	4.3	7.3	* 132	11.3	26.7	* 58	5.0	9.2	* 180	15.4	50.6	* 2
3	*	17	1.5	10.0	* 187	16.0	48.2	* 74	6.3	13.6	* 126	10.8	37.5	* 29	2.5	11.7	* 61	5.2	55.8	* 3
4	*	30	2.6	12.6	* 150	12.8	61.0	* 60	5.1	18.7	* 107	9.1	46.6	* 69	5.9	17.6	* 60	5.1	61.0	* 4
5	*	27	2.3	14.9	* 89	7.6	68.6	* 55	4.7	23.4	* 82	7.0	53.6	* 110	9.4	27.0	* 72	6.1	67.1	* 5
6	*	25	2.1	17.0	* 80	6.8	75.4	* 61	5.2	28.6	* 71	6.1	59.7	* 138	11.8	38.8	* 99	8.5	75.6	* 6
7	*	38	3.2	20.2	* 80	6.8	82.2	* 176	15.0	43.6	* 39	3.3	63.0	* 102	8.7	47.5	* 59	5.0	80.6	* 7
8	*	39	3.3	23.6	* 54	4.6	86.8	* 121	10.3	54.0	* 83	7.1	70.1	* 106	9.1	56.5	* 53	4.5	85.1	* 8
9	*	38	3.2	26.8	* 39	3.3	90.2	* 90	7.7	61.7	* 75	6.4	76.5	* 94	8.0	64.6	* 68	5.8	90.9	* 9
10	*	43	3.7	30.5	* 28	2.4	92.6	* 85	7.3	68.9	* 43	3.7	80.2	* 65	5.6	70.1	* 38	3.2	94.2	* 10
11	*	58	5.0	35.4	* 54	4.6	97.2	* 95	8.1	77.0	* 56	4.8	85.0	* 56	4.8	74.9	* 30	2.6	96.8	* 11
12	*	80	6.8	42.3	* 19	1.6	98.8	* 88	7.5	84.5	* 52	4.4	89.4	* 51	4.4	79.2	* 12	1.0	97.8	* 12
13	*	100	8.5	50.8	* 4	0.3	99.1	* 75	6.4	90.9	* 37	3.2	92.6	* 102	8.7	88.0	* 7	0.6	98.4	* 13
14	*	102	8.7	59.5	* 10	0.9	100.0	* 32	2.7	93.7	* 39	3.3	95.9	* 61	5.2	93.2	* 15	1.3	99.7	* 14
15	*	151	12.9	72.4	* 0	0.0	100.0	* 11	0.9	94.6	* 19	1.6	97.5	* 27	2.3	95.5	* 2	0.2	99.8	* 15
16	*	84	7.2	79.6	* 0	0.0	100.0	* 9	0.8	95.4	* 14	1.2	98.7	* 28	2.4	97.9	* 2	0.2	100.0	* 16
17	*	83	7.1	86.7	* 0	0.0	100.0	* 19	1.6	97.0	* 7	0.6	99.3	* 16	1.4	99.2	* 0	0.0	100.0	* 17
18	*	76	6.5	93.2	* 0	0.0	100.0	* 34	2.9	99.9	* 3	0.3	99.6	* 8	0.7	99.9	* 0	0.0	100.0	* 18
19	*	34	2.9	96.1	* 0	0.0	100.0	* 1	0.1	100.0	* 3	0.3	99.8	* 1	0.1	100.0	* 0	0.0	100.0	* 19
20	*	38	3.2	99.3	* 0	0.0	100.0	* 0	0.0	100.0	* 2	0.2	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 20
21	*	8	0.7	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 21
22	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 22
23	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 23
24	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 24
25	*	0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 25

AVERAGE/CLASS

FFMC = 61.8      DMC = 8.7      DC = 108.1      ISI = 4.1      ADMC = 24.0      FWI = 4.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1171

MAXIMUM VALUES

FFMC = 92.0      DMC = 40.0      DC = 352.0      ISI = 62.2      ADMC = 61.0      FWI = 58.0

\*\*\*TOTALS FOR STATION 39

DANIELS HARBOUR

LONG. 5735

LAT. 5014

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	125	11.0	11.0	*	58	5.1	5.1	*	111	9.7	9.7	*	25	2.2	2.2	*	633	55.5	55.5	*	1
2	*	12	1.1	1.1	*	222	19.5	30.4	*	69	6.1	11.1	*	332	29.1	38.9	*	30	2.6	4.8	*	296	26.0	81.5	*	2
3	*	16	1.4	2.5	*	234	20.5	51.0	*	59	5.2	16.3	*	303	26.6	65.4	*	34	3.0	7.8	*	77	6.8	88.2	*	3
4	*	36	3.2	5.6	*	175	15.4	66.3	*	53	4.6	21.0	*	181	15.9	81.3	*	69	6.1	13.9	*	49	4.3	92.5	*	4
5	*	29	2.5	8.2	*	136	11.9	78.2	*	62	5.4	26.4	*	87	7.6	88.9	*	127	11.1	25.0	*	43	3.8	96.3	*	5
6	*	46	4.0	12.2	*	98	8.6	86.8	*	65	5.7	32.1	*	52	4.6	93.5	*	141	12.4	37.4	*	26	2.3	98.6	*	6
7	*	41	3.6	15.8	*	68	6.0	92.8	*	101	8.9	41.0	*	27	2.4	95.9	*	120	10.5	47.9	*	7	0.6	99.2	*	7
8	*	61	5.4	21.1	*	47	4.1	96.9	*	107	9.4	50.4	*	32	2.8	98.7	*	142	12.5	60.4	*	3	0.3	99.5	*	8
9	*	78	6.8	28.0	*	24	2.1	99.0	*	98	8.6	58.9	*	5	0.4	99.1	*	123	10.8	71.1	*	2	0.2	99.6	*	9
10	*	75	6.6	34.6	*	5	0.4	99.5	*	123	10.8	69.7	*	2	0.2	99.3	*	84	7.4	78.5	*	1	0.1	99.7	*	10
11	*	94	8.2	42.8	*	6	0.5	100.0	*	114	10.0	79.7	*	3	0.3	99.6	*	66	5.8	84.3	*	0	0.0	99.7	*	11
12	*	107	9.4	52.2	*	0	0.0	100.0	*	101	8.9	88.6	*	1	0.1	99.6	*	57	5.0	89.3	*	2	0.2	99.9	*	12
13	*	128	11.2	63.4	*	0	0.0	100.0	*	70	6.1	94.7	*	0	0.0	99.6	*	88	7.7	97.0	*	1	0.1	100.0	*	13
14	*	158	13.9	77.3	*	0	0.0	100.0	*	46	4.0	98.3	*	1	0.1	99.7	*	29	2.5	99.6	*	0	0.0	100.0	*	14
15	*	175	15.4	92.6	*	0	0.0	100.0	*	14	1.2	100.0	*	0	0.0	99.7	*	5	0.4	100.0	*	0	0.0	100.0	*	15
16	*	44	3.9	96.5	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16
17	*	29	2.5	99.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	17
18	*	9	0.8	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	2	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 60.1

DMC = 7.2

DC = 101.5

ISI = 1.1

ADMC = 21.0

FWI = 1.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1140

MAXIMUM VALUES

FFMC = 88.0

DMC = 25.0

DC = 250.0

ISI = 26.3

ADMC = 34.0

FWI = 30.0

\*\*\*TOTALS FOR STATION 40 DEER LAKE LONG. 5726 LAT. 4910

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	3	0.2	0.2	*	73	5.3	5.3	*	59	4.3	4.3	*	94	6.8	6.8	*	26	1.9	1.9	*	464	33.7	33.7	*	1
2	*	9	0.7	0.9	*	112	8.1	13.4	*	53	3.9	8.1	*	246	17.9	24.7	*	24	1.7	3.6	*	268	19.5	53.2	*	2
3	*	23	1.7	2.5	*	145	10.5	24.0	*	63	4.6	12.7	*	272	19.8	44.5	*	18	1.3	4.9	*	110	8.0	61.2	*	3
4	*	22	1.6	4.1	*	184	13.4	37.4	*	64	4.7	17.4	*	140	10.2	54.7	*	24	1.7	6.7	*	91	6.6	67.8	*	4
5	*	25	1.8	6.0	*	182	13.2	50.6	*	46	3.3	20.7	*	131	9.5	64.2	*	74	5.4	12.1	*	82	6.0	73.8	*	5
6	*	33	2.4	8.4	*	134	9.7	60.3	*	58	4.2	24.9	*	106	7.7	71.9	*	91	6.6	18.7	*	121	8.8	82.6	*	6
7	*	38	2.8	11.1	*	115	8.4	68.7	*	96	7.0	31.9	*	66	4.8	76.7	*	97	7.0	25.7	*	77	5.6	88.2	*	7
8	*	40	2.9	14.0	*	91	6.6	75.3	*	120	8.7	40.6	*	124	9.0	85.7	*	124	9.0	34.7	*	60	4.4	92.5	*	8
9	*	46	3.3	17.4	*	81	5.9	81.2	*	109	7.9	48.5	*	71	5.2	90.8	*	111	8.1	42.8	*	74	5.4	97.9	*	9
10	*	77	5.6	23.0	*	60	4.4	85.5	*	120	8.7	57.3	*	63	4.6	95.4	*	131	9.5	52.3	*	20	1.5	99.3	*	10
11	*	74	5.4	28.3	*	104	7.6	93.1	*	94	6.8	64.1	*	44	3.2	98.6	*	73	5.3	57.6	*	5	0.4	99.7	*	11
12	*	103	7.5	35.8	*	57	4.1	97.2	*	96	7.0	71.1	*	14	1.0	99.6	*	73	5.3	62.9	*	0	0.0	99.7	*	12
13	*	101	7.3	43.2	*	28	2.0	99.3	*	108	7.8	78.9	*	0	0.0	99.6	*	176	12.8	75.7	*	1	0.1	99.8	*	13
14	*	130	9.4	52.6	*	6	0.4	99.7	*	136	9.9	88.3	*	1	0.1	99.7	*	140	10.2	85.9	*	3	0.2	100.0	*	14
15	*	184	13.4	66.0	*	4	0.3	100.0	*	107	7.8	96.6	*	0	0.0	99.7	*	95	6.9	92.8	*	0	0.0	100.0	*	15
16	*	105	7.6	73.6	*	0	0.0	100.0	*	32	2.3	98.9	*	3	0.2	99.9	*	51	3.7	96.5	*	0	0.0	100.0	*	16
17	*	120	8.7	82.3	*	0	0.0	100.0	*	15	1.1	100.0	*	1	0.1	100.0	*	42	3.1	99.6	*	0	0.0	100.0	*	17
18	*	102	7.4	89.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	18
19	*	74	5.4	95.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	59	4.3	99.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	7	0.5	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 68.0      DMC = 12.2      DC = 105.6      ISI = 2.1      ADMC = 32.4      FWI = 3.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1376

MAXIMUM VALUES

FFMC = 94.0      DMC = 49.0      DC = 300.0      ISI = 32.2      ADMC = 55.0      FWI = 38.0



\*\*\*TOTALS FOR STATION 30 EXPLOITS DAM LONG, 5636 LAT, 4846

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	1	0.1	0.1	*	70	5.3	5.3	*	46	3.5	3.5	*	73	5.5	5.5	*	13	1.0	1.0	*	352	26.6	26.6	*	1
2	*	3	0.2	0.3	*	118	8.9	14.2	*	91	6.9	10.3	*	158	11.9	17.4	*	30	2.3	3.2	*	226	17.1	43.6	*	2
3	*	6	0.5	0.8	*	157	11.8	26.0	*	83	6.3	16.6	*	193	14.6	32.0	*	16	1.2	4.5	*	112	8.5	52.1	*	3
4	*	31	2.3	3.1	*	176	13.3	39.3	*	67	5.1	21.7	*	137	10.3	42.3	*	50	3.8	8.2	*	84	6.3	58.4	*	4
5	*	17	1.3	4.4	*	162	12.2	51.5	*	72	5.4	27.1	*	121	9.1	51.5	*	91	6.9	15.1	*	80	6.0	64.5	*	5
6	*	29	2.2	6.6	*	134	10.1	61.7	*	66	5.0	32.1	*	104	7.8	59.3	*	88	6.6	21.7	*	139	10.5	74.9	*	6
7	*	36	2.7	9.3	*	102	7.7	69.4	*	124	9.4	41.4	*	73	5.5	64.8	*	112	8.5	30.2	*	86	6.5	81.4	*	7
8	*	38	2.9	12.2	*	92	6.9	76.3	*	117	8.8	50.3	*	136	10.3	75.1	*	95	7.2	37.4	*	72	5.4	86.9	*	8
9	*	42	3.2	15.3	*	76	5.7	82.0	*	107	8.1	58.3	*	83	6.3	81.4	*	119	9.0	46.3	*	103	7.8	94.6	*	9
10	*	63	4.8	20.1	*	51	3.8	85.9	*	77	5.8	64.2	*	67	5.1	86.4	*	98	7.4	53.7	*	32	2.4	97.1	*	10
11	*	79	6.0	26.0	*	96	7.2	93.1	*	81	6.1	70.3	*	88	6.6	93.1	*	89	6.7	60.5	*	25	1.9	98.9	*	11
12	*	86	6.5	32.5	*	43	3.2	96.4	*	93	7.0	77.3	*	46	3.5	96.5	*	81	6.1	66.6	*	10	0.8	99.7	*	12
13	*	88	6.6	39.2	*	30	2.3	98.6	*	44	3.3	80.6	*	29	2.2	98.7	*	146	11.0	77.6	*	3	0.2	99.9	*	13
14	*	118	8.9	48.1	*	16	1.2	99.8	*	68	5.1	85.7	*	13	1.0	99.7	*	124	9.4	86.9	*	1	0.1	100.0	*	14
15	*	195	14.7	62.8	*	2	0.2	100.0	*	53	4.0	89.7	*	2	0.2	99.8	*	61	4.6	91.5	*	0	0.0	100.0	*	15
16	*	111	8.4	71.2	*	0	0.0	100.0	*	47	3.5	93.3	*	2	0.2	100.0	*	50	3.8	95.3	*	0	0.0	100.0	*	16
17	*	117	8.8	80.0	*	0	0.0	100.0	*	25	1.9	95.2	*	0	0.0	100.0	*	39	2.9	98.3	*	0	0.0	100.0	*	17
18	*	114	8.6	88.6	*	0	0.0	100.0	*	53	4.0	99.2	*	0	0.0	100.0	*	19	1.4	99.7	*	0	0.0	100.0	*	18
19	*	88	6.6	95.2	*	0	0.0	100.0	*	11	0.8	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	19
20	*	51	3.8	99.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	12	0.9	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.7      DMC = 12.1      DC = 119.7      ISI = 3.0      ADMC = 31.6      FWI = 4.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1325

MAXIMUM VALUES

FFMC = 92.0      DMC = 45.0      DC = 364.0      ISI = 23.8      ADMC = 68.0      FWI = 33.0

\*\*\*TOTALS FOR STATION 28 GANDER A LONG. 5434 LAT. 4857

CLASS	FFMC			DMC			DC			ISI			ADMC			Fwi			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	65	4.8	4.8	*	36	2.7	2.7	*	116	8.7	8.7	*	15	1.1	1.1	*	370	27.4	27.4	*	1
2	*	4	0.3	0.3	*	117	8.7	13.5	*	48	3.6	6.2	*	169	12.5	21.3	*	16	1.2	2.3	*	199	14.7	42.1	*	2
3	*	22	1.6	1.9	*	141	10.4	23.9	*	51	3.8	10.0	*	167	12.4	33.6	*	19	1.4	3.7	*	79	5.9	48.0	*	3
4	*	37	2.7	4.7	*	122	9.0	33.0	*	52	3.9	13.9	*	128	9.5	43.1	*	39	2.9	6.6	*	85	6.3	54.3	*	4
5	*	36	2.7	7.3	*	140	10.4	43.3	*	38	2.8	16.7	*	113	8.4	51.5	*	71	5.3	11.9	*	79	5.9	60.1	*	5
6	*	48	3.6	10.9	*	101	7.5	50.8	*	54	4.0	20.7	*	84	6.2	57.7	*	78	5.8	17.6	*	122	9.0	69.2	*	6
7	*	39	2.9	13.8	*	95	7.0	57.9	*	108	8.0	28.7	*	67	5.0	62.7	*	100	7.4	25.0	*	97	7.2	76.4	*	7
8	*	30	2.2	16.0	*	92	6.8	64.7	*	114	8.4	37.1	*	125	9.3	71.9	*	86	6.4	31.4	*	64	4.7	81.1	*	8
9	*	37	2.7	18.7	*	82	6.1	70.7	*	97	7.2	44.3	*	82	6.1	78.0	*	92	6.8	38.2	*	115	8.5	89.6	*	9
10	*	55	4.1	22.8	*	80	5.9	76.7	*	94	7.0	51.3	*	83	6.1	84.1	*	73	5.4	43.6	*	67	5.0	94.6	*	10
11	*	68	5.0	27.9	*	128	9.5	86.1	*	102	7.6	58.8	*	81	6.0	90.1	*	82	6.1	49.7	*	32	2.4	97.0	*	11
12	*	84	6.2	34.1	*	65	4.8	91.0	*	104	7.7	66.5	*	63	4.7	94.8	*	62	4.6	54.3	*	22	1.6	98.6	*	12
13	*	84	6.2	40.3	*	38	2.8	93.8	*	94	7.0	73.5	*	34	2.5	97.3	*	174	12.9	67.2	*	12	0.9	99.5	*	13
14	*	119	8.8	49.1	*	24	1.8	95.6	*	92	6.8	80.3	*	27	2.0	99.3	*	141	10.4	77.5	*	7	0.5	100.0	*	14
15	*	156	11.6	60.7	*	37	2.7	98.3	*	58	4.3	84.6	*	7	0.5	99.9	*	93	6.9	84.5	*	0	0.0	100.0	*	15
16	*	99	7.3	68.0	*	8	0.6	98.9	*	60	4.4	89.0	*	1	0.1	99.9	*	67	5.0	89.5	*	0	0.0	100.0	*	16
17	*	126	9.3	77.3	*	4	0.3	99.2	*	72	5.3	94.4	*	1	0.1	100.0	*	66	4.9	94.4	*	0	0.0	100.0	*	17
18	*	107	7.9	85.3	*	6	0.4	99.6	*	57	4.2	98.6	*	0	0.0	100.0	*	34	2.5	96.9	*	0	0.0	100.0	*	18
19	*	104	7.7	93.0	*	5	0.4	100.0	*	17	1.3	99.9	*	0	0.0	100.0	*	23	1.7	98.6	*	0	0.0	100.0	*	19
20	*	73	5.4	98.4	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	5	0.4	99.0	*	0	0.0	100.0	*	20
21	*	22	1.6	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.4	99.3	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.4	99.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 68.5      DMC = 15.3      DC = 145.4      ISI = 3.2      ADMC = 38.1      Fwi = 5.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1350

MAXIMUM VALUES

FFMC = 92.0      DMC = 92.0      DC = 406.0      ISI = 31.0      ADMC = 112.0      Fwi = 39.0

\*\*\*TOTALS FOR STATION 43 GOOSE A LONG. 6025 LAT. 5319

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	12	0.9	0.9	*	108	8.2	8.2	*	78	5.9	5.9	*	127	9.7	9.7	*	38	2.9	2.9	*	410	31.2	31.2	*	1
2	*	13	1.0	1.9	*	151	11.5	19.7	*	80	6.1	12.0	*	171	13.0	22.7	*	41	3.1	6.0	*	172	13.1	44.3	*	2
3	*	21	1.6	3.5	*	154	11.7	31.4	*	80	6.1	18.1	*	153	11.6	34.3	*	31	2.4	8.4	*	77	5.9	50.2	*	3
4	*	31	2.4	5.9	*	162	12.3	43.8	*	103	7.8	26.0	*	101	7.7	42.0	*	42	3.2	11.6	*	54	4.1	54.3	*	4
5	*	29	2.2	8.1	*	143	10.9	54.6	*	116	8.8	34.8	*	92	7.0	49.0	*	89	6.8	18.3	*	53	4.0	58.3	*	5
6	*	49	3.7	11.8	*	134	10.2	64.8	*	101	7.7	42.5	*	56	4.3	53.3	*	121	9.2	27.5	*	117	8.9	67.2	*	6
7	*	42	3.2	15.0	*	96	7.3	72.1	*	155	11.8	54.3	*	54	4.1	57.4	*	107	8.1	35.7	*	89	6.8	74.0	*	7
8	*	30	2.3	17.3	*	81	6.2	78.3	*	136	10.4	64.6	*	106	8.1	65.4	*	132	10.0	45.7	*	70	5.3	79.3	*	8
9	*	59	4.5	21.8	*	59	4.5	82.8	*	94	7.2	71.8	*	68	5.2	70.6	*	94	7.2	52.9	*	106	8.1	87.4	*	9
10	*	48	3.7	25.4	*	56	4.3	87.1	*	86	6.5	78.3	*	69	5.3	75.9	*	97	7.4	60.3	*	71	5.4	92.8	*	10
11	*	66	5.0	30.4	*	93	7.1	94.1	*	68	5.2	83.5	*	105	8.0	83.9	*	83	6.3	66.6	*	40	3.0	95.8	*	11
12	*	68	5.2	35.6	*	38	2.9	97.0	*	39	3.0	86.5	*	62	4.7	88.6	*	74	5.6	72.2	*	24	1.8	97.6	*	12
13	*	75	5.7	41.3	*	16	1.2	98.2	*	37	2.8	89.3	*	53	4.0	92.6	*	130	9.9	82.1	*	11	0.8	98.5	*	13
14	*	121	9.2	50.5	*	10	0.8	99.0	*	46	3.5	92.8	*	42	3.2	95.8	*	75	5.7	87.8	*	14	1.1	99.5	*	14
15	*	147	11.2	61.7	*	10	0.8	99.8	*	48	3.7	96.4	*	26	2.0	97.8	*	72	5.5	93.3	*	5	0.4	99.9	*	15
16	*	78	5.9	67.7	*	3	0.2	100.0	*	30	2.3	98.7	*	20	1.5	99.3	*	39	3.0	96.3	*	1	0.1	100.0	*	16
17	*	108	8.2	75.9	*	0	0.0	100.0	*	16	1.2	99.9	*	3	0.2	99.5	*	33	2.5	98.8	*	0	0.0	100.0	*	17
18	*	110	8.4	84.2	*	0	0.0	100.0	*	1	0.1	100.0	*	5	0.4	99.9	*	12	0.9	99.7	*	0	0.0	100.0	*	18
19	*	102	7.8	92.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	3	0.2	99.9	*	0	0.0	100.0	*	19
20	*	66	5.0	97.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	20
21	*	32	2.4	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	7	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE/CLASS

FFMC = 67.6      DMC = 11.4      DC = 91.5      ISI = 4.3      ADMC = 28.7      FWI = 5.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1314

MAXIMUM VALUES

FFMC = 93.0      DMC = 55.0      DC = 303.0      ISI = 53.2      ADMC = 72.0      FWI = 56.0

\*\*\*TOTALS FOR STATION 36 GRAND BANK LONG. 5546 LAT. 4706

CLASS	FFMC			DMC			DC			ISI			ADMC			Fwi			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	43	3.3	3.3	*	40	3.0	3.0	*	77	5.8	5.8	*	5	0.4	0.4	*	380	28.8	28.8	*	1
2	*	4	0.3	0.3	*	154	11.7	14.9	*	86	6.5	9.5	*	165	12.5	18.3	*	17	1.3	1.7	*	257	19.5	48.3	*	2
3	*	8	0.6	0.9	*	216	16.4	31.3	*	91	6.9	16.4	*	227	17.2	35.5	*	22	1.7	3.3	*	125	9.5	57.7	*	3
4	*	16	1.2	2.1	*	190	14.4	45.7	*	86	6.5	23.0	*	158	12.0	47.5	*	42	3.2	6.5	*	122	9.2	67.0	*	4
5	*	27	2.0	4.2	*	174	13.2	58.9	*	85	6.4	29.4	*	134	10.2	57.7	*	105	8.0	14.5	*	82	6.2	73.2	*	5
6	*	35	2.7	6.8	*	139	10.5	69.4	*	68	5.2	34.5	*	132	10.0	67.7	*	131	9.9	24.4	*	119	9.0	82.2	*	6
7	*	54	4.1	10.9	*	105	8.0	77.3	*	115	8.7	43.3	*	97	7.3	75.0	*	122	9.2	33.6	*	90	6.8	89.0	*	7
8	*	39	3.0	13.9	*	76	5.8	83.1	*	116	8.8	52.0	*	122	9.2	84.2	*	133	10.1	43.7	*	55	4.2	93.2	*	8
9	*	52	3.9	17.8	*	63	4.8	87.9	*	100	7.6	59.6	*	73	5.5	89.8	*	109	8.3	52.0	*	61	4.6	97.8	*	9
10	*	67	5.1	22.9	*	37	2.8	90.7	*	74	5.6	65.2	*	49	3.7	93.5	*	104	7.9	59.8	*	16	1.2	99.0	*	10
11	*	86	6.5	29.4	*	56	4.2	94.9	*	55	4.2	69.4	*	55	4.2	97.7	*	102	7.7	67.6	*	6	0.5	99.5	*	11
12	*	86	6.5	35.9	*	21	1.6	96.5	*	43	3.3	72.7	*	18	1.4	99.0	*	66	5.0	72.6	*	5	0.4	99.8	*	12
13	*	113	8.6	44.5	*	21	1.6	98.1	*	46	3.5	76.1	*	4	0.3	99.3	*	145	11.0	83.6	*	2	0.2	100.0	*	13
14	*	141	10.7	55.2	*	12	0.9	99.0	*	61	4.6	80.8	*	7	0.5	99.8	*	85	6.4	90.0	*	0	0.0	100.0	*	14
15	*	273	20.7	75.8	*	13	1.0	100.0	*	50	3.8	84.5	*	1	0.1	99.9	*	38	2.9	92.9	*	0	0.0	100.0	*	15
16	*	121	9.2	85.0	*	0	0.0	100.0	*	54	4.1	88.6	*	1	0.1	100.0	*	25	1.9	94.8	*	0	0.0	100.0	*	16
17	*	112	8.5	93.5	*	0	0.0	100.0	*	47	3.6	92.2	*	0	0.0	100.0	*	33	2.5	97.3	*	0	0.0	100.0	*	17
18	*	65	4.9	98.4	*	0	0.0	100.0	*	36	2.7	94.9	*	0	0.0	100.0	*	19	1.4	98.7	*	0	0.0	100.0	*	18
19	*	17	1.3	99.7	*	0	0.0	100.0	*	47	3.6	98.5	*	0	0.0	100.0	*	12	0.9	99.6	*	0	0.0	100.0	*	19
20	*	4	0.3	100.0	*	0	0.0	100.0	*	20	1.5	100.0	*	0	0.0	100.0	*	5	0.4	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 67.1      DMC = 11.0      DC = 127.8      ISI = 2.3      ADMC = 29.7      Fwi = 3.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1320

MAXIMUM VALUES

FFMC = 89.0      DMC = 50.0      DC = 426.0      ISI = 23.1      ADMC = 75.0      Fwi = 30.0

150

\*\*\*TOTALS FOR STATION 31 GRAND FALLS LONG. 5540 LAT. 4856

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	19	1.3	1.3	*	19	1.3	1.3	*	57	3.9	3.9	*	0	0.0	0.0	*	286	19.7	19.7	*	1
2	*	3	0.2	0.2	*	89	6.1	7.4	*	40	2.8	4.1	*	163	11.2	15.1	*	8	0.6	0.6	*	183	12.6	32.3	*	2
3	*	5	0.3	0.6	*	123	8.5	15.9	*	62	4.3	8.3	*	163	11.2	26.3	*	5	0.3	0.9	*	108	7.4	39.7	*	3
4	*	9	0.6	1.2	*	126	8.7	24.6	*	57	3.9	12.2	*	123	8.5	34.8	*	20	1.4	2.3	*	83	5.7	45.4	*	4
5	*	29	2.0	3.2	*	157	10.8	35.4	*	45	3.1	15.3	*	99	6.8	41.6	*	61	4.2	6.5	*	66	4.5	49.9	*	5
6	*	31	2.1	5.3	*	145	10.0	45.3	*	58	4.0	19.3	*	108	7.4	49.0	*	77	5.3	11.8	*	175	12.0	62.0	*	6
7	*	26	1.8	7.1	*	132	9.1	54.4	*	99	6.8	26.1	*	80	5.5	54.5	*	86	5.9	17.7	*	118	8.1	70.1	*	7
8	*	31	2.1	9.2	*	103	7.1	61.5	*	123	8.5	34.6	*	145	10.0	64.5	*	84	5.8	23.5	*	108	7.4	77.5	*	8
9	*	35	2.4	11.6	*	88	6.1	67.5	*	136	9.4	43.9	*	107	7.4	71.9	*	95	6.5	30.0	*	134	9.2	86.7	*	9
10	*	72	5.0	16.6	*	77	5.3	72.8	*	114	7.8	51.8	*	104	7.2	79.0	*	97	6.7	36.7	*	94	6.5	93.2	*	10
11	*	58	4.0	20.6	*	149	10.2	83.1	*	115	7.9	59.7	*	114	7.8	86.9	*	102	7.0	43.7	*	48	3.3	96.5	*	11
12	*	80	5.5	26.1	*	102	7.0	90.1	*	102	7.0	66.7	*	83	5.7	92.6	*	91	6.3	49.9	*	25	1.7	98.2	*	12
13	*	103	7.1	33.1	*	71	4.9	95.0	*	87	6.0	72.7	*	52	3.6	96.1	*	197	13.5	63.5	*	17	1.2	99.4	*	13
14	*	116	8.0	41.1	*	36	2.5	97.5	*	84	5.8	78.5	*	40	2.8	98.9	*	144	9.9	73.4	*	7	0.5	99.9	*	14
15	*	175	12.0	53.2	*	26	1.8	99.2	*	65	4.5	82.9	*	10	0.7	99.6	*	113	7.8	81.2	*	2	0.1	100.0	*	15
16	*	104	7.2	60.3	*	8	0.6	99.8	*	60	4.1	87.1	*	6	0.4	100.0	*	84	5.8	86.9	*	0	0.0	100.0	*	16
17	*	152	10.5	70.8	*	3	0.2	100.0	*	46	3.2	90.2	*	0	0.0	100.0	*	116	8.0	94.9	*	0	0.0	100.0	*	17
18	*	143	9.8	80.6	*	0	0.0	100.0	*	83	5.7	95.9	*	0	0.0	100.0	*	42	2.9	97.8	*	0	0.0	100.0	*	18
19	*	138	9.5	90.1	*	0	0.0	100.0	*	44	3.0	99.0	*	0	0.0	100.0	*	16	1.1	98.9	*	0	0.0	100.0	*	19
20	*	101	6.9	97.0	*	0	0.0	100.0	*	15	1.0	100.0	*	0	0.0	100.0	*	8	0.6	99.4	*	0	0.0	100.0	*	20
21	*	39	2.7	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	99.9	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.4      DMC = 16.1      DC = 152.0      ISI = 3.9      ADMC = 41.1      FWI = 6.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1454

MAXIMUM VALUES

FFMC = 93.0      DMC = 62.0      DC = 438.0      ISI = 26.2      ADMC = 92.0      FWI = 46.0

\*\*\*TOTALS FOR STATION 46 HOPEDALE LONG. 6014 LAT. 5527

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	175	18.4	18.4	*	336	35.3	35.3	*	90	9.4	9.4	*	275	28.9	28.9	*	146	15.3	15.3	*	479	50.3	50.3	*	1
2	*	25	2.6	21.0	*	172	18.0	53.3	*	76	8.0	17.4	*	109	11.4	40.3	*	95	10.0	25.3	*	169	17.7	68.0	*	2
3	*	21	2.2	23.2	*	133	14.0	67.3	*	70	7.3	24.8	*	102	10.7	51.0	*	36	3.8	29.1	*	46	4.8	72.8	*	3
4	*	13	1.4	24.6	*	95	10.0	77.2	*	64	6.7	31.5	*	94	9.9	60.9	*	75	7.9	36.9	*	42	4.4	77.2	*	4
5	*	29	3.0	27.6	*	59	6.2	83.4	*	47	4.9	36.4	*	69	7.2	68.1	*	103	10.8	47.7	*	38	4.0	81.2	*	5
6	*	31	3.3	30.8	*	40	4.2	87.6	*	42	4.4	40.8	*	59	6.2	74.3	*	110	11.5	59.3	*	62	6.5	87.7	*	6
7	*	29	3.0	33.9	*	31	3.3	90.9	*	95	10.0	50.8	*	34	3.6	77.9	*	88	9.2	68.5	*	40	4.2	91.9	*	7
8	*	16	1.7	35.6	*	24	2.5	93.4	*	79	8.3	59.1	*	52	5.5	83.3	*	50	5.2	73.8	*	23	2.4	94.3	*	8
9	*	41	4.3	39.9	*	5	0.5	93.9	*	80	8.4	67.5	*	45	4.7	88.0	*	41	4.3	78.1	*	27	2.8	97.2	*	9
10	*	33	3.5	43.3	*	3	0.3	94.2	*	67	7.0	74.5	*	26	2.7	90.8	*	41	4.3	82.4	*	15	1.6	98.7	*	10
11	*	56	5.9	49.2	*	19	2.0	96.2	*	57	6.0	80.5	*	39	4.1	94.9	*	25	2.6	85.0	*	7	0.7	99.5	*	11
12	*	76	8.0	57.2	*	4	0.4	96.6	*	29	3.0	83.5	*	18	1.9	96.7	*	26	2.7	87.7	*	3	0.3	99.8	*	12
13	*	82	8.6	65.8	*	12	1.3	97.9	*	30	3.1	86.7	*	7	0.7	97.5	*	50	5.2	93.0	*	1	0.1	99.9	*	13
14	*	104	10.9	76.7	*	20	2.1	100.0	*	32	3.4	90.0	*	10	1.0	98.5	*	18	1.9	94.9	*	1	0.1	100.0	*	14
15	*	108	11.3	88.0	*	0	0.0	100.0	*	23	2.4	92.4	*	7	0.7	99.3	*	7	0.7	95.6	*	0	0.0	100.0	*	15
16	*	46	4.8	92.9	*	0	0.0	100.0	*	17	1.8	94.2	*	6	0.6	99.9	*	10	1.0	96.6	*	0	0.0	100.0	*	16
17	*	34	3.6	96.4	*	0	0.0	100.0	*	7	0.7	95.0	*	0	0.0	99.9	*	9	0.9	97.6	*	0	0.0	100.0	*	17
18	*	20	2.1	98.5	*	0	0.0	100.0	*	11	1.2	96.1	*	0	0.0	99.9	*	23	2.4	100.0	*	0	0.0	100.0	*	18
19	*	8	0.8	99.4	*	0	0.0	100.0	*	31	3.3	99.4	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	6	0.6	100.0	*	0	0.0	100.0	*	6	0.6	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE/CLASS

FFMC = 50.8      DMC = 6.3      DC = 101.5      ISI = 2.2      ADMC = 17.6      FWI = 2.4

THE TOTAL NUMBER OF OBSERVATIONS IS 953

MAXIMUM VALUES

FFMC = 90.0      DMC = 40.0      DC = 414.0      ISI = 54.9      ADMC = 57.0      FWI = 33.0

\*\*\*TOTALS FOR STATION 41

PORT AUX BASQUE

LONG. 5910

LAT. 4734

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	6	0.6	0.6	*	136	14.5	14.5	*	52	5.5	5.5	*	166	17.7	17.7	*	16	1.7	1.7	*	540	57.4	57.4	*	1
2	*	15	1.6	2.2	*	201	21.4	35.9	*	83	8.8	14.4	*	235	25.0	42.7	*	46	4.9	6.6	*	226	24.0	81.5	*	2
3	*	23	2.4	4.7	*	190	20.2	56.1	*	97	10.3	24.7	*	222	23.6	66.3	*	48	5.1	11.7	*	75	8.0	89.5	*	3
4	*	55	5.9	10.5	*	152	16.2	72.2	*	90	9.6	34.3	*	146	15.5	81.8	*	66	7.0	18.7	*	51	5.4	94.9	*	4
5	*	47	5.0	15.5	*	95	10.1	82.3	*	89	9.5	43.7	*	74	7.9	89.7	*	136	14.5	33.2	*	14	1.5	96.4	*	5
6	*	43	4.6	20.1	*	60	6.4	88.7	*	71	7.6	51.3	*	44	4.7	94.4	*	142	15.1	48.3	*	18	1.9	98.3	*	6
7	*	35	3.7	23.8	*	44	4.7	93.4	*	98	10.4	61.7	*	15	1.6	96.0	*	103	11.0	59.3	*	8	0.9	99.1	*	7
8	*	50	5.3	29.1	*	24	2.6	96.0	*	100	10.6	72.3	*	22	2.3	98.3	*	97	10.3	69.6	*	3	0.3	99.5	*	8
9	*	47	5.0	34.1	*	19	2.0	98.0	*	79	8.4	80.7	*	7	0.7	99.0	*	73	7.8	77.3	*	C	0.0	99.5	*	9
10	*	55	5.9	40.0	*	12	1.3	99.3	*	58	6.2	86.9	*	1	0.1	99.1	*	47	5.0	82.3	*	1	0.1	99.6	*	10
11	*	64	6.8	46.8	*	7	0.7	100.0	*	30	3.2	90.1	*	3	0.3	99.5	*	39	4.1	86.5	*	C	0.0	99.6	*	11
12	*	75	8.0	54.8	*	0	0.0	100.0	*	27	2.9	93.0	*	0	0.0	99.5	*	36	3.8	90.3	*	2	0.2	99.8	*	12
13	*	113	12.0	66.8	*	0	0.0	100.0	*	12	1.3	94.3	*	0	0.0	99.5	*	47	5.0	95.3	*	2	0.2	100.0	*	13
14	*	121	12.9	79.7	*	0	0.0	100.0	*	18	1.9	96.2	*	0	0.0	99.5	*	29	3.1	98.4	*	0	0.0	100.0	*	14
15	*	122	13.0	92.7	*	0	0.0	100.0	*	23	2.4	98.6	*	0	0.0	99.5	*	15	1.6	100.0	*	C	0.0	100.0	*	15
16	*	33	3.5	96.2	*	0	0.0	100.0	*	13	1.4	100.0	*	1	0.1	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	16
17	*	19	2.0	98.2	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	17
18	*	10	1.1	99.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	6	0.6	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 56.9

DMC = 6.7

DC = 71.3

ISI = 1.1

ADMC = 19.1

FWI = 1.0

\*\*\*TOTALS FOR STATION 42 ST. ANTHONY LONG. 5535 LAT. 5122

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	14	1.3	1.3	*	180	16.6	16.6	*	82	7.5	7.5	*	176	16.2	16.2	*	43	4.0	4.0	*	636	58.5	58.5	*	1
2	*	22	2.0	3.3	*	212	19.5	36.1	*	70	6.4	14.0	*	293	27.0	43.1	*	60	5.5	9.5	*	219	20.1	78.7	*	2
3	*	33	3.0	6.3	*	188	17.3	53.4	*	70	6.4	20.4	*	243	22.4	65.5	*	34	3.1	12.6	*	55	5.1	83.7	*	3
4	*	42	3.9	10.2	*	154	14.2	67.5	*	62	5.7	26.1	*	135	12.4	77.9	*	80	7.4	20.0	*	59	5.4	89.1	*	4
5	*	48	4.4	14.6	*	110	10.1	77.6	*	65	6.0	32.1	*	78	7.2	85.1	*	126	11.6	31.6	*	31	2.9	92.0	*	5
6	*	41	3.8	18.4	*	79	7.3	84.9	*	61	5.6	37.7	*	48	4.4	89.5	*	132	12.1	43.7	*	45	4.1	96.1	*	6
7	*	54	5.0	23.4	*	49	4.5	89.4	*	165	15.2	52.9	*	30	2.8	92.3	*	126	11.6	55.3	*	25	2.3	98.4	*	7
8	*	43	4.0	27.3	*	40	3.7	93.1	*	141	13.0	65.9	*	40	3.7	96.0	*	86	7.9	63.2	*	12	1.1	99.5	*	8
9	*	59	5.4	32.8	*	25	2.3	95.4	*	80	7.4	73.2	*	20	1.8	97.8	*	96	8.8	72.0	*	4	0.4	99.9	*	9
10	*	74	6.8	39.6	*	24	2.2	97.6	*	50	4.6	77.8	*	18	1.7	99.4	*	63	5.8	77.8	*	1	0.1	100.0	*	10
11	*	85	7.8	47.4	*	23	2.1	99.7	*	36	3.3	81.1	*	4	0.4	99.8	*	57	5.2	83.1	*	0	C.C	100.0	*	11
12	*	94	8.6	56.0	*	3	0.3	100.0	*	36	3.3	84.5	*	1	0.1	99.9	*	48	4.4	87.5	*	0	C.C	100.0	*	12
13	*	104	9.6	65.6	*	0	0.0	100.0	*	39	3.6	88.0	*	1	0.1	100.0	*	53	4.9	92.4	*	0	C.C	100.0	*	13
14	*	106	9.8	75.3	*	0	0.0	100.0	*	48	4.4	92.5	*	0	0.0	100.0	*	40	3.7	96.0	*	0	C.C	100.0	*	14
15	*	140	12.9	88.2	*	0	0.0	100.0	*	43	4.0	96.4	*	0	0.0	100.0	*	26	2.4	98.4	*	0	C.C	100.0	*	15
16	*	46	4.2	92.5	*	0	0.0	100.0	*	31	2.9	99.3	*	0	0.0	100.0	*	13	1.2	99.6	*	0	C.C	100.0	*	16
17	*	36	3.3	95.8	*	0	0.0	100.0	*	8	0.7	100.0	*	0	0.0	100.0	*	4	0.4	100.0	*	0	C.C	100.0	*	17
18	*	29	2.7	98.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	C.C	100.0	*	18
19	*	13	1.2	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	C.C	100.0	*	19
20	*	3	0.3	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	C.C	100.0	*	20
21	*	0	0.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	C.C	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	C.C	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	C.C	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	C.C	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	C.C	100.0	*	25

AVERAGE VALUES

FFMC = 57.5      DMC = 7.2      DC = 93.3      ISI = 1.1      ADMC = 3.5      FWI = 1.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1087

MAXIMUM VALUES

FFMC = 93.0      DMC = 28.0      DC = 297.0      ISI = 10.8      ADMC = 45.0      FWI = 15.0



\*\*\*TOTALS FOR STATION 33 ST. JOHNS TORBAY A LONG. 5245 LAT. 4737

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	3	0.2	0.2	*	116	8.9	8.9	*	61	4.7	4.7	*	106	8.2	8.2	*	23	1.8	1.8	*	418	32.2	32.2	*	1
2	*	6	0.5	0.7	*	145	11.2	20.1	*	95	7.3	12.0	*	177	13.6	21.8	*	36	2.8	4.5	*	199	15.3	47.5	*	2
3	*	20	1.5	2.2	*	166	12.8	32.9	*	112	8.6	20.6	*	199	15.3	37.1	*	46	3.5	8.1	*	113	8.7	56.2	*	3
4	*	28	2.2	4.4	*	172	13.3	46.1	*	76	5.9	26.5	*	138	10.6	47.8	*	44	3.4	11.5	*	84	6.5	62.7	*	4
5	*	40	3.1	7.5	*	121	9.3	55.5	*	67	5.2	31.7	*	104	8.0	55.8	*	104	8.0	19.5	*	82	6.3	69.0	*	5
6	*	37	2.9	10.3	*	117	9.0	64.5	*	54	4.2	35.8	*	100	7.7	63.5	*	107	8.2	27.7	*	114	8.8	77.8	*	6
7	*	39	3.0	13.3	*	86	6.6	71.1	*	118	9.1	44.9	*	74	5.7	69.2	*	107	8.2	36.0	*	76	5.9	83.7	*	7
8	*	40	3.1	16.4	*	80	6.2	77.3	*	124	9.6	54.5	*	123	9.5	78.7	*	113	8.7	44.7	*	59	4.5	88.2	*	8
9	*	49	3.8	20.2	*	68	5.2	82.5	*	82	6.3	60.8	*	81	6.2	84.9	*	101	7.8	52.5	*	84	6.5	94.7	*	9
10	*	63	4.9	25.0	*	49	3.8	86.3	*	46	3.5	64.3	*	58	4.5	89.4	*	71	5.5	57.9	*	35	2.7	97.4	*	10
11	*	67	5.2	30.2	*	62	4.8	91.1	*	55	4.2	68.6	*	64	4.9	94.3	*	72	5.5	63.5	*	18	1.4	98.8	*	11
12	*	86	6.6	36.8	*	47	3.6	94.7	*	68	5.2	73.8	*	29	2.2	96.5	*	70	5.4	68.9	*	9	0.7	99.5	*	12
13	*	105	8.1	44.9	*	32	2.5	97.1	*	68	5.2	79.0	*	24	1.8	98.4	*	121	9.3	78.2	*	5	0.4	99.8	*	13
14	*	122	9.4	54.3	*	21	1.6	98.8	*	83	6.4	85.4	*	14	1.1	99.5	*	96	7.4	85.6	*	2	0.2	100.0	*	14
15	*	198	15.3	69.6	*	13	1.0	99.8	*	62	4.8	90.2	*	2	0.2	99.6	*	62	4.8	90.4	*	0	0.0	100.0	*	15
16	*	105	8.1	77.7	*	3	0.2	100.0	*	52	4.0	94.2	*	5	0.4	100.0	*	44	3.4	93.8	*	0	0.0	100.0	*	16
17	*	125	9.6	87.3	*	0	0.0	100.0	*	51	3.9	98.2	*	0	0.0	100.0	*	47	3.6	97.4	*	0	0.0	100.0	*	17
18	*	86	6.6	93.9	*	0	0.0	100.0	*	24	1.8	100.0	*	0	0.0	100.0	*	24	1.8	99.2	*	0	0.0	100.0	*	18
19	*	51	3.9	97.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.7	99.9	*	0	0.0	100.0	*	19
20	*	23	1.8	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	20
21	*	5	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 66.6      DMC = 11.7      DC = 115.0      ISI = 2.7      ADMC = 30.3      FWI = 4.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1298

MAXIMUM VALUES

FFMC = 92.0      DMC = 55.0      DC = 338.0      ISI = 24.3      ADMC = 73.0      FWI = 38.0

\*\*\*TOTALS FOR STATION 32 SPRINGDALE LONG, 5605 LAT, 4930

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	28	1.9	1.9	*	20	1.3	1.3	*	76	5.1	5.1	*	6	0.4	0.4	*	294	19.6	19.6	*	1
2	*	6	0.4	0.4	*	85	5.7	7.5	*	35	2.3	3.7	*	141	9.4	14.5	*	8	0.5	0.9	*	199	13.3	32.9	*	2
3	*	16	1.1	1.5	*	111	7.4	15.0	*	55	3.7	7.3	*	160	10.7	25.2	*	8	0.5	1.5	*	99	6.6	39.5	*	3
4	*	18	1.2	2.7	*	153	10.2	25.2	*	59	3.9	11.3	*	139	9.3	34.5	*	17	1.1	2.6	*	97	6.5	46.0	*	4
5	*	23	1.5	4.2	*	147	9.8	35.0	*	63	4.2	15.5	*	109	7.3	41.8	*	60	4.0	6.6	*	93	6.2	52.2	*	5
6	*	30	2.0	6.2	*	142	9.5	44.5	*	66	4.4	19.9	*	113	7.5	49.3	*	60	4.0	10.6	*	140	9.4	61.6	*	6
7	*	27	1.8	8.0	*	144	9.6	54.1	*	120	8.0	27.9	*	78	5.2	54.5	*	82	5.5	16.1	*	132	8.8	70.4	*	7
8	*	34	2.3	10.3	*	127	8.5	62.6	*	117	7.8	35.7	*	164	11.0	65.5	*	107	7.1	23.2	*	105	7.0	77.4	*	8
9	*	40	2.7	13.0	*	104	6.9	69.5	*	131	8.8	44.5	*	107	7.1	72.6	*	94	6.3	29.5	*	145	9.7	87.1	*	9
10	*	48	3.2	16.2	*	94	6.3	75.8	*	126	8.4	52.9	*	92	6.1	78.8	*	102	6.8	36.3	*	86	5.7	92.9	*	10
11	*	51	3.4	19.6	*	152	10.2	86.0	*	138	9.2	62.1	*	142	9.5	88.2	*	117	7.8	44.2	*	53	3.5	96.4	*	11
12	*	90	6.0	25.6	*	96	6.4	92.4	*	83	5.5	67.7	*	75	5.0	93.3	*	89	5.9	50.1	*	22	1.5	97.9	*	12
13	*	94	6.3	31.9	*	47	3.1	95.5	*	61	4.1	71.7	*	41	2.7	96.0	*	221	14.8	64.9	*	16	1.1	98.9	*	13
14	*	116	7.7	39.6	*	26	1.7	97.3	*	98	6.5	78.3	*	37	2.5	98.5	*	173	11.6	76.4	*	15	1.0	99.9	*	14
15	*	215	14.4	54.0	*	21	1.4	98.7	*	75	5.0	83.3	*	18	1.2	99.7	*	118	7.9	84.3	*	1	C.1	100.0	*	15
16	*	106	7.1	61.1	*	17	1.1	99.8	*	75	5.0	88.3	*	5	0.3	100.0	*	74	4.9	89.2	*	C	C.0	100.0	*	16
17	*	154	10.3	71.3	*	3	0.2	100.0	*	76	5.1	93.4	*	0	0.0	100.0	*	93	6.2	95.5	*	0	0.0	100.0	*	17
18	*	164	11.0	82.3	*	0	0.0	100.0	*	58	3.9	97.3	*	C	0.0	100.0	*	26	1.7	97.2	*	0	0.0	100.0	*	18
19	*	135	9.0	91.3	*	0	0.0	100.0	*	12	0.8	98.1	*	0	0.0	100.0	*	14	0.9	98.1	*	0	0.0	100.0	*	19
20	*	92	6.1	97.5	*	0	0.0	100.0	*	8	0.5	98.6	*	C	C.0	100.0	*	11	0.7	98.9	*	C	0.0	100.0	*	20
21	*	35	2.3	99.8	*	0	0.0	100.0	*	12	0.8	99.4	*	C	0.0	100.0	*	12	0.8	99.7	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	9	0.6	100.0	*	C	0.0	100.0	*	5	0.3	100.0	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	C	C.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.6      DMC = 15.7      DC = 150.2      ISI = 3.8      ADMC = 40.6      FWI = 6.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1497

MAXIMUM VALUES

FFMC = 94.0      DMC = 64.0      DC = 530.0      ISI = 24.5      ADMC = 97.0      FWI = 45.0

\*\*\*TOTALS FOR STATION 37 STEPHENVILLE A LONG. 5833 LAT. 4832

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	4	0.3	0.3	*	825	65.2	65.2	*	1191	94.1	94.1	*	123	9.7	9.7	*	455	35.9	35.9	*	1209	95.5	95.5	*	1
2	*	9	0.7	1.0	*	373	29.5	94.6	*	2	0.2	94.2	*	726	57.3	67.1	*	368	29.1	65.0	*	21	1.7	97.2	*	2
3	*	23	1.8	2.8	*	23	1.8	96.4	*	7	0.6	94.8	*	353	27.9	94.9	*	288	22.7	87.8	*	7	0.6	97.7	*	3
4	*	28	2.2	5.1	*	14	1.1	97.6	*	5	0.4	95.2	*	24	1.9	96.8	*	77	6.1	93.8	*	13	1.0	98.7	*	4
5	*	35	2.8	7.8	*	17	1.3	98.9	*	5	0.4	95.6	*	9	0.7	97.6	*	14	1.1	94.9	*	7	0.6	99.3	*	5
6	*	68	5.4	13.2	*	9	0.7	99.6	*	4	0.3	95.9	*	12	0.9	98.5	*	9	0.7	95.7	*	6	0.5	99.8	*	6
7	*	74	5.8	19.0	*	4	0.3	99.9	*	8	0.6	96.5	*	2	0.2	98.7	*	10	0.8	96.4	*	3	0.2	100.0	*	7
8	*	114	9.0	28.0	*	1	0.1	100.0	*	12	0.9	97.5	*	7	0.6	99.2	*	10	0.8	97.2	*	0	0.0	100.0	*	8
9	*	164	13.0	41.0	*	0	0.0	100.0	*	14	1.1	98.6	*	4	0.3	99.5	*	11	0.9	98.1	*	0	0.0	100.0	*	9
10	*	231	18.2	59.2	*	0	0.0	100.0	*	12	0.9	99.5	*	6	0.5	100.0	*	9	0.7	98.8	*	0	0.0	100.0	*	10
11	*	268	21.2	80.4	*	0	0.0	100.0	*	6	0.5	100.0	*	0	0.0	100.0	*	9	0.7	99.5	*	0	0.0	100.0	*	11
12	*	166	13.1	93.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	99.8	*	0	0.0	100.0	*	12
13	*	40	3.2	96.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.2	100.0	*	0	0.0	100.0	*	13
14	*	11	0.9	97.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14
15	*	18	1.4	99.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15
16	*	5	0.4	99.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16
17	*	5	0.4	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	17
18	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 52.4      DMC = 2.2      DC = 10.2      ISI = 0.5      ADMC = 4.6      FWI = .12

THE TOTAL NUMBER OF OBSERVATIONS IS 1226

MAXIMUM VALUES

FFMC = 86.0      DMC = 16.0      DC = 160.0      ISI = 5.7      ADMC = 23.0      FWI = 7.0

\*\*\*TOTALS FOR STATION 49 TWIN FALLS LONG. 6431 LAT. 5330

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	23	2.1	2.1	*	226	21.1	21.1	*	66	6.2	6.2	*	106	9.9	9.9	*	59	5.5	5.5	*	407	38.0	38.0	*	1
2	*	14	1.3	3.5	*	145	13.5	34.6	*	61	5.7	11.8	*	153	14.3	24.2	*	83	7.7	13.2	*	194	18.1	56.1	*	2
3	*	21	2.0	5.4	*	136	12.7	47.3	*	65	6.1	17.9	*	175	16.3	40.5	*	28	2.6	15.9	*	60	5.6	61.7	*	3
4	*	14	1.3	6.7	*	108	10.1	57.4	*	61	5.7	23.6	*	132	12.3	52.8	*	76	7.1	22.9	*	73	6.8	68.5	*	4
5	*	26	2.4	9.1	*	91	8.5	65.9	*	66	6.2	29.8	*	91	8.5	61.3	*	102	9.5	32.5	*	45	4.2	72.7	*	5
6	*	19	1.8	10.9	*	66	6.2	72.0	*	53	4.9	34.7	*	54	5.0	66.3	*	86	8.0	40.5	*	83	7.7	80.4	*	6
7	*	36	3.4	14.3	*	66	6.2	78.2	*	118	11.0	45.7	*	45	4.2	70.5	*	92	8.6	49.1	*	53	4.9	85.4	*	7
8	*	37	3.5	17.7	*	57	5.3	83.5	*	105	9.8	55.5	*	79	7.4	77.9	*	71	6.6	55.7	*	40	3.7	89.1	*	8
9	*	43	4.0	21.7	*	39	3.6	87.1	*	105	9.8	65.3	*	53	4.9	82.8	*	74	6.9	62.6	*	60	5.6	94.7	*	9
10	*	54	5.0	26.8	*	37	3.5	90.6	*	72	6.7	72.0	*	37	3.5	86.3	*	59	5.5	68.1	*	20	1.9	96.5	*	10
11	*	73	6.8	33.6	*	49	4.6	95.1	*	112	10.4	82.5	*	65	6.1	92.4	*	50	4.7	72.8	*	17	1.6	98.1	*	11
12	*	108	10.1	43.7	*	28	2.6	97.8	*	72	6.7	89.2	*	28	2.6	95.0	*	62	5.8	78.5	*	9	0.8	99.0	*	12
13	*	89	8.3	52.0	*	10	0.9	98.7	*	46	4.3	93.5	*	20	1.9	96.8	*	84	7.8	86.4	*	6	0.6	99.5	*	13
14	*	110	10.3	62.2	*	4	0.4	99.1	*	11	1.0	94.5	*	19	1.8	98.6	*	48	4.5	90.9	*	3	0.3	99.8	*	14
15	*	134	12.5	74.7	*	10	0.9	100.0	*	9	0.8	95.3	*	5	0.5	99.1	*	43	4.0	94.9	*	1	0.1	99.9	*	15
16	*	58	5.4	80.1	*	0	0.0	100.0	*	14	1.3	96.6	*	6	0.6	99.6	*	24	2.2	97.1	*	1	0.1	100.0	*	16
17	*	69	6.4	86.6	*	0	0.0	100.0	*	5	0.5	97.1	*	3	0.3	99.9	*	23	2.1	99.3	*	0	0.0	100.0	*	17
18	*	56	5.2	91.8	*	0	0.0	100.0	*	12	1.1	98.2	*	0	0.0	99.9	*	8	0.7	100.0	*	0	0.0	100.0	*	18
19	*	40	3.7	95.5	*	0	0.0	100.0	*	19	1.8	100.0	*	0	0.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	36	3.4	98.9	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	9	0.8	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	3	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE/CLASS

FFMC = 64.3      DMC = 9.3      DC = 100.0      ISI = 2.9      ADMC = 24.1      FWI = 3.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1072

MAXIMUM VALUES

FFMC = 94.0      DMC = 50.0      DC = 396.0      ISI = 64.0      ADMC = 59.0      FWI = 56.0

106

\*\*\*TOTALS FOR STATION 50 WABASH LAKE LONG, 6652 LAT, 5256

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	15	1.4	1.4	*	259	24.1	24.1	*	77	7.2	7.2	*	98	9.1	9.1	*	79	7.4	7.4	*	475	44.2	44.2	*	1
2	*	15	1.4	2.8	*	198	18.4	42.6	*	94	8.8	15.9	*	178	16.6	25.7	*	94	8.8	16.1	*	196	18.2	62.5	*	2
3	*	24	2.2	5.0	*	146	13.6	56.1	*	79	7.4	23.3	*	219	20.4	46.1	*	29	2.7	18.8	*	71	6.6	69.1	*	3
4	*	14	1.3	6.3	*	121	11.3	67.4	*	80	7.4	30.7	*	118	11.0	57.1	*	93	8.7	27.5	*	61	5.7	74.8	*	4
5	*	21	2.0	8.3	*	89	8.3	75.7	*	75	7.0	37.7	*	85	7.9	65.0	*	131	12.2	39.7	*	47	4.4	79.1	*	5
6	*	27	2.5	10.8	*	73	6.8	82.5	*	94	8.8	46.5	*	66	6.1	71.1	*	114	10.6	50.3	*	65	6.1	85.2	*	6
7	*	36	3.4	14.2	*	55	5.1	87.6	*	184	17.1	63.6	*	55	5.1	76.3	*	93	8.7	58.9	*	41	3.8	89.0	*	7
8	*	56	5.2	19.4	*	42	3.9	91.5	*	138	12.8	76.4	*	63	5.9	82.1	*	92	8.6	67.5	*	34	3.2	92.2	*	8
9	*	44	4.1	23.5	*	30	2.8	94.3	*	109	10.1	86.6	*	37	3.4	85.6	*	72	6.7	74.2	*	39	3.6	95.8	*	9
10	*	62	5.8	29.2	*	19	1.8	96.1	*	71	6.6	93.2	*	36	3.4	88.9	*	57	5.3	79.5	*	20	1.9	97.7	*	10
11	*	99	9.2	38.5	*	25	2.3	98.4	*	33	3.1	96.3	*	46	4.3	93.2	*	49	4.6	84.1	*	16	1.5	99.2	*	11
12	*	113	10.5	49.0	*	13	1.2	99.6	*	22	2.0	98.3	*	22	2.0	95.3	*	49	4.6	88.6	*	7	0.7	99.8	*	12
13	*	95	8.8	57.8	*	4	0.4	100.0	*	16	1.5	99.8	*	11	1.0	96.3	*	70	6.5	95.2	*	0	0.0	99.8	*	13
14	*	77	7.2	65.0	*	0	0.0	100.0	*	2	0.2	100.0	*	26	2.4	98.7	*	35	3.3	98.4	*	2	0.2	100.0	*	14
15	*	131	12.2	77.2	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.7	99.3	*	10	0.9	99.3	*	0	0.0	100.0	*	15
16	*	65	6.1	83.2	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.5	99.8	*	5	0.5	99.8	*	0	0.0	100.0	*	16
17	*	47	4.4	87.6	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.2	100.0	*	2	0.2	100.0	*	0	0.0	100.0	*	17
18	*	54	5.0	92.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	40	3.7	96.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	32	3.0	99.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	6	0.6	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE / CLASS

FFMC = 63.0      DMC = 7.2      DC = 68.9      ISI = 2.6      ADMC = 18.6      FWI = 2.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1074

MAXIMUM VALUES

FFMC = 93.0      DMC = 32.0      DC = 208.0      ISI = 37.7      ADMC = 42.0      FWI = 34.0

FINAL TOTALS FOR THE PROVINCE OF QUEBEC\*

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	* 1731	2.0	2.0	* 7866	9.3	9.3	* 3714	4.4	4.4	* 6213	7.3	7.3	* 2017	2.4	2.4	* 22445	26.5	26.5	* 1
2	* 837	1.0	3.0	* 8922	10.5	19.8	* 4537	5.4	9.8	* 8743	10.3	17.7	* 2822	3.3	5.7	* 13690	16.2	42.7	* 2
3	* 997	1.2	4.2	* 9618	11.4	31.2	* 4996	5.9	15.7	* 10896	12.9	30.6	* 1632	1.9	7.6	* 5642	6.7	49.4	* 3
4	* 1029	1.2	5.4	* 9201	10.9	42.1	* 4886	5.8	21.4	* 8663	10.2	40.8	* 3201	3.8	11.4	* 5086	6.0	55.4	* 4
5	* 1123	1.3	6.8	* 8464	10.0	52.1	* 4764	5.6	27.1	* 6530	7.7	48.5	* 5813	6.9	18.3	* 4454	5.3	60.7	* 5
6	* 1342	1.6	8.3	* 7163	8.5	60.6	* 4786	5.7	32.7	* 5225	6.2	54.7	* 6432	7.6	25.9	* 7500	8.9	69.5	* 6
7	* 1745	2.1	10.4	* 5971	7.1	67.6	* 9223	10.9	43.6	* 4545	5.4	60.1	* 6594	7.8	33.7	* 5731	6.8	76.3	* 7
8	* 2081	2.5	12.9	* 5053	6.0	73.6	* 8214	9.7	53.3	* 7302	8.6	68.7	* 6608	7.8	41.5	* 4557	5.4	81.7	* 8
9	* 2713	3.2	16.1	* 4057	4.8	78.4	* 7311	8.6	62.0	* 5694	6.7	75.4	* 6232	7.4	48.9	* 6356	7.5	89.2	* 9
10	* 3479	4.1	20.2	* 3304	3.9	82.3	* 6367	7.5	69.5	* 4317	5.1	80.5	* 5649	6.7	55.6	* 3769	4.5	93.7	* 10
11	* 4629	5.5	25.7	* 5921	7.0	89.3	* 5465	6.5	76.0	* 6053	7.2	87.7	* 5126	6.1	61.6	* 2277	2.7	96.3	* 11
12	* 5422	6.4	32.1	* 3541	4.2	93.5	* 4623	5.5	81.4	* 3652	4.3	92.0	* 4542	5.4	67.0	* 1331	1.6	97.9	* 12
13	* 6454	7.6	39.7	* 2149	2.5	96.0	* 3724	4.4	85.8	* 2297	2.7	94.7	* 9047	10.7	77.7	* 759	0.9	98.8	* 13
14	* 7874	9.3	49.0	* 1308	1.5	97.6	* 3671	4.3	90.2	* 2452	2.9	97.6	* 6189	7.3	85.0	* 747	0.9	99.7	* 14
15	* 10643	12.6	61.6	* 1276	1.5	99.1	* 2773	3.3	93.4	* 1015	1.2	98.8	* 4183	4.9	89.9	* 188	0.2	99.9	* 15
16	* 5601	6.6	68.2	* 482	0.6	99.6	* 2047	2.4	95.9	* 743	0.9	99.7	* 2862	3.4	93.3	* 46	0.1	100.0	* 16
17	* 6460	7.6	75.8	* 193	0.2	99.9	* 1366	1.6	97.5	* 174	0.2	99.9	* 3173	3.8	97.1	* 21	0.0	100.0	* 17
18	* 6905	8.2	84.0	* 79	0.1	100.0	* 1368	1.6	99.1	* 53	0.1	99.9	* 1434	1.7	98.8	* 0	0.0	100.0	* 18
19	* 6668	7.9	91.9	* 32	0.0	100.0	* 540	0.6	99.7	* 21	0.0	100.0	* 597	0.7	99.5	* 1	0.0	100.0	* 19
20	* 4664	5.5	97.4	* 0	0.0	100.0	* 170	0.2	99.9	* 11	0.0	100.0	* 255	0.3	99.8	* 0	0.0	100.0	* 20
21	* 1962	2.3	99.7	* 0	0.0	100.0	* 46	0.1	100.0	* 1	0.0	100.0	* 132	0.2	99.9	* 0	0.0	100.0	* 21
22	* 240	0.3	100.0	* 0	0.0	100.0	* 9	0.0	100.0	* 0	0.0	100.0	* 40	0.0	100.0	* 0	0.0	100.0	* 22
23	* 1	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 20	0.0	100.0	* 0	0.0	100.0	* 23
24	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 69.2      DMC = 12.8      DC = 109.7      ISI = 3.8      ADMC = 31.4      FWI = 5.5

THE TOTAL NUMBER OF OBSERVATIONS IS 84600

MAXIMUM VALUES

FFMC = 95.0      DMC = 103.0      DC = 526.0      ISI = 70.3      ADMC = 123.0      FWI = 88.0

\* INCLUDES LABRADOR

\*\*\*TOTALS FOR REGION

6

EASTERN QUEBEC

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	8	0.8	0.8	*	160	15.0	15.0	*	3	0.3	0.3	*	21	2.0	2.0	*	15	1.4	1.4	*	324	30.4	30.4	*	1
2	*	9	0.8	1.6	*	286	26.9	41.9	*	72	6.8	7.0	*	165	15.5	17.5	*	42	3.9	5.4	*	244	22.9	53.3	*	2
3	*	16	1.5	3.1	*	218	20.5	62.3	*	65	6.1	13.1	*	212	19.9	37.4	*	53	5.0	10.3	*	157	14.7	68.1	*	3
4	*	27	2.5	5.6	*	121	11.4	73.7	*	81	7.6	20.8	*	168	15.8	53.1	*	76	7.1	17.5	*	83	7.8	75.9	*	4
5	*	22	2.1	7.7	*	81	7.6	81.3	*	77	7.2	28.0	*	118	11.1	64.2	*	207	19.4	36.9	*	74	6.9	82.8	*	5
6	*	47	4.4	12.1	*	78	7.3	88.6	*	70	6.6	34.6	*	93	8.7	73.0	*	168	15.8	52.7	*	91	8.5	91.4	*	6
7	*	63	5.9	18.0	*	51	4.8	93.4	*	188	17.7	52.2	*	66	6.2	79.2	*	115	10.8	63.5	*	40	3.8	95.1	*	7
8	*	76	7.1	25.2	*	29	2.7	96.2	*	180	16.9	69.1	*	104	9.8	88.9	*	94	8.8	72.3	*	25	2.3	97.5	*	8
9	*	84	7.9	33.1	*	16	1.5	97.7	*	91	8.5	77.7	*	34	3.2	92.1	*	46	4.3	76.6	*	19	1.8	99.2	*	9
10	*	118	11.1	44.1	*	14	1.3	99.0	*	61	5.7	83.4	*	26	2.4	94.6	*	51	4.8	81.4	*	3	0.3	99.5	*	10
11	*	117	11.0	55.1	*	9	0.8	99.8	*	50	4.7	88.1	*	28	2.6	97.2	*	62	5.8	87.2	*	3	0.3	99.8	*	11
12	*	127	11.9	67.0	*	0	0.0	99.8	*	42	3.9	92.0	*	14	1.3	98.5	*	40	3.8	91.0	*	1	0.1	99.9	*	12
13	*	85	8.0	75.0	*	0	0.0	99.8	*	20	1.9	93.9	*	8	0.8	99.2	*	55	5.2	96.2	*	0	0.0	99.9	*	13
14	*	107	10.0	85.1	*	2	0.2	100.0	*	8	0.8	94.6	*	2	0.2	99.4	*	27	2.5	98.7	*	1	0.1	100.0	*	14
15	*	95	8.9	94.0	*	0	0.0	100.0	*	8	0.8	95.4	*	5	0.5	99.9	*	11	1.0	99.7	*	0	0.0	100.0	*	15
16	*	34	3.2	97.2	*	0	0.0	100.0	*	10	0.9	96.3	*	0	0.0	99.9	*	0	0.0	99.7	*	0	0.0	100.0	*	16
17	*	17	1.6	98.8	*	0	0.0	100.0	*	7	0.7	97.0	*	1	0.1	100.0	*	1	0.1	99.8	*	0	0.0	100.0	*	17
18	*	8	0.8	99.5	*	0	0.0	100.0	*	32	3.0	100.0	*	0	0.0	100.0	*	2	0.2	100.0	*	0	0.0	100.0	*	18
19	*	5	2.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 56.6      DMC = 6.5      DC = 91.3      ISI = 2.1      ADMC = 18.4      FWI = 2.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1065

MAXIMUM VALUES

FFMC = 88.0      DMC = 38.0      DC = 349.0      ISI = 33.9      ADMC = 55.0      FWI = 35.0

\*\*\*TOTALS FOR REGION 7

EAST-CENTRAL QUEBEC

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	16	1.4	1.4	*	141	12.4	12.4	*	50	4.4	4.4	*	18	1.6	1.6	*	41	3.6	3.6	*	232	20.3	20.3	*	1
2	*	10	0.9	2.3	*	161	14.1	26.5	*	78	6.8	11.2	*	155	13.6	15.2	*	35	3.1	6.7	*	217	19.0	39.4	*	2
3	*	18	1.6	3.9	*	174	15.2	41.7	*	70	6.1	17.4	*	147	12.9	28.0	*	38	3.3	10.0	*	157	13.8	53.1	*	3
4	*	14	1.2	5.1	*	182	16.0	57.7	*	63	5.5	22.9	*	128	11.2	39.3	*	56	4.9	14.9	*	99	8.7	61.8	*	4
5	*	26	2.3	7.4	*	145	12.7	70.4	*	70	6.1	29.0	*	117	10.3	49.5	*	122	10.7	25.6	*	85	7.4	69.2	*	5
6	*	26	2.3	9.6	*	116	10.2	80.5	*	77	6.7	35.8	*	93	8.2	57.7	*	110	9.6	35.2	*	139	12.2	81.4	*	6
7	*	47	4.1	13.8	*	85	7.4	88.0	*	158	13.8	49.6	*	90	7.9	65.6	*	125	11.0	46.2	*	73	6.4	87.8	*	7
8	*	78	6.8	20.6	*	54	4.7	92.7	*	130	11.4	61.0	*	137	12.0	77.6	*	103	9.0	55.2	*	52	4.6	92.4	*	8
9	*	78	6.8	27.4	*	30	2.6	95.4	*	115	10.1	71.1	*	65	5.7	83.3	*	112	9.8	65.0	*	44	3.9	96.2	*	9
10	*	66	5.8	33.2	*	28	2.5	97.8	*	126	11.0	82.1	*	53	4.6	87.9	*	84	7.4	72.4	*	23	2.0	98.2	*	10
11	*	95	8.3	41.5	*	23	2.0	99.8	*	77	6.7	88.9	*	62	5.4	93.3	*	86	7.5	79.9	*	14	1.2	99.5	*	11
12	*	90	7.9	49.4	*	2	0.2	100.0	*	63	5.5	94.4	*	31	2.7	96.1	*	62	5.4	85.4	*	4	0.4	99.8	*	12
13	*	119	10.4	59.9	*	0	0.0	100.0	*	28	2.5	96.8	*	12	1.1	97.1	*	115	10.1	95.4	*	1	0.1	99.9	*	13
14	*	138	12.1	72.0	*	0	0.0	100.0	*	29	2.5	99.4	*	14	1.2	98.3	*	40	3.5	98.9	*	0	0.0	99.9	*	14
15	*	157	13.8	85.7	*	0	0.0	100.0	*	7	0.6	100.0	*	9	0.8	99.1	*	12	1.1	100.0	*	0	0.0	99.9	*	15
16	*	67	5.9	91.6	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.6	99.7	*	0	0.0	100.0	*	1	0.1	100.0	*	16
17	*	42	3.7	95.3	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	17
18	*	33	2.9	98.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	14	1.2	99.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	6	0.5	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 61.4      DMC = 8.2      DC = 87.4      ISI = 3.1      ADMC = 22.2      FWI = 3.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1141

MAXIMUM VALUES

FFMC = 91.0      DMC = 29.0      DC = 233.0      ISI = 66.2      ADMC = 33.0      FWI = 52.0



\*\*\*TOTALS FOR REGION 8

GASPE-ST. LAWRENCE

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS				
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS			
1	*	1	0.1	0.1	*	18	1.3	1.3	*	4	0.3	0.3	*	0	0.0	0.0	*	130	9.3	9.3	*	1
2	*	2	0.1	0.2	*	95	6.8	8.1	*	27	1.9	2.2	*	98	7.0	7.0	*	185	13.3	22.6	*	2
3	*	7	0.5	0.7	*	140	10.0	18.1	*	64	4.6	6.8	*	126	9.0	16.0	*	160	11.5	34.0	*	3
4	*	9	0.6	1.4	*	175	12.5	30.7	*	73	5.2	12.0	*	151	10.8	26.9	*	18	1.3	2.1	*	4
5	*	17	1.2	2.6	*	203	14.5	45.2	*	104	7.4	19.5	*	118	8.5	35.3	*	65	4.7	6.8	*	5
6	*	21	1.5	4.1	*	181	13.0	58.2	*	70	5.0	24.5	*	132	9.5	44.8	*	88	6.3	13.1	*	6
7	*	43	3.1	7.2	*	143	10.2	68.4	*	118	8.5	33.0	*	117	8.4	53.2	*	104	7.4	20.6	*	7
8	*	51	3.7	10.8	*	97	6.9	75.4	*	155	11.1	44.1	*	196	14.0	67.2	*	138	9.9	30.4	*	8
9	*	50	3.6	14.4	*	84	6.0	81.4	*	131	9.4	53.4	*	133	9.5	76.7	*	143	10.2	40.7	*	9
10	*	64	4.6	19.0	*	64	4.6	86.0	*	151	10.8	64.3	*	97	6.9	83.7	*	123	8.8	49.5	*	10
11	*	82	5.9	24.9	*	96	6.9	92.8	*	126	9.0	73.3	*	121	8.7	92.3	*	123	8.8	58.3	*	11
12	*	149	10.7	35.5	*	59	4.2	97.1	*	88	6.3	79.6	*	54	3.9	96.2	*	113	8.1	66.4	*	12
13	*	128	9.2	44.7	*	28	2.0	99.1	*	98	7.0	86.6	*	18	1.3	97.5	*	205	14.7	81.1	*	13
14	*	207	14.8	59.5	*	8	0.6	99.6	*	80	5.7	92.3	*	20	1.4	98.9	*	101	7.2	88.3	*	14
15	*	218	15.6	75.1	*	5	0.4	100.0	*	61	4.4	96.7	*	8	0.6	99.5	*	70	5.0	93.3	*	15
16	*	105	7.5	82.7	*	0	0.0	100.0	*	45	3.2	99.9	*	5	0.4	99.9	*	52	3.7	97.1	*	16
17	*	92	6.6	89.3	*	0	0.0	100.0	*	1	0.1	100.0	*	2	0.1	100.0	*	38	2.7	99.8	*	17
18	*	81	5.8	95.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	18
19	*	49	3.5	98.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	17	1.2	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 68.3      DMC = 12.8      DC = 118.0      ISI = 3.7      ADMC = 32.9      FWI = 5.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1396

MAXIMUM VALUES

FFMC = 91.0      DMC = 45.0      DC = 279.0      ISI = 39.9      ADMC = 52.0      FWI = 47.0

\*\*\*TOTALS FOR REGION

9

NORTH-CENTRAL QUEBEC

FFMC					DMC			DC			ISI			ADMC			FWI			CLASS		
CLASS	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	CLASS	
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	
1	*	7	0.5	0.5	*	75	5.3	5.3	*	33	2.3	2.3	*	15	1.1	1.1	*	10	0.7	0.7	*	1
2	*	9	0.6	1.1	*	152	10.7	16.0	*	83	5.9	8.2	*	196	13.8	14.9	*	20	1.4	2.1	*	2
3	*	9	0.6	1.8	*	209	14.8	30.8	*	74	5.2	13.4	*	218	15.4	30.3	*	36	2.5	4.7	*	3
4	*	27	1.9	3.7	*	220	15.5	46.3	*	84	5.9	19.4	*	182	12.9	43.1	*	37	2.6	7.3	*	4
5	*	28	2.0	5.6	*	181	12.8	59.1	*	74	5.2	24.6	*	139	9.8	53.0	*	123	8.7	16.0	*	5
6	*	37	2.6	8.3	*	154	10.9	70.0	*	69	4.9	29.4	*	121	8.5	61.5	*	133	9.4	25.4	*	6
7	*	45	3.2	11.4	*	121	8.5	78.5	*	198	14.0	43.4	*	83	5.9	67.4	*	130	9.2	34.5	*	7
8	*	56	4.0	15.4	*	75	5.3	83.8	*	216	15.3	58.7	*	129	9.1	76.5	*	167	11.8	46.3	*	8
9	*	80	5.6	21.0	*	71	5.0	88.8	*	248	17.5	76.2	*	94	6.6	83.1	*	140	9.9	56.2	*	9
10	*	94	6.6	27.7	*	39	2.8	91.6	*	182	12.9	89.1	*	58	4.1	87.2	*	132	9.3	65.5	*	10
11	*	104	7.3	35.0	*	57	4.0	95.6	*	106	7.5	96.5	*	77	5.4	92.7	*	108	7.6	73.2	*	11
12	*	120	8.5	43.5	*	26	1.8	97.5	*	34	2.4	98.9	*	47	3.3	96.0	*	92	6.5	79.7	*	12
13	*	123	8.7	52.2	*	16	1.1	98.6	*	14	1.0	99.9	*	22	1.6	97.5	*	145	10.2	89.9	*	13
14	*	171	12.1	64.3	*	11	0.8	99.4	*	1	0.1	100.0	*	24	1.7	99.2	*	70	4.9	94.8	*	14
15	*	163	11.5	75.8	*	9	0.6	100.0	*	0	0.0	100.0	*	7	0.5	99.7	*	38	2.7	97.5	*	15
16	*	70	4.9	80.7	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	16	1.1	98.7	*	16
17	*	75	5.3	86.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	1.3	99.9	*	17
18	*	76	5.4	91.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	18
19	*	64	4.5	95.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	40	2.8	98.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	17	1.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 65.2      DMC = 10.7      DC = 86.0      ISI = 3.0      ADMC = 26.4      FWI = 4.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1416

MAXIMUM VALUES

FFMC = 93.0      DMC = 49.0      DC = 201.0      ISI = 24.7      ADMC = 53.0      FWI = 30.0

\*\*\*TOTALS FOR REGION 10

SOUTH-CENTRAL QUEBEC

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	0	0.0	0.0	*	31	1.9	1.9	*	51	3.2	3.2	*	1	0.1	0.1	*	8	0.5	0.5	*	145	9.1	9.1	*	1
2	*	2	0.1	0.1	*	87	5.5	7.4	*	41	2.6	5.8	*	99	6.2	6.3	*	11	0.7	1.2	*	176	11.0	20.1	*	2
3	*	5	0.3	0.4	*	124	7.8	15.2	*	45	2.8	8.6	*	132	8.3	14.5	*	17	1.1	2.3	*	174	10.9	31.0	*	3
4	*	5	0.3	0.8	*	143	9.0	24.1	*	49	3.1	11.7	*	161	10.1	24.6	*	23	1.4	3.7	*	147	9.2	40.3	*	4
5	*	12	0.8	1.5	*	181	11.3	35.5	*	66	4.1	15.8	*	153	9.6	34.2	*	54	3.4	7.1	*	124	7.8	48.0	*	5
6	*	20	1.3	2.8	*	153	9.6	45.1	*	107	6.7	22.5	*	125	7.8	42.1	*	79	5.0	12.0	*	188	11.8	59.8	*	6
7	*	41	2.6	5.3	*	183	11.5	56.6	*	195	12.2	34.7	*	99	6.2	48.3	*	92	5.8	17.8	*	162	10.2	70.0	*	7
8	*	32	2.0	7.3	*	139	8.7	65.3	*	200	12.5	47.3	*	201	12.6	60.9	*	107	6.7	24.5	*	133	8.3	78.3	*	8
9	*	57	3.6	10.9	*	118	7.4	72.7	*	202	12.7	59.9	*	143	9.0	69.8	*	136	8.5	33.0	*	177	11.1	89.4	*	9
10	*	81	5.1	16.0	*	112	7.0	79.7	*	147	9.2	69.2	*	108	6.8	76.6	*	123	7.7	40.8	*	84	5.3	94.7	*	10
11	*	88	5.5	21.5	*	148	9.3	89.0	*	151	9.5	78.6	*	149	9.3	86.0	*	131	8.2	49.0	*	44	2.8	97.4	*	11
12	*	125	7.8	29.3	*	90	5.6	94.6	*	126	7.9	86.5	*	103	6.5	92.4	*	107	6.7	55.7	*	16	1.0	98.4	*	12
13	*	143	9.0	38.3	*	49	3.1	97.7	*	95	6.0	92.5	*	44	2.8	95.2	*	284	17.8	73.5	*	18	1.1	99.6	*	13
14	*	192	12.0	50.3	*	24	1.5	99.2	*	53	3.3	95.8	*	49	3.1	98.2	*	182	11.4	84.9	*	7	0.4	100.0	*	14
15	*	224	14.0	64.4	*	13	0.8	100.0	*	59	3.7	99.5	*	21	1.3	99.6	*	102	6.4	91.3	*	0	0.0	100.0	*	15
16	*	108	6.8	71.2	*	0	0.0	100.0	*	8	0.5	100.0	*	7	0.4	100.0	*	63	3.9	95.2	*	0	0.0	100.0	*	16
17	*	126	7.9	79.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	67	4.2	99.4	*	0	0.0	100.0	*	17
18	*	129	8.1	87.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	18
19	*	112	7.0	94.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	73	4.6	98.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	20	1.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.5      DMC = 14.7      DC = 109.2      ISI = 4.3      ADMC = 35.9      FWI = 6.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1595

MAXIMUM VALUES

FFMC = 92.0      DMC = 49.0      DC = 268.0      ISI = 26.8      ADMC = 59.0      FWI = 35.0

\*\*\*TOTALS FOR REGION 11

SOUTH-WESTERN QUEBEC

FFMC				DMC				DC				ISI				ADMC				FWI			
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS		
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.			
1	*	3	0.2	0.2	*	32	2.1	2.1	*	31	2.1	2.1	*	4	0.3	0.3	*	11	0.7	0.7	*	1	
2	*	5	0.3	0.5	*	86	5.7	7.8	*	22	1.5	3.5	*	84	5.6	5.8	*	14	0.9	1.7	*	2	
3	*	6	0.4	0.9	*	132	8.7	16.5	*	49	3.2	6.7	*	158	10.4	16.3	*	8	0.5	2.2	*	3	
4	*	13	0.9	1.8	*	140	9.3	25.8	*	54	3.6	10.3	*	167	11.0	27.3	*	15	1.0	3.2	*	4	
5	*	11	0.7	2.5	*	163	10.8	36.6	*	54	3.6	13.9	*	159	10.5	37.8	*	48	3.2	6.3	*	5	
6	*	13	0.9	3.4	*	156	10.3	46.9	*	61	4.0	17.9	*	129	8.5	46.4	*	70	4.6	11.0	*	6	
7	*	42	2.8	6.2	*	152	10.1	56.9	*	172	11.4	29.3	*	104	6.9	53.2	*	111	7.3	18.3	*	7	
8	*	33	2.2	8.3	*	108	7.1	64.1	*	224	14.8	44.1	*	173	11.4	64.7	*	113	7.5	25.8	*	8	
9	*	57	3.8	12.1	*	116	7.7	71.8	*	194	12.8	56.9	*	138	9.1	73.8	*	126	8.3	34.1	*	9	
10	*	78	5.2	17.3	*	81	5.4	77.1	*	135	8.9	65.9	*	116	7.7	81.5	*	112	7.4	41.5	*	10	
11	*	100	6.6	23.9	*	174	11.5	88.6	*	133	8.8	74.7	*	133	8.8	90.3	*	113	7.5	49.0	*	11	
12	*	119	7.9	31.7	*	86	5.7	94.3	*	95	6.3	81.0	*	80	5.3	95.6	*	100	6.6	55.6	*	12	
13	*	138	9.1	40.9	*	48	3.2	97.5	*	78	5.2	86.1	*	33	2.2	97.8	*	236	15.6	71.2	*	13	
14	*	194	12.8	53.7	*	25	1.7	99.1	*	118	7.8	93.9	*	25	1.7	99.4	*	157	10.4	81.6	*	14	
15	*	206	13.6	67.3	*	13	0.9	100.0	*	81	5.4	99.3	*	7	0.5	99.9	*	123	8.1	89.7	*	15	
16	*	101	6.7	74.0	*	0	0.0	100.0	*	11	0.7	100.0	*	2	0.1	100.0	*	70	4.6	94.4	*	16	
17	*	108	7.1	81.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	68	4.5	98.9	*	17	
18	*	98	6.5	87.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	1.0	99.9	*	18	
19	*	105	6.9	94.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	19	
20	*	62	4.1	98.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20	
21	*	20	1.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21	
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23	
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	

AVERAGE VALUES

FFMC = 70.3      DMC = 14.8      DC = 117.7      ISI = 3.7      ADMC = 36.5      FWI = 6.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1512

MAXIMUM VALUES

FFMC = 92.0      DMC = 48.0      DC = 269.0      ISI = 24.4      ADMC = 63.0      FWI = 35.0

\*\*\*TOTALS FOR REGION 12

NORTH-WESTERN QUEBEC

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT. PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT. PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT. PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT. PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT. PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT. PCNT.	CUM. PCNT.	CLASS							
1	*	10	0.7	0.7	*	66	4.8	4.8	*	50	3.6	3.6	*	23	1.7	1.7	*	6	0.4	0.4	*	287	20.9	20.9	*	1
2	*	3	0.2	0.9	*	132	9.6	14.4	*	84	6.1	9.7	*	154	11.2	12.9	*	24	1.7	2.2	*	218	15.8	36.7	*	2
3	*	9	0.7	1.6	*	162	11.8	26.2	*	86	6.3	16.0	*	189	13.7	26.6	*	30	2.2	4.4	*	135	9.8	46.5	*	3
4	*	14	1.0	2.6	*	187	13.6	39.8	*	77	5.6	21.6	*	166	12.1	38.7	*	36	2.6	7.0	*	98	7.1	53.6	*	4
5	*	14	1.0	3.6	*	146	10.6	50.4	*	66	4.8	26.4	*	108	7.8	46.5	*	93	6.8	13.7	*	82	6.0	59.6	*	5
6	*	20	1.5	5.1	*	115	8.4	58.7	*	86	6.3	32.6	*	97	7.0	53.6	*	126	9.2	22.9	*	131	9.5	69.1	*	6
7	*	37	2.7	7.8	*	123	8.9	67.7	*	179	13.0	45.6	*	82	6.0	59.5	*	119	8.6	31.5	*	110	8.0	77.1	*	7
8	*	45	3.3	11.0	*	82	6.0	73.6	*	141	10.2	55.9	*	115	8.4	67.9	*	117	8.5	40.0	*	55	6.9	84.0	*	8
9	*	50	3.6	14.7	*	75	5.5	79.1	*	147	10.7	66.6	*	113	8.2	76.1	*	121	8.8	48.8	*	91	6.6	90.6	*	9
10	*	78	5.7	20.3	*	53	3.9	82.9	*	167	12.1	78.7	*	69	5.0	81.1	*	108	7.8	56.7	*	54	3.9	94.5	*	10
11	*	95	6.9	27.3	*	95	6.9	89.8	*	104	7.6	86.3	*	93	6.8	87.9	*	87	6.3	63.0	*	36	2.6	97.2	*	11
12	*	110	8.0	35.2	*	59	4.3	94.1	*	67	4.9	91.1	*	61	4.4	92.3	*	74	5.4	68.4	*	22	1.6	98.8	*	12
13	*	138	10.0	45.3	*	43	3.1	97.2	*	38	2.8	93.9	*	40	2.9	95.2	*	172	12.5	80.9	*	5	0.4	99.1	*	13
14	*	178	12.9	58.2	*	26	1.9	99.1	*	32	2.3	96.2	*	43	3.1	98.3	*	94	6.8	87.7	*	11	0.8	99.9	*	14
15	*	197	14.3	72.5	*	12	0.9	100.0	*	21	1.5	97.7	*	13	0.9	99.3	*	62	4.5	92.2	*	1	0.1	100.0	*	15
16	*	79	5.7	78.3	*	0	0.0	100.0	*	13	0.9	98.7	*	10	0.7	100.0	*	36	2.6	94.8	*	0	0.0	100.0	*	16
17	*	77	5.6	83.9	*	0	0.0	100.0	*	8	0.6	99.3	*	0	0.0	100.0	*	46	3.3	98.2	*	0	0.0	100.0	*	17
18	*	84	6.1	90.0	*	0	0.0	100.0	*	10	0.7	100.0	*	0	0.0	100.0	*	22	1.6	99.8	*	0	0.0	100.0	*	18
19	*	75	5.5	95.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	19
20	*	48	3.5	98.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	11	0.8	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 68.3      DMC = 12.8      DC = 95.7      ISI = 3.7      ADMC = 30.8      FWI = 5.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1376

MAXIMUM VALUES

FFMC = 93.0      DMC = 49.0      DC = 343.0      ISI = 30.0      ADMC = 64.0      FWI = 43.0

\*\*\*TOTALS FOR STATION 69 BAGOTVILLE A LONG. 7100 LAT. 4820

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	8	0.5	0.5	*	85	5.8	5.8	*	70	4.8	4.8	*	100	6.9	6.9	*	17	1.2	1.2	*	365	25.0	25.0	*	1
2	*	12	0.8	1.4	*	126	8.6	14.5	*	67	4.6	9.4	*	174	11.9	18.8	*	31	2.1	3.3	*	250	17.1	42.2	*	2
3	*	23	1.6	2.9	*	167	11.5	25.9	*	91	6.2	15.6	*	157	10.8	29.6	*	23	1.6	4.9	*	88	6.0	48.2	*	3
4	*	18	1.2	4.2	*	179	12.3	38.2	*	92	6.3	21.9	*	154	10.6	40.1	*	50	3.4	8.3	*	90	6.2	54.4	*	4
5	*	28	1.9	6.1	*	165	11.3	49.5	*	87	6.0	27.9	*	105	7.2	47.3	*	85	5.8	14.1	*	83	5.7	60.1	*	5
6	*	27	1.9	8.0	*	147	10.1	59.6	*	64	4.4	32.3	*	84	5.8	53.1	*	93	6.4	20.5	*	125	8.6	68.7	*	6
7	*	44	3.0	11.0	*	125	8.6	68.2	*	125	8.6	40.9	*	84	5.8	58.8	*	133	9.1	29.6	*	110	7.5	76.2	*	7
8	*	45	3.1	14.1	*	99	6.8	75.0	*	151	10.4	51.2	*	129	8.8	67.7	*	118	8.1	37.7	*	85	5.8	82.0	*	8
9	*	42	2.9	16.9	*	63	4.3	79.3	*	183	12.6	63.8	*	97	6.7	74.3	*	128	8.8	46.5	*	103	7.1	89.1	*	9
10	*	44	3.0	20.0	*	60	4.1	83.4	*	176	12.1	75.9	*	84	5.8	80.1	*	109	7.5	54.0	*	63	4.3	93.4	*	10
11	*	85	5.8	25.8	*	93	6.4	89.8	*	140	9.6	85.5	*	107	7.3	87.4	*	108	7.4	61.4	*	34	2.3	95.7	*	11
12	*	86	5.9	31.7	*	66	4.5	94.3	*	82	5.6	91.1	*	44	3.0	90.5	*	93	6.4	67.8	*	29	2.0	97.7	*	12
13	*	104	7.1	38.8	*	41	2.8	97.1	*	54	3.7	94.8	*	42	2.9	93.3	*	165	11.3	79.1	*	19	1.3	99.0	*	13
14	*	112	7.7	46.5	*	17	1.2	98.3	*	33	2.3	97.1	*	62	4.3	97.6	*	118	8.1	87.2	*	11	0.8	99.8	*	14
15	*	173	11.9	58.4	*	20	1.4	99.7	*	14	1.0	98.0	*	16	1.1	98.7	*	74	5.1	92.2	*	3	0.2	100.0	*	15
16	*	81	5.6	63.9	*	5	0.3	100.0	*	13	0.9	98.9	*	15	1.0	99.7	*	51	3.5	95.7	*	0	0.0	100.0	*	16
17	*	106	7.3	71.2	*	0	0.0	100.0	*	7	0.5	99.4	*	4	0.3	100.0	*	43	2.9	98.7	*	0	0.0	100.0	*	17
18	*	119	8.2	79.4	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	17	1.2	99.9	*	0	0.0	100.0	*	18
19	*	119	8.2	87.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	19
20	*	101	6.9	94.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	67	4.6	99.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	14	1.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.2      DMC = 12.8      DC = 97.9      ISI = 3.9      ADMC = 31.3      FWI = 5.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1458

MAXIMUM VALUES

FFMC = 94.0      DMC = 59.0      DC = 335.0      ISI = 34.4      ADMC = 62.0      FWI = 48.0

\*\*\*TOTALS FOR STATION 57 BAIÉ COMEAU CBA LONG. 6809 LAT. 4913

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	14	1.0	1.0	*	98	7.1	7.1	*	62	4.5	4.5	*	92	6.7	6.7	*	19	1.4	1.4	*	335	24.3	24.3	*	1
2	*	8	0.6	1.6	*	138	10.0	17.1	*	100	7.2	11.7	*	135	9.8	16.4	*	38	2.8	4.1	*	188	13.6	37.9	*	2
3	*	19	1.4	3.0	*	160	11.6	28.7	*	94	6.8	18.6	*	156	11.3	27.8	*	15	1.1	5.2	*	91	6.6	44.5	*	3
4	*	15	1.1	4.1	*	169	12.2	40.9	*	83	6.0	24.6	*	107	7.8	35.5	*	62	4.5	9.7	*	86	6.2	50.7	*	4
5	*	25	1.8	5.9	*	136	9.9	50.8	*	79	5.7	30.3	*	103	7.5	43.0	*	100	7.2	17.0	*	81	5.9	56.6	*	5
6	*	22	1.6	7.5	*	121	8.8	59.6	*	70	5.1	35.4	*	97	7.0	50.0	*	109	7.9	24.9	*	144	10.4	67.0	*	6
7	*	29	2.1	9.6	*	99	7.2	66.7	*	138	10.0	45.4	*	80	5.8	55.8	*	132	9.6	34.4	*	112	8.1	75.1	*	7
8	*	30	2.2	11.7	*	83	6.0	72.8	*	153	11.1	56.4	*	133	9.6	65.4	*	120	8.7	43.1	*	77	5.6	80.7	*	8
9	*	39	2.8	14.6	*	72	5.2	78.0	*	146	10.6	67.0	*	96	7.0	72.4	*	98	7.1	50.2	*	95	6.9	87.6	*	9
10	*	49	3.6	18.1	*	53	3.8	81.8	*	87	6.3	73.3	*	77	5.6	78.0	*	90	6.5	56.7	*	65	4.7	92.3	*	10
11	*	67	4.9	23.0	*	85	6.2	88.0	*	69	5.0	78.3	*	115	8.3	86.3	*	93	6.7	63.5	*	46	3.3	95.7	*	11
12	*	76	5.5	28.5	*	72	5.2	93.2	*	71	5.1	83.5	*	54	3.9	90.2	*	71	5.1	68.6	*	24	1.7	97.4	*	12
13	*	87	6.3	34.8	*	42	3.0	96.2	*	61	4.4	87.9	*	43	3.1	93.3	*	139	10.1	78.7	*	13	0.9	98.3	*	13
14	*	130	9.4	44.2	*	23	1.7	97.9	*	43	3.1	91.0	*	43	3.1	96.4	*	78	5.7	84.3	*	14	1.0	99.3	*	14
15	*	197	14.3	58.5	*	22	1.6	99.5	*	14	1.0	92.0	*	19	1.4	97.8	*	58	4.2	88.6	*	7	0.5	99.9	*	15
16	*	112	8.1	66.6	*	5	0.4	99.9	*	14	1.0	93.0	*	18	1.3	99.1	*	49	3.6	92.1	*	2	0.1	100.0	*	16
17	*	137	9.9	76.5	*	2	0.1	100.0	*	9	0.7	93.7	*	6	0.4	99.6	*	49	3.6	95.7	*	0	0.0	100.0	*	17
18	*	119	8.6	85.1	*	0	0.0	100.0	*	8	0.6	94.3	*	5	0.4	99.9	*	26	1.9	97.5	*	0	0.0	100.0	*	18
19	*	100	7.2	92.4	*	0	0.0	100.0	*	24	1.7	96.0	*	0	0.0	99.9	*	17	1.2	98.8	*	0	0.0	100.0	*	19
20	*	68	4.9	97.3	*	0	0.0	100.0	*	16	1.2	97.2	*	1	0.1	100.0	*	15	1.1	99.9	*	0	0.0	100.0	*	20
21	*	31	2.2	99.6	*	0	0.0	100.0	*	30	2.2	99.3	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	21
22	*	6	0.4	100.0	*	0	0.0	100.0	*	9	0.7	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.8      DMC = 13.0      DC = 112.7      ISI = 4.3      ADMC = 31.9      FWI = 6.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1380

MAXIMUM VALUES

FFMC = 94.0      DMC = 65.0      DC = 526.0      ISI = 65.2      ADMC = 84.0      FWI = 58.0

\*\*\*TOTALS FOR STATION 88 BARRAGE A LAC KEMPT LONG, 7411 LAT, 4733

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	64	4.7	4.7	*	272	19.8	19.8	*	53	3.9	3.9	*	210	15.3	15.3	*	67	4.9	4.9	*	655	47.6	47.6	*	1
2	*	27	2.0	6.6	*	266	19.3	39.1	*	97	7.1	10.9	*	225	16.4	31.6	*	88	6.4	11.3	*	255	18.5	66.2	*	2
3	*	43	3.1	9.7	*	227	16.5	55.6	*	99	7.2	18.1	*	253	18.4	50.0	*	35	2.5	13.8	*	62	4.5	70.7	*	3
4	*	30	2.2	11.9	*	173	12.6	68.2	*	95	6.9	25.0	*	152	11.1	61.1	*	109	7.9	21.7	*	109	7.9	78.6	*	4
5	*	28	2.0	14.0	*	139	10.1	78.3	*	102	7.4	32.4	*	107	7.8	68.9	*	154	11.2	32.9	*	67	4.9	83.5	*	5
6	*	39	2.8	16.8	*	78	5.7	84.0	*	104	7.6	40.0	*	102	7.4	76.3	*	187	13.6	46.5	*	75	5.5	88.9	*	6
7	*	42	3.1	19.9	*	51	3.7	87.7	*	195	14.2	54.2	*	61	4.4	80.7	*	152	11.1	57.6	*	48	3.5	92.4	*	7
8	*	46	3.3	23.2	*	38	2.8	90.5	*	176	12.8	67.0	*	87	6.3	87.1	*	128	9.3	66.9	*	37	2.7	95.1	*	8
9	*	70	5.1	28.3	*	33	2.4	92.9	*	140	10.2	77.2	*	50	3.6	90.7	*	95	6.9	73.8	*	39	2.8	98.0	*	9
10	*	81	5.9	34.2	*	23	1.7	94.5	*	97	7.1	84.2	*	43	3.1	93.8	*	94	6.8	80.7	*	20	1.5	99.4	*	10
11	*	96	7.0	41.2	*	37	2.7	97.2	*	68	4.9	89.2	*	49	3.6	97.4	*	64	4.7	85.3	*	3	0.2	99.6	*	11
12	*	93	6.8	47.9	*	26	1.9	99.1	*	44	3.2	92.4	*	18	1.3	98.7	*	43	3.1	88.4	*	3	0.2	99.9	*	12
13	*	113	8.2	56.1	*	11	0.8	99.9	*	30	2.2	94.5	*	10	0.7	99.4	*	60	4.4	92.8	*	0	0.0	99.9	*	13
14	*	128	9.3	65.5	*	1	0.1	100.0	*	51	3.7	98.3	*	5	0.4	99.8	*	36	2.6	95.4	*	2	0.1	100.0	*	14
15	*	170	12.4	77.8	*	0	0.0	100.0	*	16	1.2	99.4	*	3	0.2	100.0	*	33	2.4	97.8	*	0	0.0	100.0	*	15
16	*	64	4.7	82.5	*	0	0.0	100.0	*	8	0.6	100.0	*	0	0.0	100.0	*	17	1.2	99.1	*	0	0.0	100.0	*	16
17	*	86	6.3	88.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.9	99.9	*	0	0.0	100.0	*	17
18	*	72	5.2	94.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	18
19	*	56	4.1	98.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	22	1.6	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	5	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 60.4      DMC = 7.5      DC = 83.9      ISI = 1.9      ADMC = 19.9      FWI = 2.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1375

MAXIMUM VALUES

FFMC = 91.0      DMC = 36.0      DC = 270.0      ISI = 19.9      ADMC = 51.0      FWI = 32.0



\*\*\*TOTALS FOR STATION 94 BARRAGE CABONGA LONG, 7628 LAT. 4719

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	12	0.8	0.8	*	59	4.2	4.2	*	31	2.2	2.2	*	55	3.9	3.9	*	6	0.4	0.4	*	340	24.0	24.0	*	1
2	*	6	0.4	1.3	*	122	8.6	12.8	*	54	3.8	6.0	*	166	11.7	15.6	*	19	1.3	1.8	*	246	17.4	41.4	*	2
3	*	6	0.4	1.7	*	134	9.5	22.2	*	68	4.8	10.8	*	228	16.1	31.7	*	19	1.3	3.1	*	102	7.2	48.6	*	3
4	*	10	0.7	2.4	*	120	8.5	30.7	*	54	3.8	14.6	*	167	11.8	43.5	*	34	2.4	5.5	*	91	6.4	55.0	*	4
5	*	18	1.3	3.7	*	146	10.3	41.0	*	82	5.8	20.4	*	93	6.6	50.1	*	78	5.5	11.0	*	72	5.1	60.1	*	5
6	*	13	0.9	4.6	*	160	11.3	52.3	*	62	4.4	24.8	*	94	6.6	56.7	*	82	5.8	16.8	*	136	9.6	69.7	*	6
7	*	18	1.3	5.9	*	120	8.5	60.8	*	118	8.3	33.1	*	88	6.2	62.9	*	103	7.3	24.1	*	99	7.0	76.7	*	7
8	*	38	2.7	8.5	*	108	7.6	68.4	*	167	11.8	44.9	*	108	7.6	70.6	*	81	5.7	29.8	*	91	6.4	83.1	*	8
9	*	45	3.2	11.7	*	94	6.6	75.1	*	161	11.4	56.3	*	108	7.6	78.2	*	96	6.8	36.6	*	118	8.3	91.5	*	9
10	*	67	4.7	16.5	*	82	5.8	80.9	*	111	7.8	64.1	*	69	4.9	83.1	*	114	8.1	44.6	*	59	4.2	95.6	*	10
11	*	85	6.0	22.5	*	120	8.5	89.3	*	112	7.9	72.0	*	95	6.7	89.8	*	100	7.1	51.7	*	37	2.6	98.2	*	11
12	*	80	5.6	28.1	*	73	5.2	94.5	*	87	6.1	78.2	*	75	5.3	95.1	*	103	7.3	59.0	*	10	0.7	98.9	*	12
13	*	122	8.6	36.7	*	40	2.8	97.3	*	74	5.2	83.4	*	31	2.2	97.2	*	203	14.3	73.3	*	12	0.8	99.8	*	13
14	*	145	10.2	47.0	*	28	2.0	99.3	*	104	7.3	90.7	*	30	2.1	99.4	*	148	10.5	83.8	*	3	0.2	100.0	*	14
15	*	164	11.6	58.5	*	10	0.7	100.0	*	59	4.2	94.9	*	7	0.5	99.9	*	90	6.4	90.1	*	0	0.0	100.0	*	15
16	*	108	7.6	66.2	*	0	0.0	100.0	*	47	3.3	98.2	*	2	0.1	100.0	*	58	4.1	94.2	*	0	0.0	100.0	*	16
17	*	106	7.5	73.7	*	0	0.0	100.0	*	17	1.2	99.4	*	0	0.0	100.0	*	63	4.4	98.7	*	0	0.0	100.0	*	17
18	*	133	9.4	83.1	*	0	0.0	100.0	*	8	0.6	100.0	*	0	0.0	100.0	*	19	1.3	100.0	*	0	0.0	100.0	*	18
19	*	120	8.5	91.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	89	6.3	97.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	29	2.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.7      DMC = 13.8      DC = 118.7      ISI = 3.4      ADMC = 34.9      FWI = 5.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1416

MAXIMUM VALUES

FFMC = 94.0      DMC = 48.0      DC = 321.0      ISI = 23.7      ADMC = 60.0      FWI = 33.0

\*\*\*TOTALS FOR STATION 73 BARRAGE GOUIN LONG. 7406 LAT. 4821

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	47	3.4	3.4	*	196	14.4	14.4	*	132	9.7	9.7	*	142	10.4	10.4	*	61	4.5	4.5	*	570	41.8	41.8	*	1
2	*	15	1.1	4.5	*	211	15.5	29.9	*	144	10.6	20.2	*	213	15.6	26.0	*	70	5.1	9.6	*	273	20.0	61.8	*	2
3	*	30	2.2	6.7	*	215	15.8	45.6	*	134	9.8	30.1	*	254	18.6	44.7	*	55	4.0	13.6	*	101	7.4	69.3	*	3
4	*	22	1.6	8.4	*	181	13.3	58.9	*	137	10.1	40.1	*	172	12.6	57.3	*	93	6.8	20.5	*	66	4.8	74.1	*	4
5	*	20	1.5	9.8	*	138	10.1	69.0	*	139	10.2	50.3	*	109	8.0	65.3	*	133	9.8	30.2	*	51	3.7	77.8	*	5
6	*	30	2.2	12.0	*	121	8.9	77.9	*	118	8.7	59.0	*	87	6.4	71.7	*	151	11.1	41.3	*	104	7.6	85.5	*	6
7	*	43	3.2	15.2	*	77	5.6	83.6	*	171	12.5	71.5	*	62	4.5	76.2	*	154	11.3	52.6	*	65	4.8	90.2	*	7
8	*	32	2.3	17.5	*	61	4.5	88.0	*	130	9.5	81.1	*	78	5.7	82.0	*	133	9.8	62.4	*	37	2.7	93.0	*	8
9	*	74	5.4	23.0	*	44	3.2	91.3	*	111	8.1	89.2	*	76	5.6	87.5	*	112	8.2	70.6	*	53	3.9	96.8	*	9
10	*	77	5.6	28.6	*	41	3.0	94.3	*	76	5.6	94.8	*	50	3.7	91.2	*	79	5.8	76.4	*	22	1.6	98.5	*	10
11	*	93	6.8	35.4	*	41	3.0	97.3	*	31	2.3	97.1	*	43	3.2	94.4	*	76	5.6	82.0	*	15	1.1	99.6	*	11
12	*	95	7.0	42.4	*	17	1.2	98.5	*	17	1.2	98.3	*	38	2.8	97.1	*	50	3.7	85.6	*	4	0.3	99.9	*	12
13	*	113	8.3	50.7	*	10	0.7	99.3	*	6	0.4	98.8	*	19	1.4	98.5	*	97	7.1	92.7	*	2	0.1	100.0	*	13
14	*	136	10.0	60.7	*	4	0.3	99.6	*	7	0.5	99.3	*	14	1.0	99.6	*	52	3.8	96.6	*	0	0.0	100.0	*	14
15	*	153	11.2	71.9	*	6	0.4	100.0	*	9	0.7	99.9	*	6	0.4	100.0	*	25	1.8	98.4	*	0	0.0	100.0	*	15
16	*	80	5.9	77.8	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	11	0.8	99.2	*	0	0.0	100.0	*	16
17	*	87	6.4	84.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.7	99.9	*	0	0.0	100.0	*	17
18	*	83	6.1	90.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	18
19	*	68	5.0	95.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	48	3.5	98.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	13	1.0	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 64.1      DMC = 8.7      DC = 60.4      ISI = 2.3      ADMC = 21.1      FWI = 2.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1363

MAXIMUM VALUES

FFMC = 93.0      DMC = 49.0      DC = 253.0      ISI = 17.5      ADMC = 51.0      FWI = 30.0

1  
1  
08

\*\*\*TOTALS FOR STATION 63 BARRAGE LAC MORIN LONG, 6931 LAT, 4739

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	8	0.6	0.6	*	51	3.5	3.5	*	38	2.6	2.6	*	41	2.9	2.9	*	7	0.5	0.5	*	264	18.4	18.4	*	1
2	*	8	0.6	1.1	*	114	7.9	11.5	*	37	2.6	5.2	*	133	9.3	12.1	*	17	1.2	1.7	*	227	15.8	34.2	*	2
3	*	3	0.2	1.3	*	159	11.1	22.5	*	71	4.9	10.2	*	170	11.8	23.9	*	18	1.3	2.9	*	124	8.6	42.8	*	3
4	*	9	0.6	1.9	*	180	12.5	35.1	*	76	5.3	15.4	*	144	10.0	34.0	*	34	2.4	5.3	*	102	7.1	49.9	*	4
5	*	8	0.6	2.5	*	156	10.9	45.9	*	80	5.6	21.0	*	131	9.1	43.1	*	68	4.7	10.0	*	86	6.0	55.9	*	5
6	*	18	1.3	3.8	*	139	9.7	55.6	*	91	6.3	27.3	*	105	7.3	50.4	*	84	5.8	15.9	*	173	12.0	67.9	*	6
7	*	22	1.5	5.3	*	134	9.3	64.9	*	160	11.1	38.5	*	81	5.6	56.0	*	108	7.5	23.4	*	123	8.6	76.5	*	7
8	*	33	2.3	7.6	*	113	7.9	72.8	*	147	10.2	48.7	*	167	11.6	67.6	*	132	9.2	32.6	*	99	6.9	83.4	*	8
9	*	37	2.6	10.2	*	95	6.6	79.4	*	116	8.1	56.8	*	120	8.4	76.0	*	124	8.6	41.2	*	110	7.7	91.0	*	9
10	*	60	4.2	14.3	*	67	4.7	84.1	*	79	5.5	62.3	*	66	4.6	80.6	*	123	8.6	49.8	*	55	3.8	94.9	*	10
11	*	73	5.1	19.4	*	101	7.0	91.1	*	63	4.4	66.7	*	121	8.4	89.0	*	98	6.8	56.6	*	35	2.4	97.3	*	11
12	*	98	6.8	26.2	*	65	4.5	95.6	*	63	4.4	71.1	*	65	4.5	93.5	*	87	6.1	62.6	*	17	1.2	98.5	*	12
13	*	99	6.9	33.1	*	31	2.2	97.8	*	58	4.0	75.1	*	35	2.4	96.0	*	197	13.7	76.3	*	8	0.6	99.0	*	13
14	*	147	10.2	43.4	*	18	1.3	99.0	*	100	7.0	82.0	*	30	2.1	98.1	*	134	9.3	85.7	*	12	0.8	99.9	*	14
15	*	217	15.1	58.5	*	14	1.0	100.0	*	95	6.6	88.7	*	13	0.9	99.0	*	75	5.2	90.9	*	1	0.1	99.9	*	15
16	*	123	8.6	67.0	*	C	0.0	100.0	*	60	4.2	92.8	*	11	0.8	99.7	*	56	3.9	94.8	*	1	0.1	100.0	*	16
17	*	134	9.3	76.3	*	0	0.0	100.0	*	50	3.5	96.3	*	4	0.3	100.0	*	60	4.2	99.0	*	0	0.0	100.0	*	17
18	*	158	11.0	87.3	*	C	0.0	100.0	*	28	1.9	98.3	*	0	0.0	100.0	*	15	1.0	100.0	*	0	0.0	100.0	*	18
19	*	104	7.2	94.6	*	C	0.0	100.0	*	23	1.6	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	62	4.3	98.9	*	C	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	16	1.1	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.5      DMC = 13.1      DC = 128.6      ISI = 3.8      ADMC = 33.6      FWI = 5.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1437

MAXIMUM VALUES

FFMC = 92.0      DMC = 50.0      DC = 404.0      ISI = 39.0      ADMC = 56.0      FWI = 56.0

\*\*\*TOTALS FOR STATION 87

BARRAGE MATTAWIN

LONG. 7339

LAT. 4651

CLASS	FFMC			DMC			DC			ISI			ADMG			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	30	2.0	2.0	*	109	7.3	7.3	*	38	2.5	2.5	*	124	8.3	8.3	*	21	1.4	1.4	*	425	28.5	28.5	*	1
2	*	20	1.3	3.3	*	158	10.6	17.9	*	50	3.3	5.9	*	152	10.2	18.5	*	42	2.8	4.2	*	249	16.7	45.1	*	2
3	*	31	2.1	5.4	*	177	11.9	29.7	*	74	5.0	10.9	*	216	14.5	33.0	*	16	1.1	5.3	*	128	8.6	53.7	*	3
4	*	22	1.5	6.9	*	189	12.7	42.4	*	76	5.1	15.9	*	156	10.4	43.4	*	49	3.3	8.6	*	103	6.9	60.6	*	4
5	*	20	1.3	8.2	*	182	12.2	54.6	*	72	4.8	20.8	*	139	9.3	52.7	*	109	7.3	15.9	*	93	6.2	66.8	*	5
6	*	12	0.8	9.0	*	141	9.4	64.0	*	82	5.5	26.3	*	120	8.0	60.8	*	104	7.0	22.8	*	161	10.8	77.6	*	6
7	*	28	1.9	10.9	*	105	7.0	71.1	*	161	10.8	37.0	*	94	6.3	67.0	*	131	8.8	31.6	*	92	6.2	83.8	*	7
8	*	37	2.5	13.4	*	95	6.4	77.4	*	166	11.1	48.2	*	147	9.8	76.9	*	136	9.1	40.7	*	54	3.6	87.4	*	8
9	*	59	4.0	17.3	*	77	5.2	82.6	*	169	11.3	59.5	*	90	6.0	82.9	*	131	8.8	49.5	*	94	6.3	93.7	*	9
10	*	66	4.4	21.8	*	56	3.8	86.3	*	131	8.8	68.3	*	68	4.6	87.5	*	115	7.7	57.2	*	51	3.4	97.1	*	10
11	*	89	6.0	27.7	*	99	6.6	93.0	*	98	6.6	74.8	*	83	5.6	93.0	*	90	6.0	63.2	*	21	1.4	98.5	*	11
12	*	98	6.6	34.3	*	47	3.1	96.1	*	70	4.7	79.5	*	50	3.3	96.4	*	82	5.5	68.7	*	13	0.9	99.4	*	12
13	*	93	6.2	40.5	*	25	1.7	97.8	*	57	3.8	83.3	*	24	1.6	98.0	*	186	12.5	81.2	*	7	0.5	99.9	*	13
14	*	159	10.6	51.2	*	12	0.8	98.6	*	70	4.7	88.0	*	23	1.5	99.5	*	109	7.3	88.5	*	2	0.1	100.0	*	14
15	*	215	14.4	65.6	*	14	0.9	99.5	*	56	3.8	91.8	*	4	0.3	99.8	*	74	5.0	93.4	*	0	0.0	100.0	*	15
16	*	112	7.5	73.1	*	4	0.3	99.8	*	29	1.9	93.7	*	3	0.2	100.0	*	44	2.9	96.4	*	0	0.0	100.0	*	16
17	*	109	7.3	80.4	*	3	0.2	100.0	*	34	2.3	96.0	*	0	0.0	100.0	*	32	2.1	98.5	*	0	0.0	100.0	*	17
18	*	121	8.1	88.5	*	0	0.0	100.0	*	60	4.0	100.0	*	0	0.0	100.0	*	10	0.7	99.2	*	0	0.0	100.0	*	18
19	*	108	7.2	95.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	99.7	*	0	0.0	100.0	*	19
20	*	52	3.5	99.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	99.9	*	0	0.0	100.0	*	20
21	*	10	0.7	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 67.8      DMC = 11.8      DC = 118.7      ISI = 2.9      ADMG = 30.3      FWI = 4.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1493

MAXIMUM VALUES

FFMC = 93.0      DMC = 67.0      DC = 347.0      ISI = 22.5      ADMG = 84.0      FWI = 32.0

\*\*\*TOTALS FOR STATION 91 BARRAGE MITCHINAMECUS LONG, 7510 LAT. 4713

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	35	2.5	2.5	*	217	15.4	15.4	*	75	5.3	5.3	*	166	11.8	11.8	*	60	4.3	4.3	*	545	38.7	38.7	*	1
2	*	33	2.3	4.8	*	191	13.5	28.9	*	108	7.7	13.0	*	192	13.6	25.4	*	72	5.1	9.4	*	290	20.6	59.2	*	2
3	*	32	2.3	7.1	*	182	12.9	41.8	*	114	8.1	21.1	*	235	16.7	42.1	*	51	3.6	13.0	*	88	6.2	65.5	*	3
4	*	38	2.7	9.8	*	188	13.3	55.2	*	84	6.0	27.0	*	171	12.1	54.2	*	59	4.2	17.2	*	84	6.0	71.4	*	4
5	*	20	1.4	11.2	*	160	11.3	66.5	*	101	7.2	34.2	*	113	8.0	62.2	*	135	9.6	26.7	*	65	4.6	76.0	*	5
6	*	25	1.8	13.0	*	124	8.8	75.3	*	111	7.9	42.1	*	106	7.5	69.7	*	131	9.3	36.0	*	108	7.7	83.7	*	6
7	*	28	2.0	15.0	*	90	6.4	81.7	*	223	15.8	57.9	*	72	5.1	74.8	*	124	8.8	44.8	*	63	4.5	88.2	*	7
8	*	45	3.2	18.2	*	70	5.0	86.7	*	163	11.6	69.4	*	99	7.0	81.8	*	122	8.7	53.5	*	49	3.5	91.6	*	8
9	*	61	4.3	22.5	*	44	3.1	89.8	*	124	8.8	78.2	*	73	5.2	87.0	*	133	9.4	62.9	*	66	4.7	96.3	*	9
10	*	91	6.5	28.9	*	27	1.9	91.7	*	127	9.0	87.2	*	54	3.8	90.9	*	109	7.7	70.6	*	27	1.9	98.2	*	10
11	*	86	6.1	35.0	*	61	4.3	96.0	*	84	6.0	93.2	*	61	4.3	95.2	*	98	7.0	77.6	*	18	1.3	99.5	*	11
12	*	84	6.0	41.0	*	29	2.1	98.1	*	42	3.0	96.2	*	38	2.7	97.9	*	67	4.8	82.3	*	6	0.4	99.9	*	12
13	*	131	9.3	50.3	*	17	1.2	99.3	*	24	1.7	97.9	*	15	1.1	98.9	*	111	7.9	90.2	*	0	0.0	99.9	*	13
14	*	122	8.7	58.9	*	8	0.6	99.9	*	15	1.1	98.9	*	12	0.9	99.8	*	54	3.8	94.0	*	1	0.1	100.0	*	14
15	*	172	12.2	71.1	*	2	0.1	100.0	*	11	0.8	99.7	*	3	0.2	100.0	*	41	2.9	97.0	*	0	0.0	100.0	*	15
16	*	89	6.3	77.4	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	23	1.6	98.6	*	0	0.0	100.0	*	16
17	*	80	5.7	83.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	1.1	99.7	*	0	0.0	100.0	*	17
18	*	85	6.0	89.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	18
19	*	89	6.3	95.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	45	3.2	98.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	16	1.1	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 64.2      DMC = 9.2      DC = 77.9      ISI = 2.3      ADMC = 23.6      FWI = 3.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1410

MAXIMUM VALUES

FFMC = 93.0      DMC = 46.0      DC = 267.0      ISI = 19.3      ADMC = 58.0      FWI = 34.0

\*\*\*TOTALS FOR STATION 80 BEAUCEVILLE LONG. 7047 LAT. 4613

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	2	0.1	0.1	*	35	2.1	2.1	*	60	3.7	3.7	*	28	1.7	1.7	*	10	0.6	0.6	*	216	13.2	13.2	*	1
2	*	2	0.1	0.2	*	91	5.5	7.7	*	61	3.7	7.4	*	119	7.2	9.0	*	15	0.9	1.5	*	242	14.7	27.9	*	2
3	*	8	0.5	0.7	*	131	8.0	15.7	*	62	3.8	11.1	*	152	9.3	18.2	*	13	0.8	2.3	*	124	7.6	35.4	*	3
4	*	7	0.4	1.2	*	138	8.4	24.1	*	79	4.8	16.0	*	153	9.3	27.5	*	20	1.2	3.5	*	89	5.4	40.9	*	4
5	*	6	0.4	1.5	*	158	9.6	33.7	*	96	5.8	21.8	*	142	8.6	36.2	*	60	3.7	7.2	*	103	6.3	47.1	*	5
6	*	9	0.5	2.1	*	175	10.7	44.3	*	99	6.0	27.8	*	105	6.4	42.6	*	81	4.9	12.1	*	164	10.0	57.1	*	6
7	*	21	1.3	3.3	*	145	8.8	53.2	*	200	12.2	40.0	*	78	4.8	47.3	*	99	6.0	18.1	*	149	9.1	66.2	*	7
8	*	19	1.2	4.5	*	143	8.7	61.9	*	177	10.8	50.8	*	180	11.0	58.3	*	126	7.7	25.8	*	112	6.8	73.0	*	8
9	*	40	2.4	6.9	*	114	6.9	68.8	*	164	10.0	60.8	*	136	8.3	66.6	*	118	7.2	33.0	*	181	11.0	84.0	*	9
10	*	50	3.0	10.0	*	94	5.7	74.5	*	180	11.0	71.7	*	87	5.3	71.9	*	115	7.0	40.0	*	120	7.3	91.4	*	10
11	*	72	4.4	14.4	*	183	11.1	85.7	*	123	7.5	79.2	*	159	9.7	81.5	*	126	7.7	47.7	*	64	3.9	95.2	*	11
12	*	106	6.5	20.8	*	110	6.7	92.4	*	102	6.2	85.4	*	111	6.8	88.3	*	113	6.9	54.6	*	39	2.4	97.6	*	12
13	*	119	7.2	28.1	*	66	4.0	96.4	*	72	4.4	89.8	*	60	3.7	92.0	*	243	14.8	69.4	*	12	0.7	98.4	*	13
14	*	147	9.0	37.0	*	27	1.6	98.1	*	61	3.7	93.5	*	78	4.8	96.7	*	190	11.6	80.9	*	25	1.5	99.9	*	14
15	*	218	13.3	50.3	*	21	1.3	99.3	*	64	3.9	97.4	*	37	2.3	99.0	*	104	6.3	87.3	*	2	0.1	100.0	*	15
16	*	106	6.5	56.8	*	10	0.6	99.9	*	31	1.9	99.3	*	14	0.9	99.8	*	75	4.6	91.8	*	0	0.0	100.0	*	16
17	*	131	8.0	64.7	*	1	0.1	100.0	*	5	0.3	99.6	*	3	0.2	100.0	*	94	5.7	97.6	*	0	0.0	100.0	*	17
18	*	182	11.1	75.8	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	36	2.2	99.8	*	0	0.0	100.0	*	18
19	*	213	13.0	88.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	C	0.0	100.0	*	19
20	*	128	7.8	96.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	20
21	*	53	3.2	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.6      DMC = 15.6      DC = 106.8      ISI = 4.7      ADMC = 37.5      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1642

MAXIMUM VALUES

FFMC = 93.0      DMC = 61.0      DC = 332.0      ISI = 35.5      ADMC = 64.0      FWI = 47.0

\*\*\*TOTALS FOR STATION 92 BELLETERRE LONG. 7841 LAT. 4724

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	10	0.7	0.7	*	56	3.8	3.8	*	45	3.0	3.0	*	63	4.2	4.2	*	7	0.5	0.5	*	327	22.0	22.0	*	1
2	*	11	0.7	1.4	*	87	5.9	9.6	*	80	5.4	8.4	*	149	10.0	14.3	*	25	1.7	2.2	*	245	16.5	38.5	*	2
3	*	4	0.3	1.7	*	153	10.3	19.9	*	101	6.8	15.2	*	188	12.7	26.9	*	15	1.0	3.2	*	90	6.1	44.5	*	3
4	*	12	0.8	2.5	*	174	11.7	31.6	*	98	6.6	21.8	*	176	11.8	38.8	*	26	1.7	4.9	*	81	5.5	50.0	*	4
5	*	21	1.4	3.9	*	168	11.3	42.9	*	98	6.6	28.4	*	79	5.3	44.1	*	76	5.1	10.0	*	81	5.5	55.5	*	5
6	*	14	0.9	4.8	*	147	9.9	52.8	*	96	6.5	34.9	*	86	5.8	49.9	*	104	7.0	17.0	*	136	9.2	64.6	*	6
7	*	28	1.9	6.7	*	115	7.7	60.6	*	204	13.7	48.6	*	87	5.9	55.7	*	132	8.9	25.9	*	105	7.1	71.7	*	7
8	*	30	2.0	8.7	*	99	6.7	67.2	*	160	10.8	59.4	*	131	8.8	64.5	*	113	7.6	33.5	*	94	6.3	78.0	*	8
9	*	51	3.4	12.2	*	75	5.0	72.3	*	136	9.2	68.5	*	89	6.0	70.5	*	126	8.5	42.0	*	126	8.5	86.5	*	9
10	*	68	4.6	16.8	*	66	4.4	76.7	*	91	6.1	74.6	*	108	7.3	77.8	*	119	8.0	50.0	*	86	5.8	92.3	*	10
11	*	65	4.4	21.1	*	114	7.7	84.4	*	77	5.2	79.8	*	120	8.1	85.9	*	99	6.7	56.7	*	52	3.5	95.8	*	11
12	*	85	5.7	26.9	*	79	5.3	89.7	*	76	5.1	84.9	*	70	4.7	90.6	*	72	4.8	61.5	*	27	1.8	97.6	*	12
13	*	98	6.6	33.4	*	57	3.8	93.5	*	66	4.4	89.4	*	54	3.6	94.2	*	181	12.2	73.7	*	18	1.2	98.8	*	13
14	*	132	8.9	42.3	*	30	2.0	95.6	*	54	3.6	93.0	*	54	3.6	97.8	*	120	8.1	81.8	*	14	0.9	99.7	*	14
15	*	191	12.9	55.2	*	45	3.0	98.6	*	39	2.6	95.6	*	19	1.3	99.1	*	75	5.0	86.8	*	4	0.3	100.0	*	15
16	*	103	6.9	62.1	*	18	1.2	99.8	*	42	2.8	98.5	*	11	0.7	99.9	*	54	3.6	90.4	*	0	0.0	100.0	*	16
17	*	115	7.7	69.9	*	2	0.1	99.9	*	21	1.4	99.9	*	2	0.1	100.0	*	67	4.5	95.0	*	0	0.0	100.0	*	17
18	*	117	7.9	77.7	*	1	0.1	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	41	2.8	97.7	*	0	0.0	100.0	*	18
19	*	164	11.0	88.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20	1.3	99.1	*	0	0.0	100.0	*	19
20	*	118	7.9	96.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.8	99.9	*	0	0.0	100.0	*	20
21	*	42	2.8	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	21
22	*	6	0.4	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.6      DMC = 15.2      DC = 99.5      ISI = 4.1      ADMC = 35.4      FWI = 6.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1486

MAXIMUM VALUES

FFMC = 95.0      DMC = 71.0      DC = 309.0      ISI = 33.7      ADMC = 89.0      FWI = 46

\*\*\*TOTALS FOR STATION 86 BERTHIERVILLE LONG. 7311 LAT. 4602

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	15	0.9	0.9	*	36	2.2	2.2	*	41	2.5	2.5	*	80	4.8	4.8	*	7	0.4	0.4	*	254	15.3	15.3	*	1
2	*	9	0.5	1.4	*	111	6.7	8.9	*	60	3.6	6.1	*	112	6.8	11.6	*	14	0.8	1.3	*	218	13.2	28.5	*	2
3	*	14	0.8	2.3	*	145	8.8	17.6	*	74	4.5	10.6	*	130	7.9	19.4	*	16	1.0	2.2	*	96	5.8	34.3	*	3
4	*	18	1.1	3.4	*	136	8.2	25.8	*	66	4.0	14.6	*	162	9.8	29.2	*	22	1.3	3.6	*	115	6.9	41.2	*	4
5	*	17	1.0	4.4	*	142	8.6	34.4	*	67	4.0	18.6	*	110	6.6	35.9	*	68	4.1	7.7	*	92	5.6	46.8	*	5
6	*	12	0.7	5.1	*	130	7.9	42.3	*	73	4.4	23.0	*	100	6.0	41.9	*	89	5.4	13.0	*	147	8.9	55.7	*	6
7	*	24	1.4	6.6	*	144	8.7	51.0	*	129	7.8	30.8	*	93	5.6	47.5	*	89	5.4	18.4	*	168	10.1	65.8	*	7
8	*	22	1.3	7.9	*	123	7.4	58.4	*	135	8.2	38.9	*	185	11.2	58.7	*	106	6.4	24.8	*	123	8.0	73.9	*	8
9	*	28	1.7	9.6	*	115	6.9	65.3	*	127	7.7	46.6	*	157	9.5	68.2	*	112	6.8	31.6	*	190	11.5	85.3	*	9
10	*	49	3.0	12.6	*	90	5.4	70.8	*	130	7.9	54.5	*	130	7.9	76.0	*	104	6.3	37.9	*	90	5.4	90.8	*	10
11	*	61	3.7	16.2	*	176	10.6	81.4	*	135	8.2	62.6	*	151	9.1	85.1	*	92	5.6	43.4	*	56	3.4	94.1	*	11
12	*	83	5.0	21.3	*	105	6.3	87.7	*	101	6.1	68.7	*	93	5.6	90.8	*	107	6.5	49.9	*	44	2.7	96.8	*	12
13	*	107	6.5	27.7	*	74	4.5	92.2	*	95	5.7	74.5	*	56	3.4	94.1	*	233	14.1	63.9	*	18	1.1	97.9	*	13
14	*	151	9.1	36.8	*	45	2.7	94.9	*	91	5.5	80.0	*	54	3.3	97.4	*	174	10.5	74.5	*	29	1.8	99.6	*	14
15	*	205	12.4	49.2	*	50	3.0	97.9	*	75	4.5	84.5	*	25	1.5	98.9	*	105	6.3	80.8	*	5	0.3	99.9	*	15
16	*	127	7.7	56.9	*	19	1.1	99.1	*	52	3.1	87.6	*	14	0.8	99.8	*	85	5.1	85.9	*	0	0.0	99.9	*	16
17	*	148	8.9	65.8	*	9	0.5	99.6	*	75	4.5	92.1	*	3	0.2	99.9	*	120	7.2	93.2	*	1	0.1	100.0	*	17
18	*	204	12.3	78.1	*	3	0.2	99.8	*	100	6.0	98.2	*	1	0.1	100.0	*	59	3.6	96.7	*	0	0.0	100.0	*	18
19	*	198	12.0	90.1	*	3	0.2	100.0	*	28	1.7	99.9	*	0	0.0	100.0	*	26	1.6	98.3	*	0	0.0	100.0	*	19
20	*	108	6.5	96.6	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	15	0.9	99.2	*	0	0.0	100.0	*	20
21	*	52	3.1	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	99.7	*	0	0.0	100.0	*	21
22	*	4	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.3      DMC = 17.1      DC = 142.1      ISI = 4.4      ADMC = 41.3      FWI = 7.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1656

MAXIMUM VALUES

FFMC = 93.0      DMC = 88.0      DC = 409.0      ISI = 41.1      ADMC = 99.0      FWI = 61.0



\*\*\*TOTALS FOR STATION 59 CAP CHAT LONG. 6644 LAT 4905

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	53	4.4	4.4	*	283	23.5	23.5	*	100	8.3	8.3	*	155	12.9	12.9	*	85	7.1	7.1	*	482	40.0	40.0	*	1
2	*	19	1.6	6.0	*	280	23.3	46.8	*	111	9.2	17.5	*	143	11.9	24.8	*	95	7.9	15.0	*	256	21.3	61.3	*	2
3	*	17	1.4	7.4	*	205	17.0	63.8	*	103	8.6	26.1	*	180	15.0	39.7	*	57	4.7	19.7	*	100	8.3	69.6	*	3
4	*	21	1.7	9.1	*	119	9.9	73.7	*	78	6.5	32.6	*	150	12.5	52.2	*	112	9.3	29.0	*	95	7.9	77.5	*	4
5	*	29	2.4	11.5	*	113	9.4	83.1	*	74	6.1	38.7	*	128	10.6	62.8	*	161	13.4	42.4	*	62	5.1	82.6	*	5
6	*	29	2.4	14.0	*	70	5.8	88.9	*	80	6.6	45.3	*	92	7.6	70.4	*	152	12.6	55.0	*	78	6.5	89.1	*	6
7	*	37	3.1	17.0	*	35	2.9	91.8	*	144	12.0	57.3	*	70	5.8	76.2	*	115	9.6	64.5	*	47	3.9	93.0	*	7
8	*	50	4.2	21.2	*	27	2.2	94.0	*	81	6.7	64.0	*	104	8.6	84.9	*	97	8.1	72.6	*	29	2.4	95.4	*	8
9	*	48	4.0	25.2	*	27	2.2	96.3	*	58	4.8	68.9	*	48	4.0	88.9	*	77	6.4	79.0	*	25	2.1	97.5	*	9
10	*	64	5.3	30.5	*	12	1.0	97.3	*	79	6.6	75.4	*	32	2.7	91.5	*	59	4.9	83.9	*	17	1.4	98.9	*	10
11	*	71	5.9	36.4	*	24	2.0	99.3	*	55	4.6	80.0	*	40	3.3	94.9	*	50	4.2	88.0	*	2	0.2	99.1	*	11
12	*	104	8.6	45.0	*	6	0.5	99.8	*	71	5.9	85.9	*	28	2.3	97.2	*	35	2.9	90.9	*	3	0.2	99.3	*	12
13	*	118	9.8	54.8	*	3	0.2	100.0	*	59	4.9	90.8	*	12	1.0	98.2	*	57	4.7	95.7	*	3	0.2	99.6	*	13
14	*	149	12.4	67.2	*	0	0.0	100.0	*	44	3.7	94.4	*	7	0.6	98.8	*	29	2.4	98.1	*	3	0.2	99.8	*	14
15	*	194	16.1	83.3	*	0	0.0	100.0	*	36	3.0	97.4	*	5	0.4	99.2	*	18	1.5	99.6	*	1	0.1	99.9	*	15
16	*	81	6.7	90.0	*	0	0.0	100.0	*	29	2.4	99.8	*	7	0.6	99.8	*	4	0.3	99.9	*	1	0.1	100.0	*	16
17	*	62	5.1	95.2	*	0	0.0	100.0	*	2	0.2	100.0	*	1	0.1	99.8	*	1	0.1	100.0	*	0	0.0	100.0	*	17
18	*	38	3.2	98.3	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	14	1.2	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	5	0.4	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 61.3      DMC = 6.3      DC = 88.7      ISI = 2.4      ADMC = 17.1      FWI = 2.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1204

MAXIMUM VALUES

FFMC = 91.0      DMC = 33.0      DC = 279.0      ISI = 62.0      ADMC = 41.0      FWI = 51.0

\*\*\*TOTALS FOR STATION 60 CAPLAN LONG. 6539 LAT. 4806

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	14	1.0	1.0	*	78	5.6	5.6	*	78	5.6	5.6	*	74	5.3	5.3	*	10	0.7	0.7	*	369	26.6	26.6	*	1
2	*	8	0.6	1.6	*	162	11.7	17.3	*	73	5.3	10.9	*	154	11.1	16.5	*	35	2.5	3.2	*	262	18.9	45.6	*	2
3	*	12	0.9	2.5	*	199	14.4	31.7	*	100	7.2	18.1	*	195	14.1	30.5	*	32	2.3	5.6	*	118	8.5	54.1	*	3
4	*	12	0.9	3.3	*	206	14.9	46.6	*	72	5.2	23.3	*	149	10.8	41.3	*	48	3.5	9.0	*	97	7.0	61.1	*	4
5	*	17	1.2	4.5	*	182	13.1	59.7	*	81	5.8	29.2	*	149	10.8	52.1	*	104	7.5	16.5	*	101	7.3	68.4	*	5
6	*	18	1.3	5.8	*	138	10.0	69.7	*	98	7.1	36.2	*	109	7.9	59.9	*	120	8.7	25.2	*	151	10.9	79.3	*	6
7	*	25	1.8	7.7	*	113	8.2	77.8	*	145	10.5	46.7	*	101	7.3	67.2	*	134	9.7	34.9	*	105	7.6	86.9	*	7
8	*	37	2.7	10.3	*	80	5.8	83.6	*	127	9.2	55.9	*	138	10.0	77.2	*	140	10.1	45.0	*	58	4.2	91.0	*	8
9	*	42	3.0	13.4	*	67	4.8	88.4	*	114	8.2	64.1	*	101	7.3	84.5	*	125	9.0	54.0	*	76	5.5	96.5	*	9
10	*	53	3.8	17.2	*	52	3.8	92.2	*	81	5.8	70.0	*	53	3.8	88.3	*	105	7.6	61.6	*	26	1.9	98.4	*	10
11	*	80	5.8	23.0	*	58	4.2	96.4	*	95	6.9	76.8	*	99	7.1	95.5	*	105	7.6	69.2	*	10	0.7	99.1	*	11
12	*	97	7.0	30.0	*	26	1.9	98.3	*	127	9.2	86.0	*	28	2.0	97.5	*	100	7.2	76.4	*	3	0.2	99.4	*	12
13	*	115	8.3	38.3	*	11	0.8	99.1	*	80	5.8	91.8	*	10	0.7	98.2	*	146	10.5	86.9	*	3	0.2	99.6	*	13
14	*	144	10.4	48.7	*	6	0.4	99.5	*	38	2.7	94.5	*	8	0.6	98.8	*	85	6.1	93.1	*	5	0.4	99.9	*	14
15	*	239	17.3	65.9	*	3	0.2	99.7	*	10	0.7	95.2	*	7	0.5	99.3	*	48	3.5	96.5	*	1	0.1	100.0	*	15
16	*	113	8.2	74.1	*	4	0.3	100.0	*	9	0.6	95.9	*	9	0.6	99.9	*	25	1.8	98.3	*	0	0.0	100.0	*	16
17	*	172	12.4	86.5	*	0	0.0	100.0	*	16	1.2	97.0	*	1	0.1	100.0	*	17	1.2	99.6	*	0	0.0	100.0	*	17
18	*	106	7.7	94.2	*	0	0.0	100.0	*	32	2.3	99.4	*	0	0.0	100.0	*	3	0.2	99.8	*	0	0.0	100.0	*	18
19	*	60	4.3	98.5	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	19
20	*	20	1.4	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.8      DMC = 10.5      DC = 102.6      ISI = 2.9      ADMC = 27.5      FWI = 3.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1385

MAXIMUM VALUES

FFMC = 91.0      DMC = 60.0      DC = 371.0      ISI = 31.2      ADMC = 67.0      FWI = 41.0

\*\*\*TOTALS FOR STATION 61 CAUSAPSCAL RES LONG. 6710 LAT. 4830

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	34	2.6	2.6	*	168	13.1	13.1	*	76	5.9	5.9	*	102	7.9	7.9	*	29	2.3	2.3	*	380	29.5	29.5	*	1
2	*	13	1.0	3.7	*	184	14.3	27.4	*	92	7.2	13.1	*	125	9.7	17.7	*	67	5.2	7.5	*	261	20.3	49.8	*	2
3	*	17	1.3	5.0	*	209	16.3	43.6	*	116	9.0	22.1	*	191	14.9	32.5	*	44	3.4	10.9	*	101	7.9	57.7	*	3
4	*	18	1.4	6.4	*	144	11.2	54.8	*	117	9.1	31.2	*	166	12.9	45.4	*	59	4.6	15.5	*	88	6.8	64.5	*	4
5	*	16	1.2	7.6	*	120	9.3	64.2	*	102	7.9	39.1	*	117	9.1	54.5	*	125	9.7	25.2	*	69	5.4	69.9	*	5
6	*	13	1.0	8.6	*	98	7.6	71.8	*	88	6.8	46.0	*	96	7.5	62.0	*	154	12.0	37.2	*	126	9.8	79.7	*	6
7	*	27	2.1	10.7	*	74	5.8	77.5	*	128	10.0	55.9	*	76	5.9	67.9	*	128	10.0	47.1	*	70	5.4	85.1	*	7
8	*	25	1.9	12.7	*	57	4.4	82.0	*	90	7.0	62.9	*	118	9.2	77.1	*	118	9.2	56.3	*	55	4.3	89.4	*	8
9	*	49	3.8	16.5	*	55	4.3	86.2	*	109	8.5	71.4	*	81	6.3	83.4	*	92	7.2	63.5	*	57	4.4	93.9	*	9
10	*	63	4.9	21.4	*	44	3.4	89.7	*	87	6.8	78.1	*	41	3.2	86.5	*	71	5.5	69.0	*	41	3.2	97.0	*	10
11	*	86	6.7	28.1	*	66	5.1	94.8	*	61	4.7	82.9	*	68	5.3	91.8	*	67	5.2	74.2	*	19	1.5	98.5	*	11
12	*	95	7.4	35.5	*	29	2.3	97.0	*	52	4.0	86.9	*	38	3.0	94.8	*	51	4.0	78.1	*	5	0.4	98.9	*	12
13	*	111	8.6	44.1	*	9	0.7	97.7	*	40	3.1	90.0	*	24	1.9	96.7	*	97	7.5	85.7	*	9	0.7	99.6	*	13
14	*	135	10.5	54.6	*	11	0.9	98.6	*	42	3.3	93.3	*	26	2.0	98.7	*	78	6.1	91.8	*	2	0.2	99.8	*	14
15	*	195	15.2	69.8	*	11	0.9	99.5	*	32	2.5	95.8	*	7	0.5	99.2	*	37	2.9	94.6	*	3	0.2	100.0	*	15
16	*	80	6.2	76.0	*	5	0.4	99.8	*	26	2.0	97.8	*	8	0.6	99.8	*	28	2.2	96.8	*	0	0.0	100.0	*	16
17	*	95	7.4	83.4	*	2	0.2	100.0	*	24	1.9	99.7	*	1	0.1	99.9	*	23	1.8	98.6	*	0	0.0	100.0	*	17
18	*	86	6.7	90.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	99.9	*	13	1.0	99.6	*	0	0.0	100.0	*	18
19	*	83	6.5	96.5	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	5	0.4	100.0	*	0	0.0	100.0	*	19
20	*	37	2.9	99.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	8	0.6	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 67.2      DMC = 10.1      DC = 89.9      ISI = 3.0      ADMC = 25.0      FWI = 4.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1286

MAXIMUM VALUES

FFMC = 92.0      DMC = 63.0      DC = 311.0      ISI = 52.0      ADMC = 64.0      FWI = 48.0

\*\*\*TOTALS FOR STATION 75 CHIBOUGAMAU LONG. 7418 LAT. 4954

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	39	2.9	2.9	*	183	13.5	13.5	*	128	9.5	9.5	*	146	10.8	10.8	*	58	4.3	4.3	*	481	35.6	35.6	*	1
2	*	24	1.8	4.7	*	204	15.1	28.6	*	139	10.3	19.8	*	189	14.0	24.8	*	62	4.6	8.9	*	236	17.5	53.1	*	2
3	*	25	1.9	6.5	*	186	13.8	42.4	*	143	10.6	30.3	*	184	13.6	38.4	*	49	3.6	12.5	*	99	7.3	60.4	*	3
4	*	22	1.6	8.1	*	150	11.1	53.5	*	126	9.3	39.7	*	131	9.7	48.1	*	72	5.3	17.8	*	80	5.9	66.3	*	4
5	*	26	1.9	10.1	*	153	11.3	64.8	*	116	8.6	48.3	*	106	7.8	56.0	*	144	10.7	28.5	*	65	4.8	71.1	*	5
6	*	27	2.0	12.1	*	129	9.5	74.4	*	95	7.0	55.3	*	90	6.7	62.6	*	143	10.6	39.1	*	87	6.4	77.6	*	6
7	*	44	3.3	15.3	*	79	5.8	80.2	*	126	9.3	64.6	*	63	4.7	67.3	*	122	9.0	48.1	*	78	5.8	83.3	*	7
8	*	50	3.7	19.0	*	74	5.5	85.7	*	141	10.4	75.1	*	88	6.5	73.8	*	115	8.5	56.6	*	65	4.8	88.2	*	8
9	*	55	4.1	23.1	*	49	3.6	89.3	*	116	8.6	83.6	*	82	6.1	79.9	*	115	8.5	65.1	*	74	5.5	93.6	*	9
10	*	55	4.1	27.2	*	35	2.6	91.9	*	77	5.7	89.3	*	61	4.5	84.4	*	89	6.6	71.7	*	37	2.7	96.4	*	10
11	*	87	6.4	33.6	*	48	3.6	95.5	*	47	3.5	92.8	*	82	6.1	90.5	*	81	6.0	77.7	*	24	1.8	98.1	*	11
12	*	81	6.0	39.6	*	30	2.2	97.7	*	40	3.0	95.8	*	49	3.6	94.1	*	64	4.7	82.5	*	18	1.3	99.5	*	12
13	*	111	8.2	47.8	*	16	1.2	98.9	*	31	2.3	98.1	*	30	2.2	96.3	*	108	8.0	90.5	*	4	0.3	99.8	*	13
14	*	109	8.1	55.9	*	8	0.6	99.5	*	17	1.3	99.3	*	32	2.4	98.7	*	65	4.8	95.3	*	3	0.2	100.0	*	14
15	*	150	11.1	67.0	*	4	0.3	99.8	*	9	0.7	100.0	*	8	0.6	99.3	*	36	2.7	97.9	*	0	0.0	100.0	*	15
16	*	77	5.7	72.7	*	3	0.2	100.0	*	C	0.0	100.0	*	8	0.6	99.9	*	19	1.4	99.3	*	0	0.0	100.0	*	16
17	*	73	5.4	78.1	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	6	0.4	99.8	*	0	0.0	100.0	*	17
18	*	89	6.6	84.7	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	18
19	*	99	7.3	92.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	19
20	*	67	5.0	97.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	40	3.0	99.9	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 65.3      DMC = 9.5      DC = 67.4      ISI = 3.1      ADMC = 22.8      FWI = 3.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1351

MAXIMUM VALUES

FFMC = 93.0      DMC = 56.0      DC = 248.0      ISI = 35.0      ADMC = 56.0      FWI = 38.0

\*\*\*TOTALS FOR STATION 77 CHUTE DES PASSES LONG. 7115 LAT. 4954

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	37	2.7	2.7	*	168	12.3	12.3	*	75	5.5	5.5	*	137	10.0	10.0	*	34	2.5	2.5	*	505	37.0	37.0	*	1
2	*	18	1.3	4.0	*	205	15.0	27.3	*	108	7.9	13.4	*	202	14.8	24.8	*	56	4.1	6.6	*	235	17.2	54.2	*	2
3	*	26	1.9	5.9	*	198	14.5	41.8	*	147	10.8	24.2	*	205	15.0	39.9	*	37	2.7	9.3	*	93	6.8	61.0	*	3
4	*	20	1.5	7.4	*	160	11.7	53.6	*	160	11.7	35.9	*	145	10.6	50.5	*	85	6.2	15.5	*	80	5.9	66.9	*	4
5	*	28	2.1	9.5	*	148	10.8	64.4	*	125	9.2	45.1	*	108	7.9	58.4	*	141	10.3	25.9	*	62	4.5	71.4	*	5
6	*	32	2.3	11.8	*	133	9.7	74.1	*	110	8.1	53.1	*	74	5.4	63.8	*	155	11.4	37.2	*	102	7.5	78.9	*	6
7	*	37	2.7	14.5	*	92	6.7	80.9	*	177	13.0	66.1	*	59	4.3	68.1	*	141	10.3	47.5	*	92	6.7	85.6	*	7
8	*	56	4.1	18.6	*	74	5.4	86.3	*	166	12.2	78.2	*	107	7.8	76.0	*	123	9.0	56.6	*	67	4.9	90.5	*	8
9	*	57	4.2	22.8	*	46	3.4	89.7	*	128	9.4	87.6	*	90	6.6	82.6	*	117	8.6	65.1	*	70	5.1	95.7	*	9
10	*	62	4.5	27.3	*	40	2.9	92.6	*	90	6.6	94.2	*	55	4.0	86.6	*	94	6.9	72.0	*	33	2.4	98.1	*	10
11	*	76	5.6	32.9	*	43	3.2	95.8	*	41	3.0	97.2	*	93	6.8	93.4	*	84	6.2	78.2	*	17	1.2	99.3	*	11
12	*	89	6.5	39.4	*	31	2.3	98.0	*	22	1.6	98.8	*	33	2.4	95.8	*	74	5.4	83.6	*	4	0.3	99.6	*	12
13	*	114	8.4	47.8	*	16	1.2	99.2	*	11	0.8	99.6	*	22	1.6	97.4	*	110	8.1	91.6	*	3	0.2	99.9	*	13
14	*	113	8.3	56.0	*	6	0.4	99.6	*	5	0.4	100.0	*	26	1.9	99.3	*	59	4.3	96.0	*	2	0.1	100.0	*	14
15	*	150	11.0	67.0	*	5	0.4	100.0	*	0	0.0	100.0	*	2	0.1	99.5	*	33	2.4	98.4	*	0	0.0	100.0	*	15
16	*	96	7.0	74.1	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	100.0	*	12	0.9	99.3	*	0	0.0	100.0	*	16
17	*	83	6.1	80.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.7	100.0	*	0	0.0	100.0	*	17
18	*	94	6.9	87.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	93	6.8	93.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	55	4.0	97.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	29	2.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 65.4      DMC = 9.5      DC = 65.4      ISI = 2.8      ADMC = 22.9      FWI = 3.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1365

MAXIMUM VALUES

FFMC = 92.0      DMC = 46.0      DC = 216.0      ISI = 30.0      ADMC = 46.0      FWI = 36.0

\*\*\*TOTALS FOR STATION 104 FT. GEORGE LONG. 7900 LAT. 5350

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	95	7.5	7.5	*	240	18.9	18.9	*	33	2.6	2.6	*	239	18.8	18.8	*	64	5.0	5.0	*	500	39.3	39.3	*	1
2	*	33	2.6	10.1	*	197	15.5	34.4	*	51	4.0	6.6	*	134	10.5	29.3	*	90	7.1	12.1	*	189	14.9	54.2	*	2
3	*	29	2.3	12.3	*	166	13.1	47.4	*	69	5.4	12.0	*	160	12.6	41.9	*	20	1.6	13.7	*	83	6.5	60.7	*	3
4	*	38	3.0	15.3	*	135	10.6	58.0	*	60	4.7	16.7	*	119	9.4	51.3	*	82	6.4	20.1	*	67	5.3	66.0	*	4
5	*	30	2.4	17.7	*	124	9.7	67.8	*	75	5.9	22.6	*	99	7.8	59.0	*	123	9.7	29.8	*	54	4.2	70.2	*	5
6	*	24	1.9	19.6	*	82	6.4	74.2	*	64	5.0	27.7	*	64	5.0	64.1	*	107	8.4	38.2	*	104	8.2	78.4	*	6
7	*	45	3.5	23.1	*	83	6.5	80.7	*	116	9.1	36.8	*	59	4.6	68.7	*	106	8.3	46.5	*	62	4.9	83.3	*	7
8	*	48	3.8	26.9	*	51	4.0	84.7	*	113	8.9	45.7	*	90	7.1	75.8	*	105	8.3	54.8	*	44	3.5	86.7	*	8
9	*	45	3.5	30.4	*	41	3.2	88.0	*	101	7.9	53.6	*	47	3.7	79.5	*	99	7.8	62.6	*	71	5.6	92.3	*	9
10	*	63	5.0	35.4	*	35	2.8	90.7	*	100	7.9	61.5	*	55	4.3	83.8	*	71	5.6	68.2	*	36	2.8	95.1	*	10
11	*	75	5.9	41.3	*	62	4.9	95.6	*	106	8.3	69.8	*	57	4.5	88.3	*	78	6.1	74.3	*	24	1.9	97.0	*	11
12	*	77	6.1	47.3	*	32	2.5	98.1	*	81	6.4	76.2	*	42	3.3	91.6	*	52	4.1	78.4	*	13	1.0	98.0	*	12
13	*	94	7.4	54.7	*	13	1.0	99.1	*	89	7.0	83.2	*	28	2.2	93.8	*	103	8.1	86.5	*	9	0.6	98.7	*	13
14	*	129	10.1	64.9	*	5	0.4	99.5	*	83	6.5	89.7	*	34	2.7	96.5	*	72	5.7	92.1	*	9	0.7	99.4	*	14
15	*	145	11.4	76.3	*	5	0.4	99.9	*	47	3.7	93.4	*	23	1.8	98.3	*	47	3.7	95.8	*	5	0.4	99.8	*	15
16	*	73	5.7	82.0	*	1	0.1	100.0	*	51	4.0	97.4	*	17	1.3	99.6	*	21	1.7	97.5	*	2	0.2	100.0	*	16
17	*	64	5.0	87.0	*	0	0.0	100.0	*	33	2.6	100.0	*	5	0.4	100.0	*	27	2.1	99.6	*	0	0.0	100.0	*	17
18	*	54	4.2	91.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.4	100.0	*	0	0.0	100.0	*	18
19	*	68	5.3	96.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	34	2.7	99.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	9	0.7	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 59.2      DMC = 9.0      DC = 119.3      ISI = 3.5      ADMC = 24.2      FWI = 4.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1272

MAXIMUM VALUES

FFMC = 92.0      DMC = 52.0      DC = 299.0      ISI = 34.9      ADMC = 55.0      FWI = 53.0

\*\*\*TOTALS FOR STATION 62 GASPE LONG, 6429 LAT, 4850

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	21	1.5	1.5	*	90	6.3	6.3	*	56	3.9	3.9	*	80	5.6	5.6	*	20	1.4	1.4	*	275	19.2	19.2	*	1
2	*	9	0.6	2.1	*	127	8.9	15.2	*	46	3.2	7.1	*	100	7.0	12.6	*	34	2.4	3.8	*	201	14.0	33.3	*	2
3	*	12	0.8	2.9	*	149	10.4	25.6	*	56	3.9	11.0	*	169	11.8	24.4	*	17	1.2	5.0	*	79	5.5	38.8	*	3
4	*	14	1.0	3.9	*	149	10.4	36.0	*	58	4.1	15.1	*	109	7.6	32.0	*	47	3.3	8.2	*	88	6.1	44.9	*	4
5	*	15	1.0	5.0	*	171	11.9	47.9	*	52	3.6	18.7	*	99	6.9	38.9	*	73	5.1	13.3	*	95	6.6	51.6	*	5
6	*	20	1.4	6.4	*	157	11.0	58.9	*	61	4.3	23.0	*	97	6.8	45.7	*	77	5.4	18.7	*	153	10.7	62.3	*	6
7	*	18	1.3	7.6	*	105	7.3	66.2	*	119	8.3	31.3	*	86	6.0	51.7	*	108	7.5	26.3	*	130	9.1	71.3	*	7
8	*	24	1.7	9.3	*	113	7.9	74.1	*	103	7.2	38.5	*	138	9.6	61.4	*	104	7.3	33.5	*	75	5.2	76.6	*	8
9	*	47	3.3	12.6	*	68	4.8	78.9	*	79	5.5	44.0	*	126	8.8	70.2	*	114	8.0	41.5	*	126	8.8	85.4	*	9
10	*	56	3.9	16.5	*	56	3.9	82.8	*	65	4.5	48.6	*	75	5.2	75.4	*	105	7.3	48.8	*	81	5.7	91.1	*	10
11	*	74	5.2	21.7	*	110	7.7	90.5	*	66	4.6	53.2	*	106	7.4	82.8	*	101	7.1	55.9	*	41	2.9	93.9	*	11
12	*	81	5.7	27.3	*	47	3.3	93.8	*	81	5.7	58.8	*	82	5.7	88.5	*	72	5.0	60.9	*	32	2.2	96.2	*	12
13	*	122	8.5	35.8	*	26	1.8	95.6	*	89	6.2	65.1	*	44	3.1	91.6	*	176	12.3	73.2	*	15	1.0	97.2	*	13
14	*	146	10.2	46.1	*	14	1.0	96.6	*	167	11.7	76.7	*	57	4.0	95.6	*	137	9.6	82.8	*	22	1.5	98.7	*	14
15	*	210	14.7	60.7	*	20	1.4	98.0	*	128	8.9	85.7	*	20	1.4	97.0	*	85	5.9	88.7	*	9	0.6	99.4	*	15
16	*	133	9.3	70.0	*	15	1.0	99.0	*	74	5.2	90.8	*	25	1.7	98.7	*	54	3.8	92.5	*	6	0.4	99.8	*	16
17	*	166	11.6	81.6	*	11	0.8	99.8	*	82	5.7	96.6	*	7	0.5	99.3	*	45	3.1	95.7	*	3	0.2	100.0	*	17
18	*	135	9.4	91.1	*	3	0.2	100.0	*	44	3.1	99.7	*	9	0.6	99.9	*	24	1.7	97.3	*	0	0.0	100.0	*	18
19	*	72	5.0	96.1	*	0	0.0	100.0	*	5	0.3	100.0	*	2	0.1	100.0	*	22	1.5	98.9	*	0	0.0	100.0	*	19
20	*	40	2.8	98.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.7	99.6	*	0	0.0	100.0	*	20
21	*	16	1.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.7      DMC = 13.5      DC = 146.9      ISI = 5.0      ADMC = 34.8      FWI = 7.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1431

MAXIMUM VALUES

FFMC = 92.0      DMC = 76.0      DC = 364.0      ISI = 54.6      ADMC = 86.0      FWI = 64.0

\*\*\*TOTALS FOR STATION 52 HARRINGTON HARBOUR LONG. 5930 LAT. 5032

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	104	10.1	10.1	*	408	39.5	39.5	*	80	7.8	7.8	*	246	23.8	23.8	*	135	13.1	13.1	*	551	53.4	53.4	*	1
2	*	30	2.9	13.0	*	225	21.8	61.3	*	101	9.8	17.5	*	152	14.7	38.6	*	170	16.5	29.6	*	188	18.2	71.6	*	2
3	*	29	2.8	15.8	*	117	11.3	72.7	*	106	10.3	27.8	*	136	13.2	51.7	*	59	5.7	35.3	*	81	7.8	79.5	*	3
4	*	38	3.7	19.5	*	95	9.2	81.9	*	92	8.9	36.7	*	126	12.2	64.0	*	72	7.0	42.2	*	51	4.9	84.4	*	4
5	*	33	3.2	22.7	*	71	6.9	88.8	*	75	7.3	44.0	*	76	7.4	71.3	*	145	14.1	56.3	*	34	3.3	87.7	*	5
6	*	29	2.8	25.5	*	49	4.7	93.5	*	75	7.3	51.3	*	71	6.9	78.2	*	108	10.5	66.8	*	45	4.4	92.1	*	6
7	*	37	3.6	29.1	*	31	3.0	96.5	*	130	12.6	63.9	*	43	4.2	82.4	*	67	6.5	73.3	*	31	3.0	95.1	*	7
8	*	34	3.3	32.4	*	11	1.1	97.6	*	109	10.6	74.4	*	64	6.2	88.6	*	64	6.2	79.5	*	18	1.7	96.8	*	8
9	*	56	5.4	37.8	*	4	0.4	98.0	*	90	8.7	83.1	*	28	2.7	91.3	*	52	5.0	84.5	*	17	1.6	98.4	*	9
10	*	56	5.4	43.2	*	7	0.7	98.6	*	46	4.5	87.6	*	32	3.1	94.4	*	48	4.7	89.1	*	7	0.7	99.1	*	10
11	*	56	5.4	48.6	*	13	1.3	99.9	*	33	3.2	90.8	*	23	2.2	96.6	*	32	3.1	92.2	*	7	0.7	99.8	*	11
12	*	69	6.7	55.3	*	1	0.1	100.0	*	27	2.6	93.4	*	11	1.1	97.7	*	26	2.5	94.8	*	1	0.1	99.9	*	12
13	*	101	9.8	65.1	*	0	0.0	100.0	*	18	1.7	95.2	*	6	0.6	98.3	*	38	3.7	98.4	*	0	0.0	99.9	*	13
14	*	99	9.6	74.7	*	0	0.0	100.0	*	15	1.5	96.6	*	10	1.0	99.2	*	11	1.1	99.5	*	1	0.1	100.0	*	14
15	*	127	12.3	87.0	*	0	0.0	100.0	*	17	1.6	98.3	*	5	0.5	99.7	*	5	0.5	100.0	*	0	0.0	100.0	*	15
16	*	51	4.9	92.0	*	0	0.0	100.0	*	13	1.3	99.5	*	2	0.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	16
17	*	37	3.6	95.5	*	0	0.0	100.0	*	5	0.5	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	17
18	*	20	1.9	97.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	18	1.7	99.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	7	0.7	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 53.8      DMC = 4.8      DC = 72.9      ISI = 1.8      ADMC = 13.4      FWI = 1.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1032

MAXIMUM VALUES

FFMC = 92.0      DMC = 27.0      DC = 288.0      ISI = 34.9      ADMC = 35.0      FWI = 32.0



\*\*\*TOTALS FOR STATION 89 HUBERDEAU LONG, 7438 LAT, 4558

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	8	0.5	0.5	*	62	4.0	4.0	*	47	3.0	3.0	*	79	5.1	5.1	*	14	0.9	0.9	*	324	20.7	20.7	*	1
2	*	11	0.7	1.2	*	119	7.6	11.6	*	61	3.9	6.9	*	131	8.4	13.4	*	24	1.5	2.4	*	226	14.5	35.2	*	2
3	*	20	1.3	2.5	*	149	9.5	21.1	*	78	5.0	11.9	*	181	11.6	25.0	*	17	1.1	3.5	*	110	7.0	42.3	*	3
4	*	18	1.2	3.6	*	174	11.1	32.3	*	78	5.0	16.9	*	156	10.0	35.0	*	32	2.0	5.6	*	96	6.1	48.4	*	4
5	*	16	1.0	4.7	*	170	10.9	43.1	*	83	5.3	22.2	*	131	8.4	43.4	*	79	5.1	10.6	*	89	5.7	54.1	*	5
6	*	19	1.2	5.9	*	142	9.1	52.2	*	84	5.4	27.6	*	71	4.5	48.0	*	95	6.1	16.7	*	155	9.9	64.0	*	6
7	*	25	1.6	7.5	*	135	8.6	60.9	*	174	11.1	38.7	*	92	5.9	53.8	*	104	6.7	23.4	*	140	9.0	73.0	*	7
8	*	27	1.7	9.2	*	132	8.5	69.3	*	141	9.0	47.8	*	158	10.1	64.0	*	129	8.3	31.6	*	104	6.7	79.6	*	8
9	*	40	2.6	11.8	*	91	5.8	75.2	*	143	9.2	56.9	*	143	9.2	73.1	*	106	6.8	38.4	*	153	9.8	89.4	*	9
10	*	57	3.6	15.4	*	72	4.6	79.8	*	134	8.6	65.5	*	102	6.5	79.6	*	129	8.3	46.7	*	73	4.7	94.1	*	10
11	*	101	6.5	21.9	*	145	9.3	89.1	*	118	7.6	73.0	*	134	8.6	88.2	*	106	6.8	53.5	*	42	2.7	96.8	*	11
12	*	87	5.6	27.5	*	67	4.3	93.3	*	91	5.8	78.9	*	74	4.7	93.0	*	97	6.2	59.7	*	30	1.9	98.7	*	12
13	*	94	6.0	33.5	*	43	2.8	96.1	*	75	4.8	83.7	*	36	2.3	95.3	*	210	13.4	73.1	*	7	0.4	99.2	*	13
14	*	129	8.3	41.7	*	22	1.4	97.5	*	99	6.3	90.0	*	50	3.2	98.5	*	149	9.5	82.7	*	11	0.7	99.9	*	14
15	*	199	12.7	54.5	*	21	1.3	98.8	*	48	3.1	93.1	*	15	1.0	99.4	*	87	5.6	88.2	*	1	0.1	99.9	*	15
16	*	107	6.9	61.3	*	6	0.4	99.2	*	21	1.3	94.4	*	6	0.4	99.8	*	65	4.2	92.4	*	1	0.1	100.0	*	16
17	*	151	9.7	71.0	*	9	0.6	99.8	*	7	0.4	94.9	*	3	0.2	100.0	*	80	5.1	97.5	*	0	0.0	100.0	*	17
18	*	166	10.6	81.6	*	2	0.1	99.9	*	23	1.5	96.4	*	0	0.0	100.0	*	25	1.6	99.1	*	0	0.0	100.0	*	18
19	*	160	10.2	91.9	*	1	0.1	100.0	*	43	2.8	99.1	*	0	0.0	100.0	*	9	0.6	99.7	*	0	0.0	100.0	*	19
20	*	95	6.1	98.0	*	0	0.0	100.0	*	14	0.9	100.0	*	0	0.0	100.0	*	3	0.2	99.9	*	0	0.0	100.0	*	20
21	*	30	1.9	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.2      DMC = 14.3      DC = 120.7      ISI = 3.9      ADMC = 35.3      FWI = 6.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1562

MAXIMUM VALUES

FFMC = 93.0      DMC = 81.0      DC = 431.0      ISI = 35.2      ADMC = 87.0      FWI = 54.0

\*\*\*TOTALS FOR STATION 47 INDIAN HOUSE LAKE LONG. 6444 LAT. 5614

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	32	3.4	3.4	*	247	26.1	26.1	*	55	5.8	5.8	*	115	12.1	12.1	*	65	6.9	6.9	*	391	41.2	41.2	*	1
2	*	25	2.6	6.0	*	169	17.8	43.9	*	69	7.3	13.1	*	129	13.6	25.7	*	85	9.0	15.8	*	168	17.7	59.0	*	2
3	*	18	1.9	7.9	*	117	12.3	56.2	*	60	6.3	19.4	*	146	15.4	41.1	*	37	3.9	19.7	*	57	6.0	65.0	*	3
4	*	9	0.9	8.9	*	107	11.3	67.5	*	49	5.2	24.6	*	100	10.5	51.7	*	79	8.3	28.1	*	55	5.8	70.8	*	4
5	*	21	2.2	11.1	*	74	7.8	75.3	*	56	5.9	30.5	*	84	8.9	60.5	*	111	11.7	39.8	*	31	3.3	74.1	*	5
6	*	26	2.7	13.8	*	64	6.8	82.1	*	39	4.1	34.6	*	58	6.1	66.7	*	77	8.1	47.9	*	63	6.6	80.7	*	6
7	*	35	3.7	17.5	*	37	3.9	86.0	*	83	8.8	43.4	*	42	4.4	71.1	*	83	8.8	56.6	*	42	4.5	85.2	*	7
8	*	43	4.5	22.0	*	37	3.9	89.9	*	122	12.9	56.2	*	52	5.5	76.6	*	83	8.8	65.4	*	36	3.8	89.0	*	8
9	*	53	5.6	27.6	*	31	3.3	93.1	*	107	11.3	67.5	*	43	4.5	81.1	*	55	5.8	71.2	*	43	4.5	93.6	*	9
10	*	54	5.7	33.3	*	18	1.9	95.0	*	115	12.1	79.6	*	40	4.2	85.3	*	57	6.0	77.2	*	24	2.5	96.1	*	10
11	*	71	7.5	40.8	*	24	2.5	97.6	*	59	6.2	85.9	*	47	5.0	90.3	*	43	4.5	81.8	*	21	2.2	98.3	*	11
12	*	73	7.7	48.5	*	13	1.4	98.9	*	52	5.5	91.4	*	29	3.1	93.4	*	29	3.1	84.8	*	8	0.8	99.2	*	12
13	*	66	7.0	55.5	*	7	0.7	99.7	*	35	3.7	95.0	*	19	2.0	95.4	*	65	6.9	91.7	*	4	0.4	99.6	*	13
14	*	99	10.4	65.9	*	2	0.2	99.9	*	11	1.2	96.2	*	25	2.6	98.0	*	29	3.1	94.7	*	3	0.3	99.9	*	14
15	*	106	11.2	77.1	*	1	0.1	100.0	*	6	0.6	96.8	*	5	0.5	98.5	*	25	2.6	97.4	*	1	0.1	100.0	*	15
16	*	49	5.2	82.3	*	0	0.0	100.0	*	8	0.8	97.7	*	10	1.1	99.6	*	15	1.6	98.9	*	0	0.0	100.0	*	16
17	*	42	4.4	86.7	*	0	0.0	100.0	*	20	2.1	99.8	*	3	0.3	99.9	*	10	1.1	100.0	*	0	0.0	100.0	*	17
18	*	46	4.9	91.6	*	0	0.0	100.0	*	2	0.2	100.0	*	0	0.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	47	5.0	96.5	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	24	2.5	99.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	8	0.8	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 61.5      DMC = 7.3      DC = 94.0      ISI = 3.1      ADMC = 20.1      FWI = 3.6

THE TOTAL NUMBER OF OBSERVATIONS IS 948

MAXIMUM VALUES

FFMC = 93.0      DMC = 42.0      DC = 303.0      ISI = 56.1      ADMC = 46.0      FWI = 44.0

\*\*\*TOTALS FOR STATION 48 KNOB LAKE LONG. 6649 LAT. 5448

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	30	2.9	2.9	*	341	33.5	33.5	*	97	9.5	9.5	*	153	15.0	15.0	*	115	11.3	11.3	*	492	48.3	48.3	*	1
2	*	24	2.4	5.3	*	167	16.4	49.9	*	99	9.7	19.2	*	147	14.4	29.4	*	122	12.0	23.3	*	171	16.8	65.1	*	2
3	*	30	2.9	8.2	*	129	12.7	62.5	*	90	8.8	28.1	*	186	18.3	47.7	*	52	5.1	28.4	*	60	5.9	71.0	*	3
4	*	27	2.6	10.9	*	87	8.5	71.1	*	89	8.7	36.8	*	109	10.7	58.4	*	80	7.9	36.2	*	45	4.4	75.4	*	4
5	*	30	2.9	13.8	*	63	6.2	77.2	*	75	7.4	44.2	*	77	7.6	65.9	*	109	10.7	46.9	*	42	4.1	79.5	*	5
6	*	31	3.0	16.9	*	54	5.3	82.5	*	64	6.3	50.4	*	67	6.6	72.5	*	89	8.7	55.6	*	62	6.1	85.6	*	6
7	*	47	4.6	21.5	*	35	3.4	86.0	*	113	11.1	61.5	*	41	4.0	76.5	*	83	8.1	63.8	*	28	2.7	88.3	*	7
8	*	45	4.4	25.9	*	34	3.3	89.3	*	80	7.9	69.4	*	49	4.8	81.4	*	73	7.2	71.0	*	29	2.8	91.2	*	8
9	*	57	5.6	31.5	*	20	2.0	91.3	*	67	6.6	76.0	*	47	4.6	86.0	*	52	5.1	76.1	*	37	3.6	94.8	*	9
10	*	58	5.7	37.2	*	22	2.2	93.4	*	62	6.1	82.0	*	26	2.6	88.5	*	42	4.1	80.2	*	21	2.1	96.9	*	10
11	*	69	6.8	44.0	*	27	2.6	96.1	*	46	4.5	86.6	*	41	4.0	92.5	*	33	3.2	83.4	*	16	1.6	98.4	*	11
12	*	89	8.7	52.7	*	21	2.1	98.1	*	48	4.7	91.3	*	23	2.3	94.8	*	36	3.5	86.9	*	6	0.6	99.0	*	12
13	*	96	9.4	62.1	*	8	0.8	98.9	*	57	5.6	96.9	*	18	1.8	96.6	*	56	5.5	92.4	*	4	0.4	99.4	*	13
14	*	79	7.8	69.9	*	3	0.3	99.2	*	13	1.3	98.1	*	15	1.5	98.0	*	31	3.0	95.5	*	4	0.4	99.8	*	14
15	*	97	9.5	79.4	*	3	0.3	99.5	*	19	1.9	100.0	*	12	1.2	99.2	*	15	1.5	97.0	*	1	0.1	99.9	*	15
16	*	48	4.7	84.1	*	5	0.5	100.0	*	0	0.0	100.0	*	5	0.5	99.7	*	13	1.3	98.2	*	1	0.1	100.0	*	16
17	*	46	4.5	88.6	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.2	99.9	*	10	1.0	99.2	*	0	0.0	100.0	*	17
18	*	44	4.3	92.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	99.9	*	4	0.4	99.6	*	0	0.0	100.0	*	18
19	*	31	3.0	96.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	4	0.4	100.0	*	0	0.0	100.0	*	19
20	*	33	3.2	99.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	8	0.8	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 59.3      DMC = 7.2      DC = 76.5      ISI = 2.6      ADMC = 18.1      FWI = 3.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1019

MAXIMUM VALUES

FFMC = 92.0      DMC = 58.0      DC = 248.0      ISI = 58.8      ADMC = 69.0      FWI = 51.0

\*\*\*TOTALS FOR STATION 67 LABRIEVILLE LONG. 6935 LAT. 4919

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	21	1.4	1.4	50	3.4	3.4	33	2.2	2.2	83	5.6	5.6	5	0.3	0.3	277	18.6	18.6	1
2	16	1.1	2.5	99	6.7	10.0	52	3.5	5.7	113	7.6	13.2	15	1.0	1.3	218	14.7	33.3	2
3	12	0.8	3.3	127	8.5	18.6	56	3.8	9.5	179	12.0	25.2	16	1.1	2.4	103	6.9	40.2	3
4	10	0.7	4.0	130	8.7	27.3	65	4.4	13.9	129	8.7	33.9	37	2.5	4.9	89	6.0	46.2	4
5	16	1.1	5.0	137	9.2	36.5	72	4.8	18.7	116	7.8	41.7	64	4.3	9.2	84	5.7	51.9	5
6	23	1.5	6.6	152	10.2	46.8	87	5.9	24.6	90	6.1	47.8	73	4.9	14.1	132	8.9	60.8	6
7	17	1.1	7.7	111	7.5	54.2	126	8.5	33.0	83	5.6	53.4	74	5.0	19.1	125	8.4	69.2	7
8	24	1.6	9.4	105	7.1	61.3	112	7.5	40.6	143	9.6	63.0	113	7.6	26.7	101	6.8	76.0	8
9	32	2.2	11.5	84	5.7	67.0	122	8.2	48.8	122	8.2	71.2	101	6.8	33.5	159	10.7	86.7	9
10	58	3.9	15.4	80	5.4	72.3	117	7.9	56.7	85	5.7	76.9	85	5.7	39.2	84	5.7	92.3	10
11	66	4.4	19.9	146	9.8	82.2	142	9.6	66.2	141	9.5	86.4	90	6.1	45.3	57	3.8	96.2	11
12	86	5.8	25.6	93	6.3	88.4	116	7.8	74.0	66	4.4	90.8	101	6.8	52.1	23	1.5	97.7	12
13	109	7.3	33.0	57	3.8	92.3	118	7.9	82.0	54	3.6	94.5	214	14.4	66.5	10	0.7	98.4	13
14	117	7.9	40.8	51	3.4	95.7	90	6.1	88.0	48	3.2	97.7	143	9.6	76.1	20	1.3	99.7	14
15	169	11.4	52.2	51	3.4	99.1	68	4.6	92.6	14	0.9	98.7	106	7.1	83.2	3	0.2	99.9	15
16	98	6.6	58.8	13	0.9	100.0	64	4.3	96.9	17	1.1	99.8	91	6.1	89.4	1	0.1	100.0	16
17	112	7.5	66.4	0	0.0	100.0	30	2.0	98.9	3	0.2	100.0	98	6.6	96.0	0	0.0	100.0	17
18	129	8.7	75.0	0	0.0	100.0	16	1.1	100.0	0	0.0	100.0	42	2.8	98.8	0	0.0	100.0	18
19	154	10.4	85.4	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	16	1.1	99.9	0	0.0	100.0	19
20	117	7.9	93.3	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	2	0.1	100.0	0	0.0	100.0	20
21	82	5.5	98.8	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	21
22	18	1.2	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	22
23	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 72.8      DMC = 16.2      DC = 127.0      ISI = 4.1      ADMC = 38.9      FWI = 6.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1486

MAXIMUM VALUES

FFMC = 94.0      DMC = 60.0      DC = 334.0      ISI = 35.5      ADMC = 75.0      FWI = 57.0

\*\*\*TOTALS FOR STATION 93 LAC DOZOIS LONG. 7718 LAT. 4738

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	14	1.0	1.0	*	84	6.1	6.1	*	58	4.2	4.2	*	86	6.2	6.2	*	20	1.4	1.4	*	399	28.8	28.8	*	1
2	*	13	0.9	1.9	*	142	10.2	16.3	*	81	5.8	10.0	*	181	13.0	19.3	*	28	2.0	3.5	*	255	18.4	47.2	*	2
3	*	12	0.9	2.8	*	167	12.0	28.3	*	105	7.6	17.6	*	214	15.4	34.7	*	25	1.8	5.3	*	76	5.5	52.6	*	3
4	*	22	1.6	4.4	*	159	11.5	39.8	*	100	7.2	24.8	*	155	11.2	45.9	*	43	3.1	8.4	*	68	4.9	57.5	*	4
5	*	15	1.1	5.5	*	159	11.5	51.3	*	67	4.9	29.6	*	90	6.5	52.3	*	97	7.0	15.4	*	78	5.6	63.2	*	5
6	*	24	1.7	7.2	*	126	9.1	60.3	*	92	6.6	36.3	*	86	6.2	58.5	*	119	8.6	23.9	*	122	8.8	72.0	*	6
7	*	33	2.4	9.6	*	102	7.4	67.7	*	173	12.5	48.7	*	61	4.4	62.9	*	123	8.9	32.8	*	96	6.9	78.9	*	7
8	*	43	3.1	12.7	*	84	6.1	73.8	*	145	10.5	59.2	*	124	8.9	71.9	*	114	8.2	41.0	*	87	6.3	85.1	*	8
9	*	47	3.4	16.1	*	69	5.0	78.7	*	136	9.8	69.0	*	90	6.5	78.4	*	115	8.3	49.3	*	90	6.5	91.6	*	9
10	*	70	5.0	21.1	*	65	4.7	83.4	*	99	7.1	76.1	*	73	5.3	83.6	*	105	7.6	56.9	*	51	3.7	95.3	*	10
11	*	59	4.3	25.4	*	93	6.7	90.1	*	79	5.7	81.8	*	79	5.7	89.3	*	86	6.2	63.1	*	32	2.3	97.6	*	11
12	*	97	7.0	32.4	*	50	3.6	93.7	*	73	5.3	87.1	*	65	4.7	94.0	*	65	4.7	67.8	*	12	0.9	98.5	*	12
13	*	98	7.1	39.4	*	37	2.7	96.4	*	56	4.0	91.1	*	33	2.4	96.4	*	166	12.0	79.7	*	14	1.0	99.5	*	13
14	*	134	9.7	49.1	*	22	1.6	98.0	*	67	4.8	96.0	*	35	2.5	98.9	*	90	6.5	86.2	*	6	0.4	99.9	*	14
15	*	171	12.3	61.4	*	21	1.5	99.5	*	48	3.5	99.4	*	9	0.7	99.6	*	80	5.8	92.0	*	1	0.1	100.0	*	15
16	*	76	5.5	66.9	*	3	0.2	99.7	*	8	0.6	100.0	*	6	0.4	100.0	*	46	3.3	95.3	*	0	0.0	100.0	*	16
17	*	112	8.1	75.0	*	3	0.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	39	2.8	98.1	*	0	0.0	100.0	*	17
18	*	118	8.5	83.5	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	1.1	99.2	*	0	0.0	100.0	*	18
19	*	112	8.1	91.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	99.7	*	0	0.0	100.0	*	19
20	*	85	6.1	97.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	99.9	*	0	0.0	100.0	*	20
21	*	27	1.9	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	21
22	*	5	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.7      DMC = 12.8      DC = 94.6      ISI = 3.3      ADMC = 30.8      FWI = 4.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1387

MAXIMUM VALUES

FFMC = 93.0      DMC = 71.0      DC = 272.0      ISI = 25.0      ADMC = 82.0      FWI = 41.0

\*\*\*TOTALS FOR STATION 90 LAC KIAMIKA LONG. 7507 LAT. 4637

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	35	2.3	2.3	*	168	11.0	11.0	*	71	4.7	4.7	*	124	8.2	8.2	*	47	3.1	3.1	*	449	29.5	29.5	*	1
2	*	17	1.1	3.4	*	155	10.2	21.2	*	85	5.6	10.3	*	185	12.2	20.3	*	57	3.7	6.8	*	269	17.7	47.2	*	2
3	*	18	1.2	4.6	*	157	10.3	31.6	*	77	5.1	15.3	*	220	14.5	34.8	*	28	1.8	8.7	*	107	7.0	54.2	*	3
4	*	21	1.4	6.0	*	185	12.2	43.7	*	87	5.7	21.0	*	152	10.0	44.8	*	69	4.5	13.2	*	98	6.4	60.7	*	4
5	*	19	1.2	7.2	*	145	9.5	53.3	*	92	6.0	27.1	*	129	8.5	53.3	*	100	6.6	19.8	*	78	5.1	65.8	*	5
6	*	30	2.0	9.2	*	138	9.1	62.3	*	85	5.6	32.7	*	95	6.2	59.5	*	114	7.5	27.3	*	146	9.6	75.4	*	6
7	*	38	2.5	11.7	*	135	8.9	71.2	*	210	13.8	46.5	*	84	5.5	65.0	*	102	6.7	34.0	*	100	6.6	82.0	*	7
8	*	35	2.3	14.0	*	111	7.3	78.5	*	143	9.4	55.9	*	155	10.2	75.2	*	116	7.6	41.6	*	81	5.3	87.3	*	8
9	*	68	4.5	18.5	*	76	5.0	83.5	*	103	6.8	62.7	*	92	6.0	81.3	*	131	8.6	50.2	*	94	6.2	93.5	*	9
10	*	72	4.7	23.2	*	56	3.7	87.2	*	99	6.5	69.2	*	87	5.7	87.0	*	99	6.5	56.7	*	53	3.5	97.0	*	10
11	*	86	5.7	28.9	*	84	5.5	92.7	*	89	5.9	75.0	*	84	5.5	92.5	*	103	6.8	63.5	*	23	1.5	98.5	*	11
12	*	95	6.2	35.1	*	62	4.1	96.8	*	87	5.7	80.7	*	52	3.4	95.9	*	95	6.2	69.8	*	16	1.1	99.5	*	12
13	*	120	7.9	43.0	*	28	1.8	98.6	*	86	5.7	86.4	*	31	2.0	98.0	*	183	12.0	81.8	*	2	0.1	99.7	*	13
14	*	129	8.5	51.5	*	13	0.9	99.5	*	86	5.7	92.0	*	22	1.4	99.4	*	109	7.2	89.0	*	5	0.3	100.0	*	14
15	*	203	13.3	64.8	*	7	0.5	99.9	*	60	3.9	96.0	*	5	0.3	99.7	*	63	4.1	93.1	*	0	0.0	100.0	*	15
16	*	89	5.9	70.7	*	1	0.1	100.0	*	38	2.5	98.5	*	4	0.3	100.0	*	50	3.3	96.4	*	0	0.0	100.0	*	16
17	*	129	8.5	79.2	*	0	0.0	100.0	*	13	0.9	99.3	*	0	0.0	100.0	*	39	2.6	98.9	*	0	0.0	100.0	*	17
18	*	109	7.2	86.3	*	0	0.0	100.0	*	10	0.7	100.0	*	0	0.0	100.0	*	11	0.7	99.7	*	0	0.0	100.0	*	18
19	*	129	8.5	94.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	19
20	*	59	3.9	98.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	20	1.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 67.7      DMC = 11.4      DC = 105.8      ISI = 2.9      ADMC = 29.3      FWI = 4.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1521

MAXIMUM VALUES

FFMC = 92.0      DMC = 51.0      DC = 329.0      ISI = 25.0      ADMC = 70.0      FWI = 36.0

\*\*\*TOTALS FOR STATION 70 LAC ONATCHIWAY LONG. 7104 LAT. 4859

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	15	1.1	1.1	*	132	9.3	9.3	*	104	7.3	7.3	*	81	5.7	5.7	*	27	1.9	1.9	*	439	30.9	30.9	*	1
2	*	4	0.3	1.3	*	176	12.4	21.7	*	112	7.9	15.2	*	176	12.4	18.1	*	49	3.5	5.4	*	279	19.7	50.6	*	2
3	*	21	1.5	2.8	*	179	12.6	34.3	*	78	5.5	20.7	*	241	17.0	35.1	*	44	3.1	8.5	*	102	7.2	57.8	*	3
4	*	14	1.0	3.8	*	171	12.1	46.4	*	89	6.3	27.0	*	181	12.8	47.9	*	69	4.9	13.3	*	80	5.6	63.4	*	4
5	*	17	1.2	5.0	*	147	10.4	56.7	*	87	6.1	33.1	*	116	8.2	56.0	*	110	7.8	21.1	*	72	5.1	68.5	*	5
6	*	25	1.8	6.8	*	125	8.8	65.5	*	100	7.0	40.2	*	93	6.6	62.6	*	131	9.2	30.3	*	110	7.8	76.3	*	6
7	*	28	2.0	8.7	*	104	7.3	72.9	*	199	14.0	54.2	*	61	4.3	66.9	*	113	8.0	38.3	*	80	5.6	81.9	*	7
8	*	42	3.0	11.7	*	85	6.0	78.9	*	178	12.5	66.7	*	103	7.3	74.1	*	131	9.2	47.5	*	74	5.2	87.1	*	8
9	*	53	3.7	15.4	*	64	4.5	83.4	*	149	10.5	77.2	*	102	7.2	81.3	*	106	7.5	55.0	*	90	6.3	93.4	*	9
10	*	63	4.4	19.9	*	51	3.6	87.0	*	103	7.3	84.5	*	65	4.6	85.9	*	98	6.9	61.9	*	41	2.9	96.3	*	10
11	*	99	7.0	26.8	*	81	5.7	92.7	*	69	4.9	89.4	*	74	5.2	91.1	*	87	6.1	68.0	*	32	2.3	98.6	*	11
12	*	112	7.9	34.7	*	47	3.3	96.0	*	75	5.3	94.6	*	51	3.6	94.7	*	89	6.3	74.3	*	12	0.8	99.4	*	12
13	*	124	8.7	43.5	*	29	2.0	98.0	*	45	3.2	97.8	*	28	2.0	96.7	*	146	10.3	84.6	*	6	0.4	99.9	*	13
14	*	140	9.9	53.3	*	12	0.8	98.9	*	24	1.7	99.5	*	37	2.6	99.3	*	93	6.6	91.1	*	1	0.1	99.9	*	14
15	*	170	12.0	65.3	*	12	0.8	99.7	*	7	0.5	100.0	*	7	0.5	99.8	*	51	3.6	94.7	*	1	0.1	100.0	*	15
16	*	89	6.3	71.6	*	4	0.3	100.0	*	0	0.0	100.0	*	2	0.1	99.9	*	37	2.6	97.3	*	0	0.0	100.0	*	16
17	*	82	5.8	77.4	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	30	2.1	99.4	*	0	0.0	100.0	*	17
18	*	99	7.0	84.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.6	100.0	*	0	0.0	100.0	*	18
19	*	123	8.7	93.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	64	4.5	97.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	28	2.0	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	7	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.0      DMC = 11.3      DC = 80.9      ISI = 3.0      ADMC = 27.3      FWI = 4.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1419

MAXIMUM VALUES

FFMC = 94.0      DMC = 55.0      DC = 250.0      ISI = 31.2      ADMC = 59.0      FWI = 43.0

\*\*\*TOTALS FOR STATION 51 LAKE EON LONG. 6317 LAT. 5151

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	55	4.9	4.9	*	243	21.8	21.8	*	39	3.5	3.5	*	142	12.7	12.7	*	57	5.1	5.1	*	494	44.2	44.2	*	1
2	*	14	1.3	6.2	*	198	17.7	39.5	*	53	4.7	8.2	*	185	16.6	29.3	*	79	7.1	12.2	*	196	17.5	61.8	*	2
3	*	21	1.9	8.1	*	166	14.9	54.3	*	70	6.3	14.5	*	202	18.1	47.4	*	33	3.0	15.1	*	82	7.3	69.1	*	3
4	*	18	1.6	9.7	*	111	9.9	64.3	*	85	7.6	22.1	*	131	11.7	59.1	*	93	8.3	23.5	*	65	5.8	74.9	*	4
5	*	25	2.2	11.9	*	78	7.0	71.3	*	78	7.0	29.1	*	83	7.4	66.5	*	128	11.5	34.9	*	48	4.3	79.2	*	5
6	*	25	2.2	14.1	*	77	6.9	78.2	*	82	7.3	36.4	*	64	5.7	72.2	*	119	10.7	45.6	*	73	6.5	85.8	*	6
7	*	35	3.1	17.3	*	46	4.1	82.3	*	173	15.5	51.9	*	58	5.2	77.4	*	99	8.9	54.4	*	44	3.9	89.7	*	7
8	*	41	3.7	20.9	*	41	3.7	85.9	*	146	13.1	65.0	*	65	5.8	83.3	*	88	7.9	62.3	*	34	3.0	92.7	*	8
9	*	64	5.7	26.7	*	54	4.8	90.8	*	98	8.8	73.8	*	57	5.1	88.4	*	75	6.7	69.0	*	41	3.7	96.4	*	9
10	*	68	6.1	32.8	*	23	2.1	92.8	*	66	5.9	79.7	*	32	2.9	91.2	*	55	4.9	73.9	*	20	1.8	98.2	*	10
11	*	90	8.1	40.8	*	40	3.6	96.4	*	39	3.5	83.2	*	42	3.8	95.0	*	42	3.8	77.7	*	9	0.8	99.0	*	11
12	*	82	7.3	48.2	*	21	1.9	98.3	*	25	2.2	85.4	*	23	2.1	97.0	*	32	2.9	80.6	*	5	0.4	99.5	*	12
13	*	105	9.4	57.6	*	6	0.5	98.8	*	32	2.9	88.3	*	10	0.9	97.9	*	86	7.7	88.3	*	2	0.2	99.6	*	13
14	*	109	9.8	67.3	*	7	0.6	99.5	*	26	2.3	90.6	*	12	1.1	99.0	*	42	3.8	92.0	*	4	0.4	100.0	*	14
15	*	141	12.6	79.9	*	6	0.5	100.0	*	24	2.1	92.7	*	3	0.3	99.3	*	37	3.3	95.3	*	0	0.0	100.0	*	15
16	*	53	4.7	84.7	*	0	0.0	100.0	*	18	1.6	94.4	*	7	0.6	99.9	*	22	2.0	97.3	*	0	0.0	100.0	*	16
17	*	60	5.4	90.1	*	0	0.0	100.0	*	9	0.8	95.2	*	1	0.1	100.0	*	21	1.9	99.2	*	0	0.0	100.0	*	17
18	*	53	4.7	94.8	*	0	0.0	100.0	*	13	1.2	96.3	*	0	0.0	100.0	*	9	0.8	100.0	*	0	0.0	100.0	*	18
19	*	35	3.1	97.9	*	0	0.0	100.0	*	15	1.3	97.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	16	1.4	99.4	*	0	0.0	100.0	*	26	2.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	5	0.4	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	2	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 60.9      DMC = 8.2      DC = 102.1      ISI = 2.3      ADMC = 22.3      FWI = 2.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1117

MAXIMUM VALUES

FFMC = 93.0      DMC = 44.0      DC = 439.0      ISI = 30.1      ADMC = 55.0      FWI = 39.0



\*\*\*TOTALS FOR STATION 101 LA SARRE LONG. 7914 LAT. 4849

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	26	1.8	1.8	*	87	6.2	6.2	*	79	5.6	5.6	*	81	5.7	5.7	*	18	1.3	1.3	*	367	26.0	26.0	*	1
2	*	8	0.6	2.4	*	135	9.6	15.7	*	93	6.6	12.2	*	158	11.2	17.0	*	33	2.3	3.6	*	239	17.0	43.0	*	2
3	*	20	1.4	3.8	*	168	11.9	27.7	*	79	5.6	17.8	*	188	13.3	30.3	*	21	1.5	5.1	*	83	5.9	48.9	*	3
4	*	10	0.7	4.5	*	175	12.4	40.1	*	91	6.5	24.3	*	158	11.2	41.5	*	53	3.8	8.9	*	92	6.5	55.4	*	4
5	*	12	0.9	5.4	*	164	11.6	51.7	*	86	6.1	30.4	*	104	7.4	48.9	*	95	6.7	15.6	*	65	4.6	60.0	*	5
6	*	21	1.5	6.9	*	115	8.2	59.9	*	89	6.3	36.7	*	81	5.7	54.6	*	118	8.4	24.0	*	127	9.0	69.0	*	6
7	*	24	1.7	8.6	*	100	7.1	67.0	*	137	9.7	46.4	*	79	5.6	60.2	*	106	7.5	31.5	*	83	5.9	74.9	*	7
8	*	41	2.9	11.5	*	92	6.5	73.5	*	136	9.6	56.0	*	103	7.3	67.5	*	130	9.2	40.7	*	94	6.7	81.6	*	8
9	*	49	3.5	15.0	*	68	4.8	78.3	*	140	9.9	66.0	*	95	6.7	74.3	*	115	8.2	48.9	*	102	7.2	88.8	*	9
10	*	60	4.3	19.2	*	51	3.6	81.9	*	113	8.0	74.0	*	78	5.5	79.8	*	103	7.3	56.2	*	65	4.6	93.4	*	10
11	*	91	6.5	25.7	*	91	6.5	88.4	*	126	8.9	82.9	*	93	6.6	86.4	*	91	6.5	62.6	*	46	3.3	96.7	*	11
12	*	77	5.5	31.1	*	60	4.3	92.6	*	82	5.8	88.7	*	64	4.5	90.9	*	73	5.2	67.8	*	21	1.5	98.2	*	12
13	*	103	7.3	38.4	*	34	2.4	95.0	*	54	3.8	92.6	*	45	3.2	94.1	*	161	11.4	79.2	*	11	0.8	98.9	*	13
14	*	152	10.8	49.2	*	32	2.3	97.3	*	52	3.7	96.2	*	54	3.8	97.9	*	96	6.8	86.0	*	13	0.9	99.9	*	14
15	*	151	10.7	59.9	*	20	1.4	98.7	*	13	0.9	97.2	*	17	1.2	99.1	*	69	4.9	90.9	*	2	0.1	100.0	*	15
16	*	98	7.0	66.9	*	11	0.8	99.5	*	6	0.4	97.6	*	10	0.7	99.9	*	42	3.0	93.9	*	0	0.0	100.0	*	16
17	*	102	7.2	74.1	*	7	0.5	100.0	*	10	0.7	98.3	*	2	0.1	100.0	*	40	2.8	96.7	*	0	0.0	100.0	*	17
18	*	118	8.4	82.5	*	C	0.0	100.0	*	10	0.7	99.0	*	0	0.0	100.0	*	22	1.6	98.3	*	0	0.0	100.0	*	18
19	*	113	8.0	90.5	*	0	0.0	100.0	*	13	0.9	99.9	*	0	0.0	100.0	*	9	0.6	98.9	*	0	0.0	100.0	*	19
20	*	99	7.0	97.5	*	C	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	4	0.3	99.2	*	C	0.0	100.0	*	20
21	*	29	2.1	99.6	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	99.9	*	C	0.0	100.0	*	21
22	*	6	0.4	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.0      DMC = 13.3      DC = 97.3      ISI = 3.9      ADMC = 31.7      FWI = 5.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1410

MAXIMUM VALUES

FFMC = 94.0      DMC = 69.0      DC = 404.0      ISI = 35.2      ADMC = 91.0      FWI = 42.0

\*\*\*TOTALS FOR STATION 84 LA TUQUE LONG. 7248 LAT. 4727

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	4	0.2	0.2	*	31	1.9	1.9	*	50	3.1	3.1	*	54	3.3	3.3	*	6	0.4	0.4	*	268	16.5	16.5	*	1
2	*	11	0.7	0.9	*	85	5.2	7.1	*	97	6.0	9.0	*	119	7.3	10.6	*	12	0.7	1.1	*	247	15.2	31.7	*	2
3	*	12	0.7	1.7	*	140	8.6	15.7	*	93	5.7	14.8	*	187	11.5	22.1	*	15	0.9	2.0	*	113	6.9	38.6	*	3
4	*	15	0.9	2.6	*	183	11.3	27.0	*	91	5.6	20.4	*	175	10.8	32.9	*	24	1.5	3.5	*	97	6.0	44.6	*	4
5	*	9	0.6	3.1	*	178	10.9	37.9	*	74	4.6	24.9	*	111	6.8	39.7	*	67	4.1	7.6	*	71	4.4	49.0	*	5
6	*	9	0.6	3.7	*	161	9.9	47.8	*	74	4.6	29.5	*	100	6.2	45.9	*	102	6.3	13.9	*	170	10.5	59.4	*	6
7	*	19	1.2	4.9	*	128	7.9	55.7	*	189	11.6	41.1	*	84	5.2	51.0	*	117	7.2	21.1	*	133	8.2	67.6	*	7
8	*	20	1.2	6.1	*	121	7.4	63.2	*	162	10.0	51.0	*	134	8.2	59.3	*	113	6.9	28.0	*	99	6.1	73.7	*	8
9	*	39	2.4	8.5	*	86	5.3	68.5	*	128	7.9	58.9	*	122	7.5	66.8	*	118	7.3	35.3	*	147	9.0	82.7	*	9
10	*	62	3.8	12.3	*	80	4.9	73.4	*	129	7.9	66.9	*	94	5.8	72.6	*	112	6.9	42.2	*	98	6.0	88.7	*	10
11	*	83	5.1	17.4	*	162	10.0	83.3	*	73	4.5	71.3	*	137	8.4	81.0	*	111	6.8	49.0	*	67	4.1	92.9	*	11
12	*	84	5.2	22.6	*	96	5.9	89.2	*	78	4.8	76.1	*	100	6.2	87.1	*	106	6.5	55.5	*	43	2.6	95.5	*	12
13	*	113	6.9	29.5	*	58	3.6	92.8	*	71	4.4	80.5	*	56	3.4	90.6	*	216	13.3	68.8	*	30	1.8	97.4	*	13
14	*	142	8.7	38.3	*	25	1.5	94.3	*	89	5.5	85.0	*	86	5.3	95.9	*	144	8.9	77.7	*	36	2.2	99.6	*	14
15	*	183	11.3	49.5	*	38	2.3	96.7	*	104	6.4	92.4	*	42	2.6	98.5	*	119	7.3	85.0	*	6	0.4	99.9	*	15
16	*	108	6.6	56.2	*	23	1.4	98.1	*	59	3.6	96.0	*	22	1.4	99.8	*	82	5.0	90.0	*	1	0.1	100.0	*	16
17	*	134	8.2	64.4	*	15	0.9	99.0	*	13	0.8	96.8	*	3	0.2	100.0	*	77	4.7	94.8	*	0	0.0	100.0	*	17
18	*	153	9.4	73.8	*	10	0.6	99.6	*	38	2.3	99.1	*	0	0.0	100.0	*	38	2.3	97.1	*	0	0.0	100.0	*	18
19	*	153	9.4	83.2	*	6	0.4	100.0	*	14	0.9	100.0	*	0	0.0	100.0	*	21	1.3	98.4	*	0	0.0	100.0	*	19
20	*	144	8.9	92.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	11	0.7	99.1	*	0	0.0	100.0	*	20
21	*	97	6.0	98.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	99.7	*	0	0.0	100.0	*	21
22	*	32	2.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.9      DMC = 16.8      DC = 117.7      ISI = 4.7      ADMC = 38.6      FWI = 7.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1626

MAXIMUM VALUES

FFMC = 94.0      DMC = 94.0      DC = 375.0      ISI = 39.2      ADMC = 97.0      FWI = 55.0

\*\*\*TOTALS FOR STATION 81 LENNOXVILLE LONG. 7150 LAT. 4522

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	4	0.2	0.2	*	22	1.3	1.3	*	82	4.7	4.7	*	26	1.5	1.5	*	3	0.2	0.2	*	210	12.0	12.0	*	1
2	*	5	0.3	0.5	*	75	4.3	5.5	*	79	4.5	9.2	*	99	5.7	7.1	*	13	0.7	0.9	*	205	11.7	23.7	*	2
3	*	2	0.1	0.6	*	131	7.5	13.0	*	69	3.9	13.1	*	154	8.8	15.9	*	12	0.7	1.6	*	124	7.1	30.8	*	3
4	*	6	0.3	1.0	*	148	8.4	21.5	*	81	4.6	17.8	*	152	8.7	24.6	*	26	1.5	3.1	*	92	5.3	36.0	*	4
5	*	7	0.4	1.4	*	162	9.2	30.7	*	79	4.5	22.3	*	115	6.6	31.2	*	58	3.3	6.4	*	94	5.4	41.4	*	5
6	*	7	0.4	1.8	*	163	9.3	40.0	*	70	4.0	26.3	*	108	6.2	37.3	*	73	4.2	10.6	*	151	8.6	50.0	*	6
7	*	10	0.6	2.3	*	159	9.1	49.1	*	148	8.4	34.7	*	87	5.0	42.3	*	100	5.7	16.3	*	152	8.7	58.7	*	7
8	*	21	1.2	3.5	*	135	7.7	56.8	*	161	9.2	43.9	*	153	8.7	51.0	*	113	6.4	22.7	*	142	8.1	66.8	*	8
9	*	33	1.9	5.4	*	132	7.5	64.3	*	176	10.0	53.9	*	144	8.2	59.2	*	107	6.1	28.8	*	212	12.1	78.9	*	9
10	*	48	2.7	8.2	*	106	6.1	70.4	*	149	8.5	62.4	*	128	7.3	66.6	*	128	7.3	36.1	*	140	8.0	86.9	*	10
11	*	72	4.1	12.3	*	187	10.7	81.1	*	131	7.5	69.9	*	178	10.2	76.7	*	110	6.3	42.4	*	98	5.6	92.5	*	11
12	*	96	5.5	17.8	*	140	8.0	89.0	*	131	7.5	77.4	*	131	7.5	84.2	*	106	6.1	48.5	*	67	3.8	96.3	*	12
13	*	124	7.1	24.8	*	77	4.4	93.4	*	115	6.6	84.0	*	101	5.8	90.0	*	259	14.8	63.2	*	32	1.8	98.1	*	13
14	*	155	8.8	33.7	*	56	3.2	96.6	*	109	6.2	90.2	*	86	4.9	94.9	*	183	10.4	73.7	*	26	1.5	99.6	*	14
15	*	217	12.4	46.1	*	46	2.6	99.3	*	79	4.5	94.7	*	52	3.0	97.8	*	166	9.5	83.2	*	6	0.3	99.9	*	15
16	*	91	5.2	51.3	*	12	0.7	99.9	*	40	2.3	97.0	*	31	1.8	99.6	*	113	6.4	89.6	*	1	0.1	100.0	*	16
17	*	121	6.9	58.2	*	1	0.1	100.0	*	35	2.0	99.0	*	7	0.4	100.0	*	120	6.8	96.5	*	0	0.0	100.0	*	17
18	*	219	12.5	70.7	*	0	0.0	100.0	*	16	0.9	99.9	*	0	0.0	100.0	*	42	2.4	98.9	*	0	0.0	100.0	*	18
19	*	240	13.7	84.4	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	14	0.8	99.7	*	0	0.0	100.0	*	19
20	*	192	11.0	95.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	99.9	*	0	0.0	100.0	*	20
21	*	69	3.9	99.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	21
22	*	13	0.7	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.1      DMC = 17.0      DC = 119.1      ISI = 5.5      ADMC = 40.5      FWI = 8.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1752

MAXIMUM VALUES

FFMC = 93.0      DMC = 61.0      DC = 361.0      ISI = 37.2      ADMC = 84.0      FWI = 52.0

\*\*\*TOTALS FOR STATION 96 MANIWAKI

LONG. 7559 LAT. 4622

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	9	0.5	0.5	*	33	2.0	2.0	*	39	2.3	2.3	*	43	2.6	2.6	*	10	0.6	0.6	*	255	15.2	15.2	*	1
2	*	5	0.3	0.8	*	103	6.1	8.1	*	51	3.0	5.4	*	118	7.0	9.6	*	10	0.6	1.2	*	236	14.0	29.2	*	2
3	*	11	0.7	1.5	*	148	8.8	16.9	*	63	3.7	9.1	*	194	11.5	21.1	*	12	0.7	1.9	*	104	6.2	35.4	*	3
4	*	11	0.7	2.1	*	146	8.7	25.6	*	67	4.0	13.1	*	162	9.6	30.8	*	14	0.8	2.7	*	109	6.5	41.9	*	4
5	*	3	0.2	2.3	*	148	8.8	34.4	*	44	2.6	15.7	*	135	8.0	38.8	*	69	4.1	6.8	*	97	5.8	47.7	*	5
6	*	14	0.8	3.2	*	123	7.3	41.7	*	55	3.3	19.0	*	111	6.6	45.4	*	89	5.3	12.1	*	162	9.6	57.3	*	6
7	*	20	1.2	4.3	*	132	7.9	49.6	*	119	7.1	26.1	*	102	6.1	51.5	*	89	5.3	17.4	*	168	10.0	67.3	*	7
8	*	18	1.1	5.4	*	130	7.7	57.3	*	147	8.7	34.8	*	180	10.7	62.2	*	93	5.5	23.0	*	127	7.6	74.8	*	8
9	*	38	2.3	7.7	*	97	5.8	63.1	*	129	7.7	42.5	*	128	7.6	69.8	*	116	6.9	29.9	*	178	10.6	85.4	*	9
10	*	52	3.1	10.8	*	95	5.7	68.7	*	136	8.1	50.6	*	128	7.6	77.4	*	118	7.0	36.9	*	104	6.2	91.6	*	10
11	*	88	5.2	16.0	*	189	11.2	80.0	*	132	7.9	58.4	*	144	8.6	86.0	*	96	5.7	42.6	*	53	3.2	94.8	*	11
12	*	95	5.7	21.7	*	97	5.8	85.7	*	122	7.3	65.7	*	101	6.0	92.0	*	88	5.2	47.8	*	40	2.4	97.1	*	12
13	*	111	6.6	28.3	*	80	4.8	90.5	*	113	6.7	72.4	*	41	2.4	94.4	*	213	12.7	60.5	*	25	1.5	98.6	*	13
14	*	155	9.2	37.5	*	52	3.1	93.6	*	124	7.4	79.8	*	59	3.5	97.9	*	179	10.6	71.1	*	14	0.8	99.5	*	14
15	*	230	13.7	51.2	*	73	4.3	97.9	*	119	7.1	86.9	*	15	0.9	98.8	*	129	7.7	78.8	*	8	0.5	99.9	*	15
16	*	123	7.3	58.5	*	26	1.5	99.5	*	103	6.1	93.0	*	16	1.0	99.8	*	100	5.9	84.8	*	0	0.0	99.9	*	16
17	*	144	8.6	67.0	*	9	0.5	100.0	*	45	2.7	95.7	*	3	0.2	99.9	*	120	7.1	91.9	*	1	0.1	100.0	*	17
18	*	178	10.6	77.6	*	0	0.0	100.0	*	70	4.2	99.8	*	0	0.0	99.9	*	82	4.9	96.8	*	0	0.0	100.0	*	18
19	*	180	10.7	88.3	*	0	0.0	100.0	*	3	0.2	100.0	*	1	0.1	100.0	*	36	2.1	98.9	*	0	0.0	100.0	*	19
20	*	129	7.7	96.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.8	99.8	*	0	0.0	100.0	*	20
21	*	65	3.9	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.9      DMC = 17.6      DC = 144.6      ISI = 4.2      ADMC = 42.3      FWI = 7.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1681

MAXIMUM VALUES

FFMC = 93.0      DMC = 69.0      DC = 362.0      ISI = 51.9      ADMC = 87.0      FWI = 68.0

\*\*\*TOTALS FOR STATION 102 MANNEVILLE LONG. 7826 LAT. 4833

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	15	1.1	1.1	*	85	6.2	6.2	*	93	6.8	6.8	*	55	4.0	4.0	*	11	0.8	0.8	*	353	25.8	25.8	*	1
2	*	9	0.7	1.8	*	146	10.7	16.9	*	117	8.5	15.3	*	157	11.5	15.5	*	36	2.6	3.4	*	223	16.3	42.1	*	2
3	*	8	0.6	2.3	*	186	13.6	30.5	*	108	7.9	23.2	*	194	14.2	29.7	*	41	3.0	6.4	*	93	6.8	48.9	*	3
4	*	7	0.5	2.8	*	143	10.4	40.9	*	96	7.0	30.2	*	143	10.4	40.1	*	43	3.1	9.6	*	82	6.0	54.9	*	4
5	*	7	0.5	3.4	*	134	9.8	50.7	*	94	6.9	37.1	*	93	6.8	46.9	*	118	8.6	18.2	*	69	5.0	59.9	*	5
6	*	23	1.7	5.0	*	97	7.1	57.8	*	98	7.2	44.3	*	74	5.4	52.3	*	124	9.1	27.2	*	120	8.8	68.7	*	6
7	*	35	2.6	7.6	*	103	7.5	65.3	*	189	13.8	58.1	*	87	6.4	58.7	*	121	8.8	36.1	*	81	5.9	74.6	*	7
8	*	38	2.8	10.4	*	76	5.6	70.9	*	135	9.9	67.9	*	108	7.9	66.5	*	101	7.4	43.5	*	69	5.0	79.6	*	8
9	*	47	3.4	13.8	*	72	5.3	76.1	*	95	6.9	74.9	*	86	6.3	72.8	*	103	7.5	51.0	*	128	9.3	89.0	*	9
10	*	61	4.5	18.3	*	49	3.6	79.7	*	111	8.1	83.0	*	77	5.6	78.5	*	86	6.3	57.3	*	67	4.9	93.9	*	10
11	*	72	5.3	23.5	*	113	8.3	87.9	*	60	4.4	87.4	*	114	8.3	86.8	*	84	6.1	63.4	*	38	2.8	96.6	*	11
12	*	93	6.8	30.3	*	75	5.5	93.4	*	38	2.8	90.1	*	61	4.5	91.2	*	65	4.7	68.2	*	26	1.9	98.5	*	12
13	*	91	6.6	37.0	*	46	3.4	96.8	*	26	1.9	92.0	*	42	3.1	94.3	*	136	9.9	78.1	*	9	0.7	99.2	*	13
14	*	119	8.7	45.7	*	29	2.1	98.9	*	30	2.2	94.2	*	45	3.3	97.6	*	94	6.9	85.0	*	11	0.8	100.0	*	14
15	*	171	12.5	58.1	*	13	0.9	99.9	*	34	2.5	96.7	*	22	1.6	99.2	*	73	5.3	90.3	*	0	0.0	100.0	*	15
16	*	81	5.9	64.1	*	2	0.1	100.0	*	23	1.7	98.4	*	10	0.7	99.9	*	56	4.1	94.4	*	0	0.0	100.0	*	16
17	*	114	8.3	72.4	*	0	0.0	100.0	*	14	1.0	99.4	*	1	0.1	100.0	*	62	4.5	98.9	*	0	0.0	100.0	*	17
18	*	118	8.6	81.0	*	0	0.0	100.0	*	8	0.6	100.0	*	0	0.0	100.0	*	15	1.1	100.0	*	0	0.0	100.0	*	18
19	*	133	9.7	90.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	96	7.0	97.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	28	2.0	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.2      DMC = 13.1      DC = 84.5      ISI = 4.0      ADMC = 30.4      FWI = 5.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1369

MAXIMUM VALUES

FFMC = 94.0      DMC = 54.0      DC = 324.0      ISI = 31.0      ADMC = 56.0      FWI = 38.0

\*\*\*TOTALS FOR STATION 76 MISTASSINI POST LONG. 7353 LAT. 5025

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	45	3.4	3.4	*	181	13.8	13.8	*	59	4.5	4.5	*	157	11.9	11.9	*	43	3.3	3.3	*	504	38.3	38.3	*	1
2	*	26	2.0	5.4	*	179	13.6	27.4	*	70	5.3	9.8	*	177	13.5	25.4	*	74	5.6	8.9	*	222	16.9	55.2	*	2
3	*	21	1.6	7.0	*	203	15.4	42.8	*	82	6.2	16.0	*	198	15.1	40.5	*	25	1.9	10.8	*	88	6.7	61.9	*	3
4	*	25	1.9	8.9	*	184	14.0	56.8	*	88	6.7	22.7	*	143	10.9	51.3	*	67	5.1	15.9	*	73	5.6	67.5	*	4
5	*	29	2.2	11.1	*	122	9.3	66.1	*	82	6.2	29.0	*	111	8.4	59.8	*	108	8.2	24.1	*	63	4.8	72.2	*	5
6	*	25	1.9	13.0	*	100	7.6	73.7	*	71	5.4	34.4	*	82	6.2	66.0	*	133	10.1	34.2	*	95	7.2	79.5	*	6
7	*	45	3.4	16.4	*	69	5.2	78.9	*	122	9.3	43.7	*	71	5.4	71.4	*	135	10.3	44.5	*	78	5.9	85.4	*	7
8	*	43	3.3	19.7	*	62	4.7	83.7	*	102	7.8	51.4	*	80	6.1	77.5	*	105	8.0	52.5	*	51	3.9	89.3	*	8
9	*	54	4.1	23.8	*	40	3.0	86.7	*	93	6.3	57.7	*	77	5.9	83.3	*	117	8.9	61.4	*	64	4.9	94.1	*	9
10	*	65	4.9	28.7	*	39	3.0	89.7	*	96	7.3	65.0	*	57	4.3	87.7	*	90	6.8	68.2	*	41	3.1	97.3	*	10
11	*	83	6.3	35.1	*	70	5.3	95.0	*	108	8.2	73.2	*	76	5.8	93.5	*	55	4.2	72.4	*	19	1.4	98.7	*	11
12	*	110	8.4	43.4	*	34	2.6	97.6	*	103	7.8	81.1	*	26	2.0	95.4	*	68	5.2	77.6	*	7	0.5	99.2	*	12
13	*	104	7.9	51.3	*	9	0.7	98.3	*	64	4.9	85.9	*	27	2.1	97.5	*	102	7.8	85.3	*	6	0.5	99.7	*	13
14	*	122	9.3	60.6	*	6	0.5	98.7	*	88	6.7	92.6	*	19	1.4	98.9	*	73	5.6	90.9	*	4	0.3	100.0	*	14
15	*	130	9.9	70.5	*	8	0.6	99.3	*	42	3.2	95.8	*	9	0.7	99.6	*	57	4.3	95.2	*	0	0.0	100.0	*	15
16	*	77	5.9	76.3	*	9	0.7	100.0	*	22	1.7	97.5	*	5	0.4	100.0	*	26	2.0	97.2	*	0	0.0	100.0	*	16
17	*	101	7.7	84.0	*	0	0.0	100.0	*	7	0.5	98.0	*	0	0.0	100.0	*	25	1.9	99.1	*	0	0.0	100.0	*	17
18	*	79	6.0	90.0	*	0	0.0	100.0	*	22	1.7	99.7	*	0	0.0	100.0	*	8	0.6	99.7	*	0	0.0	100.0	*	18
19	*	72	5.5	95.5	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	19
20	*	46	3.5	99.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	13	1.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 63.7      DMC = 9.8      DC = 109.4      ISI = 2.7      ADMC = 25.5      FWI = 3.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1315

MAXIMUM VALUES

FFMC = 92.0      DMC = 59.0      DC = 373.0      ISI = 23.5      ADMC = 69.0      FWI = 33.0

\*\*\*TOTALS FOR STATION 58 MONT JOLI A LONG. 6812 LAT. 4836

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	33	2.4	2.4	*	67	4.9	4.9	*	34	2.5	2.5	*	112	8.2	8.2	*	19	1.4	1.4	*	302	22.2	22.2	*	1
2	*	11	0.8	3.2	*	125	9.2	14.1	*	44	3.2	5.7	*	116	8.5	16.8	*	19	1.4	2.8	*	151	14.1	36.3	*	2
3	*	20	1.5	4.7	*	175	12.9	27.0	*	62	4.6	10.3	*	124	9.1	25.9	*	18	1.3	4.1	*	109	8.0	44.3	*	3
4	*	19	1.4	6.1	*	173	12.7	39.7	*	55	4.0	14.3	*	123	9.1	35.0	*	29	2.1	6.3	*	92	6.8	51.1	*	4
5	*	22	1.6	7.7	*	151	11.1	50.8	*	68	5.0	19.4	*	125	9.2	44.2	*	69	5.1	11.3	*	87	6.4	57.5	*	5
6	*	27	2.0	9.7	*	111	8.2	59.0	*	65	4.8	24.1	*	99	7.3	51.4	*	100	7.4	18.7	*	136	10.0	67.5	*	6
7	*	21	1.5	11.3	*	88	6.5	65.5	*	102	7.5	31.6	*	94	6.9	58.4	*	108	7.9	26.6	*	109	8.0	75.5	*	7
8	*	34	2.5	13.8	*	74	5.4	70.9	*	71	5.2	36.9	*	145	10.7	69.0	*	111	8.2	34.8	*	98	7.2	82.7	*	8
9	*	34	2.5	16.3	*	73	5.4	76.3	*	81	6.0	42.8	*	100	7.4	76.4	*	120	8.8	43.6	*	113	8.3	91.0	*	9
10	*	46	3.4	19.6	*	60	4.4	80.7	*	88	6.5	49.3	*	79	5.8	82.2	*	101	7.4	51.1	*	60	4.4	95.4	*	10
11	*	51	3.8	23.4	*	115	8.5	89.2	*	99	7.3	56.6	*	105	7.7	89.9	*	87	6.4	57.5	*	23	1.7	97.1	*	11
12	*	81	6.0	29.4	*	61	4.5	93.7	*	104	7.7	64.2	*	52	3.8	93.7	*	77	5.7	63.1	*	14	1.0	98.2	*	12
13	*	85	6.3	35.6	*	40	2.9	96.6	*	100	7.4	71.6	*	27	2.0	95.7	*	145	10.7	73.8	*	11	0.8	99.0	*	13
14	*	124	9.1	44.7	*	18	1.3	97.9	*	83	6.1	77.7	*	27	2.0	97.7	*	104	7.7	81.5	*	11	0.8	99.8	*	14
15	*	226	16.6	61.4	*	21	1.5	99.5	*	69	5.1	82.8	*	11	0.8	98.5	*	75	5.5	87.0	*	2	0.1	99.9	*	15
16	*	136	10.0	71.4	*	4	0.3	99.8	*	44	3.2	86.0	*	13	1.0	99.5	*	67	4.9	91.9	*	C	0.0	99.9	*	16
17	*	156	11.5	82.9	*	3	0.2	100.0	*	59	4.3	90.4	*	6	0.4	99.9	*	61	4.5	96.4	*	1	0.1	100.0	*	17
18	*	120	8.8	91.7	*	C	0.0	100.0	*	86	6.3	96.7	*	0	0.0	99.9	*	37	2.7	99.1	*	C	0.0	100.0	*	18
19	*	70	5.2	96.8	*	0	0.0	100.0	*	34	2.5	99.2	*	1	0.1	100.0	*	9	0.7	99.8	*	0	0.0	100.0	*	19
20	*	35	2.6	99.4	*	C	0.0	100.0	*	11	0.8	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	C	0.0	100.0	*	20
21	*	8	0.6	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.1      DMC = 13.2      DC = 149.9      ISI = 3.7      ADMC = 34.4      FWI = 5.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1359

MAXIMUM VALUES

FFMC = 92.0      DMC = 64.0      DC = 430.0      ISI = 51.7      ADMC = 75.0      FWI = 61.0

\*\*\*TOTALS FOR STATION 85 MONTREAL INT A LONG. 7345 LAT. 4528

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	3	0.2	0.2	*	37	2.1	2.1	*	62	3.5	3.5	*	46	2.6	2.6	*	5	0.3	0.3	*	236	13.4	13.4	*	1
2	*	5	0.3	0.5	*	77	4.4	6.5	*	72	4.1	7.6	*	122	6.9	9.5	*	22	1.3	1.5	*	206	11.7	25.1	*	2
3	*	8	0.5	0.9	*	125	7.1	13.6	*	65	3.7	11.3	*	145	8.2	17.8	*	17	1.0	2.5	*	90	5.1	30.2	*	3
4	*	11	0.6	1.5	*	156	8.9	22.4	*	52	3.0	14.3	*	147	8.4	26.1	*	23	1.3	3.8	*	82	4.7	34.9	*	4
5	*	12	0.7	2.2	*	164	9.3	31.8	*	61	3.5	17.7	*	92	5.2	31.4	*	58	3.3	7.1	*	98	5.6	40.5	*	5
6	*	17	1.0	3.2	*	154	8.8	40.5	*	54	3.1	20.8	*	78	4.4	35.8	*	69	3.9	11.0	*	178	10.1	50.6	*	6
7	*	28	1.6	4.8	*	104	5.9	46.4	*	142	8.1	28.9	*	79	4.5	40.3	*	86	4.9	15.9	*	125	7.1	57.7	*	7
8	*	28	1.6	6.4	*	119	6.8	53.2	*	120	6.8	35.7	*	173	9.8	50.1	*	99	5.6	21.5	*	137	7.8	65.5	*	8
9	*	28	1.6	8.0	*	112	6.4	59.5	*	99	5.6	41.3	*	188	10.7	60.8	*	98	5.6	27.1	*	217	12.3	77.8	*	9
10	*	57	3.2	11.2	*	103	5.9	65.4	*	120	6.8	48.1	*	127	7.2	68.0	*	122	6.9	34.0	*	128	7.3	85.1	*	10
11	*	72	4.1	15.3	*	182	10.3	75.7	*	125	7.1	55.2	*	212	12.0	80.1	*	102	5.8	39.8	*	88	5.0	90.1	*	11
12	*	87	4.9	20.2	*	136	7.7	83.5	*	134	7.6	62.8	*	119	6.8	86.8	*	96	5.5	45.3	*	70	4.0	94.0	*	12
13	*	101	5.7	26.0	*	86	4.9	88.4	*	88	5.0	67.8	*	87	4.9	91.8	*	190	10.8	56.1	*	40	2.3	96.3	*	13
14	*	126	7.2	33.1	*	54	3.1	91.4	*	129	7.3	75.2	*	78	4.4	96.2	*	173	9.8	65.9	*	51	2.9	99.2	*	14
15	*	184	10.5	43.6	*	72	4.1	95.5	*	136	7.7	82.9	*	41	2.3	98.5	*	161	9.1	75.1	*	12	0.7	99.9	*	15
16	*	99	5.6	49.2	*	36	2.0	97.6	*	129	7.3	90.2	*	20	1.1	99.7	*	107	6.1	81.1	*	C	0.0	99.9	*	16
17	*	166	9.4	58.6	*	21	1.2	98.7	*	74	4.2	94.4	*	5	0.3	99.9	*	160	9.1	90.2	*	2	0.1	100.0	*	17
18	*	207	11.8	70.4	*	10	0.6	99.3	*	59	3.4	97.8	*	0	0.0	99.9	*	74	4.2	94.4	*	C	0.0	100.0	*	18
19	*	254	14.4	84.8	*	12	0.7	100.0	*	34	1.9	99.7	*	1	0.1	100.0	*	41	2.3	96.8	*	0	0.0	100.0	*	19
20	*	181	10.3	95.1	*	C	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	19	1.1	97.8	*	0	0.0	100.0	*	20
21	*	80	4.5	99.7	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	16	0.9	98.7	*	C	C.C	100.0	*	21
22	*	6	0.3	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	7	0.4	99.1	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	15	0.9	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.2      DMC = 19.4      DC = 150.1      ISI = 5.2      ADMC = 45.8      FWI = 9.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1760

MAXIMUM VALUES

FFMC = 94.0      DMC = 103.0      DC = 419.0      ISI = 50.4      ADMC = 123.0      FWI = 70.0

110



\*\*\*TOTALS FOR STATION 64 MURDOCKVILLE LONG. 6531 LAT. 4857

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	49	3.9	3.9	*	198	15.8	15.8	*	32	2.5	2.5	*	124	9.9	9.9	*	46	3.7	3.7	*	383	30.5	30.5	*	1
2	*	18	1.4	5.3	*	159	12.7	28.4	*	43	3.4	6.0	*	135	10.8	20.6	*	67	5.3	9.0	*	240	19.1	49.6	*	2
3	*	12	1.0	6.3	*	182	14.5	42.9	*	54	4.3	10.3	*	162	12.9	33.5	*	26	2.1	11.1	*	104	8.3	57.9	*	3
4	*	21	1.7	8.0	*	154	12.3	55.2	*	77	6.1	16.4	*	154	12.3	45.8	*	79	6.3	17.4	*	79	6.3	64.2	*	4
5	*	16	1.3	9.2	*	135	10.8	66.0	*	85	6.8	23.2	*	123	9.8	55.6	*	93	7.4	24.8	*	74	5.9	70.1	*	5
6	*	34	2.7	12.0	*	113	9.0	75.0	*	79	6.3	29.5	*	80	6.4	62.0	*	98	7.8	32.6	*	104	8.3	78.4	*	6
7	*	33	2.6	14.6	*	83	6.6	81.6	*	151	12.0	41.5	*	80	6.4	68.4	*	127	10.1	42.7	*	71	5.7	84.1	*	7
8	*	34	2.7	17.3	*	58	4.6	86.2	*	132	10.5	52.0	*	100	8.0	76.3	*	110	8.8	51.5	*	55	4.4	88.4	*	8
9	*	50	4.0	21.3	*	24	1.9	88.1	*	97	7.7	59.8	*	71	5.7	82.0	*	107	8.5	60.0	*	56	4.5	92.9	*	9
10	*	63	5.0	26.3	*	20	1.6	89.7	*	95	7.6	67.3	*	48	3.8	85.8	*	80	6.4	66.4	*	38	3.0	95.9	*	10
11	*	70	5.6	31.9	*	57	4.5	94.3	*	53	4.2	71.6	*	67	5.3	91.2	*	92	7.3	73.7	*	19	1.5	97.5	*	11
12	*	74	5.9	37.8	*	32	2.5	96.8	*	44	3.5	75.1	*	39	3.1	94.3	*	70	5.6	79.3	*	12	1.0	98.4	*	12
13	*	120	9.6	47.3	*	18	1.4	98.2	*	59	4.7	79.8	*	24	1.9	96.2	*	100	8.0	87.3	*	10	0.8	99.2	*	13
14	*	145	11.6	58.9	*	12	1.0	99.2	*	73	5.8	85.6	*	21	1.7	97.8	*	49	3.9	91.2	*	7	0.6	99.8	*	14
15	*	218	17.4	76.3	*	10	0.8	100.0	*	49	3.9	89.5	*	9	0.7	98.6	*	26	2.1	93.2	*	2	0.2	99.9	*	15
16	*	81	6.5	82.7	*	0	0.0	100.0	*	49	3.9	93.4	*	10	0.8	99.4	*	30	2.4	95.6	*	1	0.1	100.0	*	16
17	*	85	6.8	89.5	*	0	0.0	100.0	*	32	2.5	95.9	*	6	0.5	99.8	*	37	2.9	98.6	*	0	0.0	100.0	*	17
18	*	69	5.5	95.0	*	0	0.0	100.0	*	49	3.9	99.8	*	1	0.1	99.9	*	14	1.1	99.7	*	0	0.0	100.0	*	18
19	*	41	3.3	98.2	*	0	0.0	100.0	*	2	0.2	100.0	*	1	0.1	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	19
20	*	19	1.5	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 64.4      DMC = 9.6      DC = 120.3      ISI = 3.2      ADMC = 25.9      FWI = 4.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1255

MAXIMUM VALUES

FFMC = 91.0      DMC = 47.0      DC = 357.0      ISI = 59.6      ADMC = 63.0      FWI = 53.0

\*\*\*TOTALS FOR STATION 53 NATASHQUON LONG. 6149 LAT. 5012

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	52	4.7	4.7	*	324	29.5	29.5	*	77	7.0	7.0	*	171	15.6	15.6	*	66	6.0	6.0	*	541	49.3	49.3	*	1
2	*	23	2.1	6.8	*	295	26.9	56.4	*	91	8.3	15.3	*	169	15.4	31.0	*	113	10.3	16.3	*	261	23.8	73.0	*	2
3	*	27	2.5	9.3	*	177	16.1	72.5	*	88	8.0	23.3	*	191	17.4	48.4	*	61	5.6	21.9	*	68	6.2	79.2	*	3
4	*	21	1.9	11.2	*	106	9.7	82.1	*	71	6.5	29.8	*	184	16.8	65.1	*	121	11.0	32.9	*	55	5.0	84.2	*	4
5	*	32	2.9	14.1	*	88	8.0	90.2	*	78	7.1	36.9	*	104	9.5	74.6	*	181	16.5	49.4	*	46	4.2	88.4	*	5
6	*	43	3.9	18.0	*	42	3.8	94.0	*	85	7.7	44.6	*	60	5.5	80.1	*	149	13.6	62.9	*	51	4.6	93.1	*	6
7	*	40	3.6	21.7	*	20	1.8	95.8	*	163	14.8	59.5	*	42	3.8	83.9	*	96	8.7	71.7	*	35	3.2	96.3	*	7
8	*	45	4.1	25.8	*	11	1.0	96.8	*	139	12.7	72.1	*	63	5.7	89.6	*	93	8.5	80.1	*	9	0.8	97.1	*	8
9	*	47	4.3	30.1	*	14	1.3	98.1	*	101	9.2	81.3	*	37	3.4	93.0	*	58	5.3	85.4	*	23	2.1	99.2	*	9
10	*	53	4.8	34.9	*	8	0.7	98.8	*	71	6.5	87.8	*	28	2.6	95.5	*	45	4.1	89.5	*	3	0.3	99.5	*	10
11	*	76	6.9	41.8	*	10	0.9	99.7	*	40	3.6	91.4	*	18	1.6	97.2	*	34	3.1	92.6	*	1	0.1	99.5	*	11
12	*	116	10.6	52.4	*	3	0.3	100.0	*	15	1.4	92.8	*	11	1.0	98.2	*	22	2.0	94.6	*	2	0.2	99.7	*	12
13	*	124	11.3	63.7	*	0	0.0	100.0	*	14	1.3	94.1	*	7	0.6	98.8	*	37	3.4	98.0	*	2	0.2	99.9	*	13
14	*	148	13.5	77.1	*	0	0.0	100.0	*	15	1.4	95.4	*	5	0.5	99.3	*	16	1.5	99.5	*	1	0.1	100.0	*	14
15	*	135	12.3	89.4	*	0	0.0	100.0	*	10	0.9	96.4	*	5	0.5	99.7	*	6	0.5	100.0	*	0	0.0	100.0	*	15
16	*	50	4.6	94.0	*	0	0.0	100.0	*	10	0.9	97.3	*	1	0.1	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	16
17	*	38	3.5	97.4	*	0	0.0	100.0	*	21	1.9	99.2	*	1	0.1	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	17
18	*	14	1.3	98.7	*	0	0.0	100.0	*	9	0.8	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18
19	*	9	0.8	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	5	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 57.9      DMC = 5.1      DC = 79.5      ISI = 1.8      ADMC = 14.7      FWI = 1.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1098

MAXIMUM VALUES

FFMC = 90.0      DMC = 28.0      DC = 319.0      ISI = 49.7      ADMC = 34.0      FWI = 36.0

\*\*\*TOTALS FOR STATION 55 NITCHEQUON

LONG. 7054 LAT. 5312

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	12	1.1	1.1	*	222	21.1	21.1	*	52	4.9	4.9	*	61	5.8	5.8	*	51	4.8	4.8	*	324	30.7	30.7	*	1
2	*	13	1.2	2.4	*	169	16.0	37.1	*	74	7.0	12.0	*	101	9.6	15.4	*	81	7.7	12.5	*	203	19.3	50.0	*	2
3	*	6	0.6	2.9	*	127	12.0	49.1	*	87	8.3	20.2	*	161	15.3	30.6	*	45	4.3	16.8	*	67	6.4	56.4	*	3
4	*	11	1.0	4.0	*	100	9.5	58.6	*	78	7.4	27.6	*	128	12.1	42.8	*	69	6.5	23.3	*	69	6.5	62.9	*	4
5	*	16	1.5	5.5	*	90	8.5	67.2	*	43	4.1	31.7	*	88	8.3	51.1	*	108	10.2	33.6	*	37	3.5	66.4	*	5
6	*	12	1.1	6.6	*	70	6.6	73.8	*	48	4.6	36.2	*	64	6.1	57.2	*	97	9.2	42.8	*	74	7.0	73.4	*	6
7	*	23	2.2	8.8	*	52	4.9	78.7	*	128	12.1	48.4	*	59	5.6	62.8	*	82	7.8	50.6	*	63	6.0	79.4	*	7
8	*	37	3.5	12.3	*	40	3.8	82.5	*	146	13.9	62.2	*	92	8.7	71.5	*	73	6.9	57.5	*	49	4.6	84.1	*	8
9	*	56	5.3	17.6	*	29	2.8	85.3	*	87	8.3	70.5	*	61	5.8	77.3	*	72	6.8	64.3	*	55	5.2	89.3	*	9
10	*	70	6.6	24.3	*	25	2.4	87.7	*	63	6.0	76.5	*	40	3.8	81.1	*	56	5.3	69.6	*	36	3.4	92.7	*	10
11	*	88	8.3	32.6	*	36	3.4	91.1	*	55	5.2	81.7	*	62	5.9	87.0	*	52	4.9	74.6	*	29	2.8	95.4	*	11
12	*	80	7.6	40.2	*	21	2.0	93.1	*	54	5.1	86.8	*	37	3.5	90.5	*	40	3.8	78.4	*	21	2.0	97.4	*	12
13	*	95	9.0	49.2	*	17	1.6	94.7	*	47	4.5	91.3	*	27	2.6	93.1	*	84	8.0	86.3	*	11	1.0	98.5	*	13
14	*	95	9.0	58.3	*	12	1.1	95.8	*	29	2.8	94.0	*	32	3.0	96.1	*	42	4.0	90.3	*	13	1.2	99.7	*	14
15	*	144	13.7	71.9	*	23	2.2	98.0	*	27	2.6	96.6	*	13	1.2	97.3	*	23	2.2	92.5	*	2	0.2	99.9	*	15
16	*	80	7.6	79.5	*	9	0.9	98.9	*	17	1.6	98.2	*	21	2.0	99.3	*	15	1.4	93.9	*	1	0.1	100.0	*	16
17	*	71	6.7	86.2	*	9	0.9	99.7	*	10	0.9	99.1	*	4	0.4	99.7	*	16	1.5	95.4	*	0	0.0	100.0	*	17
18	*	52	4.9	91.2	*	3	0.3	100.0	*	9	0.9	100.0	*	2	0.2	99.9	*	22	2.1	97.5	*	0	0.0	100.0	*	18
19	*	57	5.4	96.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	99.9	*	11	1.0	98.6	*	0	0.0	100.0	*	19
20	*	31	2.9	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	99.9	*	7	0.7	99.2	*	0	0.0	100.0	*	20
21	*	5	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	6	0.6	99.8	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.2	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 66.6      DMC = 10.5      DC = 94.7      ISI = 4.0      ADMC = 25.3      FWI = 5.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1054

MAXIMUM VALUES

FFMC = 92.0      DMC = 75.0      DC = 335.0      ISI = 70.3      ADMC = 95.0      FWI = 54.0

\*\*\*TOTALS FOR STATION 71 NORMANDIN CDA LONG. 7232 LAT. 4851

		FFMC			DMC			DC			ISI			ADMC			FWI					
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS	
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.		
1	*	16	1.1	1.1	*	64	4.5	4.5	*	58	4.1	4.1	*	65	4.6	4.6	*	16	1.1	1.1	*	1
2	*	9	0.6	1.8	*	138	9.7	14.3	*	68	4.8	8.9	*	159	11.2	15.8	*	21	1.5	2.6	*	2
3	*	8	0.6	2.3	*	158	11.2	25.4	*	72	5.1	14.0	*	210	14.8	30.6	*	16	1.1	3.7	*	3
4	*	16	1.1	3.5	*	173	12.2	37.6	*	71	5.0	19.0	*	157	11.1	41.7	*	41	2.9	6.6	*	4
5	*	10	0.7	4.2	*	165	11.6	49.3	*	66	4.7	23.6	*	126	8.9	50.6	*	76	5.4	12.0	*	5
6	*	18	1.3	5.4	*	135	9.5	58.8	*	82	5.8	29.4	*	91	6.4	57.0	*	116	8.2	20.2	*	6
7	*	27	1.9	7.3	*	117	8.3	67.0	*	161	11.4	40.8	*	94	6.6	63.7	*	122	8.6	28.8	*	7
8	*	39	2.8	10.1	*	86	6.1	73.1	*	136	9.6	50.4	*	134	9.5	73.1	*	115	8.1	36.9	*	8
9	*	48	3.4	13.5	*	68	4.8	77.9	*	131	9.2	59.6	*	80	5.6	78.8	*	112	7.9	44.8	*	9
10	*	51	3.6	17.1	*	55	3.9	81.8	*	142	10.0	69.7	*	83	5.9	84.6	*	107	7.6	52.4	*	10
11	*	79	5.6	22.7	*	106	7.5	89.3	*	123	8.7	78.3	*	81	5.7	90.3	*	97	6.8	59.2	*	11
12	*	109	7.7	30.3	*	54	3.8	93.1	*	100	7.1	85.4	*	60	4.2	94.6	*	100	7.1	66.3	*	12
13	*	118	8.3	38.7	*	42	3.0	96.0	*	70	4.9	90.3	*	34	2.4	97.0	*	177	12.5	78.8	*	13
14	*	116	8.2	46.9	*	22	1.6	97.6	*	69	4.9	95.2	*	27	1.9	98.9	*	93	6.6	85.3	*	14
15	*	192	13.5	60.4	*	22	1.6	99.2	*	46	3.2	98.4	*	11	0.8	99.6	*	68	4.8	90.1	*	15
16	*	87	6.1	66.5	*	11	0.8	99.9	*	22	1.6	100.0	*	5	0.4	100.0	*	57	4.0	94.1	*	16
17	*	112	7.9	74.5	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	48	3.4	97.5	*	17
18	*	122	8.6	83.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	28	2.0	99.5	*	18
19	*	98	6.9	90.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	100.0	*	19
20	*	101	7.1	97.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	39	2.8	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.0      DMC = 13.3      DC = 105.1      ISI = 3.2      ADMC = 32.5      FWI = 4.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1417

MAXIMUM VALUES

FFMC = 93.0      DMC = 61.0      DC = 272.0      ISI = 26.2      ADMC = 70.0      FWI = 43.0

\*\*\*TOTALS FOR STATION 54 PORT MENIER LONG. 6421 LAT. 4949

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	14	1.2	1.2	*	129	10.8	10.8	*	42	3.5	3.5	*	90	7.5	7.5	*	17	1.4	1.4	*	292	24.4	24.4	*	1
2	*	15	1.3	2.4	*	201	16.8	27.5	*	65	5.4	8.9	*	93	7.8	15.3	*	40	3.3	4.8	*	244	20.4	44.7	*	2
3	*	19	1.6	4.0	*	205	17.1	44.7	*	78	6.5	15.4	*	150	12.5	27.8	*	33	2.8	7.5	*	94	7.8	52.6	*	3
4	*	16	1.3	5.3	*	157	13.1	57.8	*	78	6.5	22.0	*	135	11.3	39.1	*	65	5.4	12.9	*	90	7.5	60.1	*	4
5	*	16	1.3	6.7	*	143	11.9	69.7	*	56	4.7	26.6	*	99	8.3	47.3	*	130	10.9	23.8	*	73	6.1	66.2	*	5
6	*	17	1.4	8.1	*	105	8.8	78.5	*	57	4.8	31.4	*	110	9.2	56.5	*	137	11.4	35.2	*	120	10.0	76.2	*	6
7	*	21	1.8	9.8	*	64	5.3	83.8	*	103	8.6	40.0	*	78	6.5	63.0	*	138	11.5	46.7	*	81	6.8	83.0	*	7
8	*	26	2.2	12.0	*	55	4.6	88.4	*	105	8.8	48.7	*	98	8.2	71.2	*	107	8.9	55.7	*	64	5.3	88.3	*	8
9	*	44	3.7	15.7	*	29	2.4	90.8	*	118	9.8	58.6	*	87	7.3	78.5	*	94	7.8	63.5	*	55	4.6	92.9	*	9
10	*	46	3.8	19.5	*	24	2.0	92.8	*	108	9.0	67.6	*	68	5.7	84.1	*	81	6.8	70.3	*	38	3.2	96.1	*	10
11	*	76	6.3	25.9	*	31	2.6	95.4	*	116	9.7	77.3	*	68	5.7	89.8	*	68	5.7	76.0	*	15	1.3	97.3	*	11
12	*	79	6.6	32.5	*	18	1.5	96.9	*	67	5.6	82.9	*	34	2.8	92.7	*	67	5.6	81.6	*	7	0.6	97.9	*	12
13	*	116	9.7	42.2	*	14	1.2	98.1	*	38	3.2	86.1	*	20	1.7	94.3	*	84	7.0	88.6	*	9	0.8	98.7	*	13
14	*	168	14.0	56.2	*	13	1.1	99.2	*	37	3.1	89.1	*	27	2.3	96.6	*	47	3.9	92.5	*	11	0.9	99.6	*	14
15	*	235	19.6	75.8	*	10	0.8	100.0	*	36	3.0	92.2	*	12	1.0	97.6	*	24	2.0	94.5	*	3	0.3	99.8	*	15
16	*	115	9.6	85.4	*	0	0.0	100.0	*	22	1.8	94.0	*	18	1.5	99.1	*	12	1.0	95.5	*	2	0.2	100.0	*	16
17	*	88	7.3	92.7	*	0	0.0	100.0	*	17	1.4	95.4	*	7	0.6	99.7	*	27	2.3	97.7	*	0	0.0	100.0	*	17
18	*	49	4.1	96.8	*	0	0.0	100.0	*	22	1.8	97.2	*	3	0.2	99.9	*	21	1.8	99.5	*	0	0.0	100.0	*	18
19	*	30	2.5	99.3	*	0	0.0	100.0	*	29	2.4	99.7	*	1	0.1	100.0	*	6	0.5	100.0	*	0	0.0	100.0	*	19
20	*	7	0.6	99.9	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 67.3      DMC = 9.2      DC = 114.6      ISI = 3.8      ADMC = 25.1      FWI = 4.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1198

MAXIMUM VALUES

FFMC = 92.0      DMC = 44.0      DC = 414.0      ISI = 50.3      ADMC = 64.0      FWI = 56.0

115

\*\*\*TOTALS FOR STATION 78 QUEBEC A LONG, 7123 LAT, 4648

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	17	1.1	1.1	*	43	2.8	2.8	*	60	3.9	3.9	*	81	5.3	5.3	*	9	0.6	0.6	*	293	19.2	19.2	*	1
2	*	8	0.5	1.6	*	99	6.5	9.3	*	77	5.1	9.0	*	141	9.3	14.6	*	20	1.3	1.9	*	204	13.4	32.6	*	2
3	*	15	1.0	2.6	*	136	8.9	18.3	*	97	6.4	15.4	*	132	8.7	23.2	*	18	1.2	3.1	*	87	5.7	38.3	*	3
4	*	11	0.7	3.3	*	156	10.2	28.5	*	116	7.6	23.0	*	122	8.0	31.3	*	29	1.9	5.0	*	84	5.5	43.9	*	4
5	*	23	1.5	4.9	*	149	9.8	38.3	*	86	5.6	28.6	*	109	7.2	38.4	*	72	4.7	9.7	*	72	4.7	48.6	*	5
6	*	30	2.0	6.8	*	132	8.7	46.9	*	82	5.4	34.0	*	77	5.1	43.5	*	87	5.7	15.4	*	144	9.5	58.0	*	6
7	*	25	1.6	8.5	*	145	9.5	56.5	*	188	12.3	46.4	*	71	4.7	48.1	*	110	7.2	22.7	*	121	7.9	66.0	*	7
8	*	30	2.0	10.4	*	115	7.6	64.0	*	167	11.0	57.3	*	143	9.4	57.5	*	111	7.3	29.9	*	94	6.2	72.2	*	8
9	*	37	2.4	12.9	*	92	6.0	70.1	*	135	8.9	66.2	*	110	7.2	64.7	*	128	8.4	38.3	*	171	11.2	83.4	*	9
10	*	42	2.8	15.6	*	81	5.3	75.4	*	120	7.9	74.1	*	97	6.4	71.1	*	96	6.3	44.6	*	110	7.2	90.6	*	10
11	*	58	3.8	19.4	*	167	11.0	86.3	*	92	6.0	80.1	*	128	8.4	79.5	*	107	7.0	51.7	*	69	4.5	95.1	*	11
12	*	69	4.5	24.0	*	91	6.0	92.3	*	110	7.2	87.3	*	131	8.6	88.1	*	91	6.0	57.6	*	29	1.9	97.0	*	12
13	*	110	7.2	31.2	*	44	2.9	95.2	*	89	5.8	93.2	*	45	3.0	91.1	*	221	14.5	72.2	*	22	1.4	98.5	*	13
14	*	125	8.2	39.4	*	32	2.1	97.3	*	76	5.0	98.2	*	88	5.8	96.8	*	147	9.7	81.8	*	22	1.4	99.9	*	14
15	*	146	9.6	49.0	*	27	1.8	99.1	*	22	1.4	99.6	*	23	1.5	98.4	*	99	6.5	88.3	*	1	0.1	100.0	*	15
16	*	83	5.4	54.4	*	9	0.6	99.7	*	6	0.4	100.0	*	24	1.6	99.9	*	71	4.7	93.0	*	0	0.0	100.0	*	16
17	*	137	9.0	63.4	*	3	0.2	99.9	*	0	0.0	100.0	*	1	0.1	100.0	*	71	4.7	97.6	*	0	0.0	100.0	*	17
18	*	146	9.6	73.0	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	27	1.8	99.4	*	0	0.0	100.0	*	18
19	*	209	13.7	86.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	99.9	*	0	0.0	100.0	*	19
20	*	136	8.9	95.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	20
21	*	58	3.8	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	8	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.3      DMC = 15.3      DC = 96.6      ISI = 4.8      ADMC = 35.7      FWI = 7.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1523

MAXIMUM VALUES

FFMC = 93.0      DMC = 77.0      DC = 274.0      ISI = 38.1      ADMC = 77.0      FWI = 47.0

\*\*\*TOTALS FOR STATION 74 RAPID BLANC LONG. 7258 LAT. 4748

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	13	0.9	0.9	*	71	5.0	5.0	*	55	3.8	3.8	*	78	5.4	5.4	*	9	0.6	0.6	*	399	27.8	27.8	*	1
2	*	11	0.8	1.7	*	158	11.0	16.0	*	86	6.0	9.8	*	157	10.9	16.4	*	28	2.0	2.6	*	260	18.1	46.0	*	2
3	*	12	0.8	2.5	*	197	13.7	29.7	*	95	6.6	16.5	*	232	16.2	32.6	*	19	1.3	3.9	*	110	7.7	53.6	*	3
4	*	17	1.2	3.7	*	187	13.0	42.7	*	93	6.5	22.9	*	154	10.7	43.3	*	52	3.6	7.5	*	91	6.3	60.0	*	4
5	*	19	1.3	5.0	*	177	12.3	55.1	*	109	7.6	30.5	*	125	8.7	52.0	*	108	7.5	15.1	*	98	6.8	66.8	*	5
6	*	13	0.9	5.9	*	135	9.4	64.5	*	120	8.4	38.9	*	103	7.2	59.2	*	116	8.1	23.2	*	120	9.1	75.9	*	6
7	*	21	1.5	7.4	*	106	7.4	71.9	*	231	16.1	55.0	*	85	5.9	65.1	*	147	10.3	33.4	*	85	5.9	81.8	*	7
8	*	31	2.2	9.6	*	90	6.3	78.2	*	145	10.1	65.1	*	129	9.0	74.1	*	156	10.9	44.3	*	62	4.3	86.1	*	8
9	*	41	2.9	12.4	*	65	4.5	82.7	*	134	9.3	74.5	*	92	6.4	80.5	*	124	8.6	52.9	*	90	6.3	92.4	*	9
10	*	72	5.0	17.4	*	43	3.0	85.7	*	142	9.9	84.4	*	64	4.5	85.0	*	131	9.1	62.1	*	57	4.0	96.4	*	10
11	*	103	7.2	24.6	*	90	6.3	92.0	*	85	5.9	90.3	*	86	6.0	91.0	*	93	6.5	68.5	*	30	2.1	98.5	*	11
12	*	105	7.3	31.9	*	48	3.3	95.3	*	65	4.5	94.8	*	50	3.5	94.5	*	87	6.1	74.6	*	12	0.8	99.3	*	12
13	*	122	8.5	40.4	*	27	1.9	97.2	*	36	2.5	97.3	*	22	1.5	96.0	*	137	9.6	84.2	*	7	0.5	99.8	*	13
14	*	130	9.1	49.5	*	11	0.8	98.0	*	14	1.0	98.3	*	43	3.0	99.0	*	86	6.0	90.2	*	3	0.2	100.0	*	14
15	*	187	13.0	62.6	*	15	1.0	99.0	*	10	0.7	99.0	*	7	0.5	99.5	*	52	3.6	93.8	*	0	0.0	100.0	*	15
16	*	102	7.1	69.7	*	8	0.6	99.6	*	5	0.3	99.4	*	7	0.5	100.0	*	33	2.3	96.1	*	0	0.0	100.0	*	16
17	*	102	7.1	76.8	*	4	0.3	99.9	*	8	0.6	99.9	*	0	0.0	100.0	*	39	2.7	98.8	*	0	0.0	100.0	*	17
18	*	115	8.0	84.8	*	2	0.1	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	10	0.7	99.5	*	0	0.0	100.0	*	18
19	*	96	6.7	91.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	99.9	*	0	0.0	100.0	*	19
20	*	86	6.0	97.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	20
21	*	33	2.3	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.3      DMC = 12.1      DC = 84.3      ISI = 3.2      ADMC = 28.9      FWI = 4.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1434

MAXIMUM VALUES

FFMC = 93.0      DMC = 73.0      DC = 301.0      ISI = 25.4      ADMC = 73.0      FWI = 38.0

\*\*\*TOTALS FOR STATION 72 ROBERVAL A LONG. 7216 LAT. 4831

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	5	0.3	0.3	*	57	3.9	3.9	*	53	3.6	3.6	*	54	3.7	3.7	*	11	0.8	0.8	*	336	22.9	22.9	*	1
2	*	6	0.4	0.8	*	121	8.3	12.2	*	57	3.9	7.5	*	166	11.3	15.0	*	13	0.9	1.6	*	261	17.8	40.8	*	2
3	*	8	0.5	1.3	*	149	10.2	22.3	*	64	4.4	11.9	*	210	14.3	29.4	*	18	1.2	2.9	*	116	7.9	48.7	*	3
4	*	9	0.6	1.9	*	184	12.6	34.9	*	71	4.8	16.7	*	159	10.9	40.2	*	41	2.8	5.7	*	118	8.1	56.7	*	4
5	*	18	1.2	3.1	*	186	12.7	47.6	*	80	5.5	22.2	*	131	8.9	49.1	*	74	5.1	10.7	*	87	5.9	62.7	*	5
6	*	22	1.5	4.6	*	155	10.6	58.2	*	77	5.3	27.4	*	104	7.1	56.2	*	97	6.6	17.3	*	154	10.5	73.2	*	6
7	*	24	1.6	6.3	*	144	9.8	68.0	*	151	10.3	37.7	*	102	7.0	63.2	*	116	7.9	25.3	*	100	6.8	80.0	*	7
8	*	37	2.5	8.8	*	99	6.8	74.7	*	190	13.0	50.7	*	135	9.2	72.4	*	126	8.6	33.9	*	74	5.1	85.1	*	8
9	*	40	2.7	11.5	*	92	6.3	81.0	*	140	9.6	60.3	*	103	7.0	79.5	*	132	9.0	42.9	*	106	7.2	92.3	*	9
10	*	62	4.2	15.8	*	62	4.2	85.3	*	152	10.4	70.6	*	71	4.8	84.3	*	103	7.0	49.9	*	51	3.5	95.8	*	10
11	*	80	5.5	21.2	*	94	6.4	91.7	*	155	10.6	81.2	*	96	6.6	90.9	*	135	9.2	59.1	*	31	2.1	97.9	*	11
12	*	99	6.8	28.0	*	54	3.7	95.4	*	122	8.3	89.6	*	55	3.8	94.6	*	122	8.3	67.4	*	22	1.5	99.4	*	12
13	*	114	7.8	35.8	*	32	2.2	97.5	*	63	4.3	93.9	*	28	1.9	96.5	*	193	13.2	80.6	*	6	0.4	99.8	*	13
14	*	147	10.0	45.8	*	17	1.2	98.7	*	22	1.5	95.4	*	34	2.3	98.8	*	127	8.7	89.3	*	2	0.1	99.9	*	14
15	*	196	13.4	59.2	*	17	1.2	99.9	*	26	1.8	97.1	*	11	0.8	99.6	*	66	4.5	93.8	*	1	0.1	100.0	*	15
16	*	119	8.1	67.3	*	2	0.1	100.0	*	26	1.8	98.9	*	6	0.4	100.0	*	26	1.8	95.6	*	0	0.0	100.0	*	16
17	*	113	7.7	75.0	*	0	0.0	100.0	*	16	1.1	100.0	*	0	0.0	100.0	*	46	3.1	98.7	*	0	0.0	100.0	*	17
18	*	119	8.1	83.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	17	1.2	99.9	*	0	0.0	100.0	*	18
19	*	119	8.1	91.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	19
20	*	81	5.5	96.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	47	3.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.9      DMC = 12.8      DC = 104.6      ISI = 3.3      ADMC = 32.1      FWI = 4.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1465

MAXIMUM VALUES

FFMC = 92.0      DMC = 53.0      DC = 300.0      ISI = 26.2      ADMC = 63.0      FWI = 42.0



\*\*\*TOTALS FOR STATION 79 ST. PAMPHILE LONG. 6947 LAT. 4658

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	19	1.3	1.3	*	97	6.6	6.6	*	59	4.0	4.0	*	88	6.0	6.0	*	22	1.5	1.5	*	321	22.0	22.0	*	1
2	*	19	1.3	2.6	*	130	8.9	15.5	*	82	5.6	9.6	*	125	8.5	14.6	*	26	1.8	3.3	*	257	17.6	39.5	*	2
3	*	13	0.9	3.5	*	140	9.6	25.1	*	71	4.9	14.5	*	187	12.8	27.4	*	32	2.2	5.5	*	110	7.5	47.1	*	3
4	*	17	1.2	4.7	*	163	11.1	36.3	*	81	5.5	20.0	*	169	11.6	38.9	*	43	2.9	8.4	*	106	7.3	54.3	*	4
5	*	18	1.2	5.9	*	172	11.8	48.0	*	81	5.5	25.6	*	121	8.3	47.2	*	102	7.0	15.4	*	94	6.4	60.7	*	5
6	*	11	0.8	6.6	*	135	9.2	57.3	*	113	7.7	33.3	*	93	6.4	53.6	*	86	5.9	21.3	*	127	8.7	69.4	*	6
7	*	29	2.0	8.6	*	115	7.9	65.1	*	187	12.8	46.1	*	88	6.0	59.6	*	108	7.4	28.7	*	114	7.8	77.2	*	7
8	*	25	1.7	10.3	*	113	7.7	72.8	*	156	10.7	56.8	*	144	9.8	69.4	*	109	7.5	36.1	*	85	5.8	83.0	*	8
9	*	39	2.7	13.0	*	87	6.0	78.8	*	130	8.9	65.7	*	107	7.3	76.7	*	121	8.3	44.4	*	113	7.7	90.8	*	9
10	*	55	3.8	16.8	*	54	3.7	82.5	*	95	6.5	72.2	*	69	4.7	81.5	*	121	8.3	52.7	*	66	4.5	95.3	*	10
11	*	70	4.8	21.5	*	104	7.1	89.6	*	113	7.7	79.9	*	117	8.0	89.5	*	91	6.2	58.9	*	34	2.3	97.6	*	11
12	*	94	6.4	28.0	*	63	4.3	93.9	*	99	6.8	86.7	*	68	4.7	94.1	*	95	6.5	65.4	*	20	1.4	99.0	*	12
13	*	122	8.3	36.3	*	36	2.5	96.4	*	64	4.4	91.0	*	25	1.7	95.8	*	188	12.9	78.2	*	11	0.8	99.7	*	13
14	*	164	11.2	47.5	*	27	1.8	98.2	*	51	3.5	94.5	*	44	3.0	98.8	*	119	8.1	86.4	*	3	0.2	99.9	*	14
15	*	205	14.0	61.6	*	20	1.4	99.6	*	37	2.5	97.1	*	10	0.7	99.5	*	66	4.5	90.9	*	1	0.1	100.0	*	15
16	*	103	7.0	68.6	*	5	0.3	99.9	*	15	1.0	98.1	*	5	0.3	99.9	*	43	2.9	93.8	*	0	0.0	100.0	*	16
17	*	125	8.5	77.2	*	1	0.1	100.0	*	8	0.5	98.6	*	1	0.1	99.9	*	56	3.8	97.7	*	0	0.0	100.0	*	17
18	*	142	9.7	86.9	*	0	0.0	100.0	*	13	0.9	99.5	*	1	0.1	100.0	*	22	1.5	99.2	*	0	0.0	100.0	*	18
19	*	115	7.9	94.7	*	0	0.0	100.0	*	7	0.5	100.0	*	0	0.0	100.0	*	12	0.8	100.0	*	0	0.0	100.0	*	19
20	*	52	3.6	98.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	25	1.7	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.5      DMC = 13.2      DC = 101.2      ISI = 3.5      ADMC = 32.3      FWI = 5.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1462

MAXIMUM VALUES

FFMC = 92.0      DMC = 61.0      DC = 373.0      ISI = 43.6      ADMC = 69.0      FWI = 45.0

\*\*\*TOTALS FOR STATION 65 STE ROSE DU DEGELIS LONG, 6839 LAT, 4733.

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	4	0.3	0.3	*	42	2.7	2.7	*	68	4.4	4.4	*	28	1.8	1.8	*	13	0.8	0.8	*	251	16.3	16.3	*	1
2	*	2	0.1	0.4	*	84	5.5	8.2	*	56	3.6	8.1	*	135	8.8	10.6	*	15	1.0	1.8	*	245	15.9	32.2	*	2
3	*	5	0.3	0.7	*	145	9.4	17.6	*	80	5.2	13.3	*	176	11.4	22.0	*	25	1.6	3.4	*	96	6.2	38.5	*	3
4	*	3	0.2	0.9	*	170	11.1	28.7	*	70	4.6	17.8	*	149	9.7	31.7	*	21	1.4	4.8	*	95	6.2	44.7	*	4
5	*	10	0.7	1.6	*	173	11.2	39.9	*	75	4.9	22.7	*	99	6.4	38.2	*	55	3.6	8.4	*	106	6.9	51.6	*	5
6	*	10	0.7	2.2	*	167	10.9	50.8	*	74	4.8	27.5	*	101	6.6	44.7	*	95	6.2	14.6	*	162	10.5	62.1	*	6
7	*	16	1.0	3.3	*	144	9.4	60.1	*	204	13.3	40.8	*	109	7.1	51.8	*	105	6.8	21.4	*	136	8.8	70.9	*	7
8	*	25	1.6	4.9	*	111	7.2	67.4	*	160	10.4	51.2	*	163	10.6	62.4	*	107	7.0	28.3	*	106	6.9	77.8	*	8
9	*	32	2.1	7.0	*	95	6.2	73.5	*	160	10.4	61.6	*	144	9.4	71.8	*	106	6.9	35.2	*	158	10.3	88.1	*	9
10	*	53	3.4	10.4	*	76	4.9	78.5	*	102	6.6	68.2	*	69	4.5	76.3	*	125	8.1	43.4	*	88	5.7	93.8	*	10
11	*	76	4.9	15.3	*	119	7.7	86.2	*	72	4.7	72.9	*	170	11.1	87.3	*	117	7.6	51.0	*	38	2.5	96.3	*	11
12	*	107	7.0	22.3	*	86	5.6	91.8	*	74	4.8	77.7	*	71	4.6	91.9	*	115	7.5	58.5	*	22	1.4	97.7	*	12
13	*	121	7.9	30.2	*	44	2.9	94.7	*	56	3.6	81.3	*	49	3.2	95.1	*	221	14.4	72.8	*	17	1.1	98.8	*	13
14	*	128	8.3	38.5	*	40	2.6	97.3	*	79	5.1	86.5	*	38	2.5	97.6	*	143	9.3	82.1	*	13	0.8	99.7	*	14
15	*	170	11.1	49.5	*	22	1.4	98.7	*	82	5.3	91.8	*	15	1.0	98.6	*	91	5.9	88.0	*	3	0.2	99.9	*	15
16	*	108	7.0	56.6	*	13	0.8	99.5	*	70	4.6	96.4	*	20	1.3	99.9	*	71	4.6	92.7	*	1	0.1	99.9	*	16
17	*	165	10.7	67.3	*	6	0.4	99.9	*	46	3.0	99.3	*	1	0.1	99.9	*	65	4.2	96.9	*	1	0.1	100.0	*	17
18	*	185	12.0	79.3	*	1	0.1	100.0	*	10	0.7	100.0	*	1	0.1	100.0	*	29	1.9	98.8	*	0	0.0	100.0	*	18
19	*	176	11.4	90.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	99.3	*	0	0.0	100.0	*	19
20	*	90	5.9	96.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	99.9	*	0	0.0	100.0	*	20
21	*	48	3.1	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.1      DMC = 15.0      DC = 115.5      ISI = 4.2      ADMC = 36.3      FWI = 6.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1538

MAXIMUM VALUES

FFMC = 94.0      DMC = 72.0      DC = 322.0      ISI = 46.5      ADMC = 84.0      FWI = 61.0

\*\*\*TOTALS FOR STATION 68 ST. URBAIN LONG, 7031 LAT, 4735

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	10	0.7	0.7	*	40	2.6	2.6	*	32	2.1	2.1	*	54	3.6	3.6	*	12	0.8	0.8	*	230	15.2	15.2	*	1
2	*	6	0.4	1.1	*	72	4.7	7.4	*	33	2.2	4.3	*	117	7.7	11.3	*	11	0.7	1.5	*	156	10.3	25.5	*	2
3	*	12	0.8	1.8	*	104	6.9	14.2	*	51	3.4	7.7	*	126	8.3	19.6	*	7	0.5	2.0	*	84	5.5	31.0	*	3
4	*	9	0.6	2.4	*	119	7.8	22.1	*	63	4.2	11.8	*	123	8.1	27.7	*	25	1.6	3.6	*	74	4.9	35.9	*	4
5	*	11	0.7	3.2	*	127	8.4	30.5	*	60	4.0	15.8	*	95	6.3	34.0	*	44	2.9	6.5	*	78	5.1	41.0	*	5
6	*	18	1.2	4.4	*	123	8.1	38.6	*	80	5.3	21.0	*	82	5.4	39.4	*	60	4.0	10.5	*	154	10.2	51.2	*	6
7	*	23	1.5	5.9	*	110	7.3	45.8	*	136	9.0	30.0	*	79	5.2	44.6	*	74	4.9	15.4	*	141	9.3	60.5	*	7
8	*	33	2.2	8.0	*	107	7.1	52.9	*	112	7.4	37.4	*	131	8.6	53.2	*	87	5.7	21.1	*	105	6.9	67.4	*	8
9	*	38	2.5	10.6	*	91	6.0	58.9	*	115	7.6	45.0	*	145	9.6	62.8	*	93	6.1	27.2	*	184	12.1	79.6	*	9
10	*	29	1.9	12.5	*	86	5.7	64.6	*	122	8.0	53.0	*	101	6.7	69.5	*	95	6.3	33.5	*	127	8.4	87.9	*	10
11	*	52	3.4	15.9	*	187	12.3	76.9	*	111	7.3	60.4	*	163	10.8	80.2	*	95	6.3	39.8	*	58	3.8	91.8	*	11
12	*	71	4.7	20.6	*	141	9.3	86.2	*	103	6.8	67.2	*	83	5.5	85.7	*	72	4.7	44.5	*	42	2.8	94.5	*	12
13	*	100	6.6	27.2	*	98	6.5	92.7	*	93	6.1	73.3	*	57	3.8	89.4	*	194	12.8	57.3	*	32	2.1	96.6	*	13
14	*	115	7.6	34.8	*	47	3.1	95.8	*	93	6.1	79.4	*	71	4.7	94.1	*	158	10.4	67.7	*	36	2.4	99.0	*	14
15	*	178	11.7	46.5	*	45	3.0	98.7	*	118	7.8	87.2	*	41	2.7	96.8	*	140	9.2	77.0	*	9	0.6	99.6	*	15
16	*	120	7.9	54.4	*	17	1.1	99.9	*	95	6.3	93.5	*	35	2.3	99.1	*	114	7.5	84.5	*	4	0.3	99.9	*	16
17	*	118	7.8	62.2	*	2	0.1	100.0	*	45	3.0	96.4	*	9	0.6	99.7	*	156	10.3	94.8	*	2	0.1	100.0	*	17
18	*	168	11.1	73.3	*	0	0.0	100.0	*	45	3.0	99.4	*	4	0.3	100.0	*	55	3.6	98.4	*	0	0.0	100.0	*	18
19	*	173	11.4	84.7	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	19	1.3	99.7	*	0	0.0	100.0	*	19
20	*	149	9.8	94.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	20
21	*	71	4.7	99.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	12	0.8	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.1      DMC = 17.9      DC = 141.3      ISI = 5.4      ADMC = 43.1      FWI = 8.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1516

MAXIMUM VALUES

FFMC = 94.0      DMC = 64.0      DC = 387.0      ISI = 46.1      ADMC = 77.0      FWI = 65.0

\*\*\*TOTALS FOR STATION 56 SEPT ILES A LONG. 6616 LAT. 5013

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	52	4.3	4.3	*	171	14.2	14.2	*	67	5.6	5.6	*	183	15.2	15.2	*	39	3.2	3.2	*	396	32.9	32.9	*	1
2	*	21	1.7	6.1	*	190	15.8	30.0	*	78	6.5	12.1	*	116	9.7	24.9	*	72	6.0	9.2	*	168	14.0	46.9	*	2
3	*	32	2.7	8.7	*	173	14.4	44.4	*	79	6.6	18.6	*	111	9.2	34.1	*	28	2.3	11.6	*	97	8.1	55.0	*	3
4	*	36	3.0	11.7	*	149	12.4	56.8	*	79	6.6	25.2	*	106	8.8	42.9	*	65	5.4	17.0	*	86	7.2	62.1	*	4
5	*	26	2.2	13.9	*	135	11.2	68.1	*	58	4.8	30.0	*	88	7.3	50.2	*	130	10.8	21.0	*	70	5.8	68.0	*	5
6	*	34	2.8	16.7	*	92	7.7	75.7	*	64	5.3	35.4	*	86	7.2	57.4	*	107	8.9	36.7	*	107	8.9	76.9	*	6
7	*	29	2.4	19.1	*	89	7.4	83.1	*	122	10.1	45.5	*	67	5.6	63.0	*	111	9.2	45.9	*	79	6.6	83.4	*	7
8	*	37	3.1	22.2	*	60	5.0	88.1	*	134	11.1	56.7	*	115	9.6	72.5	*	98	8.2	54.1	*	60	5.0	88.4	*	8
9	*	34	2.8	25.0	*	44	3.7	91.8	*	144	12.0	68.6	*	84	7.0	79.5	*	93	7.7	61.8	*	63	5.2	93.7	*	9
10	*	37	3.1	28.1	*	34	2.8	94.6	*	70	5.8	74.5	*	62	5.2	84.7	*	81	6.7	68.6	*	26	2.2	95.8	*	10
11	*	42	3.5	31.6	*	40	3.3	97.9	*	73	6.1	80.5	*	60	5.0	89.7	*	76	6.3	74.9	*	16	1.3	97.2	*	11
12	*	70	5.8	37.4	*	20	1.7	99.6	*	62	5.2	85.7	*	43	3.4	95.3	*	58	4.8	79.7	*	14	1.2	98.3	*	12
13	*	81	6.7	44.2	*	4	0.3	99.9	*	53	4.4	90.1	*	20	1.7	94.9	*	118	9.8	89.5	*	7	0.6	98.9	*	13
14	*	126	10.5	54.7	*	1	0.1	100.0	*	50	4.2	94.3	*	23	1.9	96.8	*	68	5.7	95.2	*	10	0.8	99.8	*	14
15	*	185	15.4	70.0	*	0	0.0	100.0	*	27	2.2	96.5	*	14	1.2	98.0	*	36	3.0	98.2	*	2	0.1	99.9	*	15
16	*	103	8.6	78.6	*	0	0.0	100.0	*	30	2.5	99.0	*	10	0.8	98.8	*	10	0.8	99.0	*	1	0.1	100.0	*	16
17	*	111	9.2	87.9	*	0	0.0	100.0	*	12	1.0	100.0	*	8	0.7	99.5	*	10	0.8	99.8	*	0	0.0	100.0	*	17
18	*	70	5.8	93.7	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	99.8	*	2	0.2	100.0	*	0	0.0	100.0	*	18
19	*	49	4.1	97.8	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	21	1.7	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	5	0.4	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 63.6      DMC = 8.7      DC = 97.8      ISI = 3.7      ADMC = 23.8      FWI = 4.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1202

MAXIMUM VALUES

FFMC = 93.0      DMC = 36.0      DC = 300.0      ISI = 67.8      ADMC = 54.0      FWI = 51.0

\*\*\*TOTALS FOR STATION 83 SHAWINIGAN FALLS LONG. 7243 LAT. 4634

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	5	0.3	0.3	*	27	1.6	1.6	*	73	4.5	4.5	*	39	2.4	2.4	*	7	0.4	0.4	*	254	15.5	15.5	*	1
2	*	3	0.2	0.5	*	95	5.8	7.5	*	73	4.5	8.9	*	135	8.2	10.6	*	9	0.5	1.0	*	242	14.8	30.3	*	2
3	*	9	0.5	1.0	*	153	9.3	16.8	*	97	5.9	14.8	*	178	10.9	21.5	*	18	1.1	2.1	*	93	5.7	36.0	*	3
4	*	10	0.6	1.6	*	150	9.2	26.0	*	70	4.3	19.1	*	149	9.1	30.6	*	33	2.0	4.1	*	98	6.0	42.0	*	4
5	*	6	0.4	2.0	*	158	9.7	35.6	*	84	5.1	24.3	*	109	6.7	37.3	*	69	4.2	8.3	*	100	6.1	48.1	*	5
6	*	12	0.7	2.7	*	165	10.1	45.7	*	89	5.4	29.7	*	87	5.3	42.6	*	84	5.1	13.4	*	176	10.8	58.8	*	6
7	*	21	1.3	4.0	*	143	8.7	54.4	*	167	10.2	39.9	*	99	6.0	48.6	*	105	6.4	19.9	*	129	7.9	66.7	*	7
8	*	38	2.3	6.4	*	125	7.6	62.1	*	176	10.8	50.6	*	172	10.5	59.1	*	128	7.8	27.7	*	114	7.0	73.7	*	8
9	*	36	2.2	8.6	*	96	5.9	67.9	*	184	11.2	61.9	*	123	7.5	66.6	*	88	5.4	33.0	*	177	10.8	84.5	*	9
10	*	50	3.1	11.6	*	85	5.2	73.1	*	140	8.6	70.4	*	99	6.0	72.7	*	133	8.1	41.2	*	107	6.5	91.0	*	10
11	*	77	4.7	16.3	*	184	11.2	84.4	*	116	7.1	77.5	*	168	10.3	83.0	*	100	6.1	47.3	*	64	3.9	94.9	*	11
12	*	93	5.7	22.0	*	89	5.4	89.8	*	97	5.9	83.4	*	93	5.7	88.6	*	113	6.9	54.2	*	36	2.2	97.1	*	12
13	*	113	6.9	28.9	*	60	3.7	93.5	*	87	5.3	88.8	*	72	4.4	93.0	*	246	15.0	69.2	*	25	1.5	98.7	*	13
14	*	134	8.2	37.1	*	54	3.3	96.8	*	78	4.8	93.5	*	64	3.9	96.9	*	180	11.0	80.2	*	19	1.2	99.8	*	14
15	*	168	10.3	47.3	*	35	2.1	98.9	*	24	1.5	95.0	*	25	1.5	98.5	*	111	6.8	87.0	*	3	0.2	100.0	*	15
16	*	114	7.0	54.3	*	16	1.0	99.9	*	10	0.6	95.6	*	24	1.5	99.9	*	70	4.3	91.3	*	0	0.0	100.0	*	16
17	*	176	10.8	65.1	*	2	0.1	100.0	*	9	0.5	96.2	*	1	0.1	100.0	*	78	4.8	96.0	*	0	0.0	100.0	*	17
18	*	195	11.9	77.0	*	0	0.0	100.0	*	40	2.4	98.6	*	0	0.0	100.0	*	38	2.3	98.4	*	0	0.0	100.0	*	18
19	*	174	10.6	87.6	*	0	0.0	100.0	*	23	1.4	100.0	*	0	0.0	100.0	*	14	0.9	99.2	*	0	0.0	100.0	*	19
20	*	134	8.2	95.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	99.7	*	0	0.0	100.0	*	20
21	*	66	4.0	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.2      DMC = 16.1      DC = 110.0      ISI = 4.6      ADMC = 37.9      FWI = 7.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1637

MAXIMUM VALUES

FFMC = 93.0      DMC = 67.0      DC = 377.0      ISI = 31.8      ADMC = 85.0      FWI = 47.0

\*\*\*TOTALS FOR STATION 66 TADOUSSAC LONG. 6943 LAT. 4808

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	43	3.0	3.0	*	75	5.3	5.3	*	52	3.7	3.7	*	116	8.2	8.2	*	16	1.1	1.1	*	364	25.7	25.7	*	1
2	*	26	1.8	4.9	*	141	9.9	15.2	*	73	5.1	8.8	*	127	9.0	17.1	*	24	1.7	2.8	*	235	16.6	42.2	*	2
3	*	15	1.1	5.9	*	188	13.3	28.5	*	86	6.1	14.9	*	177	12.5	29.6	*	12	0.8	3.7	*	99	7.0	49.2	*	3
4	*	10	0.7	6.6	*	192	13.5	42.0	*	94	6.6	21.5	*	164	11.6	41.2	*	49	3.5	7.1	*	107	7.5	56.8	*	4
5	*	17	1.2	7.8	*	158	11.1	53.2	*	88	6.2	27.7	*	109	7.7	48.9	*	100	7.1	14.2	*	90	6.3	63.1	*	5
6	*	20	1.4	9.2	*	122	8.6	61.8	*	88	6.2	33.9	*	103	7.3	56.1	*	125	8.8	23.0	*	158	11.1	74.3	*	6
7	*	22	1.6	10.8	*	105	7.4	69.2	*	126	8.9	42.8	*	83	5.9	62.0	*	128	9.0	32.0	*	94	6.6	80.9	*	7
8	*	23	1.6	12.4	*	86	6.1	75.2	*	162	11.4	54.2	*	156	11.0	73.0	*	142	10.0	42.0	*	68	4.8	85.7	*	8
9	*	33	2.3	14.7	*	83	5.9	81.1	*	156	11.0	65.2	*	88	6.2	79.2	*	126	8.9	50.9	*	104	7.3	93.0	*	9
10	*	49	3.5	18.2	*	68	4.8	85.9	*	145	10.2	75.5	*	71	5.0	84.2	*	96	6.8	57.7	*	47	3.3	96.3	*	10
11	*	89	6.3	24.5	*	102	7.2	93.1	*	136	9.6	85.0	*	92	6.5	90.7	*	97	6.8	64.5	*	25	1.8	98.1	*	11
12	*	72	5.1	29.5	*	60	4.2	97.3	*	71	5.0	90.1	*	57	4.0	94.7	*	68	4.8	69.3	*	16	1.1	99.2	*	12
13	*	94	6.6	36.2	*	27	1.9	99.2	*	30	2.1	92.2	*	32	2.3	97.0	*	149	10.5	79.8	*	6	0.4	99.6	*	13
14	*	155	10.9	47.1	*	4	0.3	99.5	*	36	2.5	94.7	*	22	1.6	98.5	*	125	8.8	88.6	*	4	0.3	99.9	*	14
15	*	207	14.6	61.7	*	6	0.4	99.9	*	27	1.9	96.6	*	15	1.1	99.6	*	89	6.3	94.9	*	1	0.1	100.0	*	15
16	*	104	7.3	69.0	*	1	0.1	100.0	*	26	1.8	98.4	*	3	0.2	99.8	*	34	2.4	97.3	*	0	0.0	100.0	*	16
17	*	148	10.4	79.5	*	0	0.0	100.0	*	9	0.6	99.1	*	3	0.2	100.0	*	33	2.3	99.6	*	0	0.0	100.0	*	17
18	*	128	9.0	88.5	*	0	0.0	100.0	*	13	0.9	100.0	*	0	0.0	100.0	*	5	0.4	100.0	*	0	0.0	100.0	*	18
19	*	111	7.8	96.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	43	3.0	99.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	7	0.5	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.1      DMC = 11.9      DC = 98.8      ISI = 3.3      ADMC = 29.7      FWI = 4.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1418

MAXIMUM VALUES

FFMC = 93.0      DMC = 51.0      DC = 333.0      ISI = 32.2      ADMC = 58.0      FWI = 45.0

\*\*\*TOTALS FOR STATION 100 VAL D'OR LONG. 7747 LAT, 4803

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	15	1.1	1.1	*	99	7.1	7.1	*	41	2.9	2.9	*	100	7.1	7.1	*	19	1.4	1.4	*	409	29.2	29.2	*	1
2	*	16	1.1	2.2	*	142	10.2	17.2	*	76	5.4	8.4	*	174	12.4	19.6	*	36	2.6	3.9	*	222	15.9	45.1	*	2
3	*	15	1.1	3.3	*	164	11.7	28.9	*	108	7.7	16.1	*	207	14.8	34.4	*	28	2.0	5.9	*	78	5.6	50.7	*	3
4	*	27	1.9	5.2	*	176	12.6	41.5	*	107	7.6	23.7	*	128	9.1	43.5	*	40	2.9	8.8	*	67	4.8	55.5	*	4
5	*	19	1.4	6.6	*	129	9.2	50.8	*	102	7.3	31.0	*	91	6.5	50.0	*	97	6.9	15.7	*	77	5.5	61.0	*	5
6	*	30	2.1	8.7	*	103	7.4	58.1	*	87	6.2	37.2	*	63	4.5	54.5	*	142	10.2	25.9	*	108	7.7	68.7	*	6
7	*	32	2.3	11.0	*	95	6.8	64.9	*	180	12.9	50.1	*	69	4.9	59.5	*	109	7.8	33.7	*	91	6.5	75.2	*	7
8	*	43	3.1	14.1	*	72	5.1	70.1	*	111	7.9	58.0	*	124	8.9	68.3	*	114	8.1	41.8	*	87	6.2	81.4	*	8
9	*	45	3.2	17.3	*	63	4.5	74.6	*	80	5.7	63.8	*	105	7.5	75.8	*	116	8.3	50.1	*	110	7.9	89.3	*	9
10	*	62	4.4	21.7	*	54	3.9	78.4	*	100	7.1	70.9	*	65	4.6	80.5	*	88	6.3	56.4	*	60	4.3	93.6	*	10
11	*	71	5.1	26.8	*	105	7.5	85.9	*	110	7.9	78.8	*	94	6.7	87.2	*	65	4.6	61.0	*	37	2.6	96.2	*	11
12	*	75	5.4	32.2	*	83	5.9	91.9	*	80	5.7	84.5	*	62	4.4	91.6	*	65	4.6	65.7	*	20	1.4	97.6	*	12
13	*	102	7.3	39.5	*	44	3.1	95.0	*	63	4.5	89.0	*	50	3.6	95.2	*	128	9.1	74.8	*	20	1.4	99.1	*	13
14	*	122	8.7	48.2	*	25	1.8	96.8	*	82	5.9	94.9	*	38	2.7	97.9	*	95	6.8	81.6	*	10	0.7	99.8	*	14
15	*	159	11.4	59.5	*	22	1.6	98.4	*	49	3.5	98.4	*	22	1.6	99.5	*	84	6.0	87.6	*	3	0.2	100.0	*	15
16	*	75	5.4	64.9	*	20	1.4	99.8	*	18	1.3	99.6	*	7	0.5	100.0	*	68	4.9	92.5	*	0	0.0	100.0	*	16
17	*	104	7.4	72.3	*	3	0.2	100.0	*	5	0.4	100.0	*	0	0.0	100.0	*	66	4.7	97.2	*	0	0.0	100.0	*	17
18	*	126	9.0	81.3	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	1.8	99.0	*	C	0.0	100.0	*	18
19	*	119	8.5	89.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.6	99.6	*	C	0.0	100.0	*	19
20	*	96	6.9	96.7	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	99.9	*	0	0.0	100.0	*	20
21	*	39	2.8	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	C	0.0	100.0	*	21
22	*	7	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.5      DMC = 13.7      DC = 98.9      ISI = 3.7      ADMC = 32.3      FWI = 5.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1399

MAXIMUM VALUES

FFMC = 94.0      DMC = 68.0      DC = 296.0      ISI = 29.3      ADMC = 85.0      FWI = 44.0

\*\*\*TOTALS FOR STATION R2 VICTORIAVILLE LONG. 7157 LAT. 4604

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	5	0.3	0.3	*	37	2.3	2.3	*	72	4.5	4.5	*	23	1.4	1.4	*	5	0.3	0.3	*	221	13.8	13.8	*	1
2	*	3	0.2	0.5	*	94	5.9	8.2	*	70	4.4	8.9	*	112	7.0	8.4	*	15	0.9	1.3	*	235	14.7	28.5	*	2
3	*	1	0.1	0.6	*	119	7.4	15.6	*	83	5.2	14.1	*	159	9.9	18.4	*	23	1.4	2.7	*	116	7.3	35.8	*	3
4	*	3	0.2	0.8	*	150	9.4	25.0	*	63	3.9	18.0	*	167	10.4	28.8	*	32	2.0	4.7	*	86	5.4	41.1	*	4
5	*	8	0.5	1.3	*	168	10.5	35.5	*	74	4.6	22.6	*	123	7.7	36.5	*	48	3.0	7.7	*	82	5.1	46.3	*	5
6	*	16	1.0	2.3	*	164	10.3	45.8	*	70	4.4	27.0	*	80	5.0	41.5	*	81	5.1	12.8	*	169	10.6	56.8	*	6
7	*	15	0.9	3.2	*	150	9.4	55.1	*	186	11.6	38.6	*	64	4.0	45.5	*	99	6.2	18.9	*	121	7.6	64.4	*	7
8	*	19	1.2	4.4	*	121	7.6	62.7	*	181	11.3	49.9	*	167	10.4	55.9	*	104	6.5	25.4	*	118	7.4	71.8	*	8
9	*	24	1.5	5.9	*	107	6.7	69.4	*	170	10.6	60.6	*	140	8.8	64.7	*	119	7.4	32.9	*	166	10.4	82.1	*	9
10	*	66	4.1	10.0	*	95	5.9	75.3	*	116	7.3	67.8	*	97	6.1	70.8	*	112	7.0	39.9	*	124	7.8	89.9	*	10
11	*	78	4.9	14.9	*	173	10.8	86.1	*	143	8.9	76.8	*	152	9.5	80.3	*	124	7.8	47.6	*	83	5.2	95.1	*	11
12	*	98	6.1	21.0	*	96	6.0	92.1	*	119	7.4	84.2	*	107	6.7	86.9	*	116	7.3	54.9	*	41	2.6	97.6	*	12
13	*	121	7.6	28.6	*	67	4.2	96.3	*	81	5.1	89.3	*	70	4.4	91.3	*	237	14.8	69.7	*	17	1.1	98.7	*	13
14	*	144	9.0	37.6	*	34	2.1	98.4	*	74	4.6	93.9	*	79	4.9	96.3	*	179	11.2	80.9	*	19	1.2	99.9	*	14
15	*	166	10.4	47.9	*	24	1.5	99.9	*	42	2.6	96.5	*	36	2.3	98.5	*	123	7.7	88.6	*	2	0.1	100.0	*	15
16	*	112	7.0	54.9	*	1	0.1	100.0	*	24	1.5	98.0	*	21	1.3	99.8	*	69	4.3	92.9	*	0	0.0	100.0	*	16
17	*	127	7.9	62.9	*	0	0.0	100.0	*	16	1.0	99.0	*	3	0.2	100.0	*	84	5.3	98.1	*	0	0.0	100.0	*	17
18	*	181	11.3	74.2	*	0	0.0	100.0	*	16	1.0	100.0	*	0	0.0	100.0	*	24	1.5	99.6	*	0	0.0	100.0	*	18
19	*	205	12.8	87.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	19
20	*	148	9.3	96.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	55	3.4	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	5	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.9      DMC = 15.4      DC = 108.8      ISI = 4.9      ADMC = 37.1      FWI = 7.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1600

MAXIMUM VALUES

FFMC = 93.0      DMC = 55.0      DC = 331.0      ISI = 35.5      ADMC = 70.0      FWI = 48.0



FINAL TOTALS FOR THE PROVINCE OF ONTARIO

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	* 947	1.0	1.0	* 3452	3.7	3.7	* 3169	3.4	3.4	* 4583	4.9	4.9	* 985	1.0	1.0	* 16849	17.9	17.9	* 1
2	* 635	0.7	1.7	* 5382	5.7	9.4	* 3834	4.1	7.5	* 7470	8.0	12.8	* 1190	1.3	2.3	* 11896	12.7	30.6	* 2
3	* 789	0.8	2.5	* 7355	7.8	17.2	* 4212	4.5	11.9	* 9877	10.5	23.4	* 861	0.9	3.2	* 5495	5.9	36.5	* 3
4	* 816	0.9	3.4	* 8302	8.8	26.1	* 4183	4.5	16.4	* 7782	8.3	31.7	* 1807	1.9	5.1	* 5174	5.5	42.0	* 4
5	* 966	1.0	4.4	* 8164	8.7	34.8	* 3952	4.2	20.6	* 6280	6.7	38.3	* 3841	4.1	9.2	* 4685	5.0	47.0	* 5
6	* 1142	1.2	5.6	* 7605	8.1	42.9	* 3835	4.1	24.7	* 5336	5.7	44.0	* 4602	4.9	14.1	* 8286	8.8	55.8	* 6
7	* 1354	1.4	7.1	* 6938	7.4	50.3	* 7125	7.6	32.3	* 4852	5.2	49.2	* 5237	5.6	19.7	* 7191	7.7	63.5	* 7
8	* 1821	1.9	9.0	* 6043	6.4	56.7	* 6797	7.2	39.5	* 8578	9.1	58.3	* 5685	6.1	25.8	* 6211	6.7	70.2	* 8
9	* 2328	2.5	11.5	* 5189	5.5	62.2	* 6120	6.5	46.1	* 7267	7.7	66.1	* 5815	6.2	32.0	* 9801	10.4	80.6	* 9
10	* 3140	3.3	14.8	* 4529	4.8	67.1	* 5911	6.2	52.2	* 6073	6.5	72.5	* 5546	5.9	37.9	* 6577	7.0	87.6	* 10
11	* 3946	4.2	19.1	* 9065	9.7	76.7	* 5609	6.0	58.2	* 8865	9.4	82.0	* 5376	5.7	43.6	* 4391	4.7	92.3	* 11
12	* 4937	5.3	24.3	* 6507	6.9	83.7	* 5235	5.6	63.8	* 5696	6.1	88.1	* 4905	5.2	48.8	* 2699	2.9	95.2	* 12
13	* 5913	6.3	30.6	* 4687	5.0	88.7	* 4829	5.1	68.9	* 3813	4.1	92.1	* 10611	11.3	60.1	* 1650	1.8	96.9	* 13
14	* 7463	8.0	38.6	* 3178	3.4	92.0	* 5779	6.2	75.1	* 3832	4.1	96.2	* 8648	9.2	69.4	* 1988	2.1	99.1	* 14
15	* 11252	12.0	50.5	* 3783	4.0	96.1	* 5314	5.7	80.8	* 1678	1.8	98.0	* 6793	7.2	76.6	* 610	0.6	99.7	* 15
16	* 6247	6.7	57.2	* 1884	2.0	98.1	* 4587	4.9	85.6	* 1410	1.5	99.5	* 5260	5.6	82.2	* 185	0.2	99.9	* 16
17	* 7903	8.4	65.6	* 916	1.0	99.1	* 3655	3.9	89.5	* 317	0.3	99.8	* 7147	7.6	89.8	* 55	0.1	100.0	* 17
18	* 9793	10.4	76.1	* 460	0.5	99.5	* 5095	5.4	95.0	* 96	0.1	99.9	* 4190	4.5	94.3	* 14	0.0	100.0	* 18
19	* 10438	11.1	87.2	* 382	0.4	99.9	* 2669	2.8	97.8	* 31	0.0	100.0	* 2432	2.6	96.9	* 6	0.0	100.0	* 19
20	* 7973	8.5	95.7	* 40	0.0	100.0	* 1290	1.4	99.2	* 15	0.0	100.0	* 1360	1.4	98.3	* 5	0.0	100.0	* 20
21	* 3450	3.7	99.3	* 7	0.0	100.0	* 466	0.5	99.7	* 12	0.0	100.0	* 745	0.8	99.1	* 0	0.0	100.0	* 21
22	* 572	0.6	100.0	* 0	0.0	100.0	* 270	0.3	100.0	* 5	0.0	100.0	* 405	0.4	99.5	* 0	0.0	100.0	* 22
23	* 43	0.0	100.0	* 0	0.0	100.0	* 32	0.0	100.0	* 0	0.0	100.0	* 395	0.4	100.0	* 0	0.0	100.0	* 23
24	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 38	0.0	100.0	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 4	0.0	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 73.5      DMC = 18.5      DC = 151.5      ISI = 4.8      ADCM = 43.6      FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 93868

MAXIMUM VALUES

FFMC = 96.0      DMC = 155.0      DC = 634.0      ISI = 98.9      ADCM = 155.0      FWI = 99.0

\*\*\*TOTALS FCR REGION

13

EASTERN ONTARIO

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS				
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS			
1	*	0	0.0	0.0	*	10	0.6	0.6	*	16	0.9	0.9	*	3	0.2	0.2	*	92	5.1	5.1	*	1
2	*	2	0.1	0.1	*	25	1.4	2.0	*	73	4.1	5.0	*	69	3.9	4.0	*	149	8.3	13.5	*	2
3	*	6	0.3	0.4	*	86	4.8	6.8	*	62	3.5	8.4	*	121	6.8	10.8	*	130	7.3	20.7	*	3
4	*	4	0.2	0.7	*	107	6.0	12.8	*	57	3.2	11.6	*	146	8.2	19.0	*	108	6.0	26.8	*	4
5	*	8	0.4	1.1	*	135	7.6	20.3	*	52	2.9	14.5	*	113	6.3	25.3	*	127	7.1	33.9	*	5
6	*	11	0.6	1.7	*	135	7.6	27.9	*	46	2.6	17.1	*	133	7.4	32.7	*	223	12.5	46.4	*	6
7	*	22	1.2	3.0	*	144	8.1	35.9	*	100	5.6	22.7	*	126	7.0	39.8	*	174	9.7	56.1	*	7
8	*	34	1.9	4.9	*	144	8.1	44.0	*	96	5.4	28.1	*	214	12.0	51.7	*	172	9.6	65.7	*	8
9	*	50	2.8	7.7	*	144	8.1	52.0	*	91	5.1	33.2	*	163	9.1	60.9	*	270	15.1	80.8	*	9
10	*	64	3.6	11.2	*	139	7.8	59.8	*	87	4.9	38.0	*	179	10.0	70.9	*	151	8.4	89.3	*	10
11	*	79	4.4	15.7	*	222	12.4	72.2	*	86	4.8	42.8	*	236	13.2	84.1	*	83	4.6	93.9	*	11
12	*	99	5.5	21.2	*	154	8.6	80.8	*	104	5.8	48.7	*	117	6.5	90.6	*	56	3.1	97.0	*	12
13	*	137	7.7	28.9	*	123	6.9	87.7	*	108	6.0	54.7	*	72	4.0	94.6	*	22	1.2	98.3	*	13
14	*	205	11.5	40.3	*	77	4.3	92.0	*	143	8.0	62.7	*	59	3.3	97.9	*	201	11.2	60.6	*	14
15	*	239	13.4	53.7	*	92	5.1	97.1	*	152	8.5	71.2	*	17	1.0	98.9	*	193	10.8	71.4	*	15
16	*	144	8.1	61.7	*	29	1.6	98.8	*	139	7.8	79.0	*	16	0.9	99.8	*	123	6.9	78.2	*	16
17	*	135	7.6	69.3	*	17	1.0	99.7	*	148	8.3	87.2	*	4	0.2	100.0	*	164	9.2	87.4	*	17
18	*	195	10.9	80.2	*	5	0.3	100.0	*	192	10.7	98.0	*	0	0.0	100.0	*	122	6.8	94.2	*	18
19	*	185	10.3	90.5	*	0	0.0	100.0	*	27	1.5	99.5	*	0	0.0	100.0	*	64	3.6	97.8	*	19
20	*	125	7.0	97.5	*	0	0.0	100.0	*	9	0.5	100.0	*	0	0.0	100.0	*	28	1.6	99.4	*	20
21	*	43	2.4	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.4	99.8	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.9      DMC = 20.9      DC = 178.5      ISI = 4.9      ADMC = 49.8      FWI = 9.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1788

MAXIMUM VALUES

FFMC = 93.0      DMC = 80.0      DC = 421.0      ISI = 37.4      ADMC = 98.0      FWI = 59.0

\*\*\*TOTALS FOR REGION 14

GREAT LAKES

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	2	0.1	0.1	*	30	1.9	1.9	*	30	1.9	1.9	*	2	0.1	0.1	*	17	1.1	1.1	*	72	4.6	4.6	*	1
2	*	1	0.1	0.2	*	61	3.9	5.9	*	32	2.1	4.0	*	50	3.2	3.4	*	5	0.3	1.4	*	121	7.8	12.4	*	2
3	*	5	0.3	0.5	*	102	6.6	12.4	*	46	3.0	7.0	*	85	5.5	8.8	*	8	0.5	1.9	*	136	8.8	21.2	*	3
4	*	6	0.4	0.9	*	91	5.9	18.3	*	45	2.9	9.9	*	107	6.9	15.7	*	5	0.3	2.3	*	100	6.4	27.6	*	4
5	*	11	0.7	1.6	*	113	7.3	25.6	*	48	3.1	13.0	*	121	7.8	23.5	*	47	3.0	5.3	*	108	7.0	34.6	*	5
6	*	17	1.1	2.7	*	141	9.1	34.7	*	70	4.5	17.5	*	107	6.9	30.4	*	58	3.7	9.0	*	172	11.1	45.7	*	6
7	*	11	0.7	3.4	*	134	8.6	43.3	*	127	8.2	25.6	*	86	5.5	36.0	*	55	3.5	12.6	*	137	8.8	54.5	*	7
8	*	33	2.1	5.5	*	106	6.8	50.1	*	106	6.8	32.5	*	168	10.8	46.8	*	82	5.3	17.8	*	152	9.8	64.3	*	8
9	*	49	3.2	8.7	*	102	6.6	56.7	*	89	5.7	38.2	*	151	9.7	56.5	*	75	4.8	22.7	*	235	15.1	79.4	*	9
10	*	64	4.1	12.8	*	103	6.6	63.3	*	116	7.5	45.7	*	126	8.1	64.6	*	78	5.0	27.7	*	122	7.9	87.3	*	10
11	*	88	5.7	18.5	*	211	13.6	76.9	*	101	6.5	52.2	*	213	13.7	78.4	*	93	6.0	33.7	*	81	5.2	92.5	*	11
12	*	104	6.7	25.2	*	141	9.1	86.0	*	132	8.5	60.7	*	127	8.2	86.5	*	115	7.4	41.1	*	55	3.5	96.1	*	12
13	*	138	8.9	34.1	*	76	4.9	90.9	*	126	8.1	68.8	*	83	5.3	91.9	*	255	16.4	57.5	*	25	1.9	97.9	*	13
14	*	176	11.3	45.4	*	52	3.4	94.3	*	150	9.7	78.5	*	69	4.4	96.3	*	181	11.7	69.2	*	28	1.8	99.7	*	14
15	*	212	13.7	59.1	*	67	4.3	98.6	*	141	9.1	87.6	*	30	1.9	98.3	*	122	7.9	77.1	*	4	0.3	100.0	*	15
16	*	116	7.5	66.6	*	18	1.2	99.7	*	72	4.6	92.2	*	24	1.5	99.8	*	110	7.1	84.1	*	0	0.0	100.0	*	16
17	*	127	8.2	74.7	*	4	0.3	100.0	*	63	4.1	96.3	*	3	0.2	100.0	*	118	7.6	91.8	*	0	0.0	100.0	*	17
18	*	159	10.2	85.0	*	0	0.0	100.0	*	55	3.5	99.8	*	0	0.0	100.0	*	87	5.6	97.4	*	0	0.0	100.0	*	18
19	*	123	7.9	92.9	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	34	2.2	99.5	*	0	0.0	100.0	*	19
20	*	74	4.8	97.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	100.0	*	0	0.0	100.0	*	20
21	*	36	2.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.2      DMC = 18.7      DC = 151.5      ISI = 5.6      ADMC = 44.7      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1552

MAXIMUM VALUES

FFMC = 92.0      DMC = 66.0      DC = 369.0      ISI = 34.8      ADMC = 80.0      FWI = 44.0

\*\*\*TOTALS FOR REGION 15

NORTH EASTERN ONTARIO

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	3	0.2	0.2	*	48	3.4	3.4	*	11	0.8	0.8	*	21	1.5	1.5	*	7	0.5	0.5	*	218	15.4	15.4	*	1
2	*	8	0.6	0.8	*	127	9.0	12.4	*	61	4.3	5.1	*	139	9.8	11.3	*	10	0.7	1.2	*	222	15.7	31.1	*	2
3	*	15	1.1	1.8	*	141	10.0	22.4	*	97	6.9	12.0	*	172	12.2	23.5	*	23	1.6	2.8	*	161	11.4	42.5	*	3
4	*	19	1.3	3.2	*	180	12.7	35.1	*	59	4.2	16.1	*	173	12.2	35.7	*	44	3.1	5.9	*	121	8.6	51.1	*	4
5	*	31	2.2	5.4	*	145	10.3	45.4	*	73	5.2	21.3	*	136	9.6	45.4	*	72	5.1	11.0	*	93	6.6	57.7	*	5
6	*	36	2.5	7.9	*	130	9.2	54.6	*	67	4.7	26.0	*	113	8.0	53.4	*	106	7.5	18.5	*	147	10.4	68.1	*	6
7	*	32	2.3	10.2	*	152	10.8	65.3	*	119	8.4	34.5	*	73	5.2	58.5	*	107	7.6	26.1	*	99	7.0	75.1	*	7
8	*	43	3.0	13.2	*	103	7.3	72.6	*	149	10.5	45.0	*	130	9.2	67.7	*	98	6.9	33.1	*	82	5.8	80.9	*	8
9	*	62	4.4	17.6	*	80	5.7	78.3	*	116	8.2	53.2	*	93	6.6	74.3	*	110	7.8	40.8	*	116	8.2	89.1	*	9
10	*	77	5.4	23.1	*	61	4.3	82.6	*	116	8.2	61.4	*	69	4.9	79.2	*	102	7.2	48.1	*	66	4.7	93.8	*	10
11	*	106	7.5	30.6	*	116	8.2	90.8	*	134	9.5	70.9	*	102	7.2	86.4	*	104	7.4	55.4	*	33	2.3	96.1	*	11
12	*	120	8.5	39.1	*	77	5.4	96.2	*	107	7.6	78.5	*	65	4.6	91.0	*	93	6.6	62.0	*	24	1.7	97.8	*	12
13	*	118	8.4	47.4	*	23	1.6	97.9	*	108	7.6	86.1	*	36	2.5	93.6	*	221	15.6	77.6	*	13	0.9	98.7	*	13
14	*	148	10.5	57.9	*	16	1.1	99.0	*	98	6.9	93.1	*	42	3.0	96.5	*	131	9.3	86.9	*	16	1.1	99.9	*	14
15	*	191	13.5	71.4	*	9	0.6	99.6	*	77	5.4	98.5	*	24	1.7	98.2	*	80	5.7	92.6	*	2	0.1	100.0	*	15
16	*	36	6.1	77.5	*	4	0.3	99.9	*	16	1.1	99.6	*	21	1.5	99.7	*	51	3.6	96.2	*	0	0.0	100.0	*	16
17	*	91	6.4	83.9	*	1	0.1	100.0	*	5	0.4	100.0	*	4	0.3	100.0	*	43	3.0	99.2	*	0	0.0	100.0	*	17
18	*	69	4.9	88.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	99.7	*	0	0.0	100.0	*	18
19	*	86	6.1	94.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	19
20	*	49	3.5	98.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	20	1.4	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 67.2      DMC = 13.2      DC = 116.7      ISI = 4.1      ADMC = 33.0      FWI = 6.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1413

MAXIMUM VALUES

FFMC = 93.0      DMC = 63.0      DC = 286.0      ISI = 36.1      ADMC = 68.0      FWI = 45.0

\*\*\*TOTALS FOR REGION 16

CENTRAL ONTARIO

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	3	0.2	0.2	*	36	2.5	2.5	*	11	0.8	0.8	*	9	0.6	0.6	*	4	0.3	0.3	*	175	12.0	12.0	*	1
2	*	3	0.2	0.4	*	99	6.8	9.2	*	62	4.2	5.0	*	122	8.3	9.0	*	3	0.2	0.5	*	216	14.8	26.7	*	2
3	*	9	0.6	1.0	*	146	10.0	19.2	*	87	5.9	10.9	*	145	9.9	18.9	*	24	1.6	2.1	*	146	10.0	36.7	*	3
4	*	13	0.9	1.9	*	170	11.6	30.8	*	89	6.1	17.0	*	159	10.9	29.7	*	32	2.2	4.3	*	136	9.3	46.0	*	4
5	*	21	1.4	3.3	*	130	8.9	39.7	*	73	5.0	22.0	*	146	10.0	39.7	*	66	4.5	8.8	*	115	7.9	53.9	*	5
6	*	25	1.7	5.1	*	143	9.8	49.5	*	83	5.7	27.7	*	124	8.5	48.2	*	102	7.0	15.8	*	192	13.1	67.0	*	6
7	*	26	1.8	6.8	*	130	8.9	58.4	*	133	9.1	36.8	*	111	7.6	55.8	*	119	8.1	23.9	*	127	9.4	76.3	*	7
8	*	54	3.7	10.5	*	109	7.5	65.8	*	118	8.1	44.8	*	168	11.5	67.3	*	113	7.7	31.6	*	99	6.8	83.1	*	8
9	*	53	3.6	14.1	*	98	6.7	72.5	*	114	7.8	52.6	*	131	9.0	76.2	*	108	7.4	39.0	*	120	8.2	91.3	*	9
10	*	64	4.4	18.5	*	86	5.9	78.4	*	115	7.9	60.5	*	91	6.2	82.4	*	79	5.4	44.4	*	71	4.9	96.2	*	10
11	*	100	6.8	25.4	*	153	10.5	88.9	*	118	8.1	68.6	*	115	7.9	90.3	*	104	7.1	51.5	*	34	2.3	98.5	*	11
12	*	112	7.7	33.0	*	84	5.7	94.6	*	104	7.1	75.7	*	62	4.2	94.5	*	93	6.4	57.9	*	11	0.8	99.2	*	12
13	*	166	11.3	44.4	*	53	3.6	98.2	*	101	6.9	82.6	*	31	2.1	96.7	*	199	13.6	71.5	*	8	0.5	99.8	*	13
14	*	183	12.5	56.9	*	16	1.1	99.3	*	95	6.5	89.1	*	26	1.8	98.4	*	141	9.6	81.1	*	3	0.2	100.0	*	14
15	*	201	13.7	70.6	*	10	0.7	100.0	*	62	4.2	93.3	*	14	1.0	99.4	*	116	7.9	89.1	*	0	0.0	100.0	*	15
16	*	104	7.1	77.7	*	0	0.0	100.0	*	57	3.9	97.2	*	9	0.6	100.0	*	84	5.7	94.8	*	0	0.0	100.0	*	16
17	*	98	6.7	84.4	*	0	0.0	100.0	*	29	2.0	99.2	*	0	0.0	100.0	*	64	4.4	99.2	*	0	0.0	100.0	*	17
18	*	98	6.7	91.1	*	0	0.0	100.0	*	12	0.8	100.0	*	0	0.0	100.0	*	12	0.8	100.0	*	0	0.0	100.0	*	18
19	*	85	5.8	96.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	32	2.2	99.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	12	0.8	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.0      DMC = 14.3      DC = 121.4      ISI = 3.7      ADMC = 35.2      FWI = 5.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1463

MAXIMUM VALUES

FFMC = 93.0      DMC = 50.0      DC = 323.0      ISI = 29.8      ADMC = 59.0      FWI = 33.0

\*\*\*TOTALS FOR REGION 17

SOUTH WESTERN ONTARIO

FFMC				DMC				DC				ISI				ADMC				FWI				CLASS				
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS
1	*	0	0.0	0.0	*	18	1.1	1.1	*	19	1.2	1.2	*	0	0.0	0.0	*	3	0.2	0.2	*	113	7.0	7.0	*	1	1	
2	*	0	0.0	0.0	*	44	2.7	3.8	*	25	1.6	2.7	*	83	5.2	5.2	*	9	0.6	0.7	*	185	11.5	18.5	*	2	2	
3	*	1	0.1	0.1	*	94	5.8	9.7	*	52	3.2	6.0	*	176	10.9	16.1	*	6	0.4	1.1	*	147	9.1	27.6	*	3	3	
4	*	9	0.6	0.6	*	163	10.1	19.8	*	72	4.5	10.4	*	134	8.3	24.4	*	9	0.6	1.7	*	151	9.4	37.0	*	4	4	
5	*	15	0.9	1.6	*	151	9.4	29.2	*	85	5.3	15.7	*	130	8.1	32.5	*	31	1.9	3.6	*	112	7.0	43.9	*	5	5	
6	*	24	1.5	3.0	*	138	8.6	37.7	*	67	4.2	19.9	*	133	8.3	40.7	*	65	4.0	7.6	*	189	11.7	55.7	*	6	6	
7	*	21	1.3	4.3	*	155	9.6	47.4	*	119	7.4	27.3	*	128	7.9	48.7	*	96	6.0	13.6	*	170	10.6	66.2	*	7	7	
8	*	35	2.2	6.5	*	117	7.3	54.6	*	176	10.9	38.2	*	167	10.4	59.0	*	89	5.5	19.1	*	134	8.3	74.5	*	8	8	
9	*	65	4.0	10.6	*	100	6.2	60.8	*	130	8.1	46.2	*	175	10.9	69.9	*	124	7.7	26.8	*	207	12.8	87.4	*	9	9	
10	*	80	5.0	15.5	*	86	5.3	66.2	*	171	10.6	56.9	*	118	7.3	77.2	*	91	5.6	32.5	*	118	7.3	94.7	*	10	10	
11	*	89	5.5	21.0	*	205	12.7	78.9	*	112	7.0	63.8	*	182	11.3	88.5	*	113	7.0	39.5	*	50	3.1	97.8	*	11	11	
12	*	88	5.5	26.5	*	135	8.4	87.3	*	83	5.2	69.0	*	85	5.3	93.8	*	88	5.5	44.9	*	12	0.7	98.6	*	12	12	
13	*	130	8.1	34.6	*	96	6.0	93.2	*	62	3.8	72.8	*	46	2.9	96.6	*	218	13.5	58.5	*	12	0.7	99.3	*	13	13	
14	*	201	12.5	47.1	*	57	3.5	96.8	*	102	6.3	79.1	*	34	2.1	98.8	*	198	12.3	70.8	*	10	0.6	99.9	*	14	14	
15	*	248	15.4	62.4	*	33	2.0	98.8	*	166	10.3	89.4	*	14	0.9	99.6	*	151	9.4	80.1	*	0	0.0	99.9	*	15	15	
16	*	127	7.9	70.3	*	12	0.7	99.6	*	97	6.0	95.5	*	5	0.3	99.9	*	120	7.4	87.6	*	1	0.1	100.0	*	16	16	
17	*	136	8.4	78.8	*	6	0.4	99.9	*	49	3.0	98.5	*	1	0.1	100.0	*	132	8.2	95.8	*	0	0.0	100.0	*	17	17	
18	*	141	8.8	87.5	*	1	0.1	100.0	*	23	1.4	99.9	*	0	0.0	100.0	*	48	3.0	98.8	*	0	0.0	100.0	*	18	18	
19	*	117	7.3	94.8	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	13	0.8	99.6	*	0	0.0	100.0	*	19	19	
20	*	56	3.5	98.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	99.9	*	0	0.0	100.0	*	20	20	
21	*	22	1.4	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	21	21	
22	*	6	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	22	
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23	23	
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	24	
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	25	

AVERAGE VALUES

FFMC = 72.2      DMC = 17.9      DC = 138.5      ISI = 4.2      ADMC = 42.6      FWI = 7.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1611

MAXIMUM VALUES

FFMC = 94.0      DMC = 75.0      DC = 357.0      ISI = 32.2      ADMC = 84.0      FWI = 60.0

\*\*\*TOTALS FOR REGION 18

NORTH WESTERN ONTARIO

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	13	0.9	0.9	*	71	4.8	4.8	*	25	1.7	1.7	*	23	1.6	1.6	*	12	0.8	0.8	*	270	18.3	18.3	*	1
2	*	11	0.7	1.6	*	87	5.9	10.7	*	75	5.1	6.8	*	167	11.3	12.8	*	25	1.7	2.5	*	194	13.1	31.4	*	2
3	*	12	0.8	2.4	*	146	9.9	20.6	*	65	4.4	11.2	*	203	13.7	26.6	*	24	1.6	4.1	*	188	12.7	44.1	*	3
4	*	22	1.5	3.9	*	225	15.2	35.8	*	56	3.8	14.9	*	164	11.1	37.7	*	35	2.4	6.5	*	142	9.6	53.7	*	4
5	*	24	1.6	5.5	*	182	12.3	48.1	*	70	4.7	19.7	*	183	12.4	50.0	*	58	3.9	10.4	*	130	8.8	62.5	*	5
6	*	40	2.7	8.2	*	142	9.6	57.7	*	57	3.9	23.5	*	135	9.1	59.2	*	83	5.6	16.0	*	196	13.3	75.7	*	6
7	*	47	3.2	11.4	*	107	7.2	64.9	*	118	8.0	31.5	*	112	7.6	66.7	*	116	7.8	23.9	*	134	9.1	84.8	*	7
8	*	48	3.2	14.7	*	123	8.3	73.2	*	123	8.3	39.8	*	171	11.6	78.3	*	120	8.1	32.0	*	82	5.5	90.3	*	8
9	*	73	4.9	19.6	*	97	6.6	79.8	*	114	7.7	47.5	*	106	7.2	85.5	*	132	8.9	40.9	*	89	6.0	96.3	*	9
10	*	114	7.7	27.3	*	73	4.9	84.7	*	106	6.8	54.3	*	67	4.5	90.0	*	129	8.7	49.6	*	27	1.8	98.2	*	10
11	*	111	7.5	34.8	*	107	7.2	92.0	*	132	8.9	63.2	*	84	5.7	95.7	*	105	7.1	56.7	*	13	0.9	99.1	*	11
12	*	120	8.1	42.9	*	60	4.1	96.0	*	109	7.4	70.6	*	25	1.7	97.4	*	105	7.1	63.8	*	5	0.3	99.4	*	12
13	*	141	9.5	52.5	*	36	2.4	98.4	*	165	7.1	77.7	*	19	1.3	98.6	*	189	12.8	76.6	*	6	0.4	99.8	*	13
14	*	183	12.4	64.8	*	15	1.0	99.5	*	111	7.5	85.2	*	12	0.8	99.5	*	162	11.0	87.6	*	3	0.2	100.0	*	14
15	*	205	13.9	78.7	*	7	0.5	99.9	*	102	6.9	92.1	*	6	0.4	99.9	*	66	4.5	92.0	*	0	0.0	100.0	*	15
16	*	80	5.4	84.1	*	1	0.1	100.0	*	39	2.6	94.7	*	2	0.1	100.0	*	54	3.7	95.7	*	0	0.0	100.0	*	16
17	*	82	5.5	89.7	*	0	0.0	100.0	*	30	2.0	96.8	*	0	0.0	100.0	*	45	3.0	98.7	*	0	0.0	100.0	*	17
18	*	64	4.3	94.0	*	0	0.0	100.0	*	15	1.0	97.8	*	0	0.0	100.0	*	18	1.2	99.9	*	0	0.0	100.0	*	18
19	*	51	3.4	97.4	*	0	0.0	100.0	*	20	1.4	99.1	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	19
20	*	29	2.0	99.4	*	0	0.0	100.0	*	13	0.9	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	6	0.4	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 64.9      DMC = 12.8      DC = 133.9      ISI = 2.8      ADMC = 33.1      FWI = 4.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1479

MAXIMUM VALUES

FFMC = 94.0      DMC = 51.0      DC = 431.0      ISI = 25.9      ADMC = 65.0      FWI = 35.0

\*\*\*TOTALS FOR REGION 19

NORTHERN ONTARIO

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	43	3.3	3.3	*	115	8.8	8.8	*	39	3.0	3.0	*	90	6.9	6.9	*	32	2.4	2.4	*	368	28.2	28.2	*	1
2	*	16	1.2	4.5	*	160	12.2	21.0	*	30	2.3	5.3	*	167	12.8	19.7	*	30	2.3	4.7	*	228	17.4	45.6	*	2
3	*	17	1.3	5.8	*	142	10.9	31.9	*	62	4.6	9.9	*	211	16.1	35.8	*	19	1.5	6.2	*	123	9.4	55.0	*	3
4	*	17	1.3	7.1	*	126	9.6	41.5	*	81	6.2	16.1	*	167	12.8	48.6	*	47	3.6	9.8	*	111	8.5	63.5	*	4
5	*	27	2.1	9.2	*	148	11.3	52.9	*	66	5.0	21.1	*	129	9.9	58.5	*	93	7.1	16.9	*	68	5.2	68.7	*	5
6	*	27	2.1	11.2	*	145	11.1	64.0	*	48	3.7	24.8	*	94	7.2	65.6	*	121	9.3	26.2	*	135	10.3	79.0	*	6
7	*	31	2.4	13.6	*	119	9.1	73.1	*	91	7.0	31.8	*	79	6.0	71.7	*	101	7.7	33.9	*	98	7.5	86.5	*	7
8	*	34	2.6	16.2	*	80	6.1	79.2	*	97	7.4	39.2	*	113	8.6	80.3	*	68	5.2	39.1	*	57	4.4	90.9	*	8
9	*	49	3.7	20.0	*	48	3.7	82.9	*	89	6.8	46.0	*	76	5.8	86.2	*	92	7.0	46.1	*	62	4.7	95.6	*	9
10	*	77	5.9	25.9	*	58	4.4	87.3	*	72	5.5	51.5	*	56	4.3	90.4	*	91	7.0	53.1	*	34	2.6	98.2	*	10
11	*	89	6.8	32.7	*	91	7.0	94.3	*	61	4.7	56.2	*	47	3.6	94.0	*	83	6.4	59.4	*	9	0.7	98.9	*	11
12	*	120	9.2	41.9	*	39	3.0	97.2	*	56	4.3	60.4	*	36	2.8	96.8	*	89	6.8	66.3	*	6	0.5	99.4	*	12
13	*	115	8.8	50.7	*	17	1.3	98.5	*	72	5.5	66.0	*	20	1.5	98.3	*	161	12.3	78.6	*	2	0.2	99.5	*	13
14	*	150	11.5	62.1	*	13	1.0	99.5	*	169	12.9	78.9	*	11	0.8	99.2	*	101	7.7	86.3	*	6	0.5	100.0	*	14
15	*	202	15.5	77.6	*	4	0.3	99.8	*	72	5.5	84.4	*	8	0.6	99.8	*	85	6.5	92.8	*	0	0.0	100.0	*	15
16	*	81	6.2	83.8	*	2	0.2	100.0	*	54	4.1	88.5	*	2	0.2	99.9	*	45	3.4	96.3	*	0	0.0	100.0	*	16
17	*	76	5.8	89.6	*	0	0.0	100.0	*	46	3.5	92.0	*	1	0.1	100.0	*	30	2.3	98.5	*	0	0.0	100.0	*	17
18	*	66	5.0	94.6	*	0	0.0	100.0	*	48	3.7	95.7	*	0	0.0	100.0	*	15	1.1	99.7	*	0	0.0	100.0	*	18
19	*	41	3.1	97.8	*	0	0.0	100.0	*	39	3.0	98.7	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	19
20	*	22	1.7	99.5	*	0	0.0	100.0	*	17	1.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	5	0.4	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	2	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 64.2      DMC = 11.3      DC = 149.1      ISI = 2.6      ADMC = 30.9      FWI = 3.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1307

MAXIMUM VALUES

FFMC = 94.0      DMC = 52.0      DC = 439.0      ISI = 32.1      ADMC = 66.0      FWI = 36.0



\*\*\*TOTALS FOR REGION 20

SOUTHERN ONTARIO

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	33	1.8	1.8	*	47	2.5	2.5	*	1	0.1	0.1	*	11	0.6	0.6	*	72	3.9	3.9	*	1
2	*	1	0.1	0.1	*	36	1.9	3.7	*	73	3.9	6.4	*	39	2.1	2.1	*	16	0.9	1.4	*	127	6.8	10.6	*	2
3	*	7	0.4	0.4	*	83	4.4	8.1	*	67	3.6	10.0	*	92	4.9	7.1	*	17	0.9	2.4	*	116	6.2	16.8	*	3
4	*	7	0.4	0.8	*	119	6.4	14.5	*	69	3.7	13.7	*	134	7.2	14.2	*	12	0.6	3.0	*	101	5.4	22.2	*	4
5	*	10	0.5	1.3	*	121	6.5	21.0	*	59	3.2	16.8	*	115	6.1	20.4	*	34	1.8	4.8	*	108	5.8	28.0	*	5
6	*	7	0.4	1.7	*	114	6.1	27.1	*	61	3.3	20.1	*	120	6.4	26.8	*	51	2.7	7.5	*	254	13.6	41.6	*	6
7	*	11	0.6	2.3	*	111	5.9	33.0	*	88	4.7	24.8	*	123	6.6	33.4	*	55	2.9	10.5	*	201	10.7	52.4	*	7
8	*	30	1.6	3.9	*	143	7.6	40.6	*	82	4.4	29.2	*	234	12.5	45.9	*	86	4.6	15.1	*	163	8.7	61.1	*	8
9	*	48	2.6	6.5	*	113	6.0	46.7	*	73	3.9	33.1	*	210	11.2	57.1	*	89	4.8	19.8	*	278	14.9	75.9	*	9
10	*	45	2.4	8.9	*	119	6.4	53.0	*	70	3.7	36.8	*	179	9.6	66.7	*	98	5.2	25.1	*	193	10.3	86.3	*	10
11	*	84	4.5	13.4	*	278	14.9	67.9	*	83	4.4	41.3	*	275	14.7	81.4	*	86	4.6	29.7	*	129	6.9	93.2	*	11
12	*	117	6.3	19.6	*	200	10.7	78.6	*	99	5.3	46.6	*	162	8.7	90.1	*	77	4.1	33.8	*	68	3.6	96.8	*	12
13	*	131	7.0	26.6	*	122	6.5	85.1	*	130	7.0	53.5	*	85	4.5	94.6	*	197	10.5	44.3	*	26	1.4	98.2	*	13
14	*	184	9.8	36.5	*	86	4.6	89.7	*	163	8.7	62.2	*	71	3.8	98.4	*	181	9.7	54.0	*	33	1.8	99.9	*	14
15	*	264	14.1	50.6	*	172	5.5	95.2	*	123	6.6	68.8	*	21	1.1	99.5	*	188	10.1	64.1	*	1	0.1	100.0	*	15
16	*	123	6.6	57.2	*	52	2.8	98.0	*	158	8.4	77.3	*	7	0.4	99.9	*	170	9.1	73.2	*	0	0.0	100.0	*	16
17	*	173	9.3	66.4	*	16	0.9	98.8	*	138	7.1	84.4	*	2	0.1	100.0	*	243	13.0	86.1	*	0	0.0	100.0	*	17
18	*	217	11.3	77.8	*	11	0.6	99.4	*	200	10.7	95.1	*	0	0.0	100.0	*	115	6.1	92.3	*	0	0.0	100.0	*	18
19	*	234	12.5	90.3	*	11	0.6	100.0	*	76	4.1	99.1	*	0	0.0	100.0	*	67	3.6	95.9	*	0	0.0	100.0	*	19
20	*	142	7.6	97.9	*	0	0.0	100.0	*	16	0.9	100.0	*	0	0.0	100.0	*	43	2.3	98.2	*	0	0.0	100.0	*	20
21	*	39	2.1	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20	1.1	99.3	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.4	99.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.9      DMC = 22.3      DC = 181.6      ISI = 5.2      ADMC = 52.1      FWI = 9.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1870

MAXIMUM VALUES

FFMC = 93.0      DMC = 95.0      DC = 423.0      ISI = 34.0      ADMC = 108.0      FWI = 46.0

\*\*\*TOTALS FOR STATION 137 AGUASABON

LONG. 8710 LAT. 4847

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	47	3.5	3.5	*	189	14.1	14.1	*	90	6.7	6.7	*	147	11.0	11.0	*	55	4.1	4.1	*	462	34.6	34.6	*	1
2	*	24	1.8	5.3	*	176	13.2	27.3	*	74	5.5	12.3	*	175	13.1	24.1	*	60	4.5	8.6	*	223	16.7	51.3	*	2
3	*	20	1.5	6.8	*	165	12.4	39.7	*	85	6.4	18.6	*	181	13.5	37.6	*	44	3.3	11.9	*	106	7.9	59.2	*	3
4	*	29	2.2	9.0	*	184	13.8	53.4	*	69	5.2	23.8	*	155	11.6	49.3	*	71	5.3	17.2	*	95	7.1	66.3	*	4
5	*	18	1.3	10.3	*	158	11.8	65.3	*	79	5.9	29.7	*	114	8.5	57.8	*	101	7.6	24.8	*	79	5.9	72.2	*	5
6	*	26	1.9	12.3	*	105	7.9	73.1	*	70	5.2	35.0	*	90	6.7	64.5	*	114	8.5	33.3	*	117	8.8	81.0	*	6
7	*	27	2.0	14.3	*	92	6.9	80.0	*	121	9.1	44.0	*	71	5.3	69.8	*	124	9.3	42.6	*	88	6.6	87.6	*	7
8	*	40	3.0	17.3	*	66	4.9	85.0	*	129	9.7	53.7	*	114	8.5	78.4	*	91	6.8	49.4	*	52	3.9	91.5	*	8
9	*	60	4.5	21.8	*	53	4.0	88.9	*	92	6.9	60.6	*	89	6.7	85.0	*	119	8.9	58.3	*	52	3.9	95.4	*	9
10	*	53	4.0	25.7	*	32	2.4	91.3	*	75	5.6	66.2	*	59	4.4	89.4	*	103	7.7	66.0	*	33	2.5	97.8	*	10
11	*	74	5.5	31.3	*	53	4.0	95.3	*	96	7.2	73.4	*	57	4.3	93.7	*	87	6.5	72.5	*	17	1.3	99.1	*	11
12	*	83	6.2	37.5	*	35	2.6	97.9	*	68	5.1	78.4	*	32	2.4	96.1	*	63	4.7	77.2	*	5	0.4	99.5	*	12
13	*	108	8.1	45.6	*	9	0.7	98.6	*	75	5.6	84.1	*	25	1.9	98.0	*	124	9.3	86.5	*	4	0.3	99.8	*	13
14	*	144	10.8	56.4	*	7	0.5	99.1	*	79	5.9	90.0	*	17	1.3	99.3	*	71	5.3	91.8	*	3	0.2	100.0	*	14
15	*	208	15.6	71.9	*	11	0.8	99.9	*	61	4.6	94.5	*	6	0.4	99.7	*	52	3.9	95.7	*	0	0.0	100.0	*	15
16	*	115	8.6	80.5	*	1	0.1	100.0	*	32	2.4	96.9	*	3	0.2	99.9	*	22	1.6	97.4	*	0	0.0	100.0	*	16
17	*	95	7.1	87.6	*	0	0.0	100.0	*	14	1.0	98.0	*	1	0.1	100.0	*	22	1.6	99.0	*	0	0.0	100.0	*	17
18	*	78	5.8	93.5	*	0	0.0	100.0	*	19	1.4	99.4	*	0	0.0	100.0	*	7	0.5	99.6	*	0	0.0	100.0	*	18
19	*	51	3.8	97.3	*	0	0.0	100.0	*	8	0.6	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	19
20	*	30	2.2	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	5	0.4	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 64.9      DMC = 9.7      DC = 109.4      ISI = 2.7      ADMC = 25.7      FWI = 3.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1336

MAXIMUM VALUES

FFMC = 93.0      DMC = 51.0      DC = 378.0      ISI = 33.9      ADMC = 68.0      FWI = 39.0

\*\*\*TOTALS FOR STATION 109 ALGONQUIN PARK LONG. 7833 LAT. 4535

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO. OF	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	* CLASS						
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.						
1	*	12	0.7	0.7	*	23	1.4	1.4	*	17	1.0	1.0	*	74	4.5	4.5	*	5	0.3	0.3	*	247	15.0	15.0	*	1
2	*	11	0.7	1.4	*	57	3.5	4.9	*	50	3.0	4.1	*	115	7.0	11.5	*	9	0.5	0.9	*	211	12.8	27.8	*	2
3	*	15	0.9	2.3	*	110	6.7	11.5	*	70	4.3	8.3	*	180	10.9	22.4	*	4	0.2	1.1	*	96	5.8	33.7	*	3
4	*	12	0.7	3.0	*	138	8.4	19.9	*	71	4.3	12.6	*	136	8.3	30.7	*	16	1.0	2.1	*	82	5.0	38.6	*	4
5	*	13	0.8	3.8	*	133	8.1	28.0	*	60	3.6	16.3	*	99	6.0	36.7	*	44	2.7	4.7	*	54	5.7	44.3	*	5
6	*	20	1.2	5.0	*	138	8.4	36.4	*	68	4.1	20.4	*	106	6.4	43.1	*	57	3.5	8.2	*	163	9.9	54.3	*	6
7	*	16	1.0	6.0	*	138	8.4	44.8	*	150	9.1	29.5	*	114	6.9	50.1	*	90	5.5	13.7	*	136	8.3	62.5	*	7
8	*	30	1.8	7.8	*	111	6.7	51.5	*	122	7.4	36.9	*	156	9.5	59.5	*	101	6.1	19.8	*	127	7.7	70.2	*	8
9	*	34	2.1	9.9	*	95	5.8	57.3	*	90	5.5	42.4	*	137	8.3	67.9	*	106	6.4	26.2	*	184	11.2	81.4	*	9
10	*	46	2.8	12.7	*	97	5.9	63.2	*	79	4.8	47.2	*	102	6.2	74.1	*	102	6.2	32.4	*	112	6.8	88.2	*	10
11	*	54	3.3	16.0	*	169	10.3	73.5	*	63	3.8	51.0	*	151	9.2	83.2	*	94	5.7	38.2	*	78	4.7	93.0	*	11
12	*	96	5.8	21.8	*	134	8.1	81.6	*	70	4.3	55.3	*	105	6.4	89.6	*	82	5.0	43.1	*	39	2.4	95.3	*	12
13	*	103	6.3	28.1	*	108	6.6	88.2	*	74	4.5	59.8	*	60	3.6	93.3	*	195	11.8	55.0	*	23	1.4	96.7	*	13
14	*	125	7.6	35.7	*	66	4.0	92.2	*	103	6.3	66.0	*	46	2.8	96.1	*	152	9.2	64.2	*	34	2.1	98.8	*	14
15	*	180	10.9	46.6	*	78	4.7	96.9	*	96	5.8	71.9	*	25	1.5	97.6	*	123	7.5	71.7	*	12	0.7	99.5	*	15
16	*	123	7.5	54.1	*	25	1.5	98.4	*	114	6.9	78.8	*	28	1.7	99.3	*	101	6.1	77.8	*	4	0.2	99.8	*	16
17	*	145	8.8	62.9	*	17	1.0	99.5	*	99	6.0	84.8	*	6	0.4	99.6	*	151	9.2	87.0	*	2	0.1	99.9	*	17
18	*	195	11.8	74.7	*	6	0.4	99.8	*	140	8.5	93.3	*	3	0.2	99.8	*	106	6.4	93.4	*	1	0.1	99.9	*	18
19	*	214	13.0	87.7	*	3	0.2	100.0	*	73	4.4	97.8	*	2	0.1	99.9	*	61	3.7	97.1	*	0	0.0	99.9	*	19
20	*	142	8.6	96.4	*	0	0.0	100.0	*	36	2.2	99.9	*	1	0.1	100.0	*	26	1.6	98.7	*	1	0.1	100.0	*	20
21	*	57	3.5	99.8	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	13	0.8	99.5	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	99.8	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.7      DMC = 19.7      DC = 170.2      ISI = 4.7      ADMC = 47.3      FWI = 8.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1646

MAXIMUM VALUES

FFMC = 93.0      DMC = 87.0      DC = 452.0      ISI = 67.5      ADMC = 108.0      FWI = 93.0

\*\*\*TOTALS FOR STATION 143 ARMSTRONG

LONG. 8854 LAT. 5017

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	27	1.9	1.9	*	88	6.1	6.1	*	51	3.5	3.5	*	126	8.8	8.8	*	19	1.3	1.3	*	393	27.3	27.3	*	1
2	*	15	1.0	2.9	*	125	8.7	14.8	*	53	3.7	7.2	*	171	11.9	20.6	*	28	1.9	3.3	*	229	15.9	43.2	*	2
3	*	32	2.2	5.1	*	147	10.2	25.0	*	64	4.4	11.7	*	202	14.0	34.7	*	23	1.6	4.9	*	101	7.0	50.2	*	3
4	*	23	1.6	6.7	*	155	10.8	35.8	*	61	4.2	15.9	*	131	9.1	43.7	*	36	2.5	7.4	*	104	7.2	57.4	*	4
5	*	25	1.7	8.5	*	152	10.6	46.3	*	55	3.8	19.7	*	115	8.0	51.7	*	81	5.6	13.0	*	61	4.2	61.7	*	5
6	*	24	1.7	10.1	*	133	9.2	55.6	*	79	5.5	25.2	*	90	6.3	58.0	*	90	6.3	19.2	*	137	9.5	71.2	*	6
7	*	35	2.4	12.6	*	121	8.4	64.0	*	152	10.6	35.8	*	72	5.0	63.0	*	105	7.3	26.5	*	106	7.4	78.5	*	7
8	*	35	2.4	15.0	*	89	6.2	70.1	*	156	10.8	46.6	*	149	10.3	73.3	*	109	7.6	34.1	*	88	6.1	84.7	*	8
9	*	47	3.3	18.3	*	88	6.1	76.2	*	158	11.0	57.6	*	99	6.9	80.2	*	122	8.5	42.6	*	123	8.5	93.2	*	9
10	*	58	4.0	22.3	*	55	3.8	80.1	*	145	10.1	67.6	*	87	6.0	86.2	*	89	6.2	48.7	*	41	2.8	96.0	*	10
11	*	62	4.3	26.6	*	117	8.1	88.2	*	127	8.8	76.5	*	96	6.7	92.9	*	99	6.9	55.6	*	27	1.9	97.9	*	11
12	*	91	6.3	32.9	*	70	4.9	93.1	*	90	6.3	82.7	*	34	2.4	95.3	*	95	6.6	62.2	*	16	1.1	99.0	*	12
13	*	98	6.8	39.7	*	43	3.0	96.0	*	48	3.3	86.0	*	28	1.9	97.2	*	174	12.1	74.3	*	10	0.7	99.7	*	13
14	*	114	7.9	47.6	*	14	1.0	97.0	*	39	2.7	88.7	*	27	1.9	99.1	*	127	8.8	83.1	*	3	0.2	99.9	*	14
15	*	180	13.1	60.8	*	26	1.8	98.8	*	43	3.0	91.7	*	5	0.3	99.4	*	93	6.5	89.6	*	1	0.1	100.0	*	15
16	*	117	8.1	68.9	*	10	0.7	99.5	*	24	1.7	93.4	*	6	0.4	99.9	*	49	3.4	93.0	*	0	0.0	100.0	*	16
17	*	115	8.0	76.9	*	7	0.5	100.0	*	26	1.8	95.2	*	2	0.1	100.0	*	59	4.1	97.1	*	0	0.0	100.0	*	17
18	*	132	9.2	86.0	*	0	0.0	100.0	*	8	0.6	95.8	*	0	0.0	100.0	*	17	1.2	98.3	*	0	0.0	100.0	*	18
19	*	107	7.4	93.5	*	0	0.0	100.0	*	33	2.3	98.1	*	0	0.0	100.0	*	6	0.4	98.7	*	0	0.0	100.0	*	19
20	*	69	4.8	98.3	*	0	0.0	100.0	*	27	1.9	99.9	*	0	0.0	100.0	*	8	0.6	99.2	*	0	0.0	100.0	*	20
21	*	19	1.3	99.6	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	8	0.6	99.8	*	0	0.0	100.0	*	21
22	*	6	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 68.4      DMC = 13.9      DC = 121.2      ISI = 3.1      ADMC = 34.4      FWI = 4.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1440

MAXIMUM VALUES

FFMC = 94.0      DMC = 67.0      DC = 455.0      ISI = 35.8      ADMC = 94.0      FWI = 45.0

\*\*\*TOTALS FOR STATION 145 ATIKOKAN LONG. 9138 LAT. 4844

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	2	0.1	0.1	*	17	1.0	1.0	*	31	1.7	1.7	*	21	1.2	1.2	*	0	0.0	0.0	*	144	8.0	8.0	*	1
2	*	0	0.0	0.1	*	43	2.4	3.4	*	44	2.5	4.2	*	84	4.7	5.9	*	9	0.5	0.5	*	178	9.9	18.0	*	2
3	*	4	0.2	0.3	*	53	3.0	6.3	*	45	2.5	6.7	*	168	9.4	15.3	*	6	0.3	0.8	*	85	4.8	22.8	*	3
4	*	3	0.2	0.5	*	71	4.0	10.3	*	39	2.2	8.9	*	125	7.0	22.2	*	17	1.0	1.8	*	80	4.5	27.2	*	4
5	*	7	0.4	0.9	*	100	5.6	15.9	*	37	2.1	11.0	*	106	5.9	28.2	*	41	2.3	4.1	*	86	4.8	32.0	*	5
6	*	10	0.6	1.5	*	121	6.8	22.6	*	41	2.3	13.2	*	85	4.8	32.9	*	34	1.9	6.0	*	144	8.0	40.1	*	6
7	*	8	0.4	1.9	*	106	5.9	28.6	*	103	5.8	19.0	*	85	4.8	37.7	*	39	2.2	8.2	*	132	7.4	47.5	*	7
8	*	6	0.3	2.2	*	99	5.5	34.1	*	100	5.6	24.6	*	174	9.7	47.4	*	42	2.3	10.5	*	139	7.8	55.3	*	8
9	*	25	1.4	3.6	*	108	6.0	40.1	*	101	5.6	30.2	*	143	8.0	55.4	*	56	3.1	13.6	*	244	13.6	68.9	*	9
10	*	60	3.4	7.0	*	117	6.5	46.7	*	85	4.8	35.0	*	157	8.8	64.2	*	49	2.7	16.4	*	172	9.6	78.5	*	10
11	*	69	3.9	10.8	*	221	12.4	59.0	*	83	4.6	39.6	*	202	11.3	75.5	*	68	3.8	20.2	*	146	8.2	86.7	*	11
12	*	62	3.5	14.3	*	195	10.9	69.9	*	72	4.0	43.7	*	133	7.4	82.9	*	78	4.4	24.5	*	83	4.6	91.3	*	12
13	*	112	6.3	20.6	*	142	7.9	77.9	*	54	3.0	46.7	*	120	6.7	89.6	*	183	10.2	34.8	*	64	3.6	94.9	*	13
14	*	128	7.2	27.7	*	120	6.7	84.6	*	79	4.4	51.1	*	99	5.5	95.1	*	182	10.2	44.9	*	61	3.4	98.3	*	14
15	*	181	10.1	37.8	*	127	7.1	91.7	*	71	4.0	55.1	*	42	2.3	97.5	*	179	10.0	54.9	*	22	1.3	99.6	*	15
16	*	108	6.0	43.9	*	83	4.6	96.3	*	75	4.2	59.3	*	36	2.0	99.5	*	164	9.2	64.1	*	6	0.3	99.9	*	16
17	*	154	8.6	52.5	*	33	1.8	98.2	*	86	4.8	64.1	*	8	0.4	99.9	*	252	14.1	78.2	*	1	0.1	100.0	*	17
18	*	185	10.3	62.8	*	10	0.6	98.7	*	251	14.0	78.1	*	1	0.1	100.0	*	183	10.2	88.4	*	0	0.0	100.0	*	18
19	*	258	14.4	77.2	*	22	1.2	99.9	*	191	10.7	88.8	*	0	0.0	100.0	*	96	5.4	93.8	*	0	0.0	100.0	*	19
20	*	256	14.3	91.6	*	1	0.1	100.0	*	87	4.9	93.6	*	0	0.0	100.0	*	48	2.7	96.5	*	0	0.0	100.0	*	20
21	*	117	6.5	98.1	*	0	0.0	100.0	*	70	3.9	97.5	*	0	0.0	100.0	*	29	1.6	98.1	*	0	0.0	100.0	*	21
22	*	30	1.7	99.8	*	0	0.0	100.0	*	44	2.5	100.0	*	0	0.0	100.0	*	18	1.0	99.1	*	0	0.0	100.0	*	22
23	*	4	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.8	99.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.2      DMC = 25.6      DC = 226.8      ISI = 5.8      ADMC = 59.3      FWI = 11.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1789

MAXIMUM VALUES

FFMC = 95.0      DMC = 114.0      DC = 548.0      ISI = 44.6      ADMC = 127.0      FWI = 70.0

\*\*\*TOTALS FOR STATION 108 BANCROFT LONG. 7751 LAT. 4503

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	14	0.8	0.8	*	12	0.7	0.7	*	44	2.5	2.5	*	48	2.7	2.7	*	6	0.3	0.3	*	214	12.1	12.1	*	1
2	*	4	0.2	1.0	*	47	2.7	3.3	*	46	2.6	5.1	*	121	6.9	9.6	*	4	0.2	0.6	*	213	12.1	24.2	*	2
3	*	6	0.3	1.4	*	94	5.3	8.7	*	61	3.5	8.6	*	171	9.7	19.3	*	5	0.3	0.9	*	99	5.6	29.8	*	3
4	*	10	0.6	1.9	*	116	6.6	15.3	*	61	3.5	12.0	*	136	7.7	27.0	*	8	0.5	1.3	*	87	4.9	34.8	*	4
5	*	6	0.3	2.3	*	133	7.5	22.8	*	70	4.0	16.0	*	109	6.2	33.2	*	43	2.4	3.7	*	89	5.0	39.8	*	5
6	*	21	1.2	3.5	*	151	8.6	31.4	*	45	2.6	19.5	*	104	5.9	39.1	*	46	2.6	6.4	*	140	7.9	47.8	*	6
7	*	18	1.0	4.5	*	144	8.2	39.5	*	93	5.3	23.8	*	93	5.3	44.4	*	60	3.4	9.8	*	159	9.0	56.8	*	7
8	*	25	1.4	5.9	*	130	7.4	46.9	*	81	4.6	28.4	*	167	9.5	53.8	*	89	5.0	14.7	*	135	7.7	64.4	*	8
9	*	24	1.4	7.3	*	114	6.5	53.4	*	69	3.9	32.3	*	133	7.5	61.4	*	89	5.0	19.8	*	213	12.1	76.5	*	9
10	*	58	3.3	10.6	*	107	6.1	59.4	*	56	3.2	35.5	*	136	7.7	69.1	*	104	5.9	25.7	*	152	8.6	85.1	*	10
11	*	49	2.8	13.3	*	207	11.7	71.2	*	80	4.5	40.0	*	205	11.6	80.7	*	95	5.4	31.1	*	100	5.7	90.8	*	11
12	*	96	5.4	18.8	*	144	8.2	79.4	*	95	5.4	45.4	*	115	6.5	87.2	*	105	6.0	37.0	*	68	3.9	94.7	*	12
13	*	107	6.1	24.8	*	112	6.4	85.7	*	90	5.1	50.5	*	80	4.5	91.8	*	223	12.6	49.7	*	32	1.8	96.5	*	13
14	*	131	7.4	32.3	*	64	3.6	89.3	*	127	7.2	57.7	*	76	4.3	96.1	*	175	9.9	59.6	*	41	2.3	98.8	*	14
15	*	194	11.0	43.3	*	93	5.3	94.6	*	143	8.1	65.9	*	22	1.2	97.3	*	155	8.8	68.4	*	13	0.7	99.5	*	15
16	*	112	6.4	49.6	*	51	2.9	97.5	*	123	7.0	72.8	*	36	2.0	99.4	*	113	6.4	74.8	*	4	0.2	99.8	*	16
17	*	153	8.7	58.3	*	34	1.9	99.4	*	140	7.9	80.8	*	4	0.2	99.6	*	183	10.4	85.2	*	2	0.1	99.9	*	17
18	*	220	12.5	70.8	*	8	0.5	99.9	*	195	11.1	91.8	*	4	0.2	99.8	*	110	6.2	91.4	*	1	0.1	99.9	*	18
19	*	244	13.8	84.6	*	2	0.1	100.0	*	100	5.7	97.5	*	1	0.1	99.9	*	77	4.4	95.8	*	1	0.1	100.0	*	19
20	*	202	11.5	96.1	*	C	0.0	100.0	*	42	2.4	99.9	*	2	0.1	100.0	*	45	2.6	98.4	*	C	0.0	100.0	*	20
21	*	63	3.6	99.7	*	C	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	23	1.3	99.7	*	C	0.0	100.0	*	21
22	*	6	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.3	100.0	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.5      DMC = 21.3      DC = 191.1      ISI = 5.2      ADMC = 50.8      FWI = 9.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1763

MAXIMUM VALUES

FFMC = 94.0      DMC = 85.0      DC = 463.0      ISI = 68.2      ADMC = 96.0      FWI = 83.0

\*\*\*TOTALS FOR STATION 106 BELLROCK LONG. 7646 LAT. 4429

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	8	0.5	0.5	*	16	0.9	0.9	*	33	1.9	1.9	*	39	2.2	2.2	*	4	0.2	0.2	*	177	10.1	10.1	*	1
2	*	6	0.3	0.8	*	40	2.3	3.2	*	56	3.2	5.1	*	91	5.2	7.4	*	5	0.3	0.5	*	184	10.5	20.5	*	2
3	*	7	0.4	1.2	*	82	4.7	7.8	*	78	4.4	9.5	*	148	8.4	15.8	*	8	0.5	1.0	*	101	5.7	26.3	*	3
4	*	7	0.4	1.6	*	114	6.5	14.3	*	66	3.8	13.2	*	123	7.0	22.8	*	14	0.8	1.8	*	78	4.4	30.7	*	4
5	*	7	0.4	2.0	*	156	8.9	23.2	*	60	3.4	16.7	*	106	6.0	28.8	*	39	2.2	4.0	*	95	5.4	36.1	*	5
6	*	10	0.6	2.6	*	140	8.0	31.2	*	53	3.0	19.7	*	97	5.5	34.3	*	54	3.1	7.0	*	172	9.8	45.9	*	6
7	*	9	0.5	3.1	*	145	8.2	39.4	*	113	6.4	26.1	*	109	6.2	40.5	*	59	3.4	10.4	*	170	9.7	55.5	*	7
8	*	21	1.2	4.3	*	131	7.4	46.8	*	96	5.5	31.6	*	203	11.5	52.1	*	80	4.5	15.0	*	158	9.0	64.5	*	8
9	*	30	1.7	6.0	*	130	7.4	54.2	*	61	3.5	35.0	*	193	11.0	63.0	*	92	5.2	20.2	*	243	13.8	78.3	*	9
10	*	42	2.4	8.4	*	103	5.9	60.1	*	76	4.3	39.3	*	142	8.1	71.1	*	97	5.5	25.7	*	145	8.2	86.6	*	10
11	*	59	3.4	11.7	*	191	10.9	70.9	*	111	6.3	45.7	*	200	11.4	82.5	*	124	7.0	32.7	*	111	6.3	92.9	*	11
12	*	78	4.4	16.1	*	136	7.7	78.7	*	94	5.3	51.0	*	116	6.6	89.1	*	88	5.0	37.7	*	45	2.6	95.5	*	12
13	*	98	5.6	21.7	*	89	5.1	83.7	*	99	5.6	56.6	*	81	4.6	93.7	*	208	11.8	49.6	*	25	1.4	96.9	*	13
14	*	133	7.6	29.3	*	86	4.9	88.6	*	119	6.8	63.4	*	63	3.6	97.3	*	210	11.9	61.5	*	40	2.3	99.1	*	14
15	*	220	12.5	41.8	*	99	5.6	94.3	*	138	7.8	71.2	*	24	1.4	98.6	*	143	8.1	69.6	*	9	0.5	99.7	*	15
16	*	126	7.2	48.9	*	44	2.5	96.8	*	124	7.0	78.3	*	16	0.9	99.5	*	108	6.1	75.8	*	6	0.3	100.0	*	16
17	*	202	11.5	60.4	*	34	1.9	98.7	*	97	5.5	83.8	*	5	0.3	99.8	*	150	8.5	84.3	*	C	0.0	100.0	*	17
18	*	215	12.2	72.7	*	16	0.9	99.6	*	147	8.4	92.2	*	2	0.1	99.9	*	106	6.0	90.3	*	C	0.0	100.0	*	18
19	*	248	14.1	86.8	*	7	0.4	100.0	*	82	4.7	96.8	*	1	0.1	100.0	*	79	4.5	94.8	*	0	0.0	100.0	*	19
20	*	164	9.3	96.1	*	C	0.0	100.0	*	48	2.7	99.5	*	0	0.0	100.0	*	48	2.7	97.6	*	C	0.0	100.0	*	20
21	*	65	3.7	99.8	*	0	0.0	100.0	*	7	0.4	99.9	*	0	0.0	100.0	*	18	1.0	98.6	*	0	0.0	100.0	*	21
22	*	4	0.2	100.0	*	C	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	12	0.7	99.3	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	13	0.7	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.4      DMC = 21.8      DC = 179.7      ISI = 5.0      ADMC = 51.1      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1759

MAXIMUM VALUES

FFMC = 93.0      DMC = 91.0      DC = 503.0      ISI = 50.9      ADMC = 125.0      FWI = 57.0

\*\*\*TOTALS FOR STATION 118 BISCOTASING LONG. 8207 LAT. 4717

		FFMC		DMC		DC		ISI		ADMC		FMI														
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS											
	ORBS.	PCNT.	ORBS.	PCNT.	ORBS.	PCNT.	ORBS.	PCNT.	ORBS.	PCNT.	ORBS.	PCNT.	ORBS.	PCNT.												
1	*	13	0.8	0.8	*	58	3.8	3.8	*	22	1.4	1.4	*	68	4.4	4.4	*	3	0.2	0.2	*	233	15.1	15.1	*	1
2	*	13	0.8	1.7	*	91	5.9	9.7	*	50	3.2	4.7	*	84	5.4	9.9	*	29	1.9	2.1	*	170	11.0	26.1	*	2
3	*	9	0.6	2.3	*	114	7.4	17.0	*	61	4.0	8.6	*	149	9.7	19.5	*	7	0.5	2.5	*	79	5.1	31.2	*	3
4	*	13	0.8	3.1	*	120	7.8	24.8	*	49	3.2	11.8	*	120	7.8	27.3	*	29	1.9	4.4	*	74	4.8	36.0	*	4
5	*	14	0.9	4.0	*	95	6.2	31.0	*	41	2.7	14.5	*	89	5.8	33.1	*	62	4.0	8.4	*	87	5.6	41.7	*	5
6	*	10	0.6	4.7	*	115	7.5	38.4	*	45	2.9	17.4	*	95	6.2	39.2	*	76	4.9	13.4	*	135	8.7	50.4	*	6
7	*	19	1.2	5.9	*	130	8.4	46.9	*	105	6.8	24.2	*	67	4.3	43.6	*	65	4.2	17.6	*	113	7.3	57.7	*	7
8	*	23	1.5	7.4	*	107	6.9	53.8	*	123	8.0	32.1	*	147	9.5	53.1	*	59	3.8	21.4	*	117	7.6	65.3	*	8
9	*	28	1.8	9.2	*	82	5.3	59.1	*	102	6.6	38.8	*	124	8.0	61.1	*	88	5.7	27.1	*	180	11.7	77.0	*	9
10	*	45	2.9	12.1	*	79	5.1	64.2	*	102	6.6	45.4	*	91	5.9	67.0	*	87	5.6	32.7	*	130	8.4	85.4	*	10
11	*	63	4.1	16.2	*	177	11.5	75.7	*	102	6.6	52.0	*	140	9.1	76.1	*	74	4.8	37.5	*	81	5.2	90.7	*	11
12	*	92	6.0	22.2	*	145	9.4	85.1	*	138	8.9	60.9	*	114	7.4	83.5	*	83	5.4	42.9	*	46	3.0	93.6	*	12
13	*	88	5.7	27.9	*	92	6.0	91.1	*	158	10.2	71.2	*	80	5.2	88.7	*	220	14.3	57.2	*	33	2.1	95.8	*	13
14	*	126	8.2	36.0	*	54	3.5	94.6	*	149	9.7	80.8	*	90	5.8	94.5	*	167	10.8	68.0	*	39	2.5	98.3	*	14
15	*	211	13.7	49.7	*	49	3.2	97.7	*	104	6.7	87.6	*	26	1.7	96.2	*	134	8.7	76.7	*	20	1.3	99.6	*	15
16	*	88	5.7	55.4	*	23	1.5	99.2	*	75	4.9	92.4	*	43	2.8	99.0	*	116	7.5	84.2	*	4	0.3	99.9	*	16
17	*	126	8.2	63.6	*	11	0.7	99.9	*	50	3.2	95.7	*	11	0.7	99.7	*	133	8.6	92.8	*	2	0.1	100.0	*	17
18	*	160	10.4	73.9	*	1	0.1	100.0	*	52	3.4	99.0	*	4	0.3	99.9	*	70	4.5	97.3	*	0	0.0	100.0	*	18
19	*	190	12.3	86.3	*	0	0.0	100.0	*	15	1.0	100.0	*	0	0.0	99.9	*	26	1.7	99.0	*	0	0.0	100.0	*	19
20	*	119	7.7	94.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	15	1.0	100.0	*	0	0.0	100.0	*	20
21	*	75	4.9	98.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	16	1.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.7      DMC = 18.2      DC = 150.7      ISI = 5.7      ADMC = 43.5      FMI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1543

MAXIMUM VALUES

FFMC = 95.0      DMC = 73.0      DC = 381.0      ISI = 67.7      ADMC = 78.0      FMI = 69.0



\*\*\*TOTALS FOR STATION 141 CAMERON FALLS LONG. 8823 LAT. 4909

CLASS	FFMC			DMC			DC			ISI			ADMC			FMI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	20	1.3	1.3	*	63	4.2	4.2	*	37	2.4	2.4	*	73	4.8	4.8	*	8	0.5	0.5	*	251	19.2	19.2	*	1
2	*	14	0.9	2.2	*	98	6.5	10.6	*	50	3.3	5.8	*	135	8.9	13.8	*	25	1.7	2.2	*	245	16.2	35.4	*	2
3	*	12	0.8	3.0	*	142	9.4	20.0	*	66	4.4	10.1	*	178	11.8	25.5	*	16	1.1	3.2	*	115	7.9	43.3	*	3
4	*	10	0.7	3.7	*	154	10.2	30.2	*	69	4.6	14.7	*	171	11.3	36.8	*	31	2.1	5.3	*	103	6.8	50.1	*	4
5	*	13	0.9	4.6	*	162	10.7	40.9	*	82	5.4	20.1	*	136	9.0	45.8	*	65	4.3	9.6	*	93	6.2	56.3	*	5
6	*	16	1.1	5.6	*	145	9.6	50.5	*	87	5.8	25.9	*	92	6.1	51.9	*	86	5.7	15.3	*	152	10.1	66.3	*	6
7	*	26	1.7	7.3	*	117	7.7	58.3	*	192	12.7	38.6	*	94	6.2	58.1	*	87	5.8	21.0	*	121	8.0	74.3	*	7
8	*	32	2.1	9.5	*	108	7.1	65.4	*	121	8.0	46.6	*	139	9.2	67.3	*	126	8.3	29.4	*	102	6.7	81.1	*	8
9	*	36	2.4	11.8	*	87	5.8	71.2	*	98	6.5	53.0	*	123	8.1	75.5	*	116	7.7	37.0	*	121	8.7	89.7	*	9
10	*	53	3.5	15.3	*	84	5.6	76.7	*	83	5.5	58.5	*	96	6.3	81.8	*	105	6.9	44.0	*	81	5.4	95.1	*	10
11	*	66	4.4	19.7	*	122	8.1	84.9	*	83	5.5	64.0	*	115	7.6	89.4	*	111	7.3	51.3	*	32	2.1	97.2	*	11
12	*	108	7.1	26.9	*	94	6.2	91.1	*	70	4.6	68.7	*	70	4.6	94.0	*	102	6.7	58.1	*	15	1.0	98.2	*	12
13	*	105	6.9	33.8	*	57	3.8	94.8	*	82	5.4	74.1	*	29	1.9	96.0	*	176	11.6	69.7	*	8	0.5	98.7	*	13
14	*	136	9.0	42.8	*	33	2.2	97.0	*	104	6.9	81.0	*	30	2.0	97.9	*	133	8.8	78.5	*	16	1.1	99.8	*	14
15	*	203	13.4	56.2	*	36	2.4	99.4	*	102	6.7	87.7	*	12	0.8	98.7	*	108	7.1	85.6	*	2	0.1	99.9	*	15
16	*	114	7.5	63.8	*	9	0.6	100.0	*	85	5.6	93.3	*	13	0.9	99.6	*	65	4.3	89.9	*	1	0.1	100.0	*	16
17	*	140	9.3	73.0	*	C	0.0	100.0	*	50	3.3	96.6	*	3	0.2	99.8	*	94	6.2	96.2	*	C	0.0	100.0	*	17
18	*	146	9.7	82.7	*	C	0.0	100.0	*	44	2.9	99.5	*	0	0.0	99.8	*	42	2.8	98.9	*	C	0.0	100.0	*	18
19	*	132	8.7	91.4	*	C	0.0	100.0	*	7	0.5	100.0	*	C	0.0	99.8	*	14	0.9	99.9	*	C	0.0	100.0	*	19
20	*	95	6.3	97.7	*	C	0.0	100.0	*	0	0.0	100.0	*	1	0.1	99.9	*	2	0.1	100.0	*	C	0.0	100.0	*	20
21	*	29	1.9	99.6	*	C	0.0	100.0	*	C	0.0	100.0	*	2	0.1	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	21
22	*	6	0.4	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	22
23	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.0      DMC = 15.0      DC = 131.6      ISI = 3.8      ADMC = 37.0      FMI = 5.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1512

MAXIMUM VALUES

FFMC = 93.0      DMC = 59.0      DC = 391.0      ISI = 79.5      ADMC = 72.0      FMI = 55.0

\*\*\*TOTALS FOR STATION 124    CHAPLEAU            LONG. 8326    LAT. 4750

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	11	0.7	0.7	*	65	4.4	4.4	*	72	4.8	4.8	*	47	3.2	3.2	*	18	1.2	1.2	*	239	16.1	16.1	*	1
2	*	8	0.5	1.3	*	93	6.3	10.6	*	58	3.9	8.8	*	109	7.3	10.5	*	22	1.5	2.7	*	177	11.9	28.0	*	2
3	*	6	0.4	1.7	*	95	6.4	17.0	*	53	3.6	12.3	*	144	9.7	20.2	*	15	1.0	3.7	*	84	5.7	33.7	*	3
4	*	7	0.5	2.2	*	135	9.1	26.1	*	58	3.9	16.2	*	131	8.8	29.0	*	36	2.4	6.1	*	62	4.2	37.8	*	4
5	*	9	0.6	2.8	*	118	7.9	34.1	*	49	3.3	19.5	*	99	6.7	35.7	*	54	3.6	9.8	*	94	6.3	44.2	*	5
6	*	12	0.8	3.6	*	119	8.0	42.1	*	73	4.9	24.4	*	71	4.8	40.5	*	76	5.1	14.9	*	129	8.7	52.9	*	6
7	*	20	1.3	4.9	*	98	6.6	48.7	*	141	9.5	33.9	*	77	5.2	45.7	*	80	5.4	20.3	*	122	8.2	61.1	*	7
8	*	28	1.9	6.8	*	105	7.1	55.8	*	108	7.3	41.2	*	130	8.8	54.4	*	94	6.3	26.6	*	77	5.2	66.3	*	8
9	*	41	2.8	9.6	*	72	4.8	60.6	*	112	7.5	48.8	*	110	7.4	61.8	*	94	6.3	32.9	*	147	9.9	76.2	*	9
10	*	46	3.1	12.7	*	78	5.3	65.9	*	97	6.5	55.3	*	86	5.8	67.6	*	72	4.8	37.8	*	124	8.4	84.5	*	10
11	*	57	3.8	16.5	*	145	9.8	75.6	*	126	8.5	63.8	*	127	8.6	76.2	*	80	5.4	43.2	*	65	4.4	88.9	*	11
12	*	89	6.0	22.5	*	130	8.8	84.4	*	127	8.6	72.3	*	90	6.1	82.2	*	84	5.7	48.8	*	54	3.6	92.5	*	12
13	*	96	6.5	29.0	*	87	5.9	90.2	*	85	5.7	78.0	*	60	4.0	86.3	*	155	10.4	59.3	*	36	2.4	94.9	*	13
14	*	138	9.3	38.2	*	67	4.5	94.7	*	86	5.8	83.8	*	72	4.8	91.1	*	149	10.0	69.3	*	50	3.4	98.3	*	14
15	*	176	11.9	50.1	*	62	4.2	98.9	*	86	5.8	89.6	*	52	3.5	94.6	*	129	8.7	78.0	*	18	1.2	99.5	*	15
16	*	111	7.5	57.6	*	12	0.8	99.7	*	51	3.4	93.1	*	51	3.4	98.0	*	106	7.1	85.1	*	5	0.3	99.9	*	16
17	*	132	8.9	66.5	*	4	0.3	100.0	*	40	2.7	95.8	*	15	1.0	99.1	*	121	8.1	93.3	*	1	0.1	99.9	*	17
18	*	154	10.4	76.8	*	0	0.0	100.0	*	44	3.0	98.7	*	6	0.4	99.5	*	71	4.8	98.0	*	0	0.0	99.9	*	18
19	*	150	10.1	86.9	*	0	0.0	100.0	*	14	0.9	99.7	*	3	0.2	99.7	*	24	1.6	99.7	*	0	0.0	99.9	*	19
20	*	123	8.3	95.2	*	0	0.0	100.0	*	5	0.3	100.0	*	2	0.1	99.8	*	5	0.3	100.0	*	1	0.1	100.0	*	20
21	*	55	3.7	98.9	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	15	1.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.6            DMC = 17.7            DC = 132.3            ISI = 6.2            ADMC = 41.3            FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1485

MAXIMUM VALUES

FFMC = 95.0            DMC = 70.0            DC = 429.0            ISI = 96.5            ADMC = 80.0            FWI = 99.0

\*\*\*TOTALS FOR STATION 128 COCHRANE LONG. 8102 LAT. 4904

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	24	1.6	1.6	*	69	4.6	4.6	*	41	2.8	2.8	*	96	6.5	6.5	*	14	0.9	0.9	*	299	20.1	20.1	*	1
2	*	8	0.5	2.2	*	123	8.3	12.9	*	61	4.1	6.9	*	123	8.3	14.7	*	24	1.6	2.6	*	204	13.7	33.8	*	2
3	*	20	1.3	3.5	*	145	9.7	22.6	*	64	4.3	11.2	*	143	9.6	24.3	*	14	0.9	3.5	*	103	6.9	40.7	*	3
4	*	14	0.9	4.4	*	173	11.6	34.3	*	68	4.6	15.7	*	134	9.0	33.3	*	44	3.0	6.5	*	105	7.1	47.8	*	4
5	*	24	1.6	6.0	*	160	10.8	45.0	*	63	4.2	20.0	*	124	8.3	41.7	*	64	4.3	10.8	*	75	5.0	52.8	*	5
6	*	20	1.3	7.4	*	127	8.5	53.6	*	62	4.2	24.1	*	92	6.2	47.8	*	94	6.3	17.1	*	121	8.1	61.0	*	6
7	*	25	1.7	9.1	*	88	5.9	59.5	*	118	7.9	32.1	*	81	5.4	53.3	*	111	7.5	24.5	*	106	7.1	68.1	*	7
8	*	29	1.9	11.0	*	89	6.0	65.5	*	138	9.3	41.3	*	105	7.1	60.3	*	141	9.5	34.0	*	79	5.3	73.4	*	8
9	*	41	2.8	13.8	*	68	4.6	70.0	*	164	11.0	52.4	*	106	7.1	67.5	*	111	7.5	41.5	*	128	8.3	82.7	*	9
10	*	47	3.2	16.9	*	60	4.0	74.1	*	192	12.9	65.3	*	73	4.9	72.4	*	92	6.2	47.6	*	50	6.0	88.7	*	10
11	*	80	5.4	22.3	*	125	8.4	82.5	*	149	10.0	75.3	*	132	8.9	81.2	*	97	6.5	54.2	*	58	3.9	92.6	*	11
12	*	88	5.9	28.2	*	88	5.9	88.4	*	121	8.1	83.4	*	93	6.3	87.5	*	84	5.6	59.8	*	48	3.2	95.8	*	12
13	*	93	6.3	34.5	*	64	4.3	92.7	*	83	5.6	89.0	*	47	3.2	90.7	*	168	11.3	71.1	*	20	1.3	97.2	*	13
14	*	121	8.1	42.6	*	36	2.4	95.1	*	54	3.6	92.6	*	54	3.6	94.3	*	114	7.7	78.8	*	32	2.2	99.3	*	14
15	*	177	11.9	54.5	*	41	2.8	97.8	*	41	2.8	95.4	*	46	3.1	97.4	*	76	5.1	83.9	*	8	0.5	99.9	*	15
16	*	99	6.7	61.2	*	18	1.2	99.1	*	21	1.4	96.8	*	31	2.1	99.5	*	63	4.2	88.1	*	2	0.1	100.0	*	16
17	*	119	8.0	69.2	*	13	0.9	99.9	*	30	2.0	98.8	*	7	0.5	99.9	*	100	6.7	94.8	*	C	C	100.0	*	17
18	*	134	9.0	78.2	*	1	0.1	100.0	*	18	1.2	100.0	*	1	0.1	100.0	*	53	3.6	98.4	*	C	0.0	100.0	*	18
19	*	139	9.3	87.5	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	12	0.8	99.2	*	C	0.0	100.0	*	19
20	*	121	8.1	95.6	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	8	0.5	99.7	*	C	0.0	100.0	*	20
21	*	49	3.3	98.9	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	4	0.3	100.0	*	C	0.0	100.0	*	21
22	*	16	1.1	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.6      DMC = 15.5      DC = 117.0      ISI = 4.8      ADMC = 36.6      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1488

MAXIMUM VALUES

FFMC = 94.0      DMC = 71.0      DC = 333.0      ISI = 43.6      ADMC = 84.0      FWI = 57.0

\*\*\*TOTALS FOR STATION 157 COLLINGWOOD LONG. 8013 LAT. 4429

		FFMC		DMC		DC		ISI		ADMC		FWI														
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS										
1	*	9	0.5	0.5	*	16	0.9	0.9	*	24	1.4	1.4	*	37	2.1	2.1	*	4	0.2	0.2	*	176	10.0	10.0	*	1
2	*	5	0.3	0.8	*	48	2.7	3.6	*	46	2.6	4.0	*	92	5.2	7.3	*	4	0.2	0.5	*	154	11.0	20.5	*	2
3	*	7	0.4	1.2	*	57	5.5	9.1	*	31	1.8	5.7	*	144	8.1	15.4	*	5	0.3	0.7	*	88	5.0	25.5	*	3
4	*	6	0.3	1.5	*	123	7.0	16.1	*	66	3.7	9.5	*	132	7.5	22.9	*	17	1.0	1.7	*	82	4.6	30.6	*	4
5	*	7	0.4	1.9	*	110	6.2	22.3	*	73	4.1	13.6	*	94	5.3	28.2	*	32	1.8	3.5	*	56	3.2	33.7	*	5
6	*	15	0.8	2.8	*	130	7.4	29.7	*	66	3.7	17.3	*	85	4.8	33.1	*	51	2.9	6.4	*	146	8.4	42.2	*	6
7	*	13	0.7	3.5	*	127	7.2	36.8	*	116	6.6	23.9	*	79	4.5	37.5	*	56	3.2	9.6	*	126	7.1	49.3	*	7
8	*	23	1.3	4.8	*	121	6.8	43.7	*	110	6.2	30.1	*	151	8.5	46.1	*	77	4.4	13.9	*	144	8.1	57.4	*	8
9	*	30	1.7	6.5	*	100	5.7	49.3	*	97	5.5	35.6	*	165	9.3	55.4	*	92	5.2	19.1	*	262	14.8	72.3	*	9
10	*	42	2.4	8.9	*	88	5.0	54.3	*	72	4.1	39.7	*	141	8.0	63.4	*	106	6.0	25.1	*	177	10.0	82.3	*	10
11	*	67	3.8	12.7	*	228	12.9	67.2	*	78	4.4	44.1	*	231	13.1	76.5	*	110	6.2	31.4	*	117	6.6	88.9	*	11
12	*	85	4.8	17.5	*	174	9.8	77.1	*	78	4.4	48.5	*	146	8.3	84.7	*	84	4.8	36.1	*	83	4.7	93.6	*	12
13	*	96	5.4	22.9	*	125	7.1	84.2	*	107	6.1	54.6	*	89	5.0	89.8	*	192	10.9	47.0	*	41	2.3	95.5	*	13
14	*	121	6.8	29.8	*	88	5.0	89.1	*	159	9.0	63.6	*	104	5.9	95.6	*	170	9.6	56.6	*	51	2.9	98.8	*	14
15	*	173	9.8	39.6	*	92	5.2	94.3	*	177	10.0	73.6	*	41	2.3	98.0	*	147	8.3	64.9	*	18	1.0	99.8	*	15
16	*	105	5.9	45.5	*	47	2.7	97.0	*	149	8.4	82.0	*	34	1.9	99.9	*	144	8.1	73.1	*	3	0.2	100.0	*	16
17	*	144	8.1	53.7	*	24	1.4	98.4	*	89	5.0	87.0	*	2	0.1	100.0	*	202	11.4	84.5	*	0	0.0	100.0	*	17
18	*	211	11.9	65.6	*	12	0.7	99.0	*	139	7.9	94.9	*	0	0.0	100.0	*	112	6.3	90.8	*	0	0.0	100.0	*	18
19	*	285	16.1	81.7	*	12	0.7	99.7	*	65	3.7	98.6	*	0	0.0	100.0	*	71	4.0	94.8	*	0	0.0	100.0	*	19
20	*	222	12.6	94.3	*	5	0.3	100.0	*	24	1.4	99.9	*	0	0.0	100.0	*	44	2.5	97.3	*	0	0.0	100.0	*	20
21	*	93	5.3	99.5	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	27	1.5	98.9	*	0	0.0	100.0	*	21
22	*	8	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	99.4	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.7      DMC = 22.5      DC = 178.0      ISI = 5.6      ADMC = 52.6      FWI = 10.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1767

MAXIMUM VALUES

FFMC = 94.0      DMC = 124.0      DC = 457.0      ISI = 39.8      ADMC = 125.0      FWI = 60.0

\*\*\*TOTALS FOR STATION 110 DES JOACHIMS LONG. 7742 LAT. 4611

CLASS	FFMC		DMC		DC		ISI		ADMC		FWI		CLASS													
	NO.OF OBS.	PCNT. PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT. PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT. PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT. PCNT.	CUM. PCNT.														
1	*	9	0.5	0.5	*	14	0.8	0.8	*	19	1.1	1.1	*	61	3.6	3.6	*	1	0.1	0.1	*	235	13.8	13.8	*	1
2	*	7	0.4	0.9	*	49	2.9	3.7	*	57	3.3	4.5	*	112	6.6	10.1	*	4	0.2	0.3	*	237	13.9	27.7	*	2
3	*	13	0.8	1.7	*	112	6.6	10.3	*	69	4.0	8.5	*	191	11.2	21.3	*	7	0.4	0.7	*	91	5.3	33.0	*	3
4	*	14	0.8	2.5	*	130	7.6	17.9	*	60	3.5	12.0	*	149	8.7	30.1	*	13	0.8	1.5	*	101	5.9	38.9	*	4
5	*	11	0.6	3.2	*	167	9.8	27.7	*	74	4.3	16.4	*	110	6.5	36.5	*	35	2.1	3.5	*	79	4.6	43.6	*	5
6	*	13	0.8	3.9	*	146	8.6	36.2	*	68	4.0	20.4	*	91	5.3	41.9	*	50	2.9	6.5	*	144	8.4	52.0	*	6
7	*	12	0.7	4.6	*	134	7.9	44.1	*	130	7.6	28.0	*	94	5.5	47.4	*	97	5.7	12.1	*	135	7.9	59.9	*	7
8	*	28	1.6	6.3	*	123	7.2	51.3	*	120	7.0	35.0	*	143	8.4	55.8	*	110	6.5	18.6	*	115	6.7	66.7	*	8
9	*	28	1.6	7.9	*	109	6.4	57.7	*	118	6.9	41.9	*	122	7.2	62.9	*	106	6.2	24.8	*	177	10.4	77.1	*	9
10	*	53	3.1	11.0	*	99	5.8	63.5	*	140	8.2	50.1	*	103	6.0	69.0	*	106	6.2	31.0	*	159	9.3	86.4	*	10
11	*	71	4.2	15.2	*	187	11.0	74.5	*	118	6.9	57.1	*	186	10.9	79.9	*	116	6.8	37.8	*	86	5.0	91.4	*	11
12	*	88	5.2	20.4	*	127	7.4	81.9	*	106	6.2	63.3	*	117	6.9	86.7	*	98	5.7	43.6	*	53	3.1	94.5	*	12
13	*	115	6.7	27.1	*	103	6.0	88.0	*	101	5.9	69.2	*	78	4.6	91.3	*	220	12.9	56.5	*	39	2.3	96.8	*	13
14	*	143	8.4	35.5	*	71	4.2	92.1	*	131	7.7	76.9	*	69	4.0	95.4	*	174	10.2	66.7	*	30	1.8	98.6	*	14
15	*	186	10.9	46.4	*	83	4.9	97.0	*	111	6.5	83.4	*	30	1.8	97.1	*	123	7.2	73.9	*	13	0.8	99.4	*	15
16	*	101	5.9	52.3	*	31	1.8	98.8	*	73	4.3	87.7	*	36	2.1	99.2	*	99	5.8	79.7	*	6	0.4	99.7	*	16
17	*	131	7.7	60.0	*	7	0.4	99.2	*	62	3.6	91.3	*	7	0.4	99.6	*	151	8.9	88.6	*	2	0.1	99.8	*	17
18	*	157	9.2	69.2	*	8	0.5	99.7	*	86	5.0	96.4	*	2	0.1	99.8	*	110	6.5	95.0	*	2	0.1	99.9	*	18
19	*	204	12.0	81.2	*	5	0.3	100.0	*	41	2.4	98.8	*	1	0.1	99.8	*	58	3.4	98.4	*	C	0.0	99.9	*	19
20	*	206	12.1	93.3	*	C	0.0	100.0	*	11	0.6	99.4	*	2	0.1	99.9	*	13	0.8	99.2	*	1	0.1	100.0	*	20
21	*	102	6.0	99.2	*	C	0.0	100.0	*	10	0.6	100.0	*	1	0.1	100.0	*	8	0.5	99.6	*	C	0.0	100.0	*	21
22	*	13	0.8	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	4	0.2	99.9	*	C	0.0	100.0	*	22
23	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.8      DMC = 19.7      DC = 153.2      ISI = 5.2      ADMC = 46.3      FWI = 9.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1705

MAXIMUM VALUES

FFMC = 94.0      DMC = 92.0      DC = 478.0      ISI = 74.5      ADMC = 105.0      FWI = 93.0

\*\*\*TOTALS FOR STATION 151 DRYDEN LONG. 9251 LAT. 4946

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	6	0.4	0.4	*	56	3.6	3.6	*	69	4.2	4.2	*	58	3.5	3.5	*	19	1.2	1.2	*	313	19.1	19.1	*	1
2	*	11	0.7	1.0	*	78	4.7	8.3	*	73	4.4	8.6	*	148	9.0	12.5	*	17	1.0	2.2	*	201	12.2	31.3	*	2
3	*	9	0.5	1.6	*	108	6.6	14.9	*	67	4.1	12.7	*	219	13.3	25.9	*	18	1.1	3.3	*	97	5.9	37.2	*	3
4	*	10	0.6	2.2	*	145	8.8	23.7	*	72	4.4	17.1	*	110	6.7	32.6	*	34	2.1	5.4	*	81	4.9	42.1	*	4
5	*	13	0.8	3.0	*	141	8.6	32.3	*	78	4.7	21.9	*	115	7.0	39.6	*	58	3.5	8.9	*	82	5.1	47.2	*	5
6	*	23	1.4	4.4	*	126	7.7	40.0	*	89	5.4	27.3	*	92	5.6	45.2	*	72	4.4	13.3	*	157	9.6	56.7	*	6
7	*	18	1.1	5.5	*	124	7.5	47.5	*	173	10.5	37.8	*	84	5.1	50.3	*	87	5.3	18.6	*	155	9.4	66.2	*	7
8	*	27	1.6	7.1	*	132	8.0	55.6	*	173	10.5	48.3	*	149	9.1	59.3	*	107	6.5	25.1	*	101	6.1	72.3	*	8
9	*	42	2.6	9.7	*	91	5.5	61.1	*	138	8.4	56.7	*	130	7.9	67.3	*	88	5.4	30.4	*	181	11.0	83.3	*	9
10	*	61	3.7	13.4	*	82	5.0	66.1	*	125	7.6	64.3	*	120	7.3	74.6	*	94	5.7	36.2	*	113	6.9	90.2	*	10
11	*	91	5.5	18.9	*	161	9.8	75.9	*	106	6.5	70.8	*	170	10.3	84.9	*	93	5.7	41.8	*	77	4.7	94.9	*	11
12	*	76	4.6	23.6	*	115	7.0	82.9	*	86	5.2	76.0	*	87	5.3	90.2	*	106	6.5	48.3	*	46	2.8	97.7	*	12
13	*	102	6.2	29.8	*	93	5.7	88.6	*	57	3.5	79.5	*	69	4.2	94.4	*	204	12.4	60.7	*	14	0.9	98.5	*	13
14	*	114	6.9	36.7	*	66	4.0	92.6	*	86	5.2	84.7	*	60	3.7	98.1	*	159	9.7	70.4	*	19	1.2	99.7	*	14
15	*	200	12.2	48.9	*	78	4.7	97.3	*	86	5.2	90.0	*	16	1.0	99.0	*	131	8.0	78.3	*	3	0.2	99.9	*	15
16	*	108	6.6	55.4	*	28	1.7	99.0	*	68	4.1	94.1	*	12	0.7	99.8	*	95	5.8	84.1	*	2	0.1	100.0	*	16
17	*	135	8.2	63.7	*	11	0.7	99.7	*	46	2.8	96.9	*	3	0.2	99.9	*	147	8.9	93.1	*	0	0.0	100.0	*	17
18	*	158	9.6	73.3	*	5	0.3	100.0	*	33	2.0	99.9	*	1	0.1	100.0	*	58	3.5	96.6	*	0	0.0	100.0	*	18
19	*	188	11.4	84.7	*	0	0.0	100.0	*	10	0.6	99.5	*	0	0.0	100.0	*	31	1.9	98.5	*	0	0.0	100.0	*	19
20	*	156	9.5	94.2	*	0	0.0	100.0	*	8	0.5	100.0	*	0	0.0	100.0	*	13	0.8	99.3	*	0	0.0	100.0	*	20
21	*	74	4.5	98.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	99.8	*	0	0.0	100.0	*	21
22	*	18	1.1	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.6      DMC = 18.5      DC = 122.8      ISI = 4.3      ADMC = 42.3      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1643

MAXIMUM VALUES

FFMC = 95.0      DMC = 79.0      DC = 449.0      ISI = 48.1      ADMC = 95.0      FWI = 57.0

\*\*\*TOTALS FOR STATION 152 EAR FALLS LONG. 9313 LAT. 5038

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	18	1.1	1.1	*	37	2.2	2.2	*	34	2.1	2.1	*	75	4.5	4.5	*	11	0.7	0.7	*	204	18.3	18.3	*	1
2	*	17	0.7	1.8	*	80	4.8	7.1	*	61	3.7	5.7	*	162	9.8	14.3	*	12	0.7	1.4	*	203	12.3	30.6	*	2
3	*	12	0.7	2.5	*	121	7.3	14.4	*	67	4.0	9.8	*	194	11.7	26.0	*	13	0.8	2.2	*	102	6.2	36.8	*	3
4	*	12	0.7	3.3	*	129	7.8	22.1	*	59	3.6	13.3	*	133	8.0	34.0	*	19	1.1	3.3	*	85	5.1	41.9	*	4
5	*	13	0.8	4.0	*	103	6.2	28.4	*	72	4.3	17.7	*	107	6.5	40.5	*	67	4.0	7.4	*	81	4.9	46.8	*	5
6	*	21	1.3	5.3	*	128	7.7	36.1	*	66	4.0	21.7	*	90	5.4	45.9	*	72	4.3	11.7	*	141	8.5	55.3	*	6
7	*	21	1.3	6.6	*	131	7.9	44.0	*	132	8.0	29.6	*	88	5.3	51.2	*	71	4.3	16.0	*	144	8.7	64.0	*	7
8	*	36	2.2	8.8	*	107	6.5	50.5	*	122	7.4	37.0	*	154	9.3	60.5	*	83	5.0	21.0	*	120	7.2	71.3	*	8
9	*	33	2.0	10.7	*	111	6.7	57.2	*	111	6.7	43.7	*	128	7.7	68.3	*	85	5.1	26.1	*	180	10.9	82.1	*	9
10	*	52	3.1	13.9	*	77	4.6	61.8	*	111	6.7	50.4	*	127	7.7	75.9	*	92	5.6	31.7	*	127	7.7	89.8	*	10
11	*	81	4.9	18.8	*	152	9.2	71.0	*	86	5.2	55.6	*	166	10.0	85.9	*	91	5.5	37.2	*	85	5.1	94.9	*	11
12	*	93	5.6	24.4	*	138	8.3	79.3	*	107	6.5	62.0	*	94	5.7	91.6	*	78	4.7	41.9	*	43	2.6	97.5	*	12
13	*	93	5.6	30.0	*	107	6.5	85.8	*	55	3.3	65.4	*	69	4.2	95.8	*	182	11.0	52.9	*	20	1.2	98.7	*	13
14	*	123	7.4	37.4	*	77	4.6	90.4	*	93	5.6	71.0	*	46	2.8	98.6	*	171	10.3	63.2	*	17	1.0	99.8	*	14
15	*	198	11.9	49.4	*	82	4.9	95.4	*	97	5.9	76.8	*	11	0.7	99.2	*	135	8.1	71.3	*	3	0.2	99.9	*	15
16	*	101	6.1	55.5	*	54	3.3	98.6	*	120	7.2	84.1	*	12	0.7	99.9	*	112	6.8	78.1	*	1	0.1	100.0	*	16
17	*	134	8.1	63.5	*	18	1.1	99.7	*	97	5.9	89.9	*	1	0.1	100.0	*	160	9.7	87.7	*	0	0.0	100.0	*	17
18	*	175	10.6	74.1	*	4	0.2	99.9	*	80	4.8	94.7	*	0	0.0	100.0	*	109	6.6	94.3	*	0	0.0	100.0	*	18
19	*	216	13.0	87.1	*	1	0.1	100.0	*	32	1.9	96.7	*	0	0.0	100.0	*	41	2.5	96.8	*	0	0.0	100.0	*	19
20	*	133	8.0	95.2	*	0	0.0	100.0	*	22	1.3	98.0	*	0	0.0	100.0	*	32	1.9	98.7	*	0	0.0	100.0	*	20
21	*	67	4.0	99.2	*	0	0.0	100.0	*	28	1.7	99.7	*	0	0.0	100.0	*	14	0.8	99.6	*	0	0.0	100.0	*	21
22	*	12	0.7	99.9	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.9      DMC = 20.2      DC = 160.1      ISI = 4.1      ADMC = 47.0      FWI = 7.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1657

MAXIMUM VALUES

FFMC = 95.0      DMC = 81.0      DC = 532.0      ISI = 35.0      ADMC = 100.0      FWI = 52.0

\*\*\*TOTALS FOR STATION 119 EARLTON LONG. 7951 LAT. 4742

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	15	1.0	1.0	*	34	2.2	2.2	*	39	2.5	2.5	*	78	5.0	5.0	*	10	0.6	0.6	*	243	15.7	15.7	*	1
2	*	12	0.8	1.7	*	97	6.3	8.5	*	67	4.3	6.9	*	98	6.3	11.4	*	13	0.8	1.5	*	200	12.9	28.7	*	2
3	*	12	0.8	2.5	*	135	8.7	17.2	*	65	4.2	11.1	*	132	8.5	19.9	*	11	0.7	2.2	*	85	5.5	34.2	*	3
4	*	13	0.8	3.4	*	169	10.9	28.1	*	46	3.0	14.0	*	141	9.1	29.0	*	24	1.6	3.8	*	84	5.4	39.6	*	4
5	*	18	1.2	4.5	*	151	9.8	37.9	*	50	3.2	17.3	*	98	6.3	35.4	*	62	4.0	7.8	*	63	4.1	43.7	*	5
6	*	20	1.3	5.8	*	116	7.5	45.4	*	47	3.0	20.3	*	86	5.6	40.9	*	85	5.5	13.3	*	146	9.4	53.1	*	6
7	*	27	1.7	7.6	*	105	6.8	52.2	*	132	8.5	28.8	*	83	5.4	46.3	*	90	5.8	19.1	*	112	7.2	60.3	*	7
8	*	34	2.2	9.8	*	97	6.3	58.5	*	133	8.6	37.5	*	117	7.6	53.9	*	113	7.3	26.4	*	82	5.3	65.7	*	8
9	*	32	2.1	11.8	*	91	5.9	64.4	*	136	8.9	46.2	*	93	6.0	59.9	*	111	7.2	33.6	*	164	10.6	76.3	*	9
10	*	52	3.4	15.2	*	66	4.3	68.6	*	124	8.0	54.3	*	89	5.8	65.7	*	96	6.2	39.8	*	119	7.7	84.0	*	10
11	*	68	4.4	19.6	*	145	9.4	78.0	*	133	8.6	62.9	*	146	9.4	75.1	*	90	5.8	45.6	*	80	5.2	89.1	*	11
12	*	84	5.4	25.0	*	122	7.9	85.9	*	103	6.7	69.5	*	83	5.4	80.5	*	78	5.0	50.6	*	51	3.3	92.4	*	12
13	*	106	6.9	31.9	*	86	5.6	91.5	*	90	5.8	75.4	*	88	5.7	86.2	*	167	10.8	61.4	*	40	2.6	95.0	*	13
14	*	122	7.9	39.8	*	41	2.7	94.1	*	86	5.6	80.9	*	85	5.5	91.7	*	164	10.6	72.1	*	52	3.4	98.4	*	14
15	*	166	10.7	50.5	*	59	3.8	97.9	*	74	4.8	85.7	*	58	3.8	95.4	*	123	8.0	80.0	*	20	1.3	99.7	*	15
16	*	100	6.5	57.0	*	21	1.4	99.3	*	77	5.0	90.7	*	52	3.4	98.8	*	80	5.2	85.2	*	3	0.2	99.9	*	16
17	*	120	7.8	64.7	*	8	0.5	99.8	*	68	4.4	95.1	*	12	0.8	99.5	*	111	7.2	92.4	*	2	0.1	100.0	*	17
18	*	174	11.2	76.0	*	3	0.2	100.0	*	52	3.4	98.4	*	4	0.3	99.8	*	63	4.1	96.4	*	0	0.0	100.0	*	18
19	*	158	10.2	86.2	*	0	0.0	100.0	*	16	1.0	99.5	*	2	0.1	99.9	*	38	2.5	98.9	*	0	0.0	100.0	*	19
20	*	147	9.5	95.7	*	0	0.0	100.0	*	8	0.5	100.0	*	1	0.1	100.0	*	9	0.6	99.5	*	0	0.0	100.0	*	20
21	*	63	4.1	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	99.9	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.2      DMC = 17.3      DC = 140.5      ISI = 6.0      ADMC = 41.2      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1546

MAXIMUM VALUES

FFMC = 93.0      DMC = 79.0      DC = 422.0      ISI = 68.6      ADMC = 95.0      FWI = 69.0



\*\*\*TOTALS FOR STATION 125 FOLEYET LONG. 8226 LAT. 4815

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	13	0.8	0.8	*	58	3.7	3.7	*	44	2.8	2.8	*	66	4.3	4.3	*	21	1.4	1.4	*	257	16.6	16.6	*	1
2	*	8	0.5	1.4	*	98	6.3	10.1	*	39	2.5	5.3	*	121	7.8	12.0	*	14	0.9	2.3	*	152	9.9	26.4	*	2
3	*	10	0.6	2.0	*	120	7.7	17.8	*	45	2.9	8.2	*	147	9.5	21.5	*	8	0.5	2.8	*	59	6.4	32.8	*	3
4	*	12	0.8	2.8	*	124	8.0	25.8	*	53	3.4	11.7	*	96	6.2	27.7	*	38	2.4	5.2	*	63	5.3	38.1	*	4
5	*	12	0.8	3.5	*	138	8.9	34.7	*	46	3.0	14.6	*	108	7.0	34.7	*	52	3.4	8.6	*	78	5.0	43.2	*	5
6	*	20	1.3	4.8	*	111	7.2	41.8	*	55	3.5	18.2	*	78	5.0	39.7	*	64	4.1	12.7	*	121	8.4	51.6	*	6
7	*	31	2.0	6.8	*	117	7.5	49.4	*	118	7.6	25.8	*	85	5.5	45.2	*	80	5.2	17.8	*	142	9.1	60.8	*	7
8	*	35	2.3	9.1	*	95	6.4	55.7	*	128	8.2	34.0	*	153	9.9	55.0	*	86	5.5	23.4	*	90	5.8	66.6	*	8
9	*	31	2.0	11.1	*	68	4.4	60.1	*	107	6.9	40.9	*	129	8.3	63.3	*	100	6.4	29.8	*	158	10.2	76.7	*	9
10	*	52	3.4	14.4	*	59	3.8	63.9	*	89	5.7	46.6	*	75	4.8	68.2	*	92	5.9	35.8	*	106	6.8	83.6	*	10
11	*	69	4.4	18.9	*	135	8.7	72.6	*	102	6.6	53.2	*	155	10.0	78.2	*	95	6.1	41.9	*	78	5.0	88.6	*	11
12	*	90	5.8	24.7	*	101	6.5	79.1	*	104	6.7	59.9	*	86	5.5	83.7	*	71	4.6	46.5	*	62	4.1	92.7	*	12
13	*	102	6.6	31.2	*	85	5.5	84.6	*	104	6.7	66.6	*	77	5.0	88.7	*	186	12.0	58.4	*	32	2.1	94.8	*	13
14	*	117	7.5	38.8	*	66	4.3	88.9	*	101	6.5	73.1	*	77	5.0	93.6	*	132	8.5	66.9	*	55	3.5	98.3	*	14
15	*	175	11.3	50.1	*	95	6.1	95.0	*	72	4.6	77.8	*	42	2.7	96.3	*	99	6.4	73.3	*	18	1.2	99.5	*	15
16	*	109	7.0	57.1	*	56	3.6	98.6	*	78	5.0	82.8	*	41	2.6	99.0	*	86	5.5	78.9	*	6	0.4	99.9	*	16
17	*	141	9.1	66.2	*	17	1.1	99.7	*	89	5.7	88.5	*	12	0.8	99.7	*	127	8.2	87.0	*	0	0.0	99.9	*	17
18	*	155	10.0	76.2	*	5	0.3	100.0	*	105	6.8	95.3	*	3	0.2	99.9	*	91	5.9	92.9	*	2	0.1	100.0	*	18
19	*	162	10.4	86.6	*	C	0.0	100.0	*	55	3.5	98.8	*	1	0.1	100.0	*	65	4.2	97.1	*	C	0.0	100.0	*	19
20	*	135	8.7	95.3	*	0	0.0	100.0	*	11	0.7	99.5	*	0	0.0	100.0	*	25	1.6	98.7	*	0	0.0	100.0	*	20
21	*	62	4.0	99.3	*	C	0.0	100.0	*	7	0.5	100.0	*	0	0.0	100.0	*	12	0.8	99.5	*	C	0.0	100.0	*	21
22	*	11	0.7	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	6	0.4	99.9	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	2	0.1	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.7      DMC = 19.5      DC = 162.1      ISI = 5.5      ADCM = 45.3      FWI = 9.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1552

MAXIMUM VALUES

FFMC = 94.0      DMC = 79.0      DC = 492.0      ISI = 57.2      ADCM = 107.0      FWI = 77.0

\*\*\*TOTALS FOR STATION 147 FORT FRANCIS LONG. 9327 LAT. 4837

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	1	0.1	0.1	*	27	1.6	1.6	*	57	3.3	3.3	*	21	1.2	1.2	*	9	0.5	0.5	*	223	12.9	12.9	*	1
2	*	5	0.3	0.3	*	59	3.4	5.0	*	75	4.3	7.6	*	124	7.2	8.4	*	7	0.4	0.9	*	200	11.5	24.4	*	2
3	*	1	0.1	0.4	*	120	6.9	11.9	*	78	4.5	12.1	*	171	9.9	18.2	*	11	0.6	1.6	*	102	5.9	30.3	*	3
4	*	6	0.3	0.8	*	136	7.9	19.7	*	89	5.1	17.3	*	131	7.6	25.8	*	20	1.2	2.7	*	56	5.5	35.9	*	4
5	*	3	0.2	0.9	*	137	7.9	27.7	*	85	4.9	22.2	*	123	7.1	32.9	*	73	4.2	6.9	*	100	5.8	41.6	*	5
6	*	15	0.9	1.8	*	169	9.8	37.4	*	78	4.5	26.7	*	84	4.8	37.8	*	71	4.1	11.0	*	151	8.7	50.3	*	6
7	*	28	1.6	3.4	*	156	9.0	46.4	*	159	9.2	35.9	*	96	5.5	43.3	*	87	5.0	16.1	*	147	8.5	58.8	*	7
8	*	29	1.7	5.1	*	123	7.1	53.5	*	156	9.0	44.9	*	167	9.6	52.9	*	76	4.4	20.4	*	131	7.6	66.4	*	8
9	*	23	1.3	6.4	*	101	5.8	59.4	*	132	7.6	52.5	*	143	8.3	61.2	*	108	6.2	26.7	*	213	12.3	78.7	*	9
10	*	57	3.3	9.7	*	91	5.3	64.6	*	125	7.2	59.7	*	96	5.5	66.7	*	113	6.5	33.2	*	124	7.2	85.9	*	10
11	*	81	4.7	14.4	*	182	10.5	75.1	*	143	8.3	68.0	*	182	10.5	77.3	*	104	6.0	39.2	*	77	4.4	90.3	*	11
12	*	80	4.6	19.0	*	118	6.8	81.9	*	118	6.8	74.8	*	148	8.5	85.8	*	105	6.1	45.3	*	68	3.9	94.2	*	12
13	*	86	5.0	24.0	*	108	6.2	88.2	*	125	7.2	82.0	*	78	4.5	90.3	*	233	13.5	58.7	*	32	1.8	96.1	*	13
14	*	141	8.1	32.1	*	64	3.7	91.9	*	96	5.5	87.5	*	78	4.5	94.8	*	167	9.6	68.4	*	40	2.3	98.4	*	14
15	*	211	12.2	44.3	*	63	3.6	95.5	*	63	3.6	91.2	*	47	2.7	97.5	*	132	7.6	76.0	*	21	1.2	99.6	*	15
16	*	132	7.6	51.9	*	38	2.2	97.7	*	58	3.3	94.5	*	33	1.9	99.4	*	104	6.0	82.0	*	5	0.3	99.9	*	16
17	*	160	9.2	61.1	*	13	0.8	98.4	*	52	3.0	97.5	*	7	0.4	99.8	*	179	10.3	92.3	*	0	0.0	99.9	*	17
18	*	199	11.5	72.6	*	4	0.2	98.7	*	33	1.9	99.4	*	2	0.1	99.9	*	65	3.8	96.1	*	1	0.1	99.9	*	18
19	*	208	12.0	84.6	*	10	0.6	99.2	*	10	0.6	100.0	*	1	0.1	100.0	*	25	1.4	97.5	*	0	0.0	99.9	*	19
20	*	157	9.1	93.7	*	9	0.5	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.9	98.4	*	1	0.1	100.0	*	20
21	*	88	5.1	98.8	*	4	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	98.8	*	0	0.0	100.0	*	21
22	*	20	1.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	99.0	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	99.5	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.3	99.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.9      DMC = 20.2      DC = 124.2      ISI = 5.4      ADMC = 45.1      FWI = 9.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1732

MAXIMUM VALUES

FFMC = 96.0      DMC = 155.0      DC = 384.0      ISI = 50.5      ADMC = 155.0      FWI = 94.0

\*\*\*TOTALS FOR STATION 142 FORT WILLIAM LONG. 8919 LAT. 4822

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	16	1.0	1.0	*	33	2.1	2.1	*	41	2.7	2.7	*	84	5.5	5.5	*	7	0.5	0.5	*	301	19.6	19.6	*	1
2	*	11	0.7	1.8	*	94	6.1	8.3	*	76	5.0	7.6	*	151	9.8	15.3	*	9	0.6	1.0	*	198	12.9	32.5	*	2
3	*	13	0.8	2.6	*	139	9.1	17.3	*	78	5.1	12.7	*	152	9.9	25.2	*	10	0.7	1.7	*	94	6.1	38.6	*	3
4	*	21	1.4	4.0	*	147	9.6	26.9	*	79	5.1	17.9	*	126	8.2	33.4	*	29	1.9	3.6	*	108	7.0	45.7	*	4
5	*	20	1.3	5.3	*	153	10.0	36.9	*	63	4.1	22.0	*	121	7.9	41.3	*	81	5.3	8.9	*	70	4.6	50.2	*	5
6	*	19	1.2	6.5	*	130	8.5	45.3	*	60	3.9	25.9	*	89	5.7	47.0	*	78	5.1	13.9	*	160	10.4	60.7	*	6
7	*	28	1.8	8.3	*	123	8.0	53.4	*	87	5.7	31.5	*	102	6.6	53.7	*	98	6.4	20.3	*	145	9.4	70.1	*	7
8	*	34	2.2	10.6	*	111	7.2	60.6	*	110	7.2	38.7	*	146	9.5	63.2	*	103	6.7	27.0	*	95	6.2	76.3	*	8
9	*	38	2.5	13.0	*	93	6.1	66.6	*	99	6.4	45.1	*	147	9.6	72.8	*	96	6.3	33.3	*	153	10.0	86.3	*	9
10	*	44	2.9	15.9	*	74	4.8	71.5	*	98	6.4	51.5	*	91	5.9	78.7	*	106	6.9	40.2	*	93	6.1	92.3	*	10
11	*	57	3.7	19.6	*	144	9.4	80.8	*	81	5.3	56.8	*	127	8.3	87.0	*	87	5.7	45.9	*	47	3.1	95.4	*	11
12	*	87	5.7	25.3	*	112	7.3	88.1	*	101	6.6	63.4	*	67	4.4	91.3	*	85	5.5	51.4	*	27	1.8	97.1	*	12
13	*	94	6.1	31.4	*	70	4.6	92.7	*	102	6.6	70.0	*	39	2.5	93.9	*	185	12.1	63.5	*	14	0.9	98.0	*	13
14	*	129	8.4	39.8	*	51	3.2	95.0	*	133	8.7	78.7	*	50	3.3	97.1	*	127	8.3	71.7	*	17	1.1	99.2	*	14
15	*	214	13.9	53.7	*	43	3.1	99.2	*	103	6.7	35.4	*	17	1.1	98.2	*	116	7.6	79.3	*	10	0.7	99.8	*	15
16	*	107	7.0	60.7	*	13	0.8	100.0	*	102	6.6	92.1	*	13	0.8	99.1	*	118	7.7	87.0	*	2	0.1	99.9	*	16
17	*	148	9.6	70.4	*	0	0.0	100.0	*	71	4.6	96.7	*	8	0.5	99.6	*	125	8.1	95.1	*	1	0.1	100.0	*	17
18	*	174	11.3	81.7	*	0	0.0	100.0	*	43	2.8	99.5	*	1	0.1	99.7	*	42	2.7	97.9	*	0	0.0	100.0	*	18
19	*	140	9.1	90.8	*	0	0.0	100.0	*	8	0.5	100.0	*	1	0.1	99.7	*	23	1.5	99.3	*	0	0.0	100.0	*	19
20	*	106	6.9	97.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	99.7	*	10	0.7	100.0	*	0	0.0	100.0	*	20
21	*	30	2.0	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	4	0.3	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.4      DMC = 16.4      DC = 141.4      ISI = 4.4      ADMC = 40.3      FWI = 6.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1535

MAXIMUM VALUES

FFMC = 95.0      DMC = 58.0      DC = 378.0      ISI = 98.9      ADMC = 78.0      FWI = 66.0

\*\*\*TOTALS FOR STATION 121 CORE BAY

LONG. 8234 LAT. 4553

CLASS	FFMC			CMC			DC			ISI			ADMC			FMI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	11	0.7	0.7	*	43	2.6	2.6	*	56	3.4	3.4	*	75	4.6	4.6	*	19	1.2	1.2	*	218	13.3	13.3	*	1
2	*	12	0.7	1.4	*	73	4.4	7.1	*	50	3.0	6.4	*	100	6.1	10.6	*	11	0.7	1.8	*	173	10.5	23.8	*	2
3	*	12	0.7	2.1	*	116	7.1	14.1	*	58	3.5	10.0	*	119	7.2	17.9	*	12	0.7	2.6	*	106	6.4	30.2	*	3
4	*	19	1.2	3.3	*	136	8.3	22.4	*	54	3.3	13.3	*	116	7.1	24.9	*	22	1.3	3.9	*	85	5.2	35.4	*	4
5	*	18	1.1	4.4	*	143	8.7	31.1	*	65	4.0	17.2	*	97	5.9	30.8	*	49	3.0	6.9	*	73	4.4	39.8	*	5
6	*	15	0.9	5.3	*	135	8.2	39.3	*	43	2.6	19.8	*	110	6.7	37.5	*	68	4.1	11.0	*	170	10.3	50.2	*	6
7	*	18	1.1	6.4	*	112	6.8	46.1	*	72	4.4	24.2	*	91	5.5	43.0	*	80	4.9	15.9	*	126	7.7	57.8	*	7
8	*	37	2.2	8.6	*	93	5.7	51.7	*	70	4.3	28.4	*	182	11.1	54.1	*	90	5.5	21.3	*	127	7.7	65.5	*	8
9	*	42	2.6	11.2	*	81	4.9	56.7	*	86	5.2	33.7	*	132	8.0	62.1	*	92	5.6	26.9	*	151	11.6	77.1	*	9
10	*	50	3.0	14.2	*	66	4.0	60.7	*	94	5.7	39.4	*	129	7.8	70.0	*	94	5.7	32.6	*	132	8.0	85.2	*	10
11	*	53	3.2	17.4	*	171	10.4	71.1	*	82	5.0	44.4	*	183	11.1	81.1	*	94	5.7	38.4	*	84	5.1	90.3	*	11
12	*	75	4.6	22.0	*	118	7.2	78.2	*	71	4.3	48.7	*	136	8.3	89.4	*	87	5.3	43.6	*	58	3.5	93.8	*	12
13	*	94	5.7	27.7	*	87	5.3	83.5	*	82	5.0	53.7	*	79	4.8	94.2	*	161	9.8	53.4	*	38	2.3	96.1	*	13
14	*	110	6.7	34.4	*	63	3.8	87.4	*	105	6.4	60.1	*	65	4.0	98.1	*	125	7.6	61.0	*	49	3.0	99.1	*	14
15	*	229	13.9	48.3	*	91	5.5	92.9	*	120	7.3	67.4	*	19	1.2	99.3	*	104	6.3	67.4	*	5	0.5	99.6	*	15
16	*	147	8.9	57.3	*	38	2.3	95.2	*	89	5.4	72.8	*	11	0.7	99.9	*	102	6.2	73.6	*	4	0.2	99.9	*	16
17	*	189	10.9	68.2	*	29	1.8	97.0	*	73	4.4	77.2	*	1	0.1	100.0	*	148	9.0	82.6	*	2	0.1	100.0	*	17
18	*	232	14.1	82.3	*	23	1.4	98.4	*	126	7.7	84.9	*	0	0.0	100.0	*	94	5.7	88.3	*	0	0.0	100.0	*	18
19	*	172	10.5	92.8	*	27	1.6	100.0	*	140	8.5	93.4	*	0	0.0	100.0	*	65	4.0	92.2	*	0	0.0	100.0	*	19
20	*	99	6.0	98.8	*	0	0.0	100.0	*	81	4.9	98.3	*	0	0.0	100.0	*	45	2.7	95.0	*	0	0.0	100.0	*	20
21	*	19	1.2	99.9	*	0	0.0	100.0	*	27	1.6	99.9	*	0	0.0	100.0	*	25	1.5	96.5	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	28	1.7	98.2	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	27	1.6	99.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.9      CMC = 21.6      DC = 193.7      ISI = 4.8      ADMC = 51.4      FMI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1645

MAXIMUM VALUES

FFMC = 93.0      CMC = 107.0      DC = 506.0      ISI = 32.6      ADMC = 127.0      FMI = 63.0

\*\*\*TOTALS FOR STATION 144 GRAHAM LONG. 9035 LAT. 4916

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	18	1.2	1.2	*	69	4.6	4.6	*	100	6.6	6.6	*	114	7.5	7.5	*	21	1.4	1.4	*	291	25.9	25.9	*	1
2	*	16	1.1	2.3	*	123	8.1	12.7	*	94	6.2	12.8	*	162	10.7	18.3	*	28	1.9	3.2	*	214	14.2	40.0	*	2
3	*	16	1.1	3.3	*	166	11.0	23.7	*	106	7.0	19.9	*	181	12.0	30.2	*	27	1.8	5.0	*	106	7.0	47.1	*	3
4	*	17	1.1	4.4	*	155	10.3	34.0	*	104	6.9	26.7	*	135	8.9	39.2	*	35	2.3	7.3	*	77	5.1	52.2	*	4
5	*	33	2.2	6.6	*	155	10.3	44.2	*	96	6.4	33.1	*	104	6.9	46.1	*	103	6.8	14.2	*	80	5.3	57.4	*	5
6	*	38	2.5	9.1	*	125	8.3	52.5	*	96	6.4	39.4	*	86	5.7	51.8	*	108	7.1	21.3	*	132	8.7	66.2	*	6
7	*	29	1.9	11.1	*	110	7.3	59.8	*	181	12.0	51.4	*	89	5.9	57.6	*	117	7.7	29.1	*	107	7.1	73.3	*	7
8	*	32	2.1	13.2	*	108	7.1	66.9	*	151	10.0	61.4	*	131	8.7	66.3	*	110	7.3	36.3	*	90	6.0	79.2	*	8
9	*	36	2.4	15.6	*	88	5.8	72.7	*	115	7.6	69.0	*	106	7.0	73.3	*	111	7.3	43.7	*	145	9.6	88.8	*	9
10	*	63	4.2	19.7	*	73	4.8	77.6	*	84	5.6	74.6	*	95	6.3	79.6	*	89	5.9	49.6	*	85	5.6	94.4	*	10
11	*	65	4.3	24.0	*	141	9.3	86.9	*	61	4.0	78.6	*	108	7.1	86.8	*	79	5.2	54.8	*	37	2.4	96.9	*	11
12	*	74	4.9	28.9	*	81	5.4	92.3	*	57	3.8	82.4	*	85	5.6	92.4	*	81	5.4	60.2	*	22	1.5	98.3	*	12
13	*	107	7.1	36.0	*	58	3.8	96.1	*	74	4.9	87.3	*	43	2.8	95.2	*	187	12.4	72.5	*	10	0.7	99.0	*	13
14	*	123	8.1	44.1	*	33	2.2	98.3	*	77	5.1	92.4	*	40	2.6	97.9	*	153	10.1	82.7	*	14	0.9	99.9	*	14
15	*	174	11.5	55.7	*	22	1.5	99.7	*	47	3.1	95.5	*	16	1.1	98.9	*	111	7.3	90.0	*	1	0.1	100.0	*	15
16	*	104	6.9	62.5	*	4	0.3	100.0	*	27	1.8	97.3	*	13	0.9	99.8	*	67	4.4	94.4	*	0	0.0	100.0	*	16
17	*	130	8.6	71.1	*	0	0.0	100.0	*	22	1.5	98.7	*	3	0.2	100.0	*	58	3.8	98.3	*	0	0.0	100.0	*	17
18	*	139	9.2	80.3	*	0	0.0	100.0	*	19	1.3	100.0	*	0	0.0	100.0	*	25	1.7	99.9	*	0	0.0	100.0	*	18
19	*	142	9.4	89.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	19
20	*	103	6.8	96.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	38	2.5	99.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	14	0.9	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.6      DMC = 14.2      DC = 97.7      ISI = 3.8      ADMC = 33.4      FWI = 5.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1511

MAXIMUM VALUES

FFMC = 94.0      DMC = 55.0      DC = 324.0      ISI = 35.1      ADMC = 62.0      FWI = 47.0

\*\*\*TOTALS FOR STATION 160 HAMILTON LONG. 7953 LAT. 4317

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	5	0.3	0.3	*	35	1.9	1.9	*	74	4.0	4.0	*	34	1.8	1.8	*	18	1.0	1.0	*	136	7.6	7.6	*	1
2	*	7	0.4	0.7	*	34	1.8	3.7	*	58	3.2	7.2	*	73	4.0	5.8	*	12	0.7	1.6	*	155	8.4	16.0	*	2
3	*	9	0.5	1.1	*	56	3.0	6.8	*	72	3.9	11.1	*	108	5.9	11.7	*	14	0.8	2.4	*	89	4.8	20.8	*	3
4	*	3	0.2	1.3	*	81	4.4	11.2	*	72	3.9	15.0	*	132	7.2	18.9	*	13	0.7	3.1	*	80	4.3	25.2	*	4
5	*	7	0.4	1.7	*	94	5.1	16.3	*	61	3.3	18.3	*	108	5.9	24.7	*	25	1.4	4.5	*	69	3.8	28.9	*	5
6	*	9	0.5	2.2	*	122	6.6	22.9	*	52	2.8	21.1	*	77	4.2	28.9	*	36	2.0	6.4	*	144	7.8	36.7	*	6
7	*	9	0.5	2.7	*	114	6.2	29.1	*	86	4.7	25.8	*	82	4.5	33.4	*	54	2.9	9.3	*	123	6.7	43.4	*	7
8	*	13	0.7	3.4	*	112	6.1	35.2	*	111	6.0	31.8	*	168	9.1	42.5	*	66	3.6	12.9	*	176	9.6	53.0	*	8
9	*	22	1.2	4.6	*	101	5.5	40.7	*	98	5.3	37.2	*	164	8.9	51.4	*	74	4.0	17.0	*	242	13.2	66.1	*	9
10	*	29	1.6	6.1	*	95	5.2	45.9	*	114	6.2	43.4	*	140	7.6	59.0	*	68	3.7	20.7	*	182	9.9	76.0	*	10
11	*	37	2.0	8.2	*	222	12.1	57.9	*	116	6.3	49.7	*	231	12.6	71.6	*	80	4.3	25.0	*	136	7.4	83.4	*	11
12	*	69	3.8	11.9	*	175	9.5	67.4	*	83	4.5	54.2	*	164	8.9	80.5	*	76	4.1	29.1	*	95	5.2	88.6	*	12
13	*	94	5.1	17.0	*	133	7.2	74.7	*	85	4.6	58.8	*	108	5.9	86.4	*	202	11.0	40.1	*	68	3.7	92.3	*	13
14	*	136	7.4	24.4	*	111	6.0	80.7	*	100	5.4	64.2	*	133	7.2	93.6	*	177	9.6	49.7	*	94	5.1	97.4	*	14
15	*	176	9.6	34.0	*	147	8.0	88.7	*	86	4.7	68.9	*	53	2.9	96.5	*	164	8.9	58.6	*	31	1.7	99.1	*	15
16	*	104	5.7	39.6	*	92	5.0	93.7	*	93	5.1	74.0	*	50	2.7	99.2	*	119	6.5	65.1	*	14	0.8	99.8	*	16
17	*	170	9.2	48.9	*	56	3.0	96.7	*	87	4.7	78.7	*	11	0.6	99.8	*	189	10.3	75.4	*	3	0.2	100.0	*	17
18	*	201	10.9	59.8	*	36	2.0	98.7	*	174	9.5	88.2	*	2	0.1	99.9	*	180	9.8	85.2	*	C	0.0	100.0	*	18
19	*	285	15.5	75.3	*	22	1.2	99.9	*	109	5.9	94.1	*	1	0.1	99.9	*	94	5.1	90.3	*	C	0.0	100.0	*	19
20	*	279	15.2	90.4	*	2	0.1	100.0	*	46	2.5	96.6	*	0	0.0	99.9	*	53	2.9	93.2	*	C	0.0	100.0	*	20
21	*	144	7.8	98.3	*	C	0.0	100.0	*	9	0.5	97.1	*	C	0.0	99.9	*	52	2.8	96.0	*	C	0.0	100.0	*	21
22	*	30	1.6	99.9	*	C	0.0	100.0	*	30	1.6	98.7	*	1	0.1	100.0	*	39	2.1	98.1	*	C	0.0	100.0	*	22
23	*	2	0.1	100.0	*	C	0.0	100.0	*	24	1.3	100.0	*	C	0.0	100.0	*	30	1.6	99.7	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	5	0.3	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 79.9      DMC = 26.8      DC = 187.1      ISI = 6.5      ADMC = 59.6      FWI = 12.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1840

MAXIMUM VALUES

FFMC = 95.0      DMC = 114.0      DC = 634.0      ISI = 81.7      ADMC = 133.0      FWI = 70.0

\*\*\*TOTALS FOR STATION 135 HORNEPAYNE

LONG. 8448 LAT. 4914

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	32	2.1	2.1	*	97	6.4	6.4	*	64	4.2	4.2	*	90	6.0	6.0	*	40	2.6	2.6	*	334	22.1	22.1	*	1
2	*	9	0.6	2.7	*	82	5.4	11.8	*	76	5.0	9.3	*	155	10.3	16.2	*	33	2.2	4.8	*	205	13.6	35.6	*	2
3	*	18	1.2	3.9	*	120	7.9	19.8	*	78	5.2	14.4	*	184	12.2	28.4	*	16	1.1	5.9	*	100	6.6	42.3	*	3
4	*	11	0.7	4.6	*	129	8.5	28.3	*	81	5.4	19.8	*	134	8.9	37.2	*	25	1.7	7.5	*	89	5.9	48.1	*	4
5	*	12	0.8	5.4	*	154	10.2	38.5	*	91	6.0	25.8	*	111	7.3	44.6	*	66	4.4	11.9	*	76	5.0	53.2	*	5
6	*	19	1.3	6.7	*	132	8.7	47.2	*	87	5.8	31.5	*	84	5.6	50.1	*	70	4.6	16.5	*	138	9.1	62.3	*	6
7	*	31	2.1	8.7	*	109	7.2	54.4	*	128	8.5	40.0	*	69	4.6	54.7	*	97	6.4	22.9	*	101	6.7	69.0	*	7
8	*	35	2.3	11.0	*	110	7.3	61.7	*	95	6.3	46.3	*	128	8.5	63.2	*	105	6.9	29.9	*	92	6.2	75.1	*	8
9	*	45	3.0	14.0	*	88	5.8	67.5	*	80	5.3	51.6	*	98	6.5	69.6	*	99	6.5	36.4	*	147	9.7	84.9	*	9
10	*	54	3.6	17.6	*	73	4.8	72.4	*	91	6.0	57.6	*	86	5.7	75.3	*	103	6.8	43.3	*	89	5.9	90.7	*	10
11	*	65	4.3	21.9	*	147	9.7	82.1	*	79	5.2	62.8	*	138	9.1	84.5	*	101	6.7	49.9	*	57	3.8	94.5	*	11
12	*	93	6.2	28.0	*	86	5.7	87.8	*	86	5.7	68.5	*	77	5.1	89.6	*	84	5.6	55.5	*	31	2.1	96.6	*	12
13	*	112	7.4	35.4	*	68	4.5	92.3	*	75	5.0	73.5	*	57	3.8	93.3	*	165	10.9	66.4	*	24	1.6	98.1	*	13
14	*	115	7.6	43.1	*	42	2.8	95.0	*	93	6.2	79.6	*	44	2.9	96.2	*	152	10.1	76.5	*	21	1.4	99.5	*	14
15	*	195	12.9	56.0	*	37	2.4	97.5	*	65	4.3	83.9	*	27	1.8	98.0	*	98	6.5	82.9	*	4	0.3	99.8	*	15
16	*	103	6.8	62.8	*	27	1.8	99.3	*	47	3.1	87.0	*	19	1.3	99.3	*	79	5.2	88.2	*	2	0.1	99.9	*	16
17	*	129	8.5	71.3	*	10	0.7	99.9	*	35	2.3	89.4	*	6	0.4	99.7	*	82	5.4	93.6	*	1	0.1	100.0	*	17
18	*	132	8.7	80.0	*	1	0.1	100.0	*	83	5.5	94.8	*	5	0.3	100.0	*	50	3.3	96.9	*	0	0.0	100.0	*	18
19	*	153	10.1	90.1	*	0	0.0	100.0	*	70	4.6	99.5	*	0	0.0	100.0	*	22	1.5	98.3	*	0	0.0	100.0	*	19
20	*	103	6.8	97.0	*	0	0.0	100.0	*	8	0.5	100.0	*	0	0.0	100.0	*	15	1.0	99.3	*	0	0.0	100.0	*	20
21	*	43	2.8	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	99.8	*	0	0.0	100.0	*	21
22	*	1	0.1	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.3      DMC = 16.3      DC = 137.5      ISI = 4.4      ADMC = 38.5      FWI = 6.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1512

MAXIMUM VALUES

FFMC = 95.0      DMC = 71.0      DC = 414.0      ISI = 48.9      ADMC = 94.0      FWI = 66.0

\*\*\*TOTALS FOR STATION 150 IGNACE LONG. 9140 LAT. 4925

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	9	0.6	0.6	*	66	4.4	4.4	*	70	4.6	4.6	*	71	4.7	4.7	*	16	1.1	1.1	*	345	22.8	22.8	*	1
2	*	10	0.7	1.3	*	86	5.7	10.0	*	85	5.6	10.2	*	166	10.9	15.6	*	25	1.6	2.7	*	196	12.9	35.7	*	2
3	*	8	0.5	1.8	*	153	10.1	20.1	*	95	6.3	16.5	*	193	12.7	28.4	*	17	1.1	3.8	*	94	6.2	41.9	*	3
4	*	19	1.3	3.0	*	164	10.8	30.9	*	93	6.1	22.6	*	111	7.3	35.7	*	43	2.8	6.7	*	93	6.1	48.0	*	4
5	*	20	1.3	4.4	*	137	9.0	40.0	*	94	6.2	28.8	*	108	7.1	42.8	*	75	4.9	11.6	*	82	5.5	53.5	*	5
6	*	19	1.3	5.6	*	134	8.8	48.8	*	91	6.0	34.8	*	82	5.4	48.2	*	93	6.1	17.7	*	157	10.4	63.9	*	6
7	*	22	1.5	7.1	*	117	7.7	56.5	*	173	11.4	46.2	*	90	5.9	54.2	*	127	8.4	26.1	*	124	8.8	72.7	*	7
8	*	33	2.2	9.3	*	110	7.3	63.8	*	176	11.6	57.8	*	161	10.6	64.8	*	102	6.7	32.8	*	96	6.3	79.0	*	8
9	*	48	3.2	12.5	*	84	5.5	69.3	*	116	7.7	65.5	*	124	8.2	73.0	*	91	6.0	38.9	*	149	9.8	88.9	*	9
10	*	67	4.4	16.9	*	87	5.7	75.1	*	98	6.5	72.0	*	95	6.3	79.2	*	107	7.1	45.9	*	101	6.7	95.5	*	10
11	*	67	4.4	21.3	*	126	8.3	83.4	*	78	5.1	77.1	*	151	10.0	89.2	*	96	6.3	52.2	*	39	2.6	98.1	*	11
12	*	31	5.2	26.6	*	94	6.2	89.6	*	74	4.9	82.0	*	78	5.1	94.3	*	67	4.4	56.7	*	13	0.9	98.9	*	12
13	*	79	5.2	31.9	*	71	4.7	94.3	*	49	3.2	85.2	*	35	2.3	96.6	*	174	11.5	68.1	*	11	0.7	99.7	*	13
14	*	133	8.8	40.6	*	41	2.7	97.0	*	50	3.3	88.5	*	34	2.2	98.9	*	165	10.9	79.0	*	2	0.2	99.9	*	14
15	*	190	12.5	53.2	*	34	2.2	99.2	*	58	3.8	92.3	*	5	0.3	99.2	*	110	7.3	86.3	*	2	0.1	100.0	*	15
16	*	118	7.8	60.9	*	12	0.8	100.0	*	47	3.1	95.4	*	10	0.7	99.9	*	92	6.1	92.3	*	0	0.0	100.0	*	16
17	*	143	9.4	70.4	*	0	0.0	100.0	*	32	2.1	97.6	*	2	0.1	100.0	*	78	5.1	97.5	*	0	0.0	100.0	*	17
18	*	164	10.8	81.2	*	0	0.0	100.0	*	36	2.4	99.9	*	0	0.0	100.0	*	27	1.8	99.3	*	0	0.0	100.0	*	18
19	*	155	10.2	91.4	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	9	0.6	99.9	*	0	0.0	100.0	*	19
20	*	100	6.6	98.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	20
21	*	24	1.6	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	5	0.3	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.5      DMC = 15.4      DC = 106.4      ISI = 3.7      ADMC = 35.9      FWI = 5.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1516

MAXIMUM VALUES

FFMC = 95.0      DMC = 60.0      DC = 352.0      ISI = 32.4      ADMC = 73.0      FWI = 47.0



\*\*\*TOTALS FOR STATION 120 INDIAN CHUTE LONG. 8027 LAT. 4751

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	16	1.1	1.1	*	56	3.7	3.7	*	29	1.9	1.9	*	79	5.2	5.2	*	17	1.1	1.1	*	224	14.7	14.7	*	1
2	*	8	0.5	1.6	*	106	7.2	10.8	*	51	3.3	5.3	*	78	5.1	10.3	*	12	0.8	1.9	*	190	12.5	27.2	*	2
3	*	15	1.0	2.6	*	130	8.5	19.4	*	52	3.4	8.7	*	132	8.7	19.0	*	17	1.1	3.0	*	85	5.6	32.8	*	3
4	*	18	1.2	3.7	*	151	9.9	29.3	*	50	3.3	12.0	*	123	8.1	27.1	*	23	1.5	4.5	*	79	5.2	38.0	*	4
5	*	15	1.0	4.7	*	144	9.5	38.7	*	71	4.7	16.6	*	100	6.6	33.6	*	63	4.1	8.7	*	78	5.1	43.1	*	5
6	*	19	1.2	6.0	*	108	7.1	45.8	*	91	6.0	22.6	*	100	6.6	40.2	*	90	5.9	14.6	*	165	10.8	53.9	*	6
7	*	17	1.1	7.1	*	125	8.2	54.0	*	103	6.8	29.3	*	77	5.1	45.2	*	78	5.1	19.7	*	93	6.1	60.0	*	7
8	*	29	1.9	9.0	*	95	6.2	60.3	*	105	6.9	36.2	*	120	7.9	53.1	*	100	6.6	26.3	*	93	6.1	66.1	*	8
9	*	39	2.6	11.6	*	74	4.9	65.1	*	97	6.4	42.6	*	115	7.6	60.7	*	90	5.9	32.2	*	158	10.4	76.5	*	9
10	*	43	2.8	14.4	*	71	4.7	69.8	*	93	6.1	48.7	*	91	6.0	66.6	*	100	6.6	38.7	*	98	6.4	82.9	*	10
11	*	74	4.9	19.2	*	132	8.7	78.5	*	102	6.7	55.4	*	126	8.3	74.9	*	97	6.4	45.1	*	71	4.7	87.6	*	11
12	*	73	4.8	24.0	*	82	5.4	83.8	*	93	6.1	61.5	*	104	6.8	81.7	*	84	5.5	50.6	*	70	4.6	92.2	*	12
13	*	121	7.9	32.0	*	62	4.1	87.9	*	129	8.5	70.0	*	67	4.4	86.1	*	213	14.0	64.6	*	39	2.6	94.7	*	13
14	*	135	8.9	40.8	*	61	4.0	91.9	*	126	8.3	78.3	*	90	5.9	92.1	*	129	8.5	73.1	*	48	3.2	97.9	*	14
15	*	176	11.6	52.4	*	71	4.7	96.6	*	110	7.2	85.5	*	44	2.9	94.9	*	97	6.4	79.4	*	22	1.4	99.3	*	15
16	*	99	6.5	58.9	*	33	2.2	98.8	*	87	5.7	91.2	*	55	3.6	98.6	*	71	4.7	84.1	*	9	0.6	99.9	*	16
17	*	117	7.7	66.6	*	10	0.7	99.4	*	41	2.7	93.9	*	12	0.8	99.3	*	88	5.8	89.9	*	0	0.0	99.9	*	17
18	*	160	10.5	77.1	*	4	0.3	99.7	*	36	2.4	96.3	*	7	0.5	99.8	*	60	3.9	93.8	*	0	0.0	99.9	*	18
19	*	141	9.3	86.3	*	5	0.3	100.0	*	39	2.6	98.8	*	3	0.2	100.0	*	47	3.1	96.9	*	1	0.1	100.0	*	19
20	*	141	9.3	95.6	*	0	0.0	100.0	*	17	1.1	99.9	*	0	0.0	100.0	*	30	2.0	98.9	*	0	0.0	100.0	*	20
21	*	62	4.1	99.7	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	8	0.5	99.4	*	0	0.0	100.0	*	21
22	*	5	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	99.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.2      DMC = 17.7      DC = 149.9      ISI = 6.1      ADMC = 42.2      FWI = 9.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1523

MAXIMUM VALUES

FFMC = 93.0      DMC = 94.0      DC = 452.0      ISI = 58.1      ADMC = 120.0      FWI = 85.0

\*\*\*TOTALS FOR STATION 130 ISLAND FALLS LONG. 8122 LAT. 4935

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	19	1.3	1.3	*	61	4.1	4.1	*	27	1.8	1.8	*	77	5.2	5.2	*	8	0.5	0.5	*	304	20.6	20.6	*	1
2	*	12	0.8	2.1	*	108	7.3	11.5	*	55	3.7	5.6	*	135	9.2	14.4	*	22	1.5	2.0	*	222	15.1	35.7	*	2
3	*	9	0.6	2.7	*	153	10.4	21.8	*	64	4.3	9.9	*	196	13.3	27.7	*	4	0.3	2.3	*	104	7.1	42.7	*	3
4	*	13	0.9	3.6	*	141	9.6	31.4	*	74	5.0	14.9	*	135	9.2	36.8	*	36	2.4	4.7	*	104	7.1	49.8	*	4
5	*	18	1.2	4.8	*	144	9.8	41.2	*	75	5.1	20.0	*	125	8.5	45.3	*	79	5.4	10.1	*	79	5.4	55.1	*	5
6	*	16	1.1	5.9	*	138	9.4	50.5	*	81	5.5	25.5	*	78	5.3	50.6	*	102	6.9	17.0	*	128	8.7	63.8	*	6
7	*	27	1.8	7.7	*	112	7.6	58.1	*	132	8.9	34.4	*	87	5.9	56.5	*	87	5.9	22.9	*	113	7.7	71.5	*	7
8	*	39	2.6	10.4	*	105	7.1	65.2	*	87	5.9	40.3	*	135	9.2	65.6	*	113	7.7	30.6	*	87	5.9	77.4	*	8
9	*	34	2.3	12.7	*	94	6.4	71.6	*	112	7.6	47.9	*	101	6.8	72.5	*	99	6.7	37.3	*	142	9.6	87.0	*	9
10	*	70	4.7	17.4	*	79	5.4	76.9	*	107	7.3	55.2	*	79	5.4	77.8	*	91	6.2	43.5	*	71	4.8	91.8	*	10
11	*	73	4.9	22.4	*	117	7.9	84.9	*	80	5.4	60.6	*	106	7.2	85.0	*	93	6.3	49.8	*	36	2.4	94.2	*	11
12	*	80	5.4	27.8	*	74	5.0	89.9	*	68	4.6	65.2	*	62	4.2	89.2	*	95	6.4	56.2	*	34	2.3	96.5	*	12
13	*	101	6.8	34.6	*	47	3.2	93.1	*	79	5.4	70.6	*	51	3.5	92.7	*	187	12.7	68.9	*	23	1.6	98.1	*	13
14	*	147	10.0	44.6	*	40	2.7	95.8	*	111	7.5	78.1	*	55	3.7	96.4	*	159	10.8	79.7	*	21	1.4	99.5	*	14
15	*	204	13.8	58.4	*	37	2.5	98.3	*	113	7.7	85.8	*	19	1.3	97.7	*	98	6.6	86.3	*	6	0.4	99.9	*	15
16	*	97	6.6	65.0	*	16	1.1	99.4	*	88	6.0	91.7	*	25	1.7	99.4	*	60	4.1	90.4	*	1	0.1	100.0	*	16
17	*	115	7.8	72.8	*	3	0.2	99.6	*	54	3.7	95.4	*	8	0.5	99.9	*	62	4.2	94.6	*	0	0.0	100.0	*	17
18	*	135	9.2	82.0	*	3	0.2	99.8	*	67	4.5	99.9	*	1	0.1	100.0	*	44	3.0	97.6	*	0	0.0	100.0	*	18
19	*	145	9.8	91.8	*	3	0.2	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	23	1.6	99.1	*	0	0.0	100.0	*	19
20	*	82	5.6	97.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	99.7	*	0	0.0	100.0	*	20
21	*	32	2.2	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	21
22	*	7	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.4      DMC = 15.4      DC = 139.5      ISI = 4.3      ADMC = 37.3      FWI = 6.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1475

MAXIMUM VALUES

FFMC = 94.0      DMC = 88.0      DC = 351.0      ISI = 40.3      ADMC = 88.0      FWI = 52.0

\*\*\*TOTALS FOR STATION 129 KAPUSKASING LONG. 8228 LAT. 4925

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	19	1.3	1.3	*	85	6.0	6.0	*	67	4.7	4.7	*	121	8.6	8.6	*	23	1.6	1.6	*	371	26.2	26.2	*	1
2	*	22	1.6	2.9	*	121	8.6	14.6	*	81	5.7	10.5	*	134	9.5	18.0	*	25	1.8	3.4	*	207	14.6	40.8	*	2
3	*	21	1.5	4.4	*	164	11.6	26.1	*	83	5.9	16.3	*	174	12.3	30.3	*	21	1.5	4.9	*	87	6.1	47.0	*	3
4	*	22	1.6	5.9	*	137	9.7	35.8	*	96	6.8	23.1	*	146	10.3	40.6	*	46	3.3	8.1	*	75	5.3	52.3	*	4
5	*	23	1.6	7.6	*	152	10.7	46.6	*	75	5.3	28.4	*	91	6.4	47.1	*	93	6.6	14.7	*	64	4.5	56.8	*	5
6	*	28	2.0	9.5	*	109	7.7	54.3	*	78	5.5	33.9	*	71	5.0	52.1	*	109	7.7	22.4	*	107	7.6	64.4	*	6
7	*	24	1.7	11.2	*	105	7.4	61.7	*	143	10.1	44.0	*	75	5.3	57.4	*	106	7.5	29.9	*	100	7.1	71.4	*	7
8	*	43	3.0	14.3	*	88	6.2	67.9	*	150	10.6	54.6	*	96	6.8	64.2	*	106	7.5	37.4	*	85	6.0	77.5	*	8
9	*	37	2.6	16.9	*	77	5.4	73.4	*	117	8.3	62.9	*	102	7.2	71.4	*	92	6.5	43.9	*	113	8.0	85.4	*	9
10	*	59	4.2	21.1	*	69	4.9	78.2	*	97	6.9	69.8	*	74	5.2	76.6	*	87	6.1	50.0	*	80	5.7	91.1	*	10
11	*	57	4.0	25.1	*	136	9.6	87.8	*	98	6.9	76.7	*	95	6.7	83.3	*	86	6.1	56.1	*	53	3.7	94.8	*	11
12	*	97	6.9	31.9	*	86	6.1	93.9	*	100	7.1	83.7	*	54	3.8	87.1	*	77	5.4	61.6	*	38	2.7	97.5	*	12
13	*	99	7.0	38.9	*	43	3.0	97.0	*	57	4.0	87.8	*	58	4.1	91.2	*	169	11.9	73.5	*	13	0.9	98.4	*	13
14	*	103	7.3	46.2	*	21	1.5	98.4	*	77	5.4	93.2	*	63	4.5	95.7	*	146	10.3	83.8	*	15	1.1	99.5	*	14
15	*	168	11.9	58.1	*	18	1.3	99.7	*	31	2.2	95.4	*	23	1.6	97.3	*	80	5.7	89.5	*	6	0.4	99.9	*	15
16	*	95	6.7	64.8	*	4	0.3	100.0	*	10	0.7	96.1	*	27	1.9	99.2	*	58	4.1	93.6	*	1	0.1	100.0	*	16
17	*	88	6.2	71.0	*	0	0.0	100.0	*	24	1.7	97.8	*	9	0.6	99.9	*	73	5.2	98.7	*	0	0.0	100.0	*	17
18	*	138	9.8	80.8	*	0	0.0	100.0	*	31	2.2	100.0	*	1	0.1	99.9	*	18	1.3	100.0	*	0	0.0	100.0	*	18
19	*	135	9.5	90.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	98	6.9	97.2	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	30	2.1	99.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.6      DMC = 13.7      DC = 105.4      ISI = 4.4      ADMC = 33.1      FWI = 6.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1415

MAXIMUM VALUES

FFMC = 94.0      DMC = 57.0      DC = 346.0      ISI = 60.5      ADMC = 59.0      FWI = 56.0

\*\*\*TOTALS FOR STATION 146 KENORA LONG. 9422 LAT. 4948

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	13	0.8	0.8	*	40	2.5	2.5	*	38	2.3	2.3	*	89	5.5	5.5	*	5	0.3	0.3	*	217	15.5	19.5	*	1
2	*	9	0.6	1.4	*	92	5.7	8.1	*	64	3.9	6.3	*	142	8.7	14.2	*	12	0.7	1.0	*	225	14.4	33.9	*	2
3	*	21	1.3	2.6	*	125	7.7	15.8	*	72	4.4	10.7	*	208	12.8	27.0	*	15	0.9	2.0	*	90	5.5	39.5	*	3
4	*	14	0.9	3.5	*	161	9.9	25.7	*	75	4.6	15.3	*	128	7.9	34.8	*	29	1.8	3.7	*	51	5.6	45.1	*	4
5	*	22	1.4	4.9	*	149	9.2	34.8	*	86	5.3	20.6	*	105	6.5	41.3	*	61	3.7	7.5	*	75	4.6	49.7	*	5
6	*	25	1.5	6.4	*	126	7.7	42.6	*	61	3.7	24.3	*	99	6.1	47.4	*	87	5.3	12.8	*	127	7.8	57.5	*	6
7	*	31	1.9	8.3	*	134	8.2	50.8	*	143	8.8	33.1	*	84	5.2	52.6	*	100	6.1	19.0	*	134	8.2	65.7	*	7
8	*	29	1.8	10.1	*	104	6.4	57.2	*	140	8.6	41.7	*	138	8.5	61.0	*	99	6.1	25.1	*	112	6.9	72.6	*	8
9	*	44	2.7	12.8	*	95	5.8	63.1	*	146	9.0	50.7	*	127	7.8	68.8	*	109	6.7	31.8	*	149	9.2	81.8	*	9
10	*	50	3.1	15.9	*	67	4.1	67.2	*	131	8.1	58.8	*	93	5.7	74.6	*	99	6.1	37.9	*	128	7.9	89.7	*	10
11	*	77	4.7	20.6	*	140	8.6	75.8	*	131	8.1	66.8	*	152	9.3	83.9	*	97	6.0	43.8	*	71	4.4	94.0	*	11
12	*	89	5.5	26.1	*	126	7.7	83.5	*	91	5.6	72.4	*	102	6.3	90.2	*	95	5.8	49.7	*	23	2.0	96.1	*	12
13	*	93	5.7	31.8	*	75	4.6	88.1	*	65	4.0	76.4	*	59	3.6	93.8	*	180	11.1	60.7	*	34	2.1	98.2	*	13
14	*	140	8.6	40.4	*	50	3.1	91.2	*	50	3.1	79.5	*	54	3.3	97.1	*	150	9.2	69.9	*	26	1.6	99.8	*	14
15	*	187	11.5	51.9	*	68	4.2	95.4	*	51	3.1	82.6	*	25	1.5	98.6	*	104	6.4	76.3	*	3	0.2	99.9	*	15
16	*	103	6.3	58.2	*	48	3.0	98.3	*	44	2.7	85.3	*	20	1.2	99.9	*	97	6.0	82.3	*	0	0.0	99.9	*	16
17	*	149	9.2	67.4	*	20	1.2	99.6	*	49	3.0	88.3	*	2	0.1	100.0	*	132	8.1	90.4	*	1	0.1	100.0	*	17
18	*	166	10.2	77.6	*	4	0.2	99.8	*	132	8.1	96.4	*	0	0.0	100.0	*	71	4.4	94.8	*	0	0.0	100.0	*	18
19	*	191	11.7	89.3	*	3	0.2	100.0	*	32	2.0	98.4	*	0	0.0	100.0	*	35	2.2	96.9	*	0	0.0	100.0	*	19
20	*	100	6.1	95.5	*	0	0.0	100.0	*	26	1.6	100.0	*	0	0.0	100.0	*	24	1.5	98.4	*	0	0.0	100.0	*	20
21	*	59	3.6	99.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19	1.2	99.6	*	0	0.0	100.0	*	21
22	*	14	0.9	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	99.9	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.7      DMC = 18.6      DC = 141.1      ISI = 4.3      ADCM = 43.4      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1627

MAXIMUM VALUES

FFMC = 95.0      DMC = 89.0      DC = 441.0      ISI = 34.4      ADCM = 102.0      FWI = 64.0

\*\*\*TOTALS FOR STATION 107 KILLALOE LONG. 7725 LAT. 4534

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	9	0.5	0.5	*	8	0.4	0.4	*	29	1.5	1.5	*	53	2.8	2.8	*	190	10.1	10.1	*	1				
2	*	2	0.1	0.6	*	30	1.6	2.0	*	47	2.5	4.1	*	114	6.1	8.9	*	5	0.3	0.3	*	165	8.8	19.0	*	2
3	*	10	0.5	1.1	*	74	4.0	6.0	*	52	2.8	6.8	*	149	8.0	16.9	*	3	0.2	0.4	*	85	4.5	23.5	*	3
4	*	10	0.5	1.7	*	105	5.6	11.6	*	39	2.1	8.9	*	139	7.4	24.3	*	8	0.4	0.9	*	78	4.2	27.7	*	4
5	*	17	0.9	2.6	*	95	5.1	16.7	*	45	2.4	11.3	*	84	4.5	28.8	*	26	1.4	2.2	*	90	4.8	32.5	*	5
6	*	15	0.8	3.4	*	105	5.6	22.3	*	41	2.2	13.5	*	112	6.0	34.8	*	39	2.1	4.3	*	159	8.5	41.0	*	6
7	*	24	1.3	4.6	*	119	6.4	28.6	*	82	4.4	17.9	*	110	5.9	40.6	*	57	3.0	7.4	*	167	8.9	49.9	*	7
8	*	17	0.9	5.6	*	95	5.1	33.7	*	84	4.5	22.4	*	182	9.7	50.3	*	57	3.0	10.4	*	139	7.4	57.3	*	8
9	*	28	1.5	7.0	*	91	4.9	38.5	*	81	4.3	26.7	*	163	8.7	59.0	*	69	3.7	14.1	*	243	13.0	70.3	*	9
10	*	43	2.3	9.3	*	82	4.4	42.9	*	66	3.5	30.2	*	125	6.7	65.7	*	73	3.9	18.0	*	154	8.2	78.5	*	10
11	*	51	2.7	12.1	*	217	11.6	54.5	*	63	3.4	33.6	*	221	11.8	77.5	*	67	3.6	21.6	*	157	8.4	86.9	*	11
12	*	83	4.4	16.5	*	210	11.2	65.7	*	78	4.2	37.7	*	139	7.4	84.9	*	82	4.4	25.9	*	81	4.3	91.2	*	12
13	*	105	5.6	22.1	*	168	9.0	74.7	*	74	4.0	41.7	*	79	4.2	89.2	*	181	9.7	35.6	*	51	2.7	93.9	*	13
14	*	123	6.6	28.7	*	120	6.4	81.1	*	118	6.3	48.0	*	105	5.6	94.8	*	181	9.7	45.3	*	72	3.8	97.8	*	14
15	*	182	9.7	38.4	*	167	8.9	90.0	*	123	6.6	54.6	*	40	2.1	96.9	*	145	7.7	53.0	*	23	1.2	99.0	*	15
16	*	141	7.5	45.9	*	94	5.0	95.0	*	108	5.8	60.3	*	41	2.2	99.1	*	133	7.1	60.1	*	10	0.5	99.5	*	16
17	*	172	9.2	55.1	*	51	2.7	97.8	*	74	4.0	64.3	*	8	0.4	99.5	*	232	12.4	72.5	*	5	0.3	99.8	*	17
18	*	212	11.3	66.4	*	32	1.7	99.5	*	223	11.9	76.2	*	5	0.3	99.8	*	178	9.5	82.0	*	3	0.2	99.9	*	18
19	*	284	15.2	81.6	*	10	0.5	100.0	*	159	8.5	84.7	*	1	0.1	99.8	*	133	7.1	89.1	*	1	0.1	100.0	*	19
20	*	232	12.4	94.0	*	0	0.0	100.0	*	136	7.3	91.9	*	1	0.1	99.9	*	90	4.8	93.9	*	0	0.0	100.0	*	20
21	*	105	5.6	99.6	*	0	0.0	100.0	*	86	4.6	96.5	*	2	0.1	100.0	*	60	3.2	97.1	*	0	0.0	100.0	*	21
22	*	8	0.4	100.0	*	0	0.0	100.0	*	65	3.5	100.0	*	0	0.0	100.0	*	30	1.6	98.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.6      DMC = 26.8      DC = 237.9      ISI = 5.7      ADMC = 62.5      FWI = 11.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1873

MAXIMUM VALUES

FFMC = 94.0      DMC = 87.0      DC = 571.0      ISI = 78.2      ADMC = 118.0      FWI = 88.0

\*\*\*TOTALS FOR STATION 98 LA CAVE LONG. 7844 LAT. 4622

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	1	0.1	0.1	*	30	1.8	1.8	*	56	3.3	3.3	*	26	1.6	1.6	*	7	0.4	0.4	*	221	13.2	13.2	*	1
2	*	4	0.2	0.3	*	69	4.1	5.9	*	44	2.6	6.0	*	110	6.6	8.1	*	9	0.5	1.0	*	225	13.5	26.7	*	2
3	*	4	0.2	0.5	*	113	6.8	12.7	*	62	3.7	9.7	*	218	13.0	21.2	*	17	1.0	2.0	*	119	7.1	33.8	*	3
4	*	5	0.3	0.8	*	145	8.7	21.4	*	66	3.9	13.6	*	144	8.6	29.8	*	19	1.1	3.1	*	86	5.1	38.9	*	4
5	*	6	0.4	1.2	*	139	8.3	29.7	*	62	3.7	17.3	*	114	6.8	36.6	*	43	2.6	5.7	*	88	5.3	44.2	*	5
6	*	13	0.8	2.0	*	134	8.0	37.7	*	69	4.1	21.5	*	70	4.2	40.8	*	63	3.8	9.4	*	165	9.9	54.1	*	6
7	*	19	1.1	3.1	*	111	6.6	44.3	*	162	9.7	31.2	*	96	5.7	46.5	*	80	4.8	14.2	*	120	7.2	61.2	*	7
8	*	28	1.7	4.8	*	113	6.8	51.1	*	117	7.0	38.2	*	166	9.9	56.5	*	102	6.1	20.3	*	105	6.3	67.5	*	8
9	*	37	2.2	7.0	*	99	5.9	57.0	*	103	6.2	44.3	*	126	7.5	64.0	*	109	6.5	26.9	*	178	10.6	78.2	*	9
10	*	53	3.2	10.2	*	91	5.4	62.4	*	110	6.6	50.9	*	95	5.7	69.7	*	90	5.4	32.2	*	124	7.4	85.6	*	10
11	*	70	4.2	14.4	*	212	12.7	75.1	*	103	6.2	57.1	*	168	10.0	79.7	*	101	6.0	38.3	*	108	6.5	92.0	*	11
12	*	105	6.3	20.6	*	118	7.1	82.2	*	110	6.6	63.6	*	132	7.9	87.6	*	87	5.2	43.5	*	65	3.9	95.9	*	12
13	*	116	6.9	27.6	*	86	5.1	87.3	*	77	4.6	68.2	*	80	4.8	92.4	*	212	12.7	56.2	*	35	2.1	98.0	*	13
14	*	124	7.4	35.0	*	67	4.0	91.3	*	81	4.8	73.1	*	80	4.8	97.2	*	197	11.8	67.9	*	23	1.4	99.4	*	14
15	*	186	11.1	46.1	*	77	4.6	95.9	*	89	5.3	78.4	*	34	2.0	99.2	*	126	7.5	75.5	*	7	0.4	99.8	*	15
16	*	121	7.2	53.3	*	33	2.0	97.9	*	85	5.1	83.5	*	10	0.6	99.8	*	101	6.0	81.5	*	3	0.2	100.0	*	16
17	*	108	6.5	59.8	*	20	1.2	99.1	*	56	3.3	86.8	*	3	0.2	100.0	*	126	7.5	89.1	*	0	0.0	100.0	*	17
18	*	165	9.9	69.7	*	12	0.7	99.8	*	150	9.0	95.8	*	0	0.0	100.0	*	68	4.1	93.1	*	0	0.0	100.0	*	18
19	*	208	12.4	82.1	*	3	0.2	100.0	*	43	2.6	98.4	*	0	0.0	100.0	*	57	3.4	96.5	*	0	0.0	100.0	*	19
20	*	185	11.1	93.2	*	0	0.0	100.0	*	21	1.3	99.6	*	0	0.0	100.0	*	36	2.2	98.7	*	0	0.0	100.0	*	20
21	*	105	6.3	99.5	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	15	0.9	99.6	*	0	0.0	100.0	*	21
22	*	9	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	99.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.5      DMC = 19.7      DC = 155.9      ISI = 4.8      ADMC = 45.9      FWI = 8.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1672

MAXIMUM VALUES

FFMC = 94.0      DMC = 84.0      DC = 471.0      ISI = 37.2      ADMC = 104.0      FWI = 55.0

\*\*\*TOTALS FOR STATION 155 LANSLOWNE HOUSE LONG. 8753 LAT. 5214

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	51	3.8	3.8	*	133	10.0	10.0	*	61	4.6	4.6	*	126	9.5	9.5	*	49	3.7	3.7	*	403	30.3	30.3	*	1
2	*	12	0.9	4.7	*	142	10.7	20.7	*	43	3.2	7.8	*	153	11.5	21.0	*	30	2.3	5.9	*	243	18.3	48.5	*	2
3	*	20	1.5	6.2	*	160	12.0	32.7	*	60	4.5	12.3	*	196	14.7	35.7	*	25	1.9	7.8	*	94	7.1	55.6	*	3
4	*	16	1.2	7.4	*	132	9.9	42.6	*	68	5.1	17.4	*	168	12.6	48.3	*	42	3.2	11.0	*	99	7.4	63.0	*	4
5	*	21	1.6	9.0	*	124	9.3	51.9	*	63	4.7	22.2	*	126	9.5	57.8	*	93	7.0	18.0	*	71	5.3	68.4	*	5
6	*	18	1.4	10.4	*	133	10.0	61.9	*	52	3.9	26.1	*	107	8.0	65.8	*	104	7.8	25.8	*	123	9.2	77.6	*	6
7	*	29	2.2	12.5	*	111	8.3	70.2	*	96	7.2	33.3	*	74	5.6	71.4	*	105	7.9	33.7	*	99	7.4	85.0	*	7
8	*	46	3.5	16.0	*	103	7.7	78.0	*	93	7.0	40.3	*	108	8.1	79.5	*	83	6.2	39.9	*	60	4.5	89.6	*	8
9	*	46	3.5	19.5	*	60	4.5	82.5	*	86	6.5	46.7	*	71	5.3	84.8	*	82	6.2	46.1	*	68	5.1	94.7	*	9
10	*	65	4.9	24.3	*	39	2.9	85.4	*	71	5.3	52.1	*	65	4.9	89.7	*	80	6.0	52.1	*	42	3.2	97.8	*	10
11	*	84	6.3	30.7	*	92	6.9	92.3	*	63	4.7	56.8	*	54	4.1	93.8	*	98	7.4	59.4	*	12	0.9	98.7	*	11
12	*	86	6.5	37.1	*	50	3.8	96.1	*	56	4.2	61.0	*	33	2.5	96.2	*	74	5.6	65.0	*	6	0.5	99.2	*	12
13	*	112	8.4	45.5	*	21	1.6	97.7	*	67	5.0	66.0	*	20	1.5	97.7	*	160	12.0	77.0	*	4	0.3	99.5	*	13
14	*	149	11.2	56.7	*	14	1.1	98.7	*	106	8.0	74.0	*	19	1.4	99.2	*	108	8.1	85.1	*	7	0.5	100.0	*	14
15	*	189	14.2	70.9	*	12	0.9	99.6	*	112	8.4	82.4	*	5	0.4	99.5	*	71	5.3	90.5	*	0	0.0	100.0	*	15
16	*	100	7.5	78.4	*	4	0.3	99.9	*	62	4.7	87.1	*	5	0.4	99.9	*	56	4.2	94.7	*	0	0.0	100.0	*	16
17	*	95	7.1	85.6	*	1	0.1	100.0	*	44	3.3	90.4	*	1	0.1	100.0	*	47	3.5	98.2	*	0	0.0	100.0	*	17
18	*	91	6.8	92.4	*	0	0.0	100.0	*	63	4.7	95.1	*	0	0.0	100.0	*	12	0.9	99.1	*	0	0.0	100.0	*	18
19	*	64	4.8	97.2	*	0	0.0	100.0	*	35	2.6	97.7	*	0	0.0	100.0	*	9	0.7	99.8	*	0	0.0	100.0	*	19
20	*	27	2.0	99.2	*	0	0.0	100.0	*	30	2.3	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	20
21	*	8	0.6	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	2	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 65.7      DMC = 11.8      DC = 150.4      ISI = 2.7      ADMC = 31.6      FWI = 4.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1331

MAXIMUM VALUES

FFMC = 94.0      DMC = 61.0      DC = 441.0      ISI = 31.2      ADMC = 76.0      FWI = 39.0

\*\*\*TOTALS FOR STATION 158 LINDSAY LONG. 7845 LAT. 4421

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	6	0.3	0.3	*	16	0.9	0.9	*	39	2.2	2.2	*	33	1.8	1.8	*	4	0.2	0.2	*	174	9.6	9.6	*	1
2	*	1	0.1	0.4	*	42	2.3	3.2	*	57	3.1	5.3	*	97	5.4	7.2	*	6	0.3	0.6	*	192	10.6	20.2	*	2
3	*	6	0.3	0.7	*	87	4.8	8.0	*	65	3.6	8.9	*	158	8.7	15.9	*	5	0.3	0.8	*	115	6.4	26.6	*	3
4	*	5	0.3	1.0	*	116	6.4	14.4	*	77	4.3	13.1	*	132	7.3	23.2	*	15	0.8	1.7	*	101	5.6	32.2	*	4
5	*	7	0.4	1.4	*	140	7.7	22.2	*	75	4.1	17.3	*	140	7.7	30.9	*	34	1.9	3.5	*	75	4.1	36.3	*	5
6	*	15	0.8	2.2	*	149	8.2	30.4	*	64	3.5	20.8	*	92	5.1	36.0	*	62	3.4	7.0	*	199	11.0	47.3	*	6
7	*	9	0.5	2.7	*	139	7.7	38.1	*	77	4.3	25.1	*	109	6.0	42.0	*	72	4.0	10.9	*	168	9.3	56.6	*	7
8	*	24	1.3	4.0	*	118	6.5	44.6	*	69	3.8	28.9	*	197	10.9	52.9	*	83	4.6	15.5	*	151	8.3	64.9	*	8
9	*	36	2.0	6.0	*	139	7.7	52.3	*	74	4.1	33.0	*	179	9.9	62.8	*	84	4.6	20.2	*	224	12.4	77.3	*	9
10	*	44	2.4	8.5	*	104	5.7	58.0	*	55	3.0	36.0	*	157	8.7	71.5	*	103	5.7	25.9	*	161	8.9	86.2	*	10
11	*	64	3.5	12.0	*	238	13.1	71.2	*	71	3.9	39.9	*	213	11.8	83.3	*	86	4.8	30.6	*	101	5.6	91.8	*	11
12	*	84	4.6	16.6	*	145	8.0	79.2	*	64	3.5	43.5	*	119	6.6	89.8	*	89	4.9	35.5	*	61	3.4	95.1	*	12
13	*	109	6.0	22.7	*	96	5.3	84.5	*	77	4.3	47.7	*	66	3.6	93.5	*	207	11.4	47.0	*	29	1.6	96.7	*	13
14	*	139	7.7	30.3	*	58	3.2	87.7	*	181	10.0	57.7	*	68	3.8	97.2	*	194	10.7	57.7	*	43	2.4	99.1	*	14
15	*	243	13.4	43.9	*	105	5.8	93.5	*	138	7.6	65.4	*	26	1.4	98.7	*	164	9.1	66.7	*	11	0.6	99.7	*	15
16	*	119	6.6	50.3	*	50	2.8	96.2	*	104	5.7	71.1	*	17	0.9	99.6	*	138	7.6	74.4	*	5	0.3	100.0	*	16
17	*	172	9.5	59.8	*	21	1.2	97.4	*	85	4.7	75.8	*	5	0.3	99.9	*	159	8.8	83.1	*	C	0.0	100.0	*	17
18	*	243	13.4	73.3	*	19	1.0	98.5	*	159	8.8	84.6	*	2	0.1	100.0	*	89	4.9	88.1	*	0	0.0	100.0	*	18
19	*	251	13.9	87.1	*	28	1.5	100.0	*	138	7.6	92.2	*	0	0.0	100.0	*	94	5.2	93.3	*	0	0.0	100.0	*	19
20	*	167	9.2	96.4	*	C	0.0	100.0	*	72	4.0	96.2	*	0	0.0	100.0	*	54	3.0	96.2	*	C	0.0	100.0	*	20
21	*	63	3.5	99.8	*	C	0.0	100.0	*	59	3.3	99.4	*	0	0.0	100.0	*	27	1.5	97.7	*	C	0.0	100.0	*	21
22	*	3	0.2	100.0	*	C	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	15	0.8	98.6	*	0	0.0	100.0	*	22
23	*	C	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	26	1.4	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.3      DMC = 22.5      DC = 202.0      ISI = 4.9      ADMC = 53.3      FWI = 9.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1810

MAXIMUM VALUES

FFMC = 93.0      DMC = 107.0      DC = 518.0      ISI = 45.6      ADMC = 125.0      FWI = 59.0



\*\*\*TOTALS FOR STATION 161 LONDON LONG. 8109 LAT. 4302

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	1	0.1	0.1	*	52	2.9	2.9	*	89	5.0	5.0	*	58	3.2	3.2	*	23	1.3	1.3	*	230	12.8	12.8	*	1
2	*	5	0.3	0.3	*	74	4.1	7.0	*	92	5.1	10.1	*	115	6.4	9.7	*	20	1.1	2.4	*	206	11.5	24.3	*	2
3	*	14	0.8	1.1	*	98	5.5	12.5	*	80	4.5	14.6	*	152	8.5	18.1	*	23	1.3	3.7	*	75	4.2	28.5	*	3
4	*	12	0.7	1.8	*	128	7.1	19.7	*	67	3.7	18.3	*	130	7.3	25.4	*	22	1.2	4.9	*	98	5.5	34.0	*	4
5	*	17	0.9	2.7	*	115	6.4	26.1	*	67	3.7	22.1	*	99	5.5	30.9	*	51	2.8	7.8	*	71	4.0	38.0	*	5
6	*	24	1.3	4.1	*	132	7.4	33.4	*	58	3.2	25.3	*	78	4.4	35.3	*	68	3.8	11.6	*	129	7.8	45.7	*	6
7	*	20	1.1	5.2	*	122	6.8	40.3	*	101	5.6	30.9	*	76	4.2	39.5	*	85	4.7	16.3	*	151	8.4	54.2	*	7
8	*	29	1.6	6.8	*	116	6.5	46.7	*	98	5.5	36.4	*	177	9.9	49.4	*	87	4.9	21.2	*	132	7.4	61.5	*	8
9	*	41	2.3	9.1	*	104	5.8	52.5	*	84	4.7	41.1	*	150	8.4	57.8	*	79	4.4	25.6	*	229	13.3	74.9	*	9
10	*	56	3.1	12.2	*	106	5.9	58.5	*	84	4.7	45.8	*	136	7.6	65.4	*	83	4.6	30.2	*	172	9.6	84.5	*	10
11	*	63	3.5	15.7	*	205	11.4	69.9	*	106	5.9	51.7	*	241	13.5	78.8	*	89	5.0	35.2	*	127	7.1	91.6	*	11
12	*	84	4.7	20.4	*	167	9.3	79.2	*	112	6.3	58.0	*	148	8.3	87.1	*	85	4.7	39.9	*	64	3.6	95.1	*	12
13	*	101	5.6	26.1	*	100	5.6	84.8	*	86	4.8	62.8	*	94	5.2	92.4	*	174	9.7	49.6	*	42	2.4	97.5	*	13
14	*	113	6.3	32.4	*	72	4.0	88.8	*	113	6.3	69.1	*	97	5.4	97.8	*	169	9.4	59.1	*	35	2.0	99.5	*	14
15	*	180	10.1	42.4	*	83	4.6	93.5	*	99	5.5	74.6	*	23	1.3	99.1	*	151	8.4	67.5	*	7	0.4	99.9	*	15
16	*	93	5.2	47.6	*	42	2.3	95.8	*	90	5.0	79.6	*	15	0.8	99.9	*	133	7.4	74.9	*	2	0.1	100.0	*	16
17	*	146	8.2	55.8	*	35	2.0	97.8	*	97	5.4	85.0	*	2	0.1	100.0	*	197	11.0	85.9	*	0	0.0	100.0	*	17
18	*	235	13.1	68.9	*	25	1.4	99.2	*	104	5.8	90.8	*	0	0.0	100.0	*	96	5.4	91.3	*	0	0.0	100.0	*	18
19	*	300	16.8	85.7	*	15	0.8	100.0	*	43	2.4	93.2	*	0	0.0	100.0	*	58	3.2	94.5	*	0	0.0	100.0	*	19
20	*	203	11.3	97.0	*	0	0.0	100.0	*	50	2.8	96.0	*	0	0.0	100.0	*	35	2.0	96.5	*	0	0.0	100.0	*	20
21	*	49	2.7	99.7	*	0	0.0	100.0	*	29	1.6	97.7	*	0	0.0	100.0	*	22	1.2	97.7	*	0	0.0	100.0	*	21
22	*	5	0.3	100.0	*	0	0.0	100.0	*	35	2.0	99.6	*	0	0.0	100.0	*	18	1.0	98.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	23	1.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.1      DMC = 21.7      DC = 171.4      ISI = 5.1      ADMC = 50.3      FWI = 9.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1791

MAXIMUM VALUES

FFMC = 94.0      DMC = 104.0      DC = 621.0      ISI = 39.6      ADMC = 123.0      FWI = 54.0

\*\*\*TOTALS FOR STATION 140 LONGLAC P & P LONG. 8632 LAT. 4946

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	19	1.3	1.3	*	60	4.2	4.2	*	58	4.0	4.0	*	73	5.1	5.1	*	16	1.1	1.1	*	355	24.6	24.6	*	1
2	*	8	0.6	1.9	*	117	8.1	12.2	*	79	5.5	9.5	*	166	11.5	16.5	*	23	1.6	2.7	*	223	15.4	40.0	*	2
3	*	11	0.8	2.6	*	151	10.4	22.7	*	93	6.4	15.9	*	206	14.3	30.9	*	19	1.3	4.0	*	101	7.0	47.0	*	3
4	*	11	0.8	3.4	*	171	11.8	34.5	*	82	5.7	21.6	*	124	8.6	39.4	*	43	3.0	7.0	*	51	6.3	53.3	*	4
5	*	19	1.3	4.7	*	155	10.7	45.3	*	104	7.2	29.8	*	110	7.6	47.0	*	77	5.3	12.3	*	90	6.2	59.5	*	5
6	*	25	1.7	6.4	*	148	10.2	55.5	*	84	5.8	34.6	*	94	6.5	53.5	*	112	7.8	20.1	*	126	8.7	68.2	*	6
7	*	26	1.8	8.2	*	121	8.4	63.9	*	126	8.7	43.3	*	70	4.8	58.3	*	109	7.5	27.6	*	105	7.3	75.5	*	7
8	*	32	2.2	10.4	*	86	6.0	69.8	*	129	8.9	52.2	*	142	9.9	68.2	*	112	7.8	35.4	*	81	5.6	81.1	*	8
9	*	48	3.3	13.8	*	84	5.8	75.6	*	98	6.8	59.0	*	103	7.1	75.4	*	104	7.2	42.6	*	130	9.0	90.1	*	9
10	*	51	3.5	17.3	*	63	4.4	80.0	*	94	6.5	65.5	*	94	6.5	81.9	*	95	6.6	49.1	*	70	4.8	94.9	*	10
11	*	88	6.1	23.4	*	127	8.8	88.8	*	95	6.6	72.1	*	91	6.3	88.2	*	96	6.6	55.8	*	36	2.5	97.4	*	11
12	*	77	5.3	28.7	*	60	4.2	92.9	*	103	7.1	79.2	*	68	4.7	92.9	*	94	6.5	62.3	*	21	1.5	98.9	*	12
13	*	102	7.1	35.8	*	47	3.3	96.2	*	95	6.6	85.8	*	49	3.4	96.3	*	176	12.2	74.5	*	10	0.7	99.6	*	13
14	*	124	8.6	44.4	*	23	1.6	97.8	*	81	5.6	91.4	*	24	1.7	97.9	*	119	8.2	82.7	*	6	0.4	100.0	*	14
15	*	206	14.3	58.6	*	26	1.8	99.6	*	43	3.0	94.4	*	18	1.2	99.2	*	92	6.4	89.1	*	0	0.0	100.0	*	15
16	*	99	6.9	65.5	*	4	0.3	99.9	*	21	1.5	95.8	*	11	0.8	99.9	*	71	4.9	94.0	*	0	0.0	100.0	*	16
17	*	123	8.5	74.0	*	2	0.1	100.0	*	30	2.1	97.9	*	1	0.1	100.0	*	55	3.8	97.8	*	0	0.0	100.0	*	17
18	*	128	8.9	82.8	*	0	0.0	100.0	*	30	2.1	100.0	*	0	0.0	100.0	*	27	1.9	99.7	*	0	0.0	100.0	*	18
19	*	122	8.4	91.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	19
20	*	87	6.0	97.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	32	2.2	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	7	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.1      DMC = 13.8      DC = 110.8      ISI = 3.6      ADCM = 33.7      FWI = 5.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1445

MAXIMUM VALUES

FFMC = 93.0      DMC = 63.0      DC = 338.0      ISI = 31.3      ADCM = 69.0      FWI = 39.0

\*\*\*TOTALS FOR STATION 127 LOWBUSH LONG. 8007 LAT. 4855

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	9	0.5	0.5	*	55	3.6	3.6	*	30	1.9	1.9	*	76	4.9	4.9	*	15	1.0	1.0	*	297	19.2	19.2	*	1
2	*	14	0.9	1.4	*	114	7.4	10.9	*	59	3.8	5.8	*	135	8.7	13.7	*	15	1.0	1.9	*	209	13.5	32.8	*	2
3	*	13	0.8	2.3	*	140	9.1	20.0	*	73	4.7	10.5	*	162	10.5	24.2	*	15	1.0	2.9	*	89	5.8	38.5	*	3
4	*	9	0.6	2.8	*	165	10.7	30.7	*	81	5.2	15.7	*	129	8.4	32.5	*	30	1.9	4.9	*	93	6.0	44.6	*	4
5	*	21	1.4	4.2	*	172	11.1	41.8	*	55	3.6	19.3	*	111	7.2	39.7	*	81	5.2	10.1	*	88	5.7	50.3	*	5
6	*	25	1.7	5.9	*	135	8.7	50.6	*	63	4.1	23.4	*	94	6.1	45.8	*	65	4.2	14.3	*	138	8.9	59.2	*	6
7	*	20	1.3	7.2	*	96	6.2	56.8	*	117	7.6	31.0	*	79	5.1	50.9	*	105	6.8	21.1	*	108	7.0	66.2	*	7
8	*	37	2.4	9.6	*	90	5.8	62.6	*	136	8.8	39.8	*	132	8.5	59.5	*	119	7.7	28.8	*	88	5.7	71.9	*	8
9	*	53	3.4	13.0	*	85	5.5	68.1	*	133	8.6	48.4	*	106	6.9	66.3	*	118	7.6	36.5	*	155	10.0	81.9	*	9
10	*	46	3.0	16.0	*	52	3.4	71.5	*	162	10.5	58.9	*	82	5.3	71.6	*	113	7.3	43.8	*	75	5.1	87.0	*	10
11	*	75	4.9	20.9	*	137	8.9	80.4	*	127	8.2	67.1	*	124	8.0	79.7	*	109	7.1	50.8	*	58	3.8	90.8	*	11
12	*	82	5.3	26.2	*	92	6.0	86.3	*	82	5.3	72.4	*	91	5.9	85.6	*	84	5.4	56.3	*	51	3.3	94.1	*	12
13	*	108	7.0	33.2	*	73	4.7	91.1	*	68	4.4	76.8	*	43	2.8	88.3	*	160	10.4	66.6	*	23	1.5	95.6	*	13
14	*	129	8.4	41.5	*	49	3.2	94.2	*	114	7.4	84.2	*	79	5.1	93.5	*	136	8.8	75.5	*	52	3.4	99.0	*	14
15	*	194	12.6	54.1	*	42	2.7	97.0	*	79	5.1	89.3	*	50	3.2	96.7	*	120	7.8	83.2	*	14	0.9	99.9	*	15
16	*	80	5.2	59.3	*	29	1.9	98.8	*	71	4.6	93.9	*	39	2.5	99.2	*	68	4.4	87.6	*	2	0.1	100.0	*	16
17	*	140	9.1	68.3	*	13	0.8	99.7	*	50	3.2	97.2	*	10	0.6	99.9	*	90	5.8	93.5	*	0	0.0	100.0	*	17
18	*	119	7.7	76.0	*	4	0.3	99.9	*	24	1.6	98.7	*	2	0.1	100.0	*	54	3.5	97.0	*	0	0.0	100.0	*	18
19	*	137	8.9	84.9	*	1	0.1	100.0	*	20	1.3	100.0	*	0	0.0	100.0	*	27	1.7	98.7	*	0	0.0	100.0	*	19
20	*	138	8.9	93.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	99.4	*	0	0.0	100.0	*	20
21	*	77	5.0	98.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	99.6	*	0	0.0	100.0	*	21
22	*	18	1.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	99.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.8      DMC = 16.6      DC = 132.3      ISI = 5.1      ADMC = 38.9      FWI = 8.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1544

MAXIMUM VALUES

FFMC = 94.0      DMC = 81.0      DC = 398.0      ISI = 46.9      ADMC = 102.0      FWI = 55.0

\*\*\*TOTALS FOR STATION 136 MANITOUWADGE LONG. 8548 LAT. 4909

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	26	1.7	1.7	*	96	6.3	6.3	*	92	6.0	6.0	*	98	6.4	6.4	*	23	1.5	1.5	*	275	24.4	24.4	*	1
2	*	19	1.2	2.9	*	141	9.2	15.4	*	105	6.8	12.8	*	157	10.2	16.6	*	33	2.2	3.7	*	219	14.3	38.7	*	2
3	*	20	1.3	4.2	*	164	10.7	26.1	*	122	8.0	20.8	*	175	11.4	28.0	*	31	2.0	5.7	*	87	5.7	44.4	*	3
4	*	7	0.5	4.7	*	134	8.7	34.9	*	121	7.9	28.7	*	150	9.8	37.8	*	55	3.6	9.3	*	82	5.3	49.7	*	4
5	*	20	1.3	6.0	*	121	7.9	42.8	*	91	5.9	34.6	*	118	7.7	45.5	*	115	7.5	16.8	*	75	4.9	54.6	*	5
6	*	11	0.7	6.7	*	118	7.7	50.5	*	67	4.4	39.0	*	86	5.6	51.1	*	106	6.9	23.7	*	147	9.6	64.2	*	6
7	*	37	2.4	9.1	*	103	6.7	57.2	*	111	7.2	46.2	*	56	3.7	54.8	*	117	7.6	31.3	*	92	6.0	70.2	*	7
8	*	35	2.3	11.4	*	93	6.1	63.2	*	107	7.0	53.2	*	131	8.5	63.3	*	101	6.6	37.9	*	99	6.5	76.7	*	8
9	*	44	2.9	14.3	*	90	5.9	69.1	*	80	5.2	58.4	*	100	6.5	69.8	*	103	6.7	44.6	*	151	5.8	86.5	*	9
10	*	62	4.0	18.3	*	80	5.2	74.3	*	89	5.8	64.2	*	111	7.2	77.1	*	79	5.1	49.7	*	81	5.3	91.8	*	10
11	*	71	4.6	22.9	*	149	9.7	84.0	*	83	5.4	69.6	*	124	8.1	85.1	*	75	4.9	54.6	*	53	3.5	95.2	*	11
12	*	94	6.1	29.1	*	87	5.7	89.7	*	84	5.5	75.1	*	73	4.8	89.9	*	69	4.5	59.1	*	25	1.6	96.9	*	12
13	*	109	7.1	36.2	*	54	3.5	93.2	*	108	7.0	82.1	*	52	3.4	93.3	*	147	9.6	68.7	*	17	1.1	98.0	*	13
14	*	110	7.2	43.4	*	35	2.3	95.5	*	114	7.4	89.6	*	50	3.3	96.5	*	135	8.8	77.5	*	22	1.4	99.4	*	14
15	*	204	13.3	56.6	*	46	3.0	98.5	*	68	4.4	94.0	*	27	1.8	98.3	*	107	7.0	84.5	*	7	0.5	99.9	*	15
16	*	96	6.3	62.9	*	16	1.0	99.5	*	44	2.9	96.9	*	18	1.2	99.5	*	89	5.8	90.3	*	2	0.1	100.0	*	16
17	*	100	6.5	69.4	*	7	0.5	100.0	*	17	1.1	98.0	*	3	0.2	99.7	*	85	5.5	95.8	*	0	0.0	100.0	*	17
18	*	154	10.0	79.5	*	0	0.0	100.0	*	27	1.8	99.7	*	4	0.3	99.9	*	39	2.5	98.4	*	0	0.0	100.0	*	18
19	*	142	9.3	88.7	*	0	0.0	100.0	*	4	0.3	100.0	*	1	0.1	100.0	*	21	1.4	99.7	*	0	0.0	100.0	*	19
20	*	111	7.2	96.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	20
21	*	51	3.3	99.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	9	0.6	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.1      DMC = 15.2      DC = 110.1      ISI = 4.3      ADMC = 35.1      FWI = 6.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1534

MAXIMUM VALUES

FFMC = 95.0      DMC = 68.0      DC = 363.0      ISI = 52.6      ADMC = 74.0      FWI = 59.0

\*\*\*TOTALS FOR STATION 148 MINE CENTER LONG. 9232 LAT. 4844

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	3	0.2	0.2	*	31	1.8	1.8	*	62	3.5	3.5	*	22	1.2	1.2	*	9	0.5	0.5	*	219	12.4	12.4	*	1
2	*	1	0.1	0.2	*	67	3.8	5.6	*	72	4.1	7.6	*	112	6.4	7.6	*	13	0.7	1.2	*	182	10.3	22.8	*	2
3	*	9	0.5	0.7	*	85	4.8	10.4	*	71	4.0	11.6	*	190	10.8	18.4	*	11	0.6	1.9	*	106	6.0	28.8	*	3
4	*	6	0.3	1.1	*	140	8.0	18.3	*	68	3.9	15.5	*	139	7.9	26.3	*	26	1.5	3.4	*	91	5.2	34.0	*	4
5	*	1	0.1	1.1	*	153	8.7	27.0	*	48	2.7	18.2	*	85	4.8	31.1	*	47	2.7	6.0	*	94	5.3	39.3	*	5
6	*	9	0.5	1.6	*	138	7.8	34.9	*	62	3.5	21.7	*	112	6.4	37.5	*	57	3.2	9.3	*	168	9.5	48.8	*	6
7	*	21	1.2	2.8	*	122	6.9	41.8	*	156	8.9	30.6	*	81	4.6	42.1	*	71	4.0	13.3	*	127	7.2	56.0	*	7
8	*	24	1.4	4.2	*	118	6.7	48.5	*	123	7.0	37.6	*	167	9.5	51.6	*	95	5.4	18.7	*	120	6.8	62.9	*	8
9	*	38	2.2	6.4	*	88	5.0	53.5	*	103	5.8	43.4	*	124	7.0	58.6	*	101	5.7	24.4	*	216	12.3	75.1	*	9
10	*	50	2.8	9.2	*	90	5.1	58.6	*	135	7.7	51.1	*	132	7.5	66.1	*	97	5.5	29.9	*	166	9.4	84.6	*	10
11	*	68	3.9	13.1	*	194	11.0	69.6	*	126	7.2	58.3	*	191	10.8	76.9	*	94	5.3	35.3	*	95	5.4	89.9	*	11
12	*	85	4.8	17.9	*	161	9.1	78.8	*	139	7.9	66.2	*	147	8.3	85.3	*	89	5.1	40.3	*	68	3.9	93.8	*	12
13	*	94	5.3	23.2	*	114	6.5	85.2	*	97	5.5	71.7	*	84	4.8	90.1	*	195	11.1	51.4	*	36	2.0	95.9	*	13
14	*	145	8.2	31.5	*	87	4.9	90.2	*	98	5.6	77.2	*	85	4.8	94.9	*	179	10.2	61.6	*	48	2.7	98.6	*	14
15	*	203	11.5	43.0	*	102	5.8	96.0	*	124	7.0	84.3	*	40	2.3	97.2	*	154	8.7	70.3	*	19	1.1	99.7	*	15
16	*	126	7.2	50.1	*	39	2.2	98.2	*	68	3.9	88.1	*	36	2.0	99.2	*	130	7.4	77.7	*	4	0.2	99.9	*	16
17	*	140	8.0	58.1	*	16	0.9	99.1	*	32	1.8	89.9	*	11	0.6	99.8	*	181	10.3	88.0	*	1	0.1	99.9	*	17
18	*	209	11.9	70.0	*	6	0.3	99.4	*	84	4.8	94.7	*	1	0.1	99.9	*	128	7.3	95.2	*	0	0.0	99.9	*	18
19	*	219	12.4	82.4	*	10	0.6	100.0	*	71	4.0	98.8	*	1	0.1	99.9	*	51	2.9	98.1	*	0	0.0	99.9	*	19
20	*	182	10.3	92.7	*	0	0.0	100.0	*	22	1.2	100.0	*	1	0.1	100.0	*	17	1.0	99.1	*	1	0.1	100.0	*	20
21	*	100	5.7	98.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	99.6	*	0	0.0	100.0	*	21
22	*	26	1.5	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	99.8	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.4      DMC = 21.0      DC = 149.3      ISI = 5.6      ADMC = 47.7      FWI = 9.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1761

MAXIMUM VALUES

FFMC = 95.0      DMC = 102.0      DC = 423.0      ISI = 61.1      ADMC = 105.0      FWI = 91.0

\*\*\*TOTALS FOR STATION 115 MONTREAL RIVER LONG. 7929 LAT. 4707

		FFMC			DMC			DC			ISI			ADMC			FWI					
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS	
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.		
1	*	10	0.6	0.6	*	59	3.8	3.8	*	39	2.5	2.5	*	64	4.1	4.1	*	19	1.2	1.2	*	1
2	*	13	0.8	1.5	*	75	4.8	8.6	*	60	3.9	6.4	*	136	8.8	12.9	*	21	1.4	2.6	*	2
3	*	7	0.5	1.9	*	112	7.2	15.8	*	66	4.2	10.6	*	175	11.3	24.1	*	6	0.4	3.0	*	3
4	*	10	0.6	2.6	*	121	7.8	23.6	*	59	3.8	14.4	*	155	10.0	34.1	*	27	1.7	4.7	*	4
5	*	14	0.9	3.5	*	138	8.9	32.5	*	71	4.6	19.0	*	90	5.8	39.9	*	53	3.4	8.1	*	5
6	*	20	1.3	4.8	*	138	8.7	41.2	*	55	3.5	22.5	*	92	5.9	45.8	*	75	4.8	12.9	*	6
7	*	17	1.1	5.9	*	126	8.1	49.3	*	114	7.3	29.9	*	80	5.1	51.0	*	73	4.7	17.6	*	7
8	*	30	1.9	7.8	*	96	6.2	55.5	*	125	8.0	37.9	*	128	8.2	59.2	*	100	6.4	24.1	*	8
9	*	41	2.6	10.4	*	102	6.6	62.0	*	116	7.5	45.4	*	117	7.5	66.7	*	75	4.8	28.9	*	9
10	*	62	4.0	14.4	*	73	4.7	66.7	*	104	6.7	52.1	*	90	5.8	72.5	*	91	5.9	34.7	*	10
11	*	84	5.4	19.8	*	172	11.1	77.8	*	118	7.6	59.7	*	143	9.2	81.7	*	88	5.7	40.4	*	11
12	*	77	5.0	24.8	*	129	8.3	86.1	*	113	7.3	66.9	*	106	6.8	88.5	*	102	6.6	47.0	*	12
13	*	117	7.5	32.3	*	80	5.1	91.2	*	65	4.2	71.1	*	60	3.9	92.4	*	204	13.1	60.1	*	13
14	*	125	8.0	40.3	*	55	3.5	94.8	*	77	5.0	76.1	*	68	4.4	96.8	*	157	10.1	70.2	*	14
15	*	173	11.1	51.5	*	56	3.6	98.4	*	96	6.2	82.2	*	33	2.1	98.9	*	134	8.6	78.8	*	15
16	*	100	6.4	57.9	*	23	1.5	99.9	*	117	7.5	89.8	*	14	0.9	99.8	*	101	6.5	85.3	*	16
17	*	122	7.9	65.8	*	2	0.1	100.0	*	46	3.0	92.7	*	1	0.1	99.9	*	131	8.4	93.8	*	17
18	*	143	9.2	75.0	*	0	0.0	100.0	*	59	3.8	96.5	*	2	0.1	100.0	*	54	3.5	97.2	*	18
19	*	150	9.7	84.6	*	0	0.0	100.0	*	54	3.5	100.0	*	0	0.0	100.0	*	35	2.3	99.5	*	19
20	*	143	9.2	93.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	100.0	*	20
21	*	91	5.9	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	5	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.7      DMC = 17.6      DC = 146.5      ISI = 4.6      ADMC = 42.0      FWI = 7.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1554

MAXIMUM VALUES

FFMC = 93.0      DMC = 62.0      DC = 400.0      ISI = 47.7      ADMC = 77.0      FWI = 60.0

\*\*\*TOTALS FOR STATION 132 MOOSONEE LONG. 8039 LAT. 5116

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	37	2.8	2.8	*	123	9.2	9.2	*	45	3.4	3.4	*	142	10.6	10.6	*	30	2.2	2.2	*	427	32.0	32.0	*	1
2	*	14	1.0	3.8	*	166	12.4	21.7	*	62	4.6	8.0	*	139	10.4	21.1	*	43	3.2	5.5	*	246	18.4	50.4	*	2
3	*	25	1.9	5.7	*	175	13.1	34.8	*	111	8.3	16.3	*	226	16.9	38.0	*	34	2.5	8.0	*	112	8.4	58.8	*	3
4	*	28	2.1	7.8	*	195	14.6	49.4	*	108	8.1	24.4	*	151	11.3	49.3	*	43	3.2	11.2	*	78	5.8	64.7	*	4
5	*	21	1.6	9.4	*	149	11.2	60.6	*	72	5.4	29.8	*	117	8.8	58.1	*	110	8.2	19.5	*	62	4.6	69.3	*	5
6	*	29	2.2	11.5	*	139	10.4	71.0	*	62	4.6	34.5	*	65	4.9	63.0	*	109	8.2	27.7	*	89	6.7	76.0	*	6
7	*	15	1.1	12.7	*	98	7.3	78.3	*	95	7.1	41.6	*	59	4.4	67.4	*	129	9.7	37.3	*	77	5.8	81.8	*	7
8	*	48	3.6	16.3	*	67	5.0	83.4	*	118	8.8	50.4	*	96	7.2	74.6	*	126	9.4	46.8	*	55	4.1	85.9	*	8
9	*	49	3.7	19.9	*	44	3.3	86.7	*	108	8.1	58.5	*	71	5.3	79.9	*	126	9.4	56.2	*	70	5.2	91.2	*	9
10	*	77	5.8	25.7	*	39	2.9	89.6	*	119	8.9	67.5	*	36	2.7	82.6	*	100	7.5	63.7	*	38	2.8	94.0	*	10
11	*	92	6.9	32.6	*	75	5.6	95.2	*	89	6.7	74.1	*	74	5.5	88.2	*	82	6.1	69.9	*	39	2.9	96.9	*	11
12	*	83	6.2	38.8	*	32	2.4	97.6	*	100	7.5	81.6	*	45	3.4	91.5	*	72	5.4	75.3	*	10	0.7	97.7	*	12
13	*	120	9.0	47.8	*	14	1.0	98.7	*	91	6.8	88.5	*	27	2.0	93.6	*	135	10.1	85.4	*	14	1.0	98.7	*	13
14	*	151	11.3	59.1	*	10	0.7	99.4	*	35	2.6	91.1	*	29	2.2	95.7	*	68	5.1	90.5	*	15	1.1	99.9	*	14
15	*	185	13.9	73.0	*	5	0.4	99.8	*	32	2.4	93.5	*	25	1.9	97.6	*	59	4.4	94.9	*	2	0.1	100.0	*	15
16	*	73	5.5	78.5	*	3	0.2	100.0	*	30	2.2	95.7	*	19	1.4	99.0	*	34	2.5	97.5	*	0	0.0	100.0	*	16
17	*	68	5.1	83.6	*	0	0.0	100.0	*	17	1.3	97.0	*	10	0.7	99.8	*	26	1.9	99.4	*	0	0.0	100.0	*	17
18	*	76	5.7	89.3	*	0	0.0	100.0	*	34	2.5	99.6	*	3	0.2	100.0	*	5	0.4	99.8	*	0	0.0	100.0	*	18
19	*	63	4.7	94.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	19
20	*	54	4.0	98.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	25	1.9	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 65.3      DMC = 10.4      DC = 110.5      ISI = 3.6      ADMC = 27.3      FWI = 4.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1334

MAXIMUM VALUES

FFMC = 93.0      DMC = 56.0      DC = 367.0      ISI = 45.1      ADMC = 65.0      FWI = 48.0

\*\*\*TOTALS FOR STATION 111 MUSKOKA LONG. 7918 LAT. 4458

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	7	0.4	0.4	*	40	2.4	2.4	*	66	3.9	3.9	*	79	4.7	4.7	*	14	0.8	0.8	*	279	16.6	16.6	*	1
2	*	9	0.5	1.0	*	79	4.7	7.1	*	95	5.7	9.6	*	122	7.3	12.0	*	13	0.8	1.6	*	159	11.9	28.5	*	2
3	*	14	0.8	1.8	*	115	6.8	13.9	*	94	5.6	15.2	*	159	9.5	21.4	*	9	0.5	2.1	*	75	4.5	32.9	*	3
4	*	21	1.3	3.0	*	151	9.0	22.9	*	80	4.8	20.0	*	125	7.4	28.9	*	36	2.1	4.3	*	96	5.7	38.7	*	4
5	*	21	1.3	4.3	*	148	8.8	31.7	*	70	4.2	24.1	*	98	5.8	34.7	*	59	3.5	7.8	*	75	4.5	43.1	*	5
6	*	23	1.4	5.7	*	137	8.2	39.9	*	56	3.3	27.5	*	96	5.7	40.4	*	79	4.7	12.5	*	138	8.2	51.3	*	6
7	*	27	1.6	7.3	*	109	6.5	46.4	*	98	5.8	33.3	*	65	3.9	44.3	*	100	6.0	18.5	*	151	9.0	60.3	*	7
8	*	31	1.8	9.1	*	106	6.3	52.7	*	98	5.8	39.1	*	151	9.0	53.3	*	85	5.1	23.5	*	115	6.8	67.2	*	8
9	*	36	2.1	11.3	*	95	5.7	58.4	*	80	4.8	43.9	*	139	8.3	61.6	*	105	6.3	29.8	*	201	12.0	79.2	*	9
10	*	54	3.2	14.5	*	93	5.5	63.9	*	78	4.6	48.5	*	147	8.8	70.3	*	104	6.2	36.0	*	141	8.4	87.6	*	10
11	*	66	3.9	18.4	*	186	11.1	75.0	*	91	5.4	54.0	*	181	10.8	81.1	*	85	5.1	41.0	*	84	5.0	92.6	*	11
12	*	76	4.5	22.9	*	129	7.7	82.7	*	95	5.7	59.6	*	115	6.8	88.0	*	78	4.6	45.7	*	56	3.3	95.9	*	12
13	*	82	4.9	27.8	*	92	5.5	88.1	*	82	4.9	64.5	*	81	4.8	92.8	*	194	11.6	57.2	*	35	2.1	98.0	*	13
14	*	118	7.0	34.8	*	53	3.2	91.3	*	100	6.0	70.5	*	75	4.5	97.3	*	164	9.8	67.0	*	25	1.5	99.5	*	14
15	*	164	9.9	44.6	*	63	3.8	95.1	*	115	6.8	77.3	*	32	1.9	99.2	*	129	7.7	74.7	*	7	0.4	99.9	*	15
16	*	95	5.7	50.3	*	40	2.4	97.4	*	100	6.0	83.3	*	12	0.7	99.9	*	103	6.1	80.8	*	2	0.1	100.0	*	16
17	*	131	7.8	58.1	*	21	1.3	98.7	*	115	6.8	90.1	*	2	0.1	100.0	*	142	8.5	89.3	*	0	0.0	100.0	*	17
18	*	215	12.8	70.9	*	13	0.8	99.5	*	143	8.5	98.6	*	0	0.0	100.0	*	68	4.1	93.3	*	0	0.0	100.0	*	18
19	*	237	14.1	85.1	*	9	0.5	100.0	*	23	1.4	100.0	*	0	0.0	100.0	*	44	2.6	95.9	*	0	0.0	100.0	*	19
20	*	158	10.0	95.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	34	2.0	98.0	*	0	0.0	100.0	*	20
21	*	74	4.4	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.3	99.3	*	0	0.0	100.0	*	21
22	*	9	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	99.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.7      DMC = 19.6      DC = 152.3      ISI = 4.8      ADMC = 45.3      FWI = 8.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1679

MAXIMUM VALUES

FFMC = 94.0      DMC = 99.0      DC = 388.0      ISI = 32.6      ADMC = 114.0      FWI = 57.0



\*\*\*TOTALS FOR STATION 138 NAKINA LONG. 8642 LAT. 5011

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	38	2.6	2.6	*	98	6.8	6.8	*	60	4.1	4.1	*	145	10.0	10.0	*	28	1.9	1.9	*	442	30.6	30.6	*	1
2	*	26	1.8	4.4	*	131	9.1	15.8	*	63	4.4	8.5	*	177	12.2	22.3	*	34	2.4	4.3	*	244	16.9	47.4	*	2
3	*	20	1.4	5.8	*	190	13.1	29.0	*	80	5.5	14.0	*	195	13.5	35.8	*	27	1.9	6.2	*	76	5.3	52.7	*	3
4	*	20	1.4	7.2	*	172	11.9	40.9	*	92	6.4	20.4	*	131	9.1	44.8	*	39	2.7	8.9	*	75	5.2	57.9	*	4
5	*	31	2.1	9.3	*	165	11.4	52.3	*	68	4.7	25.1	*	108	7.5	52.3	*	95	6.6	15.4	*	74	5.1	63.0	*	5
6	*	31	2.1	11.5	*	120	8.3	60.6	*	110	7.6	32.7	*	67	4.6	56.9	*	103	7.1	22.5	*	127	8.8	71.8	*	6
7	*	43	3.0	14.5	*	108	7.5	68.0	*	170	11.8	44.5	*	89	6.2	63.1	*	123	8.5	31.1	*	89	6.2	77.9	*	7
8	*	32	2.2	16.7	*	88	6.1	74.1	*	152	10.5	55.0	*	130	9.0	72.1	*	124	8.6	39.6	*	89	6.2	84.1	*	8
9	*	49	3.4	20.1	*	64	4.4	78.6	*	122	8.4	63.4	*	98	6.8	78.8	*	114	7.9	47.5	*	104	7.2	91.3	*	9
10	*	60	4.1	24.2	*	60	4.1	82.7	*	110	7.6	71.0	*	61	4.2	83.1	*	122	8.4	55.9	*	37	2.6	93.8	*	10
11	*	68	4.7	28.9	*	90	6.2	88.9	*	98	6.8	77.8	*	91	6.3	89.3	*	90	6.2	62.2	*	43	3.0	96.8	*	11
12	*	86	5.9	34.9	*	59	4.1	93.0	*	84	5.8	83.6	*	55	3.8	93.2	*	81	5.6	67.8	*	25	1.7	98.5	*	12
13	*	91	6.3	41.1	*	44	3.0	96.1	*	50	3.5	87.1	*	36	2.5	95.6	*	151	10.4	78.2	*	13	0.9	99.4	*	13
14	*	124	8.6	49.7	*	19	1.3	97.4	*	44	3.0	90.1	*	34	2.4	98.0	*	109	7.5	85.8	*	7	0.5	99.9	*	14
15	*	181	12.5	62.2	*	22	1.5	98.9	*	53	3.7	93.8	*	13	0.9	98.9	*	62	4.3	90.0	*	1	0.1	100.0	*	15
16	*	95	6.6	68.8	*	12	0.8	99.7	*	25	1.7	95.5	*	15	1.0	99.9	*	48	3.3	93.4	*	0	0.0	100.0	*	16
17	*	115	8.0	76.8	*	4	0.3	100.0	*	19	1.3	96.8	*	1	0.1	100.0	*	59	4.1	97.4	*	0	0.0	100.0	*	17
18	*	98	6.8	83.5	*	0	0.0	100.0	*	33	2.3	99.1	*	0	0.0	100.0	*	17	1.2	98.6	*	0	0.0	100.0	*	18
19	*	129	8.9	92.5	*	0	0.0	100.0	*	13	0.9	100.0	*	0	0.0	100.0	*	10	0.7	99.3	*	0	0.0	100.0	*	19
20	*	68	4.7	97.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	99.8	*	0	0.0	100.0	*	20
21	*	36	2.5	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	21
22	*	5	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 67.4      DMC = 13.0      DC = 108.3      ISI = 3.4      ADMC = 31.8      FWI = 5.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1446

MAXIMUM VALUES

FFMC = 93.0      DMC = 62.0      DC = 365.0      ISI = 30.8      ADMC = 83.0      FWI = 43.0

\*\*\*TOTALS FOR STATION 114 NORTH BAY LONG. 7925 LAT. 4622

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	16	1.1	1.1	*	61	4.0	4.0	*	54	3.6	3.6	*	108	7.2	7.2	*	18	1.2	1.2	*	345	22.9	22.9	*	1
2	*	13	0.9	1.9	*	113	7.5	11.5	*	73	4.8	8.4	*	139	9.2	16.4	*	18	1.2	2.4	*	196	13.0	35.9	*	2
3	*	20	1.3	3.3	*	149	9.9	21.4	*	83	5.5	13.9	*	177	11.7	28.1	*	14	0.9	3.3	*	97	6.4	42.3	*	3
4	*	24	1.6	4.8	*	150	10.0	31.4	*	78	5.2	19.1	*	131	8.7	36.8	*	42	2.8	6.1	*	91	6.0	48.4	*	4
5	*	24	1.6	6.4	*	147	9.8	41.1	*	57	3.8	22.9	*	95	6.3	43.1	*	74	4.9	11.0	*	72	4.8	53.2	*	5
6	*	31	2.1	8.5	*	136	9.0	50.2	*	62	4.1	27.0	*	84	5.6	48.7	*	103	6.8	17.9	*	140	9.3	62.4	*	6
7	*	27	1.8	10.3	*	119	7.9	58.1	*	123	8.2	35.2	*	91	6.0	54.7	*	104	6.9	24.8	*	114	7.6	70.0	*	7
8	*	34	2.3	12.5	*	76	5.0	63.1	*	101	6.7	41.9	*	128	8.5	63.2	*	99	6.6	31.3	*	98	6.5	76.5	*	8
9	*	45	3.0	15.5	*	78	5.2	68.3	*	102	6.8	48.6	*	135	9.0	72.2	*	104	6.9	38.2	*	158	10.5	87.0	*	9
10	*	51	3.4	18.9	*	73	4.8	73.1	*	87	5.8	54.4	*	71	4.7	76.9	*	85	5.6	43.9	*	94	6.2	93.2	*	10
11	*	68	4.5	23.4	*	134	8.9	82.0	*	114	7.6	62.0	*	159	10.6	87.5	*	106	7.0	50.9	*	48	3.2	96.4	*	11
12	*	72	4.8	28.2	*	87	5.9	87.8	*	91	6.0	68.0	*	85	5.6	93.1	*	79	5.2	56.1	*	27	1.8	98.2	*	12
13	*	100	6.6	34.8	*	64	4.2	92.0	*	64	4.2	72.3	*	45	3.0	96.1	*	165	10.9	67.1	*	12	0.8	99.0	*	13
14	*	116	7.7	42.5	*	39	2.6	94.6	*	115	7.6	79.9	*	36	2.4	98.5	*	127	8.4	75.5	*	10	0.7	99.7	*	14
15	*	191	12.7	55.2	*	52	3.5	98.1	*	102	6.8	86.7	*	14	0.9	99.4	*	105	7.0	82.5	*	4	0.3	99.9	*	15
16	*	92	6.1	61.3	*	20	1.3	99.4	*	83	5.5	92.2	*	7	0.5	99.9	*	74	4.9	87.4	*	1	0.1	100.0	*	16
17	*	139	9.2	70.5	*	9	0.6	100.0	*	57	3.8	96.0	*	2	0.1	100.0	*	93	6.2	93.6	*	0	0.0	100.0	*	17
18	*	166	11.0	81.6	*	0	0.0	100.0	*	48	3.2	99.1	*	0	0.0	100.0	*	52	3.5	97.0	*	0	0.0	100.0	*	18
19	*	152	10.1	91.6	*	0	0.0	100.0	*	13	0.9	100.0	*	0	0.0	100.0	*	36	2.4	99.4	*	0	0.0	100.0	*	19
20	*	105	7.0	98.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	99.9	*	0	0.0	100.0	*	20
21	*	20	1.3	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.9      DMC = 16.0      DC = 135.2      ISI = 3.8      ADMC = 38.1      FWI = 6.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1507

MAXIMUM VALUES

FFMC = 93.0      DMC = 67.0      DC = 388.0      ISI = 36.4      ADMC = 81.0      FWI = 54.0

\*\*\*TOTALS FOR STATION 156 OTTAWA INT. A LONG. 7540 LAT. 4519

FFMC			DMC			DC			ISI			ADMC			FWI								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS	
1	*	3	0.2	0.2	*	14	0.8	0.8	*	48	2.7	2.7	*	41	2.3	2.3	*	2	0.1	0.1	*	155	10.9
2	*	5	0.3	0.4	*	53	3.0	3.7	*	53	3.0	5.6	*	111	6.2	8.5	*	7	0.4	0.5	*	203	11.3
3	*	6	0.3	0.8	*	100	5.6	9.2	*	44	2.5	8.1	*	157	8.8	17.2	*	7	0.4	0.9	*	101	5.6
4	*	12	0.7	1.5	*	116	6.5	15.8	*	57	3.2	11.3	*	130	7.3	24.5	*	19	1.1	2.0	*	105	5.9
5	*	11	0.6	2.1	*	121	6.8	22.5	*	48	2.7	14.0	*	131	7.3	31.8	*	34	1.9	3.9	*	78	4.4
6	*	19	1.1	3.1	*	132	7.4	29.9	*	55	3.1	17.0	*	95	5.3	37.1	*	44	2.5	6.3	*	155	8.6
7	*	20	1.1	4.2	*	164	9.2	39.1	*	83	4.6	21.7	*	83	4.6	41.7	*	62	3.5	9.8	*	143	8.0
8	*	14	0.8	5.0	*	124	6.9	46.0	*	84	4.7	26.3	*	162	9.0	50.8	*	72	4.0	13.8	*	151	8.4
9	*	32	1.8	6.8	*	133	7.4	53.4	*	89	5.0	31.3	*	142	7.9	58.7	*	95	5.3	19.1	*	204	11.4
10	*	53	3.0	9.8	*	115	6.4	59.8	*	86	4.8	36.1	*	133	7.4	66.1	*	93	5.2	24.3	*	151	8.4
11	*	70	3.9	13.7	*	244	13.6	73.4	*	102	5.7	41.8	*	209	11.7	77.8	*	95	5.3	29.6	*	124	6.9
12	*	78	4.4	18.0	*	147	8.2	81.6	*	98	5.5	47.3	*	121	6.8	84.5	*	108	6.0	35.6	*	68	2.8
13	*	101	5.6	23.7	*	101	5.6	87.3	*	95	5.3	52.6	*	93	5.2	89.7	*	239	13.3	48.9	*	43	2.4
14	*	125	7.0	30.6	*	67	3.7	91.0	*	149	8.3	60.9	*	110	6.1	95.9	*	221	12.3	61.3	*	46	2.6
15	*	195	10.9	41.5	*	74	4.1	95.1	*	139	7.8	68.6	*	41	2.3	98.2	*	162	9.0	70.3	*	16	0.9
16	*	124	6.9	48.4	*	38	2.1	97.3	*	174	9.7	78.3	*	22	1.2	99.4	*	133	7.4	77.7	*	5	0.3
17	*	144	8.0	56.5	*	29	1.6	98.9	*	156	8.7	87.1	*	7	0.4	99.8	*	181	10.1	87.8	*	4	0.2
18	*	215	12.0	68.5	*	18	1.0	99.9	*	121	6.8	93.8	*	4	0.2	100.0	*	54	5.2	93.1	*	C	0.0
19	*	228	12.7	81.2	*	2	0.1	100.0	*	68	3.8	97.6	*	0	0.0	100.0	*	49	2.7	95.8	*	C	0.0
20	*	224	12.5	93.7	*	C	0.0	100.0	*	43	2.4	100.0	*	0	0.0	100.0	*	41	2.3	98.1	*	C	0.0
21	*	98	5.5	99.2	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	25	1.4	99.5	*	C	0.0
22	*	15	0.8	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	8	0.4	99.9	*	C	0.0
23	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0
25	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0

AVERAGE VALUES

FFMC = 77.2      DMC = 20.9      DC = 184.9      ISI = 5.5      ADMC = 50.2      FWI = 9.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1792

MAXIMUM VALUES

FFMC = 94.0      DMC = 82.0      DC = 448.0      ISI = 44.5      ADMC = 103.0      FWI = 68.0

\*\*\*TOTALS FOR STATION 139 PAGWA LONG. 8516 LAT. 5002

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	23	1.6	1.6	*	56	3.8	3.8	*	67	4.6	4.6	*	76	5.2	5.2	*	20	1.4	1.4	*	311	21.2	21.3	*	1
2	*	7	0.5	2.1	*	95	6.5	10.4	*	95	6.5	11.1	*	139	9.5	14.7	*	25	1.7	3.1	*	254	17.4	38.8	*	2
3	*	11	0.8	2.8	*	145	9.9	20.3	*	107	7.3	18.4	*	202	13.9	28.6	*	12	0.8	3.9	*	78	5.3	44.1	*	3
4	*	15	1.0	3.8	*	178	12.2	32.5	*	94	6.4	24.9	*	139	9.5	38.1	*	29	2.0	5.9	*	91	6.2	50.3	*	4
5	*	13	0.9	4.7	*	163	11.2	43.7	*	76	5.2	30.1	*	101	6.9	45.1	*	90	6.2	12.1	*	82	5.6	56.0	*	5
6	*	15	1.0	5.8	*	118	8.1	51.8	*	82	5.6	35.7	*	85	5.8	50.9	*	88	6.0	18.1	*	129	8.8	64.8	*	6
7	*	25	1.7	7.5	*	111	7.6	59.4	*	150	10.3	46.0	*	70	4.8	55.7	*	122	8.4	26.5	*	116	8.0	72.8	*	7
8	*	34	2.3	9.8	*	89	6.1	65.5	*	102	7.0	53.0	*	136	9.3	65.0	*	105	7.2	33.7	*	92	6.3	79.1	*	8
9	*	44	3.0	12.8	*	82	5.6	71.1	*	104	7.1	60.2	*	121	8.3	73.3	*	104	7.1	40.8	*	126	8.6	87.7	*	9
10	*	63	4.3	17.1	*	66	4.5	75.7	*	101	6.9	67.1	*	82	5.6	78.9	*	95	6.5	47.3	*	68	4.7	92.4	*	10
11	*	64	4.4	21.5	*	143	9.8	85.5	*	93	6.4	73.5	*	108	7.4	86.4	*	103	7.1	54.4	*	42	2.9	95.3	*	11
12	*	85	5.8	27.4	*	92	6.3	91.8	*	53	3.6	77.1	*	59	4.0	90.4	*	76	5.2	59.6	*	28	1.9	97.2	*	12
13	*	102	7.0	34.4	*	51	3.5	95.3	*	52	3.6	80.7	*	42	2.9	93.3	*	174	11.9	71.5	*	18	1.2	98.4	*	13
14	*	124	8.5	42.9	*	30	2.1	97.3	*	73	5.0	85.7	*	48	3.3	96.6	*	126	8.6	80.2	*	20	1.4	99.8	*	14
15	*	197	13.5	56.4	*	33	2.3	99.6	*	70	4.8	90.5	*	26	1.8	98.4	*	91	6.2	86.4	*	3	0.2	100.0	*	15
16	*	107	7.3	63.7	*	6	0.4	100.0	*	63	4.3	94.8	*	20	1.4	99.7	*	63	4.3	90.7	*	0	0.0	100.0	*	16
17	*	116	8.0	71.7	*	0	0.0	100.0	*	37	2.5	97.3	*	3	0.2	99.9	*	94	6.4	97.2	*	0	0.0	100.0	*	17
18	*	135	9.3	80.9	*	0	0.0	100.0	*	32	2.2	99.5	*	1	0.1	100.0	*	31	2.1	99.3	*	0	0.0	100.0	*	18
19	*	134	9.2	90.1	*	0	0.0	100.0	*	7	0.5	100.0	*	0	0.0	100.0	*	10	0.7	100.0	*	0	0.0	100.0	*	19
20	*	95	6.5	96.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	38	2.6	99.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	11	0.8	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.8      DMC = 14.8      DC = 113.0      ISI = 4.1      ADMC = 35.3      FWI = 6.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1458

MAXIMUM VALUES

FFMC = 94.0      DMC = 54.0      DC = 382.0      ISI = 43.7      ADMC = 69.0      FWI = 50.0

\*\*\*TOTALS FOR STATION 112 PARRY SOUND LONG. 8000 LAT. 4520

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	11	0.7	0.7	*	33	2.0	2.0	*	65	4.0	4.0	*	63	3.9	3.9	*	10	0.6	0.6	*	230	14.2	14.2	*	1
2	*	10	0.6	1.3	*	65	4.0	6.0	*	62	3.8	7.8	*	94	5.8	9.7	*	14	0.9	1.5	*	185	11.4	25.5	*	2
3	*	14	0.9	2.2	*	114	7.0	13.0	*	71	4.4	12.2	*	153	9.4	19.1	*	11	0.7	2.2	*	92	5.7	31.2	*	3
4	*	10	0.6	2.8	*	143	8.8	21.8	*	83	5.1	17.3	*	139	8.6	27.6	*	20	1.2	3.4	*	72	4.4	35.6	*	4
5	*	12	0.7	3.5	*	136	8.4	30.2	*	61	3.8	21.0	*	86	5.3	32.9	*	51	3.1	6.5	*	88	5.4	41.0	*	5
6	*	17	1.0	4.6	*	131	8.1	38.3	*	59	3.6	24.7	*	84	5.2	38.1	*	73	4.5	11.0	*	120	8.0	49.0	*	6
7	*	19	1.2	5.7	*	134	8.2	46.5	*	122	7.5	32.2	*	75	4.6	42.7	*	79	4.9	15.9	*	147	9.0	58.1	*	7
8	*	19	1.2	6.9	*	112	6.9	53.4	*	108	6.6	38.8	*	159	9.8	52.5	*	88	5.4	21.3	*	125	7.7	65.8	*	8
9	*	35	2.2	9.0	*	89	5.5	58.9	*	74	4.6	43.4	*	128	7.9	60.4	*	118	7.3	28.6	*	156	12.1	77.8	*	9
10	*	57	3.5	12.6	*	78	4.8	63.7	*	90	5.5	48.9	*	141	8.7	69.0	*	104	6.4	35.0	*	143	8.8	86.6	*	10
11	*	61	3.8	16.3	*	152	9.4	73.0	*	111	6.8	55.8	*	179	11.0	80.1	*	87	5.4	40.3	*	72	4.4	91.1	*	11
12	*	83	5.1	21.4	*	119	7.3	80.4	*	114	7.0	62.8	*	114	7.0	87.1	*	104	6.4	46.7	*	54	3.3	94.4	*	12
13	*	99	6.1	27.5	*	89	5.5	85.8	*	103	6.3	69.1	*	70	4.3	91.4	*	175	10.8	57.5	*	35	2.2	96.6	*	13
14	*	99	6.1	33.6	*	66	4.1	89.9	*	96	5.9	75.0	*	78	4.8	96.2	*	151	9.3	66.8	*	39	2.4	99.0	*	14
15	*	171	10.5	44.1	*	72	4.4	94.3	*	93	5.7	80.7	*	35	2.2	98.3	*	92	5.7	72.4	*	13	0.8	99.8	*	15
16	*	111	6.8	51.0	*	39	2.4	96.7	*	85	5.2	86.0	*	23	1.4	99.8	*	84	5.2	77.6	*	2	0.1	99.9	*	16
17	*	146	9.0	59.9	*	22	1.4	98.1	*	74	4.6	90.5	*	4	0.2	100.0	*	151	9.3	86.9	*	2	0.1	100.0	*	17
18	*	187	11.5	71.4	*	16	1.0	99.1	*	110	6.8	97.3	*	0	0.0	100.0	*	94	5.8	92.7	*	0	0.0	100.0	*	18
19	*	224	13.8	85.2	*	14	0.9	99.9	*	33	2.0	99.3	*	0	0.0	100.0	*	44	2.7	95.4	*	0	0.0	100.0	*	19
20	*	164	10.1	95.3	*	1	0.1	100.0	*	11	0.7	100.0	*	0	0.0	100.0	*	32	2.0	97.4	*	0	0.0	100.0	*	20
21	*	68	4.2	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19	1.2	98.5	*	0	0.0	100.0	*	21
22	*	8	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.8	99.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	11	0.7	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.4      DMC = 20.4      DC = 150.1      ISI = 5.1      ADMC = 47.0      FWI = 9.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1625

MAXIMUM VALUES

FFMC = 93.0      DMC = 111.0      DC = 439.0      ISI = 37.2      ADMC = 124.0      FWI = 66.0

\*\*\*TOTALS FOR STATION 153 PICKLE LAKE LONG. 9012 LAT. 5127

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	36	2.5	2.5	*	115	7.8	7.8	*	68	4.6	4.6	*	116	7.9	7.9	*	33	2.3	2.3	*	439	29.9	29.9	*	1
2	*	17	1.2	3.6	*	128	8.7	16.6	*	77	5.3	9.9	*	193	13.2	21.1	*	41	2.8	5.0	*	270	18.4	48.4	*	2
3	*	23	1.6	5.2	*	180	12.3	28.9	*	83	5.7	15.6	*	224	15.3	36.4	*	34	2.3	7.4	*	109	7.4	55.8	*	3
4	*	14	1.0	6.1	*	192	13.1	42.0	*	85	5.8	21.4	*	176	12.0	48.4	*	38	2.6	10.0	*	113	7.7	63.5	*	4
5	*	22	1.5	7.6	*	177	12.1	54.0	*	74	5.0	26.4	*	126	8.6	57.0	*	75	5.1	15.1	*	79	5.4	68.9	*	5
6	*	14	1.0	8.6	*	140	9.5	63.6	*	78	5.3	31.7	*	92	6.3	63.2	*	92	6.3	21.4	*	121	8.9	77.8	*	6
7	*	27	1.8	10.4	*	122	8.3	71.9	*	145	9.9	41.6	*	103	7.0	70.3	*	128	8.7	30.1	*	94	6.4	84.2	*	7
8	*	50	3.4	13.8	*	92	6.3	78.2	*	126	8.6	50.2	*	116	7.9	78.2	*	150	10.2	40.3	*	78	5.3	89.6	*	8
9	*	59	4.0	17.9	*	63	4.3	82.5	*	120	8.2	58.4	*	81	5.5	83.7	*	147	10.0	50.3	*	94	6.4	96.0	*	9
10	*	51	3.5	21.4	*	42	2.9	85.3	*	123	8.4	66.8	*	88	6.0	89.7	*	121	8.3	58.6	*	29	2.0	98.0	*	10
11	*	76	5.2	26.5	*	100	6.8	92.2	*	97	6.6	73.4	*	74	5.0	94.7	*	92	6.3	64.9	*	10	0.7	98.6	*	11
12	*	111	7.6	34.1	*	54	3.7	95.8	*	95	6.5	79.9	*	32	2.2	96.9	*	71	4.8	69.7	*	11	0.8	99.4	*	12
13	*	120	8.2	42.3	*	32	2.2	98.0	*	90	6.1	86.0	*	22	1.5	98.4	*	165	11.3	81.0	*	2	0.2	99.6	*	13
14	*	162	11.1	53.3	*	15	1.0	99.0	*	96	6.5	92.6	*	14	1.0	99.4	*	102	7.0	87.9	*	6	0.4	100.0	*	14
15	*	208	14.2	67.5	*	13	0.9	99.9	*	71	4.8	97.4	*	3	0.2	99.6	*	69	4.7	92.6	*	0	0.0	100.0	*	15
16	*	84	5.7	73.3	*	1	0.1	100.0	*	30	2.0	99.5	*	6	0.4	100.0	*	46	3.1	95.8	*	0	0.0	100.0	*	16
17	*	115	7.8	81.1	*	0	0.0	100.0	*	8	0.5	100.0	*	0	0.0	100.0	*	48	3.3	99.0	*	0	0.0	100.0	*	17
18	*	115	7.8	88.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.9	99.9	*	0	0.0	100.0	*	18
19	*	96	6.5	95.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	19
20	*	42	2.9	98.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	19	1.3	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	4	0.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 67.7      DMC = 11.8      DC = 108.9      ISI = 2.7      ADCM = 30.1      FWI = 3.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1466

MAXIMUM VALUES

FFMC = 95.0      DMC = 51.0      DC = 288.0      ISI = 24.5      ADCM = 62.0      FWI = 36.0

\*\*\*TOTALS FOR STATION 122 RAYNOR LONG. 8330 LAT. 4620

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	6	0.4	0.4	*	53	3.3	3.3	*	63	4.0	4.0	*	42	2.6	2.6	*	18	1.1	1.1	*	213	13.4	13.4	*	1
2	*	7	0.4	0.8	*	99	6.2	9.6	*	67	4.2	8.2	*	96	6.1	8.7	*	18	1.1	2.3	*	213	13.4	26.9	*	2
3	*	9	0.6	1.4	*	150	9.5	19.1	*	71	4.5	12.7	*	124	7.8	16.5	*	7	0.4	2.7	*	104	6.6	33.4	*	3
4	*	10	0.6	2.0	*	174	11.0	30.0	*	72	4.5	17.2	*	153	9.7	26.2	*	32	2.0	4.7	*	87	5.5	38.9	*	4
5	*	8	0.5	2.5	*	165	10.4	40.4	*	74	4.7	21.9	*	118	7.4	33.6	*	76	4.8	9.5	*	114	7.2	46.1	*	5
6	*	12	0.8	3.3	*	154	9.7	50.2	*	75	4.7	26.6	*	96	6.1	39.7	*	97	6.1	15.6	*	182	11.5	57.6	*	6
7	*	25	1.6	4.9	*	137	8.6	58.8	*	133	8.4	35.0	*	81	5.1	44.8	*	110	6.9	22.6	*	108	6.8	64.4	*	7
8	*	25	1.6	6.4	*	100	6.3	65.1	*	125	7.9	42.9	*	173	10.9	55.7	*	110	6.9	29.5	*	102	6.4	70.9	*	8
9	*	52	3.2	9.7	*	87	5.5	70.6	*	105	6.6	49.5	*	142	9.0	64.7	*	120	7.6	37.1	*	170	10.7	81.6	*	9
10	*	63	4.0	13.7	*	70	4.4	75.0	*	98	6.2	55.7	*	102	6.4	71.1	*	126	7.9	45.0	*	111	7.0	88.6	*	10
11	*	60	3.8	17.5	*	124	7.8	82.8	*	80	5.0	60.8	*	161	10.2	81.3	*	103	6.5	51.5	*	87	5.5	94.1	*	11
12	*	90	5.7	23.2	*	74	4.7	87.5	*	69	4.4	65.1	*	119	7.5	88.8	*	84	5.3	56.8	*	35	2.2	96.3	*	12
13	*	104	6.6	29.7	*	71	4.5	92.0	*	77	4.9	70.0	*	68	4.3	93.1	*	175	11.0	67.9	*	22	1.4	97.7	*	13
14	*	130	8.2	37.9	*	32	2.0	94.0	*	107	6.8	76.7	*	78	4.9	98.0	*	122	7.7	75.6	*	27	1.7	99.4	*	14
15	*	236	14.9	52.8	*	40	2.5	96.5	*	111	7.0	83.7	*	19	1.2	99.2	*	83	5.2	80.8	*	7	0.4	99.8	*	15
16	*	129	8.1	60.9	*	29	1.8	98.4	*	101	6.4	90.1	*	11	0.7	99.9	*	71	4.5	85.3	*	2	0.1	99.9	*	16
17	*	173	10.9	71.9	*	14	0.9	99.2	*	71	4.5	94.6	*	2	0.1	100.0	*	100	6.3	91.6	*	1	0.1	100.0	*	17
18	*	200	12.6	84.5	*	9	0.6	99.8	*	67	4.2	98.8	*	0	0.0	100.0	*	53	3.3	95.0	*	0	0.0	100.0	*	18
19	*	126	7.9	92.4	*	3	0.2	100.0	*	18	1.1	99.9	*	0	0.0	100.0	*	35	2.2	97.2	*	0	0.0	100.0	*	19
20	*	100	6.3	98.7	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	24	1.5	98.7	*	0	0.0	100.0	*	20
21	*	19	1.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.8	99.5	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	99.8	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.9      DMC = 16.4      DC = 139.4      ISI = 4.7      ADMC = 39.8      FWI = 7.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1585

MAXIMUM VALUES

FFMC = 93.0      DMC = 88.0      DC = 401.0      ISI = 36.8      ADMC = 107.0      FWI = 61.0

\*\*\*TOTALS FOR STATION 123 SAULT STE MARIE LONG. 8420 LAT. 4632

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	26	1.6	1.6	*	76	4.7	4.7	*	67	4.1	4.1	*	103	6.3	6.3	*	28	1.7	1.7	*	296	18.1	18.1	*	1
2	*	14	0.9	2.4	*	112	6.9	11.5	*	51	3.1	7.2	*	115	7.0	13.3	*	22	1.3	3.1	*	213	13.0	31.2	*	2
3	*	23	1.4	3.9	*	138	8.5	20.0	*	55	3.4	10.7	*	145	8.9	22.2	*	16	1.0	4.0	*	96	5.9	37.0	*	3
4	*	10	0.6	4.5	*	159	9.7	29.7	*	64	3.9	14.6	*	131	8.0	30.3	*	40	2.4	6.5	*	82	5.0	42.1	*	4
5	*	22	1.3	5.8	*	155	9.5	39.2	*	61	3.7	18.3	*	138	8.5	38.7	*	67	4.1	10.6	*	85	5.2	47.3	*	5
6	*	24	1.5	7.3	*	139	8.5	47.7	*	81	5.0	23.3	*	88	5.4	44.1	*	84	5.1	15.7	*	151	9.2	56.5	*	6
7	*	27	1.7	8.9	*	103	6.3	54.0	*	128	7.8	31.1	*	86	5.3	49.4	*	89	5.5	21.2	*	110	6.7	63.3	*	7
8	*	38	2.3	11.3	*	98	6.0	60.0	*	113	6.9	38.0	*	148	9.1	58.4	*	110	6.7	27.9	*	125	7.7	70.9	*	8
9	*	63	3.9	15.1	*	77	4.7	64.7	*	102	6.2	44.3	*	124	7.6	66.0	*	112	6.9	34.8	*	160	9.8	80.7	*	9
10	*	46	2.8	17.9	*	95	5.8	70.5	*	98	6.0	50.3	*	96	5.9	71.9	*	114	7.0	41.8	*	123	7.5	88.2	*	10
11	*	62	3.8	21.7	*	143	8.8	79.3	*	82	5.0	55.3	*	155	9.5	81.4	*	111	6.8	48.6	*	80	4.9	93.1	*	11
12	*	93	5.7	27.4	*	85	5.2	84.5	*	79	4.8	60.1	*	106	6.5	87.9	*	74	4.5	53.1	*	40	2.4	95.6	*	12
13	*	117	7.2	34.6	*	59	3.6	88.1	*	72	4.5	64.6	*	75	4.6	92.5	*	173	10.6	63.7	*	35	2.1	97.7	*	13
14	*	109	6.7	41.3	*	50	3.1	91.2	*	106	6.5	71.1	*	80	4.9	97.4	*	133	8.1	71.8	*	28	1.7	99.4	*	14
15	*	217	13.3	54.6	*	70	4.3	95.5	*	124	7.6	78.7	*	30	1.8	99.2	*	114	7.0	78.8	*	8	0.5	99.9	*	15
16	*	109	6.7	61.2	*	33	2.0	97.5	*	118	7.2	85.9	*	10	0.6	99.8	*	58	3.6	82.4	*	0	0.0	99.9	*	16
17	*	158	9.7	70.9	*	19	1.2	98.7	*	90	5.5	91.4	*	3	0.2	100.0	*	90	5.5	87.9	*	1	0.1	100.0	*	17
18	*	169	10.3	81.3	*	17	1.0	99.7	*	115	7.0	98.5	*	0	0.0	100.0	*	79	4.8	92.7	*	0	0.0	100.0	*	18
19	*	176	10.8	92.0	*	5	0.3	100.0	*	17	1.0	99.5	*	0	0.0	100.0	*	48	2.9	95.7	*	0	0.0	100.0	*	19
20	*	90	5.5	97.6	*	0	0.0	100.0	*	8	0.5	100.0	*	0	0.0	100.0	*	38	2.3	98.0	*	0	0.0	100.0	*	20
21	*	40	2.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21	1.3	99.3	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	99.8	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.3      DMC = 17.8      DC = 153.3      ISI = 4.6      ADMC = 42.4      FWI = 7.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1633

MAXIMUM VALUES

FFMC = 92.0      DMC = 88.0      DC = 442.0      ISI = 35.1      ADMC = 105.0      FWI = 61.0



\*\*\*TOTALS FOR STATION 149 SIOUX LOOKOUT LONG. 9154 LAT. 5007

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.								
1	*	6	0.4	0.4	*	63	4.0	4.0	*	61	3.9	3.9	*	86	5.5	5.5	*	19	1.2	1.2	*	362	23.2	23.2	*	1
2	*	13	0.8	1.2	*	110	6.4	10.5	*	54	3.5	7.4	*	178	11.4	17.0	*	22	1.4	2.6	*	182	11.7	34.9	*	2
3	*	19	1.2	2.4	*	126	8.1	18.6	*	81	5.2	12.6	*	183	11.8	28.7	*	16	1.0	3.7	*	89	5.7	40.7	*	3
4	*	17	1.1	3.5	*	150	9.6	29.2	*	76	4.9	17.5	*	103	6.6	35.3	*	32	2.1	5.7	*	81	5.2	45.9	*	4
5	*	21	1.3	4.9	*	125	8.0	36.2	*	71	4.6	22.0	*	98	6.3	41.6	*	62	4.0	9.7	*	69	4.4	50.3	*	5
6	*	24	1.5	6.4	*	132	8.5	44.7	*	79	5.1	27.1	*	82	5.3	46.9	*	98	6.3	16.0	*	125	8.0	58.3	*	6
7	*	33	2.1	8.5	*	131	8.4	53.1	*	206	13.2	40.3	*	65	4.2	51.1	*	87	5.6	21.6	*	125	8.0	66.3	*	7
8	*	39	2.5	11.0	*	93	6.0	59.1	*	167	10.7	51.1	*	152	9.8	60.8	*	106	6.8	28.4	*	117	7.5	73.9	*	8
9	*	50	3.2	14.3	*	79	5.1	64.2	*	140	9.0	60.1	*	118	7.6	68.4	*	96	6.2	34.6	*	157	10.1	83.9	*	9
10	*	64	4.1	18.4	*	63	4.0	68.2	*	121	7.8	67.8	*	119	7.6	76.0	*	88	5.7	40.2	*	105	6.7	90.7	*	10
11	*	62	4.0	22.4	*	127	8.2	76.4	*	108	6.9	74.8	*	154	9.9	85.9	*	100	6.4	46.6	*	64	4.1	94.8	*	11
12	*	78	5.0	27.4	*	100	6.4	82.8	*	61	3.9	78.7	*	70	4.5	90.4	*	76	4.9	51.5	*	36	2.3	97.1	*	12
13	*	84	5.4	32.8	*	81	5.2	88.0	*	40	2.6	81.2	*	70	4.5	94.9	*	191	12.3	63.8	*	28	1.8	98.9	*	13
14	*	103	6.6	39.4	*	67	4.3	92.3	*	56	3.6	84.8	*	44	2.8	97.8	*	143	9.2	73.0	*	15	1.0	99.9	*	14
15	*	184	11.8	51.2	*	72	4.6	96.9	*	63	4.0	88.9	*	18	1.2	98.9	*	117	7.5	80.5	*	2	0.1	100.0	*	15
16	*	89	5.7	56.9	*	31	2.0	98.9	*	63	4.0	92.9	*	14	0.9	99.8	*	80	5.1	85.6	*	0	0.0	100.0	*	16
17	*	114	7.3	64.2	*	11	0.7	99.6	*	34	2.2	95.1	*	2	0.1	99.9	*	112	7.2	92.8	*	0	0.0	100.0	*	17
18	*	154	9.9	74.1	*	6	0.4	100.0	*	65	4.2	99.3	*	0	0.0	99.9	*	57	3.7	96.5	*	0	0.0	100.0	*	18
19	*	181	11.6	85.7	*	0	0.0	100.0	*	11	0.7	100.0	*	1	0.1	100.0	*	30	1.9	98.4	*	0	0.0	100.0	*	19
20	*	145	9.3	95.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	1.0	99.4	*	0	0.0	100.0	*	20
21	*	63	4.0	99.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	99.8	*	0	0.0	100.0	*	21
22	*	11	0.7	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.6      DMC = 17.9      DC = 119.5      ISI = 4.2      ADMC = 40.4      FWI = 7.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1557

MAXIMUM VALUES

FFMC = 96.0      DMC = 80.0      DC = 381.0      ISI = 54.8      ADMC = 97.0      FWI = 47.0

\*\*\*TOTALS FOR STATION 131 SMOKY FALLS LONG, 8210 LAT, 5004

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	33	2.3	2.3	*	103	7.2	7.2	*	84	5.9	5.9	*	106	7.4	7.4	*	29	2.0	2.0	*	375	26.3	26.3	*	1
2	*	13	0.9	3.2	*	121	8.5	15.7	*	93	6.5	12.4	*	148	10.4	17.8	*	38	2.7	4.7	*	228	16.0	42.3	*	2
3	*	13	0.9	4.1	*	153	10.7	26.5	*	93	6.5	18.9	*	194	13.6	31.4	*	27	1.9	6.6	*	98	6.9	49.2	*	3
4	*	13	0.9	5.1	*	158	11.1	37.5	*	104	7.3	26.2	*	142	10.0	41.4	*	54	3.8	10.4	*	81	5.7	54.9	*	4
5	*	24	1.7	6.7	*	149	10.5	48.0	*	82	5.8	32.0	*	113	7.9	49.3	*	91	6.4	16.8	*	78	5.5	60.4	*	5
6	*	24	1.7	8.4	*	141	9.9	57.9	*	66	4.6	36.6	*	90	6.3	55.6	*	86	6.0	22.8	*	132	9.3	69.6	*	6
7	*	21	1.5	9.9	*	96	6.7	64.6	*	105	7.4	44.0	*	73	5.1	60.8	*	94	6.6	29.4	*	92	6.5	76.1	*	7
8	*	43	3.0	12.9	*	105	7.4	72.0	*	118	8.3	52.3	*	119	8.4	69.1	*	114	8.0	37.4	*	91	6.4	82.5	*	8
9	*	45	3.2	16.1	*	85	6.0	78.0	*	113	7.9	60.2	*	96	6.7	75.9	*	117	8.2	45.6	*	93	6.5	89.0	*	9
10	*	63	4.4	20.5	*	61	4.3	82.2	*	75	5.3	65.5	*	69	4.8	80.7	*	99	6.9	52.6	*	56	3.9	92.9	*	10
11	*	81	5.7	26.2	*	102	7.2	89.4	*	82	5.8	71.2	*	94	6.6	87.3	*	106	7.4	60.0	*	48	3.4	96.3	*	11
12	*	85	6.0	32.1	*	61	4.3	93.7	*	90	6.3	77.5	*	51	3.6	90.9	*	76	5.3	65.3	*	19	1.3	97.6	*	12
13	*	91	6.4	38.5	*	34	2.4	96.1	*	76	5.3	82.9	*	35	2.5	93.3	*	141	9.9	75.2	*	13	0.9	98.5	*	13
14	*	168	11.8	50.3	*	22	1.5	97.6	*	56	3.9	86.8	*	51	3.6	96.9	*	139	9.8	85.0	*	18	1.3	99.8	*	14
15	*	167	11.7	62.0	*	22	1.5	99.2	*	68	4.8	91.6	*	16	1.1	98.0	*	86	6.0	91.0	*	3	0.2	100.0	*	15
16	*	98	6.9	68.9	*	11	0.8	99.9	*	72	5.1	96.6	*	21	1.5	99.5	*	39	2.7	93.8	*	0	0.0	100.0	*	16
17	*	109	7.6	76.6	*	1	0.1	100.0	*	48	3.4	100.0	*	7	0.5	100.0	*	52	3.6	97.4	*	0	0.0	100.0	*	17
18	*	107	7.5	84.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	1.8	99.2	*	0	0.0	100.0	*	18
19	*	127	8.9	93.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.8	100.0	*	0	0.0	100.0	*	19
20	*	69	4.8	97.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	25	1.8	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	6	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.1      DMC = 13.2      DC = 110.7      ISI = 3.9      ADMC = 32.2      FWI = 5.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1425

MAXIMUM VALUES

FFMC = 94.0      DMC = 63.0      DC = 300.0      ISI = 35.8      ADMC = 67.0      FWI = 43.0

\*\*\*TOTALS FOR STATION 105 STIRLING

LONG. 7738 LAT. 4419

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	3	0.2	0.2	*	16	0.9	0.9	*	56	3.0	3.0	*	63	3.4	3.4	*	6	0.3	0.3	*	202	10.9	10.9	*	1
2	*	6	0.3	0.5	*	42	2.3	3.1	*	71	3.8	6.9	*	101	5.5	8.9	*	6	0.3	0.6	*	162	8.8	19.7	*	2
3	*	9	0.5	1.0	*	69	3.7	6.9	*	51	2.9	9.6	*	137	7.4	16.3	*	7	0.4	1.0	*	95	5.1	24.8	*	3
4	*	16	0.9	1.8	*	108	5.8	12.7	*	47	2.5	12.2	*	125	6.8	23.0	*	16	0.9	1.9	*	81	4.4	29.2	*	4
5	*	20	1.1	2.9	*	110	5.9	18.6	*	59	3.2	15.4	*	87	4.7	27.7	*	34	1.8	3.7	*	68	3.7	32.9	*	5
6	*	17	0.9	3.8	*	133	7.2	25.8	*	54	2.9	18.3	*	100	5.4	33.1	*	53	2.9	6.6	*	172	9.3	42.2	*	6
7	*	19	1.0	4.9	*	120	6.5	32.3	*	80	4.3	22.6	*	93	5.0	38.2	*	48	2.6	9.2	*	147	7.9	50.1	*	7
8	*	19	1.0	5.9	*	121	6.5	38.9	*	84	4.5	27.1	*	183	9.9	48.1	*	67	3.6	12.8	*	139	7.5	57.6	*	8
9	*	34	1.8	7.7	*	118	6.4	45.2	*	62	3.4	30.5	*	166	9.0	57.0	*	70	3.8	16.6	*	253	13.7	71.3	*	9
10	*	32	1.7	9.5	*	111	6.0	51.2	*	61	3.3	33.8	*	161	8.7	65.7	*	88	4.8	21.4	*	198	10.7	82.0	*	10
11	*	67	3.6	13.1	*	244	13.2	64.4	*	58	3.1	36.9	*	242	13.1	78.8	*	81	4.4	25.7	*	118	6.4	88.4	*	11
12	*	81	4.4	17.5	*	158	8.5	73.0	*	51	2.8	39.7	*	129	7.0	85.8	*	91	4.9	30.6	*	76	4.1	92.5	*	12
13	*	73	3.9	21.4	*	133	7.2	80.2	*	73	3.9	43.6	*	103	5.6	91.4	*	215	11.6	42.3	*	64	3.5	95.9	*	13
14	*	121	6.5	27.9	*	101	5.5	85.6	*	104	5.6	49.2	*	86	4.6	96.0	*	174	9.4	51.7	*	48	2.6	98.5	*	14
15	*	204	11.0	39.0	*	138	7.5	93.1	*	107	5.8	55.0	*	35	1.9	97.9	*	154	8.3	60.0	*	19	1.0	99.6	*	15
16	*	122	6.6	45.6	*	71	3.8	96.9	*	168	9.1	64.1	*	28	1.5	99.4	*	140	7.6	67.6	*	4	0.2	99.8	*	16
17	*	162	8.8	54.3	*	28	1.5	98.4	*	143	7.7	71.8	*	8	0.4	99.8	*	207	11.2	78.8	*	4	0.2	100.0	*	17
18	*	247	13.4	67.7	*	15	0.8	99.2	*	250	13.5	85.4	*	2	0.1	99.9	*	160	8.6	87.4	*	0	0.0	100.0	*	18
19	*	279	15.1	82.8	*	14	0.8	100.0	*	133	7.2	92.5	*	0	0.0	99.9	*	109	5.9	93.3	*	0	0.0	100.0	*	19
20	*	201	10.9	93.6	*	0	0.0	100.0	*	97	5.2	97.8	*	0	0.0	99.9	*	63	3.4	96.7	*	0	0.0	100.0	*	20
21	*	109	5.9	99.5	*	0	0.0	100.0	*	39	2.1	99.9	*	1	0.1	100.0	*	29	1.6	98.3	*	0	0.0	100.0	*	21
22	*	9	0.5	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	18	1.0	99.2	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.8	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.5      DMC = 24.0      DC = 212.7      ISI = 5.5      ADMC = 56.5      FWI = 10.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1850

MAXIMUM VALUES

FFMC = 94.0      DMC = 94.0      DC = 504.0      ISI = 74.2      ADMC = 116.0      FWI = 64.0

\*\*\*TOTALS FOR STATION 116 SUDBURY A LONG. 8048 LAT. 4637

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF CRS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	10	0.6	0.6	*	37	2.4	2.4	*	53	3.4	3.4	*	76	4.9	4.9	*	11	0.7	0.7	*	252	16.3	16.3	*	1
2	*	14	0.9	1.6	*	65	4.2	6.6	*	70	4.5	8.0	*	106	6.9	11.8	*	15	1.0	1.7	*	160	10.3	26.6	*	2
3	*	13	0.8	2.4	*	99	6.4	13.0	*	77	5.0	12.9	*	131	8.5	20.2	*	9	0.6	2.3	*	85	5.5	32.1	*	3
4	*	14	0.9	3.3	*	114	7.4	20.4	*	58	3.8	16.7	*	109	7.1	27.3	*	22	1.4	3.7	*	69	4.5	36.6	*	4
5	*	12	0.8	4.1	*	125	8.1	28.5	*	52	3.4	20.1	*	104	6.7	34.0	*	54	3.5	7.2	*	75	4.9	41.5	*	5
6	*	26	1.7	5.8	*	122	7.9	36.4	*	53	3.4	23.5	*	93	6.0	40.0	*	63	4.1	11.3	*	114	7.4	48.8	*	6
7	*	20	1.3	7.1	*	113	7.3	43.7	*	111	7.2	30.7	*	65	4.2	44.2	*	74	4.8	16.0	*	117	7.6	56.4	*	7
8	*	30	1.9	9.0	*	98	6.3	50.0	*	108	7.0	37.6	*	123	8.0	52.2	*	90	5.8	21.9	*	114	7.4	63.8	*	8
9	*	35	2.3	11.3	*	91	5.9	55.9	*	85	5.5	43.1	*	138	8.9	61.1	*	81	5.2	27.1	*	175	11.3	75.1	*	9
10	*	44	2.8	14.1	*	85	5.5	61.4	*	73	4.7	47.9	*	95	6.1	67.3	*	79	5.1	32.2	*	139	9.0	84.1	*	10
11	*	51	3.3	17.4	*	161	10.4	71.8	*	62	4.0	51.9	*	137	8.9	76.1	*	78	5.0	37.3	*	85	5.5	89.6	*	11
12	*	76	4.9	22.3	*	109	7.1	78.8	*	78	5.0	56.9	*	137	8.9	85.0	*	76	4.9	42.2	*	54	3.5	93.1	*	12
13	*	95	6.1	28.5	*	96	6.2	85.1	*	87	5.6	62.5	*	71	4.6	89.6	*	181	11.7	53.9	*	32	2.1	95.1	*	13
14	*	112	7.2	35.7	*	73	4.7	89.8	*	113	7.3	69.9	*	86	5.6	95.1	*	152	9.8	63.7	*	55	3.6	98.7	*	14
15	*	156	10.1	45.8	*	90	5.8	95.6	*	96	6.2	76.1	*	41	2.7	97.8	*	131	8.5	72.2	*	13	0.8	99.5	*	15
16	*	101	6.5	52.3	*	43	2.8	98.4	*	68	4.4	80.5	*	27	1.7	99.5	*	87	5.6	77.8	*	6	0.4	99.9	*	16
17	*	126	8.2	60.5	*	14	0.9	99.3	*	74	4.8	85.3	*	6	0.4	99.9	*	113	7.3	85.1	*	1	0.1	100.0	*	17
18	*	185	12.0	72.4	*	9	0.6	99.9	*	124	8.0	93.3	*	0	0.0	99.9	*	89	5.8	90.9	*	0	0.0	100.0	*	18
19	*	195	12.6	85.1	*	2	0.1	100.0	*	73	4.7	98.0	*	1	0.1	100.0	*	72	4.7	95.5	*	0	0.0	100.0	*	19
20	*	149	9.6	94.7	*	0	0.0	100.0	*	31	2.0	100.0	*	0	0.0	100.0	*	45	2.9	98.4	*	0	0.0	100.0	*	20
21	*	68	4.4	95.1	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	1.0	99.5	*	0	0.0	100.0	*	21
22	*	14	0.9	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	99.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.5      DMC = 20.4      DC = 163.4      ISI = 5.4      ADMC = 47.7      FWI = 9.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1546

MAXIMUM VALUES

FFMC = 94.0      DMC = 86.0      DC = 449.0      ISI = 51.4      ADMC = 114.0      FWI = 65.0

\*\*\*TOTALS FOR STATION 126 TIMMINS LONG. 8122 LAT. 4834

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	16	1.0	1.0	*	61	4.0	4.0	*	53	3.5	3.5	*	104	6.8	6.8	*	16	1.0	1.0	*	314	20.5	20.5	*	1
2	*	13	0.9	1.9	*	132	8.6	12.6	*	52	3.4	6.9	*	131	8.6	15.4	*	21	1.4	2.4	*	186	12.2	32.7	*	2
3	*	15	1.0	2.9	*	148	9.7	22.3	*	59	3.9	10.7	*	149	9.8	25.1	*	16	1.0	3.5	*	79	5.2	37.9	*	3
4	*	24	1.6	4.5	*	152	9.9	32.3	*	60	3.9	14.7	*	111	7.3	32.4	*	30	2.0	5.4	*	92	6.0	43.9	*	4
5	*	29	1.9	6.3	*	123	8.0	40.3	*	68	4.5	19.1	*	93	6.1	38.5	*	84	5.5	10.9	*	84	5.5	49.4	*	5
6	*	24	1.6	7.9	*	128	8.4	48.7	*	60	3.9	23.0	*	81	5.3	43.8	*	88	5.8	16.7	*	107	7.0	56.4	*	6
7	*	33	2.2	10.1	*	105	6.9	55.6	*	124	8.1	31.2	*	67	4.4	48.2	*	95	6.2	22.9	*	109	7.1	63.5	*	7
8	*	34	2.2	12.3	*	69	4.5	60.1	*	129	8.4	39.6	*	134	8.8	56.9	*	102	6.7	29.6	*	88	5.8	69.3	*	8
9	*	40	2.6	14.9	*	78	5.1	65.2	*	123	8.0	47.6	*	98	6.4	63.4	*	123	8.0	37.6	*	141	9.2	78.5	*	9
10	*	52	3.4	18.3	*	66	4.3	69.5	*	112	7.3	55.0	*	90	5.9	65.2	*	99	6.5	44.1	*	91	6.0	84.5	*	10
11	*	67	4.4	22.7	*	121	7.9	77.4	*	142	9.3	64.3	*	131	8.6	77.9	*	83	5.4	49.5	*	62	4.1	88.5	*	11
12	*	87	5.7	28.4	*	108	7.1	84.5	*	103	6.7	71.0	*	80	5.2	83.0	*	71	4.6	54.2	*	52	3.4	92.0	*	12
13	*	99	6.5	34.9	*	74	4.8	89.3	*	90	5.9	76.9	*	60	3.9	87.0	*	153	10.0	64.2	*	40	2.6	94.6	*	13
14	*	98	6.4	41.3	*	44	2.9	92.2	*	107	7.0	83.9	*	90	5.9	92.9	*	133	8.7	72.9	*	55	3.6	98.2	*	14
15	*	173	11.3	52.6	*	49	3.2	95.4	*	99	6.5	90.4	*	49	3.2	96.1	*	113	7.4	80.3	*	19	1.2	99.4	*	15
16	*	81	5.3	57.9	*	37	2.4	97.8	*	80	5.2	95.6	*	45	2.9	99.0	*	76	5.0	85.3	*	8	0.5	99.9	*	16
17	*	109	7.1	65.1	*	18	1.2	99.0	*	22	1.4	97.1	*	13	0.9	99.9	*	94	6.2	91.4	*	0	0.0	99.9	*	17
18	*	131	8.6	73.6	*	6	0.4	99.4	*	10	0.7	97.7	*	0	0.0	99.9	*	53	3.5	94.9	*	1	0.1	100.0	*	18
19	*	145	9.5	83.1	*	9	0.6	100.0	*	17	1.1	98.8	*	2	0.1	100.0	*	30	2.0	96.9	*	0	0.0	100.0	*	19
20	*	144	9.4	92.5	*	0	0.0	100.0	*	18	1.2	100.0	*	0	0.0	100.0	*	19	1.2	98.1	*	0	0.0	100.0	*	20
21	*	97	6.3	98.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	1.0	99.1	*	0	0.0	100.0	*	21
22	*	17	1.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	99.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.7	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.9      DMC = 17.6      DC = 134.3      ISI = 5.5      ADMC = 40.8      FWI = 8.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1528

MAXIMUM VALUES

FFMC = 94.0      DMC = 96.0      DC = 442.0      ISI = 59.9      ADMC = 124.0      FWI = 74.0

\*\*\*TOTALS FOR STATION 159 TORONTO INT. A LONG. 7938 LAT. 4341

CLASS	NO. OF OBS.	FFMC		NO. OF OBS.	DMC		NO. OF OBS.	DC		NO. OF OBS.	ISI		NO. OF OBS.	ADMC		NO. OF OBS.	FWI		CLASS
		PCNT.	CUM. PCNT.		PCNT.	CUM. PCNT.		PCNT.	CUM. PCNT.		PCNT.	CUM. PCNT.		PCNT.	CUM. PCNT.		PCNT.	CUM. PCNT.	
1	5	0.3	0.3	25	1.3	1.3	47	2.5	2.5	53	2.8	2.8	11	0.6	0.6	179	9.5	9.5	1
2	7	0.4	0.6	28	1.5	2.8	66	3.5	6.0	96	5.1	7.9	13	0.7	1.3	131	6.9	16.4	2
3	6	0.3	1.0	65	3.4	6.2	67	3.5	9.5	114	6.0	13.9	5	0.3	1.5	71	3.8	20.1	3
4	13	0.7	1.6	94	5.0	11.2	60	3.2	12.7	97	5.1	19.0	11	0.6	2.1	90	4.8	24.9	4
5	15	0.8	2.4	98	5.2	16.4	54	2.9	15.5	98	5.2	24.2	32	1.7	3.8	69	3.6	28.6	5
6	16	0.8	3.3	110	5.8	22.2	47	2.5	18.0	91	4.8	29.0	44	2.3	6.1	137	7.2	35.8	6
7	13	0.7	4.0	120	6.3	28.6	70	3.7	21.7	81	4.3	33.3	52	2.7	8.9	151	8.0	43.8	7
8	20	1.1	5.0	125	6.6	35.2	64	3.4	25.1	168	8.9	42.2	62	3.3	12.2	140	7.4	51.2	8
9	30	1.6	6.6	100	5.3	40.5	70	3.7	28.8	179	9.5	51.7	55	2.9	15.1	275	14.5	65.7	9
10	34	1.8	8.4	98	5.2	45.6	63	3.3	32.2	168	8.9	60.5	66	3.5	18.6	186	9.8	75.6	10
11	47	2.5	10.9	225	11.9	57.5	67	3.5	35.7	239	12.6	73.2	61	3.2	21.8	148	7.8	83.4	11
12	54	3.4	14.3	187	9.9	67.4	55	2.9	38.6	178	9.4	82.6	86	4.5	26.3	90	4.8	88.2	12
13	85	4.5	18.8	132	7.0	74.4	79	4.2	42.8	120	6.3	88.9	185	9.8	36.1	67	3.5	91.7	13
14	123	6.8	25.5	86	4.5	79.0	104	5.5	48.3	111	5.9	94.8	183	9.7	45.8	106	5.6	97.3	14
15	149	7.8	33.4	120	6.3	85.3	136	7.2	55.5	63	3.3	98.1	171	9.0	54.8	38	2.0	99.3	15
16	132	7.0	40.3	84	4.4	89.7	117	6.2	61.7	26	1.4	99.5	138	7.3	62.1	8	0.4	99.7	16
17	141	7.5	47.8	64	3.4	93.1	110	5.8	67.5	5	0.3	99.8	220	11.6	73.8	4	0.2	99.9	17
18	223	11.8	59.6	51	2.7	95.8	250	13.2	80.7	2	0.1	99.9	137	7.2	81.0	0	0.0	99.9	18
19	315	16.7	76.3	58	3.1	98.9	193	10.2	90.9	1	0.1	99.9	96	5.1	86.1	1	0.1	100.0	19
20	286	15.1	91.4	18	1.0	99.8	92	4.9	95.8	1	0.1	100.0	80	4.2	90.3	0	0.0	100.0	20
21	134	7.1	98.5	3	0.2	100.0	35	1.9	97.6	0	0.0	100.0	57	3.0	93.3	0	0.0	100.0	21
22	29	1.5	100.0	0	0.0	100.0	44	2.3	99.9	0	0.0	100.0	48	2.5	95.9	0	0.0	100.0	22
23	0	0.0	100.0	0	0.0	100.0	1	0.1	100.0	0	0.0	100.0	63	3.3	99.2	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	13	0.7	99.9	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	2	0.1	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 79.1      DMC = 29.0      DC = 223.0      ISI = 6.1      ADMC = 64.3      FWI = 12.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1891

MAXIMUM VALUES

FFMC = 94.0      DMC = 148.0      DC = 604.0      ISI = 67.3      ADMC = 155.0      FWI = 84.0

\*\*\*TOTALS FOR STATION 154

TROUT LAKE

LONG. 8952

LAT. 5350

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	69	5.4	5.4	*	186	14.6	14.6	*	31	2.4	2.4	*	182	14.3	14.3	*	48	3.8	3.8	*	475	37.4	37.4	*	1
2	*	31	2.4	7.9	*	170	13.4	28.0	*	42	3.3	5.7	*	144	11.3	25.7	*	69	5.4	9.2	*	251	19.8	57.2	*	2
3	*	24	1.9	9.8	*	184	14.5	42.5	*	61	4.8	10.6	*	223	17.6	43.2	*	15	1.2	10.4	*	82	6.5	63.6	*	3
4	*	21	1.7	11.4	*	141	11.1	53.6	*	41	3.2	13.8	*	143	11.3	54.5	*	67	5.3	15.7	*	74	5.8	69.4	*	4
5	*	30	2.4	13.8	*	143	11.3	64.9	*	42	3.3	17.1	*	106	8.3	62.8	*	57	7.6	23.3	*	48	3.8	73.2	*	5
6	*	20	1.6	15.4	*	90	7.1	72.0	*	54	4.3	21.3	*	81	6.4	69.2	*	107	8.4	31.7	*	123	9.7	82.9	*	6
7	*	37	2.9	18.3	*	81	6.4	78.3	*	117	9.2	30.6	*	76	6.0	75.2	*	116	9.1	40.9	*	72	5.7	88.6	*	7
8	*	47	3.7	22.0	*	88	6.9	85.3	*	131	10.3	40.9	*	86	6.8	82.0	*	102	8.0	48.9	*	50	3.9	92.5	*	8
9	*	55	4.3	26.3	*	39	3.1	88.3	*	94	7.4	48.3	*	82	6.5	88.4	*	94	7.4	56.3	*	41	3.2	95.7	*	9
10	*	55	4.3	30.6	*	34	2.7	91.0	*	115	9.1	57.3	*	42	3.3	91.7	*	88	6.9	63.2	*	28	2.2	98.0	*	10
11	*	76	6.0	36.6	*	55	4.3	95.4	*	83	6.5	63.9	*	38	3.0	94.7	*	71	5.6	68.8	*	12	0.9	98.9	*	11
12	*	99	7.8	44.4	*	20	1.6	96.9	*	74	5.8	69.7	*	29	2.3	97.0	*	54	4.3	73.1	*	7	0.6	99.4	*	12
13	*	118	9.3	53.7	*	23	1.8	98.7	*	62	4.9	74.6	*	10	0.8	97.8	*	140	11.0	84.1	*	4	0.3	99.8	*	13
14	*	125	9.8	63.5	*	9	0.7	99.4	*	83	6.5	81.1	*	14	1.1	98.9	*	89	7.0	91.1	*	3	0.2	100.0	*	14
15	*	170	13.4	76.9	*	7	0.6	100.0	*	43	3.4	84.5	*	11	0.9	99.8	*	53	4.2	95.3	*	0	0.0	100.0	*	15
16	*	75	5.9	82.8	*	0	0.0	100.0	*	41	3.2	87.7	*	2	0.2	99.9	*	20	1.6	96.9	*	0	0.0	100.0	*	16
17	*	69	5.4	98.3	*	0	0.0	100.0	*	50	3.9	91.7	*	1	0.1	100.0	*	26	2.0	98.9	*	0	0.0	100.0	*	17
18	*	69	5.4	93.7	*	0	0.0	100.0	*	78	6.1	97.8	*	0	0.0	100.0	*	9	0.7	99.6	*	0	0.0	100.0	*	18
19	*	48	3.8	97.5	*	0	0.0	100.0	*	12	0.9	98.7	*	0	0.0	100.0	*	5	0.4	100.0	*	0	0.0	100.0	*	19
20	*	25	2.0	99.4	*	0	0.0	100.0	*	16	1.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	6	0.5	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 61.5      DMC = 9.7      DC = 141.7      ISI = 2.4      ADMC = 26.8      FWI = 3.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1270

MAXIMUM VALUES

FFMC = 93.0      DMC = 47.0      DC = 429.0      ISI = 35.8      ADMC = 68.0      FWI = 36.0

\*\*\*TOTALS FOR STATION 117     TURBINE                         LONG. 8134     LAT. 4623

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	1	0.1	0.1	20	1.2	1.2	50	2.9	2.9	21	1.2	1.2	8	0.5	0.5	125	7.8	7.8	1
2	3	0.2	0.2	35	2.2	3.4	55	3.2	6.6	67	3.9	5.1	6	0.3	0.8	148	8.5	16.3	2
3	2	0.1	0.3	34	4.8	8.2	61	3.5	9.6	121	7.0	12.0	11	0.6	1.4	94	5.4	21.7	3
4	3	0.2	0.5	111	6.4	14.6	67	3.9	13.4	99	5.7	17.7	11	0.6	2.1	68	3.9	25.6	4
5	9	0.5	1.0	109	6.3	20.9	59	3.4	16.8	81	4.7	22.4	36	2.1	4.1	75	4.5	30.1	5
6	6	0.3	1.4	109	6.3	27.2	52	3.0	19.8	86	4.9	27.3	47	2.7	6.8	111	6.4	36.5	6
7	12	0.7	2.1	111	6.4	33.5	98	5.6	25.4	65	3.7	31.1	61	3.5	10.4	102	5.9	42.4	7
8	19	1.1	3.2	112	6.4	40.0	101	5.8	31.2	141	8.1	39.2	81	4.7	15.0	121	7.0	49.4	8
9	20	1.2	4.3	87	5.0	45.0	103	5.9	37.2	113	6.5	45.7	84	4.8	19.9	184	10.6	60.0	9
10	42	2.4	6.7	99	5.7	50.7	104	6.0	43.2	131	7.5	53.2	82	4.7	24.6	194	11.2	71.1	10
11	55	3.2	9.9	188	10.8	61.5	88	5.1	48.2	207	11.9	65.1	74	4.3	28.8	147	8.5	79.6	11
12	76	4.4	14.3	150	8.6	70.1	85	4.9	53.1	127	7.3	72.4	67	3.9	32.7	104	6.0	85.6	12
13	89	5.1	19.4	122	7.0	77.2	87	5.0	58.1	147	8.5	80.9	189	10.9	43.6	58	3.3	88.9	13
14	106	6.1	25.5	84	4.8	82.0	98	5.6	63.8	146	8.4	89.3	181	10.4	54.0	117	6.7	95.6	14
15	159	9.1	34.6	138	7.9	89.9	138	7.9	71.7	81	4.7	94.0	151	8.7	62.7	46	2.6	98.3	15
16	89	5.1	39.8	71	4.1	94.0	115	6.6	78.3	82	4.7	98.7	112	6.4	69.1	19	1.1	99.4	16
17	134	7.7	47.5	42	2.4	96.4	95	5.5	83.8	13	0.7	99.4	155	8.9	78.0	7	0.4	99.8	17
18	166	9.6	57.0	22	1.3	97.7	147	8.5	92.2	5	0.3	99.7	136	7.8	85.8	2	0.1	99.9	18
19	232	13.3	70.4	37	2.1	99.8	77	4.4	96.7	2	0.1	99.8	97	5.6	91.4	2	0.1	100.0	19
20	261	15.0	85.4	3	0.2	100.0	33	1.9	98.6	1	0.1	99.9	59	3.4	94.8	0	0.0	100.0	20
21	187	10.8	96.1	0	0.0	100.0	23	1.3	99.9	2	0.1	100.0	30	1.7	96.5	0	0.0	100.0	21
22	53	3.0	99.2	0	0.0	100.0	2	0.1	100.0	0	0.0	100.0	23	1.3	97.9	0	0.0	100.0	22
23	14	0.8	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	35	2.0	99.9	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	2	0.1	100.0	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 80.1             DMC = 25.7             DC = 177.7             ISI = 7.6             ADCM = 56.7             FWI = 13.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1738

MAXIMUM VALUES

FFMC = 96.0             DMC = 118.0             DC = 516.0             ISI = 80.0             ADCM = 132.0             FWI = 84.0



\*\*\*TOTALS FOR STATION 162 WALKERTON LONG, 8109 LAT, 4408

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	7	0.4	0.4	*	31	1.9	1.9	*	56	3.4	3.4	*	51	3.1	3.1	*	10	0.6	0.6	*	238	14.5	14.5	*	1
2	*	9	0.5	1.0	*	100	6.1	8.0	*	79	4.8	8.2	*	113	6.9	10.0	*	7	0.4	1.0	*	211	12.8	27.3	*	2
3	*	7	0.4	1.4	*	132	8.0	16.0	*	82	5.0	13.2	*	148	9.0	19.0	*	12	0.7	1.8	*	95	5.8	33.0	*	3
4	*	18	1.1	2.5	*	150	9.1	25.1	*	79	4.8	18.0	*	143	8.7	27.6	*	35	2.1	3.9	*	118	7.2	40.2	*	4
5	*	8	0.5	3.0	*	144	8.7	33.8	*	50	3.0	21.0	*	135	8.2	35.8	*	70	4.3	8.1	*	93	5.7	45.9	*	5
6	*	13	0.8	3.8	*	110	6.7	40.5	*	50	3.0	24.1	*	106	6.4	42.3	*	94	5.7	13.9	*	142	8.6	54.5	*	6
7	*	21	1.3	5.0	*	122	7.4	47.9	*	93	5.7	29.7	*	92	5.6	47.9	*	87	5.3	19.1	*	125	7.6	62.1	*	7
8	*	26	1.6	6.6	*	106	6.4	54.4	*	100	6.1	35.8	*	179	10.9	58.7	*	102	6.2	25.3	*	103	6.3	68.3	*	8
9	*	40	2.4	9.1	*	94	5.7	60.1	*	91	5.5	41.3	*	115	7.0	65.7	*	105	6.4	31.7	*	189	11.5	79.8	*	9
10	*	51	3.1	12.2	*	81	4.9	65.0	*	90	5.5	46.8	*	106	6.4	72.2	*	83	5.0	36.8	*	127	7.7	87.5	*	10
11	*	71	4.3	16.5	*	166	10.1	75.1	*	69	4.2	51.0	*	175	10.6	82.8	*	80	4.9	41.6	*	93	5.7	93.2	*	11
12	*	93	5.7	22.1	*	109	6.6	81.7	*	87	5.3	56.3	*	125	7.6	90.4	*	70	4.3	45.9	*	64	3.9	97.1	*	12
13	*	110	6.7	28.8	*	66	4.0	85.7	*	90	5.5	61.7	*	70	4.3	94.7	*	173	10.5	56.4	*	19	1.2	98.2	*	13
14	*	140	8.5	37.3	*	42	2.6	88.3	*	92	5.6	67.3	*	63	3.8	98.5	*	153	9.3	65.7	*	26	1.6	99.8	*	14
15	*	205	12.5	49.8	*	75	4.6	92.8	*	107	6.5	73.8	*	14	0.9	99.3	*	124	7.5	73.2	*	3	0.2	100.0	*	15
16	*	109	6.6	56.4	*	67	4.1	96.9	*	109	6.6	80.4	*	10	0.6	99.9	*	84	5.1	78.3	*	0	0.0	100.0	*	16
17	*	150	9.1	65.5	*	28	1.7	98.6	*	76	4.6	85.1	*	1	0.1	100.0	*	123	7.5	85.8	*	0	0.0	100.0	*	17
18	*	171	10.4	75.9	*	12	0.7	99.3	*	105	6.4	91.4	*	0	0.0	100.0	*	66	4.0	89.8	*	0	0.0	100.0	*	18
19	*	214	13.0	88.9	*	11	0.7	100.0	*	77	4.7	96.1	*	0	0.0	100.0	*	57	3.5	93.3	*	0	0.0	100.0	*	19
20	*	137	8.3	97.2	*	0	0.0	100.0	*	42	2.6	98.7	*	0	0.0	100.0	*	49	3.0	96.2	*	0	0.0	100.0	*	20
21	*	42	2.6	99.8	*	0	0.0	100.0	*	8	0.5	99.1	*	0	0.0	100.0	*	33	2.0	98.2	*	0	0.0	100.0	*	21
22	*	4	0.2	100.0	*	0	0.0	100.0	*	14	0.9	100.0	*	0	0.0	100.0	*	11	0.7	98.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.9	99.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.7      DMC = 20.0      DC = 169.1      ISI = 4.5      ADMC = 47.4      FWI = 8.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1646

MAXIMUM VALUES

FFMC = 93.0      DMC = 96.0      DC = 570.0      ISI = 30.7      ADMC = 135.0      FWI = 46.0

\*\*\*TOTALS FOR STATION 134 WAWA LONG. 8445 LAT. 4804

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	20	1.4	1.4	*	117	8.4	8.4	*	80	5.7	5.7	*	102	7.3	7.3	*	29	2.1	2.1	*	325	23.3	23.3	*	1
2	*	13	0.9	2.4	*	154	11.1	19.5	*	71	5.1	10.8	*	118	8.5	15.8	*	44	3.2	5.2	*	210	15.1	38.4	*	2
3	*	25	1.8	4.2	*	138	9.9	29.4	*	82	5.9	16.7	*	171	12.3	28.1	*	15	1.1	6.3	*	85	6.1	44.5	*	3
4	*	14	1.0	5.2	*	167	12.0	41.4	*	73	5.2	22.0	*	123	8.8	36.9	*	63	4.5	10.8	*	87	6.3	50.8	*	4
5	*	19	1.4	6.5	*	123	8.8	50.2	*	74	5.3	27.3	*	99	7.1	44.0	*	100	7.2	18.0	*	93	6.7	57.5	*	5
6	*	20	1.4	8.0	*	92	6.6	56.8	*	57	4.1	31.4	*	108	7.8	51.8	*	120	8.6	26.7	*	122	9.5	67.0	*	6
7	*	22	1.6	9.6	*	94	6.8	63.6	*	86	6.2	37.6	*	86	6.2	58.0	*	103	7.4	34.1	*	120	8.6	75.6	*	7
8	*	34	2.4	12.0	*	79	5.7	69.3	*	94	6.8	44.3	*	138	9.9	67.9	*	108	7.8	41.8	*	85	6.1	81.7	*	8
9	*	44	3.2	15.2	*	45	3.2	72.5	*	110	7.9	52.2	*	104	7.5	75.4	*	94	6.8	48.6	*	106	7.6	89.3	*	9
10	*	67	4.8	20.0	*	46	3.3	75.8	*	93	6.7	58.9	*	68	4.9	80.2	*	71	5.1	53.7	*	63	4.5	93.8	*	10
11	*	56	4.0	24.0	*	102	7.3	83.1	*	89	6.4	65.3	*	90	6.5	86.7	*	65	4.7	58.3	*	40	2.9	96.7	*	11
12	*	69	5.0	29.0	*	97	7.0	90.1	*	72	5.2	70.5	*	72	5.2	91.9	*	55	4.0	62.3	*	19	1.4	98.1	*	12
13	*	100	7.2	36.1	*	65	4.7	94.8	*	78	5.6	76.1	*	41	2.9	94.8	*	131	9.4	71.7	*	10	0.7	98.8	*	13
14	*	159	11.4	47.6	*	46	3.3	98.1	*	101	7.3	83.3	*	32	2.3	97.1	*	87	6.3	77.9	*	15	1.1	99.9	*	14
15	*	220	15.8	63.4	*	23	1.7	99.7	*	54	3.9	87.2	*	13	0.9	98.1	*	79	5.7	83.6	*	1	0.1	99.9	*	15
16	*	115	8.3	71.6	*	4	0.3	100.0	*	62	4.5	91.7	*	22	1.6	99.6	*	84	6.0	89.7	*	0	0.0	99.9	*	16
17	*	123	8.8	80.5	*	0	0.0	100.0	*	56	4.0	95.7	*	3	0.2	99.9	*	91	6.5	96.2	*	1	0.1	100.0	*	17
18	*	153	11.0	91.5	*	0	0.0	100.0	*	56	4.0	99.7	*	2	0.1	100.0	*	41	2.9	99.1	*	0	0.0	100.0	*	18
19	*	65	4.7	96.1	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	12	0.9	100.0	*	0	0.0	100.0	*	19
20	*	36	2.6	98.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	17	1.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.5      DMC = 13.9      DC = 127.6      ISI = 3.9      ADCM = 33.7      FWI = 5.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1392

MAXIMUM VALUES

FFMC = 93.0      DMC = 57.0      DC = 363.0      ISI = 50.0      ADCM = 70.0      FWI = 64.0

\*\*\*TOTALS FOR STATION 133 WHITE RIVER

LONG. 8517 LAT. 4836

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	12	0.8	0.8	*	88	6.1	6.1	*	75	5.2	5.2	*	105	7.3	7.3	*	21	1.5	1.5	*	367	25.4	25.4	*	1
2	*	15	1.0	1.9	*	122	8.5	14.6	*	94	6.5	11.7	*	168	11.6	18.9	*	34	2.4	3.8	*	164	11.4	36.8	*	2
3	*	18	1.2	3.1	*	131	9.1	23.6	*	67	4.6	16.4	*	157	10.9	29.8	*	18	1.2	5.1	*	69	6.2	43.0	*	3
4	*	18	1.2	4.4	*	127	8.8	32.4	*	60	4.2	20.5	*	119	8.2	38.0	*	43	3.0	8.0	*	74	5.1	48.1	*	4
5	*	30	2.1	6.4	*	118	8.2	40.6	*	74	5.1	25.6	*	80	5.5	43.6	*	95	6.6	14.6	*	66	4.6	52.7	*	5
6	*	33	2.3	8.7	*	125	8.7	49.3	*	52	3.6	29.2	*	78	5.4	49.0	*	85	5.9	20.5	*	94	6.5	59.2	*	6
7	*	36	2.5	11.2	*	95	5.9	55.2	*	95	6.6	35.8	*	55	3.8	52.8	*	104	7.2	27.7	*	110	7.6	66.8	*	7
8	*	42	2.9	14.1	*	100	6.9	62.1	*	129	8.9	44.8	*	119	8.2	61.1	*	87	6.0	33.7	*	99	6.9	73.7	*	8
9	*	40	2.8	16.9	*	78	5.4	67.5	*	130	9.0	53.8	*	78	5.4	66.5	*	78	5.4	39.2	*	121	8.4	82.1	*	9
10	*	62	4.3	21.2	*	72	5.0	72.5	*	100	6.9	60.7	*	96	6.7	73.1	*	84	5.8	45.0	*	93	6.4	88.5	*	10
11	*	62	4.3	25.5	*	131	9.1	81.6	*	78	5.4	66.1	*	111	7.7	80.8	*	74	5.1	50.1	*	74	5.1	93.6	*	11
12	*	74	5.1	30.6	*	81	5.6	87.2	*	83	5.8	71.9	*	90	6.2	87.0	*	78	5.4	55.5	*	20	2.1	95.7	*	12
13	*	94	6.5	37.1	*	64	4.4	91.6	*	80	5.5	77.4	*	59	4.1	91.1	*	169	11.7	67.2	*	25	1.7	97.4	*	13
14	*	107	7.4	44.6	*	35	2.4	94.0	*	78	5.4	82.8	*	63	4.4	95.5	*	121	8.4	75.6	*	28	1.9	99.4	*	14
15	*	151	10.5	55.0	*	52	3.6	97.6	*	64	4.4	87.2	*	32	2.2	97.7	*	103	7.1	82.7	*	4	0.3	99.7	*	15
16	*	85	5.9	60.9	*	22	1.5	99.2	*	51	3.5	90.8	*	23	1.6	99.3	*	67	4.6	87.4	*	3	0.2	99.9	*	16
17	*	107	7.4	68.3	*	12	0.8	100.0	*	56	3.9	94.7	*	4	0.3	99.6	*	85	5.9	93.3	*	2	0.1	100.0	*	17
18	*	138	9.6	77.9	*	0	0.0	100.0	*	65	4.5	99.2	*	4	0.3	99.9	*	47	3.3	96.5	*	0	0.0	100.0	*	18
19	*	156	10.8	88.7	*	0	0.0	100.0	*	11	0.8	99.9	*	1	0.1	99.9	*	34	2.4	98.9	*	0	0.0	100.0	*	19
20	*	112	7.8	96.5	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	99.9	*	15	1.0	99.9	*	0	0.0	100.0	*	20
21	*	46	3.2	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	21
22	*	3	0.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.5      DMC = 16.2      DC = 128.2      ISI = 4.7      ADMC = 37.7      FWI = 7.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1443

MAXIMUM VALUES

FFMC = 95.0      DMC = 70.0      DC = 401.0      ISI = 78.2      ADMC = 81.0      FWI = 66.0

\*\*\*TOTALS FOR STATION 113      WIARTON A                  LONG. 8106      LAT. 4445

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF	CUM.		NO.OF	CUM.		NO.OF	CUM.		NO.OF	CUM.		NO.OF	CUM.		NO.OF	CUM.		
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	
1 *	14	0.9	0.9 *	45	2.7	2.7 *	44	2.7	2.7 *	79	4.8	4.8 *	15	0.9	0.9 *	286	17.4	17.4 *	1
2 *	15	0.9	1.8 *	71	4.3	7.1 *	43	2.6	5.3 *	130	7.9	12.7 *	11	0.7	1.6 *	191	11.6	29.0 *	2
3 *	13	0.8	2.6 *	113	6.9	13.9 *	47	2.9	8.2 *	171	10.4	23.1 *	16	1.0	2.6 *	90	5.4	34.5 *	3
4 *	18	1.1	3.6 *	146	8.9	22.8 *	62	3.8	11.9 *	132	8.0	31.1 *	24	1.5	4.0 *	89	5.4	39.9 *	4
5 *	14	0.9	4.5 *	163	9.9	32.7 *	65	4.0	15.9 *	84	5.1	36.3 *	48	2.9	6.9 *	89	5.4	45.3 *	5
6 *	19	1.2	5.7 *	174	10.6	43.3 *	63	3.8	19.7 *	119	7.2	43.5 *	60	3.6	10.6 *	162	9.9	55.2 *	6
7 *	25	1.5	7.2 *	136	8.3	51.6 *	118	7.2	26.9 *	78	4.7	48.2 *	72	4.4	15.0 *	126	8.3	63.4 *	7
8 *	41	2.5	9.7 *	103	6.3	57.8 *	81	4.9	31.8 *	185	11.3	59.5 *	90	5.5	20.4 *	120	7.3	70.7 *	8
9 *	49	3.0	12.7 *	111	6.8	64.6 *	74	4.5	36.3 *	135	8.2	67.7 *	120	7.3	27.7 *	172	10.5	81.3 *	9
10 *	60	3.6	16.3 *	66	4.0	68.6 *	70	4.3	40.6 *	110	6.7	74.4 *	101	6.1	33.9 *	107	6.5	87.8 *	10
11 *	67	4.1	20.4 *	132	8.0	76.6 *	84	5.1	45.7 *	165	10.0	84.4 *	117	7.1	41.0 *	75	4.6	92.3 *	11
12 *	74	4.5	24.9 *	110	6.7	83.3 *	99	6.0	51.7 *	104	6.3	90.8 *	106	6.4	47.4 *	52	3.2	95.6 *	12
13 *	91	5.5	30.4 *	77	4.7	88.0 *	88	5.4	57.1 *	54	3.3	94.0 *	192	11.7	59.1 *	31	1.9	97.4 *	13
14 *	111	6.8	37.2 *	39	2.4	90.4 *	117	7.1	64.2 *	59	3.6	97.6 *	150	9.1	68.2 *	29	1.8	99.2 *	14
15 *	232	14.1	51.3 *	61	3.7	94.1 *	86	5.2	69.4 *	16	1.0	98.6 *	103	6.3	74.5 *	8	0.5	99.7 *	15
16 *	128	7.8	59.1 *	37	2.3	96.4 *	83	5.0	74.5 *	17	1.0	99.6 *	86	5.2	79.7 *	4	0.2	99.9 *	16
17 *	173	10.5	69.6 *	22	1.3	97.7 *	79	4.8	79.3 *	5	0.3	99.9 *	125	7.6	87.3 *	1	0.1	100.0 *	17
18 *	214	13.0	82.6 *	16	1.0	98.7 *	169	10.3	89.5 *	1	0.1	100.0 *	69	4.2	91.5 *	0	0.0	100.0 *	18
19 *	176	10.7	93.3 *	22	1.3	100.0 *	97	5.9	95.4 *	0	0.0	100.0 *	44	2.7	94.2 *	0	0.0	100.0 *	19
20 *	95	5.8	99.1 *	0	0.0	100.0 *	49	3.0	98.4 *	0	0.0	100.0 *	30	1.8	96.0 *	0	0.0	100.0 *	20
21 *	15	0.9	100.0 *	0	0.0	100.0 *	9	0.5	99.0 *	0	0.0	100.0 *	20	1.2	97.3 *	0	0.0	100.0 *	21
22 *	0	0.0	100.0 *	0	0.0	100.0 *	17	1.0	100.0 *	0	0.0	100.0 *	15	0.9	98.2 *	0	0.0	100.0 *	22
23 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	26	1.6	99.8 *	0	0.0	100.0 *	23
24 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	4	0.2	100.0 *	0	0.0	100.0 *	24
25 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	25

AVERAGE VALUES

FFMC = 72.8          DMC = 19.4          DC = 185.3          ISI = 4.4          ADMC = 47.4          FWI = 8.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1644

MAXIMUM VALUES

FFMC = 92.0          DMC = 106.0          DC = 571.0          ISI = 44.5          ADMC = 131.0          FWI = 63.0

\*\*\*TOTALS FOR STATION 163 WINDSOR LONG, 8258 LAT. 4216

		FFMC			DMC			DC			ISI			ADMC			FWI					
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS
1	*	8	0.4	0.4	*	51	2.8	2.8	*	87	4.8	4.8	*	68	3.8	3.8	*	22	1.2	1.2	*	1
2	*	7	0.4	0.8	*	71	3.9	6.7	*	82	4.5	9.3	*	99	5.5	9.2	*	18	1.0	2.2	*	2
3	*	13	0.7	1.5	*	104	5.8	12.5	*	75	4.1	13.5	*	144	8.0	17.2	*	17	0.9	3.2	*	3
4	*	19	1.1	2.6	*	124	6.9	19.4	*	87	4.8	18.3	*	124	6.9	24.1	*	25	1.4	4.5	*	4
5	*	12	0.7	3.3	*	156	8.6	28.0	*	71	3.9	22.2	*	99	5.5	29.5	*	62	3.4	8.0	*	5
6	*	19	1.1	4.3	*	121	6.7	34.7	*	50	2.8	25.0	*	99	5.5	35.0	*	64	3.5	11.5	*	6
7	*	14	0.8	5.1	*	126	7.0	41.6	*	99	5.5	30.5	*	101	5.6	40.6	*	72	4.0	15.5	*	7
8	*	23	1.3	6.4	*	104	5.8	47.4	*	89	4.9	35.4	*	164	9.1	49.7	*	91	5.0	20.5	*	8
9	*	37	2.0	8.4	*	86	4.8	52.2	*	112	6.2	41.6	*	168	9.3	59.0	*	102	5.6	26.2	*	9
10	*	54	3.0	11.4	*	99	5.5	57.6	*	101	5.6	47.2	*	116	6.4	65.4	*	97	5.4	31.5	*	10
11	*	63	3.5	14.9	*	195	10.8	68.4	*	96	5.3	52.5	*	211	11.7	77.0	*	92	5.1	36.6	*	11
12	*	75	4.1	19.0	*	138	7.6	76.1	*	117	6.5	59.0	*	137	7.6	84.6	*	89	4.9	41.5	*	12
13	*	89	4.9	23.9	*	126	7.0	83.0	*	101	5.6	64.5	*	113	6.3	90.9	*	168	9.3	50.8	*	13
14	*	122	6.7	30.7	*	103	5.7	88.7	*	134	7.4	72.0	*	89	4.9	95.8	*	142	7.9	58.7	*	14
15	*	203	11.2	41.9	*	106	5.9	94.6	*	112	6.2	78.2	*	36	2.0	97.8	*	140	7.7	66.4	*	15
16	*	103	5.7	47.6	*	46	2.5	97.1	*	83	4.6	82.7	*	26	1.4	99.2	*	124	6.9	73.3	*	16
17	*	156	8.6	56.2	*	31	1.7	98.8	*	70	3.9	86.6	*	5	0.3	99.5	*	206	11.4	84.7	*	17
18	*	236	13.1	69.3	*	10	0.6	99.4	*	107	5.9	92.5	*	6	0.3	99.8	*	134	7.4	92.1	*	18
19	*	258	14.3	83.6	*	10	0.6	99.9	*	90	5.0	97.5	*	3	0.2	100.0	*	72	4.0	96.1	*	19
20	*	225	12.4	96.0	*	1	0.1	100.0	*	31	1.7	99.2	*	0	0.0	100.0	*	36	2.0	98.1	*	20
21	*	64	3.5	99.6	*	0	0.0	100.0	*	14	0.8	100.0	*	0	0.0	100.0	*	17	0.9	99.0	*	21
22	*	8	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	99.6	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.4	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.5    DMC = 21.6    DC = 161.1    ISI = 5.6    ADMC = 49.4    FWI = 9.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1808

MAXIMUM VALUES

FFMC = 93.0    DMC = 113.0    DC = 496.0    ISI = 54.5    ADMC = 113.0    FWI = 72.0

FINAL TOTALS FOR THE PROVINCE MANITOBA

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	* 439	1.1	1.1	* 1031	2.5	2.5	* 665	1.6	1.6	* 1799	4.4	4.4	* 286	0.7	0.7	* 6288	15.2	15.2	* 1
2	* 245	0.6	1.7	* 1491	3.6	6.1	* 850	2.1	3.7	* 3311	8.0	12.4	* 333	0.8	1.5	* 4800	11.6	26.9	* 2
3	* 289	0.7	2.4	* 2076	5.0	11.1	* 1115	2.7	6.4	* 4232	10.3	22.6	* 232	0.6	2.1	* 2203	5.3	32.2	* 3
4	* 316	0.8	3.1	* 2568	6.2	17.4	* 1343	3.3	9.6	* 3529	8.6	31.2	* 553	1.3	3.4	* 2162	5.2	37.5	* 4
5	* 352	0.9	4.0	* 2627	6.4	23.7	* 1286	3.1	12.7	* 2878	7.0	38.2	* 969	2.3	5.8	* 2056	5.0	42.4	* 5
6	* 429	1.0	5.0	* 2616	6.3	30.1	* 1250	3.0	15.8	* 2413	5.8	44.0	* 1229	3.0	8.7	* 3631	8.8	51.2	* 6
7	* 597	1.4	6.5	* 2582	6.3	36.3	* 2375	5.8	21.5	* 2245	5.4	49.5	* 1360	3.3	12.0	* 3090	7.5	58.7	* 7
8	* 747	1.8	8.3	* 2420	5.9	42.2	* 2199	5.3	26.9	* 3877	9.4	58.9	* 1591	3.9	15.9	* 2740	6.6	65.4	* 8
9	* 951	2.3	10.6	* 2302	5.6	47.8	* 2253	5.5	32.3	* 3229	7.8	66.7	* 1872	4.5	20.4	* 4390	10.6	76.0	* 9
10	* 1200	2.9	13.5	* 2151	5.2	53.0	* 2076	5.0	37.4	* 2564	6.2	72.9	* 1919	4.7	25.1	* 3129	7.6	83.6	* 10
11	* 1412	3.4	16.9	* 4538	11.0	64.0	* 2058	5.0	42.3	* 3873	9.4	82.3	* 1845	4.5	29.5	* 2238	5.4	89.0	* 11
12	* 1909	4.6	21.5	* 3357	8.1	72.1	* 2174	5.3	47.6	* 2394	5.8	88.1	* 1724	4.2	33.7	* 1433	3.5	92.5	* 12
13	* 2517	6.1	27.6	* 2596	6.3	78.4	* 2013	4.9	52.5	* 1565	3.8	91.9	* 4209	10.2	43.9	* 945	2.3	94.8	* 13
14	* 3358	8.1	35.8	* 2038	4.9	83.4	* 2589	6.3	58.8	* 1717	4.2	96.0	* 3769	9.1	53.1	* 1384	3.4	98.1	* 14
15	* 4976	12.1	47.8	* 2732	6.6	90.0	* 2522	6.1	64.9	* 738	1.8	97.8	* 3410	8.3	61.3	* 442	1.1	99.2	* 15
16	* 2833	6.9	54.7	* 1565	3.8	93.8	* 2307	5.6	70.5	* 615	1.5	99.3	* 2970	7.2	68.5	* 181	0.4	99.6	* 16
17	* 3797	9.2	63.9	* 937	2.3	96.0	* 2072	5.0	75.5	* 170	0.4	99.7	* 4277	10.4	78.9	* 86	0.2	99.9	* 17
18	* 4203	10.2	74.1	* 554	1.3	97.4	* 3429	8.3	83.8	* 55	0.1	99.9	* 2877	7.0	85.9	* 36	0.1	99.9	* 18
19	* 4665	11.3	85.4	* 698	1.7	99.1	* 2700	6.5	90.4	* 30	0.1	99.9	* 2067	5.0	90.9	* 14	0.0	100.0	* 19
20	* 3614	8.8	94.2	* 248	0.6	99.7	* 1649	4.0	94.3	* 10	0.0	100.0	* 1335	3.2	94.1	* 6	0.0	100.0	* 20
21	* 1766	4.3	98.4	* 97	0.2	99.9	* 1009	2.4	96.3	* 6	0.0	100.0	* 793	1.9	96.0	* 3	0.0	100.0	* 21
22	* 590	1.4	99.9	* 33	0.1	100.0	* 990	2.4	99.2	* 3	0.0	100.0	* 564	1.4	97.4	* 0	0.0	100.0	* 22
23	* 52	0.1	100.0	* 0	0.0	100.0	* 280	0.7	99.9	* 3	0.0	100.0	* 627	1.5	98.9	* 0	0.0	100.0	* 23
24	* 0	0.0	100.0	* 0	0.0	100.0	* 53	0.1	100.0	* 1	0.0	100.0	* 265	0.6	99.6	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 180	0.4	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 74.6      DMC = 25.2      DC = 207.8      ISI = 4.8      ADMC = 57.1      FWI = 9.6

THE TOTAL NUMBER OF OBSERVATIONS IS 41257

MAXIMUM VALUES

FFMC = 96.0      DMC = 196.0      DC = 765.0      ISI = 130.3      ADMC = 239.0      FWI = 108.0

\*\*\*TOTALS FOR REGION 21

SOUTHERN MANITOBA

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS			
	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.				
1	*	1	0.1	0.1	*	3	0.2	0.2	*	2	0.1	0.1	*	2	0.1	0.1	*	58	3.2	3.2	*	1
2	*	1	0.1	0.1	*	11	0.6	0.8	*	22	1.2	1.3	*	53	2.9	3.0	*	0	0.0	0.0	*	2
3	*	0	0.0	0.1	*	35	1.9	2.7	*	37	2.0	3.4	*	99	5.5	8.5	*	2	0.1	0.1	*	3
4	*	4	0.2	0.3	*	62	3.4	6.1	*	61	3.4	6.7	*	139	7.7	16.2	*	4	0.2	0.3	*	4
5	*	3	0.2	0.5	*	84	4.6	10.8	*	52	2.9	9.6	*	132	7.3	23.5	*	16	0.9	1.2	*	5
6	*	15	0.8	1.3	*	78	4.3	15.1	*	53	2.9	12.5	*	127	7.0	30.5	*	36	2.0	3.2	*	6
7	*	10	1.1	2.4	*	105	5.8	20.9	*	90	5.0	17.5	*	111	6.1	36.7	*	31	1.7	4.9	*	7
8	*	24	1.3	3.7	*	129	7.1	28.0	*	71	3.9	21.4	*	218	12.1	48.7	*	40	2.2	7.1	*	8
9	*	39	2.2	5.9	*	143	7.9	35.9	*	70	3.9	25.3	*	174	9.6	58.3	*	44	2.4	9.6	*	9
10	*	32	1.8	7.6	*	133	7.4	43.3	*	79	4.4	29.7	*	139	7.7	66.0	*	55	3.0	12.6	*	10
11	*	74	4.1	11.7	*	250	13.8	57.1	*	103	5.7	35.4	*	217	12.0	78.5	*	56	3.1	15.7	*	11
12	*	95	5.3	17.0	*	219	12.1	69.2	*	89	4.9	40.3	*	135	7.5	85.5	*	63	3.5	19.2	*	12
13	*	128	7.1	24.1	*	154	8.5	77.7	*	96	5.3	45.6	*	94	5.2	90.7	*	201	11.1	30.3	*	13
14	*	203	11.2	35.3	*	124	6.9	84.6	*	93	5.1	50.7	*	94	5.2	95.9	*	243	13.4	43.7	*	14
15	*	277	15.3	50.6	*	127	7.0	91.6	*	112	6.2	56.9	*	36	2.0	97.8	*	209	11.6	55.3	*	15
16	*	137	7.6	58.2	*	45	2.5	94.1	*	155	8.6	65.5	*	30	1.7	99.5	*	153	8.5	63.7	*	16
17	*	143	7.9	66.1	*	32	1.8	95.9	*	162	9.0	74.5	*	4	0.2	99.7	*	254	14.0	77.8	*	17
18	*	186	10.3	76.4	*	24	1.3	97.2	*	207	11.4	85.9	*	4	0.2	99.9	*	160	8.8	86.6	*	18
19	*	205	11.3	87.7	*	24	1.3	98.5	*	154	8.5	94.4	*	1	0.1	100.0	*	114	6.3	92.9	*	19
20	*	132	7.3	95.0	*	23	1.3	99.8	*	58	3.2	97.6	*	0	0.0	100.0	*	52	2.9	95.8	*	20
21	*	74	4.1	99.1	*	4	0.2	100.0	*	8	0.4	98.1	*	0	0.0	100.0	*	15	0.8	96.6	*	21
22	*	15	0.8	99.9	*	0	0.0	100.0	*	31	1.7	99.8	*	0	0.0	100.0	*	12	0.7	97.3	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	17	0.9	98.2	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.2	99.4	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	100.0	*	25

AVERAGE VALUES

FFMC = 76.6     DMC = 27.8     DC = 217.0     ISI = 5.7     ADMC = 62.6     FWI = 11.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1809

MAXIMUM VALUES

FFMC = 95.0     DMC = 150.0     DC = 606.0     ISI = 59.3     ADMC = 159.0     FWI = 81.0

\*\*\*TOTALS FOR REGION 22

LAKE WINNIPEG

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS			
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.				
1	*	1	0.1	0.1	*	5	0.3	0.3	*	3	0.2	0.2	*	3	0.2	0.2	*	95	5.3	5.3	*	1
2	*	3	0.2	0.2	*	17	1.0	1.2	*	29	1.6	1.8	*	89	5.0	5.2	*	140	7.9	13.2	*	2
3	*	5	0.3	0.5	*	50	2.8	4.0	*	68	3.8	5.6	*	135	7.6	12.8	*	104	5.8	19.1	*	3
4	*	11	0.6	1.1	*	73	4.1	8.2	*	61	3.4	9.1	*	148	8.3	21.1	*	137	7.7	26.8	*	4
5	*	12	0.7	1.8	*	128	7.2	15.3	*	33	1.9	10.9	*	145	8.2	29.2	*	136	7.6	34.4	*	5
6	*	18	1.0	2.8	*	111	6.2	21.6	*	32	1.8	12.7	*	136	7.6	36.9	*	219	12.3	46.7	*	6
7	*	29	1.6	4.4	*	99	5.6	27.2	*	68	3.8	16.5	*	147	8.3	45.1	*	182	10.2	56.9	*	7
8	*	51	2.9	7.3	*	105	5.9	33.1	*	60	3.4	19.9	*	239	13.4	58.6	*	160	9.0	65.9	*	8
9	*	53	3.0	10.3	*	99	5.6	38.6	*	72	4.0	23.9	*	184	10.3	68.9	*	60	3.4	12.4	*	9
10	*	59	3.3	13.6	*	139	7.8	46.4	*	71	4.0	27.9	*	130	7.3	76.2	*	141	7.9	88.3	*	10
11	*	59	3.3	16.9	*	267	15.0	61.4	*	99	5.6	33.5	*	184	10.3	86.6	*	80	4.5	92.8	*	11
12	*	106	6.0	22.9	*	202	11.4	72.8	*	77	4.3	37.8	*	106	6.0	92.5	*	50	2.8	95.6	*	12
13	*	146	8.2	31.1	*	145	8.2	80.9	*	83	4.7	42.5	*	52	2.9	95.4	*	181	10.2	34.3	*	13
14	*	205	11.5	42.6	*	99	5.6	86.5	*	133	7.5	50.0	*	50	2.8	98.3	*	215	12.1	46.4	*	14
15	*	269	15.1	57.7	*	93	5.2	91.7	*	133	7.5	57.4	*	18	1.0	99.3	*	203	11.4	57.8	*	15
16	*	133	7.5	65.2	*	62	3.5	95.2	*	133	7.5	64.9	*	10	0.6	99.8	*	166	9.3	67.2	*	16
17	*	149	8.4	73.6	*	27	1.5	96.7	*	169	9.5	74.4	*	2	0.1	99.9	*	242	13.6	80.8	*	17
18	*	168	9.4	83.0	*	14	0.8	97.5	*	209	11.7	86.2	*	1	0.1	100.0	*	167	9.4	90.2	*	18
19	*	153	8.9	91.9	*	43	2.4	99.9	*	96	5.4	91.6	*	0	0.0	100.0	*	68	3.8	94.0	*	19
20	*	100	5.6	97.5	*	1	0.1	100.0	*	67	3.8	95.3	*	0	0.0	100.0	*	20	1.1	95.1	*	20
21	*	38	2.1	99.7	*	0	0.0	100.0	*	24	1.3	96.7	*	0	0.0	100.0	*	15	0.8	96.0	*	21
22	*	6	0.3	100.0	*	0	0.0	100.0	*	42	2.4	99.0	*	0	0.0	100.0	*	22	1.2	97.2	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	17	1.0	100.0	*	0	0.0	100.0	*	36	2.0	99.2	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.8	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.5      DMC = 25.8      DC = 224.4      ISI = 4.4      ADMC = 59.8      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1779

MAXIMUM VALUES

FFMC = 94.0      DMC = 112.0      DC = 652.0      ISI = 41.4      ADMC = 150.0      FWI = 77.0

198



FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.		CUM. PCNT.							
1	*	3	0.5	0.5	*	44	2.9	2.9	*	5	0.3	0.3	*	21	1.4	1.4	*	1	0.1	0.1	*	212	14.1	14.1	*	1
2	*	11	0.7	1.3	*	57	3.8	6.7	*	9	0.6	0.9	*	162	10.8	12.2	*	8	0.5	0.6	*	182	12.1	26.2	*	2
3	*	12	0.8	2.1	*	77	5.1	11.8	*	36	2.4	3.3	*	171	11.4	23.5	*	17	1.1	1.7	*	156	10.4	36.5	*	3
4	*	14	0.9	3.0	*	106	7.0	18.9	*	43	2.9	6.2	*	161	10.7	34.2	*	17	1.1	2.9	*	112	7.4	44.0	*	4
5	*	24	1.6	4.6	*	101	6.7	25.6	*	51	3.4	9.6	*	142	9.4	43.7	*	32	2.1	5.0	*	86	5.7	49.7	*	5
6	*	18	1.2	5.8	*	130	8.6	34.2	*	29	1.9	11.5	*	130	8.6	52.3	*	43	2.9	7.8	*	175	11.6	61.3	*	6
7	*	37	2.5	8.2	*	128	8.5	42.7	*	94	6.2	17.7	*	115	7.6	59.9	*	71	4.7	12.6	*	132	8.8	70.1	*	7
8	*	36	2.4	10.6	*	111	7.4	50.1	*	84	5.6	23.3	*	147	9.8	69.7	*	63	4.2	16.7	*	106	7.0	77.1	*	8
9	*	47	3.1	13.8	*	75	5.0	55.1	*	69	4.6	27.9	*	118	7.8	77.5	*	76	5.0	21.8	*	156	10.4	87.5	*	9
10	*	53	3.5	17.3	*	79	5.2	60.3	*	68	4.5	32.4	*	85	5.6	83.2	*	76	5.0	26.8	*	82	5.4	93.0	*	10
11	*	72	4.8	22.1	*	219	14.6	74.9	*	61	4.1	36.5	*	118	7.8	91.0	*	80	5.3	32.2	*	57	3.8	96.7	*	11
12	*	95	6.3	28.4	*	161	10.7	85.6	*	76	5.0	41.5	*	55	3.7	94.7	*	90	6.0	38.1	*	18	1.2	97.9	*	12
13	*	149	9.9	38.3	*	69	4.6	90.2	*	88	5.8	47.4	*	29	1.9	96.6	*	177	11.8	49.9	*	15	1.0	98.9	*	13
14	*	167	11.1	49.4	*	47	3.1	93.3	*	133	8.8	56.2	*	32	2.1	98.7	*	161	10.7	60.6	*	10	0.7	99.6	*	14
15	*	216	14.4	63.7	*	46	3.1	96.3	*	128	8.5	64.7	*	14	0.9	99.7	*	132	8.8	69.4	*	6	0.4	100.0	*	15
16	*	119	7.9	71.6	*	22	1.5	97.8	*	74	4.9	69.6	*	2	0.1	99.8	*	143	9.5	78.9	*	0	0.0	100.0	*	16
17	*	131	8.7	80.3	*	14	0.9	98.7	*	73	4.9	74.5	*	2	0.1	99.9	*	171	11.4	90.2	*	0	0.0	100.0	*	17
18	*	123	8.2	88.5	*	15	1.0	99.7	*	178	11.8	86.3	*	1	0.1	100.0	*	78	5.2	95.4	*	0	0.0	100.0	*	18
19	*	99	6.6	95.1	*	4	0.3	100.0	*	158	10.5	96.8	*	0	0.0	100.0	*	38	2.5	97.9	*	0	0.0	100.0	*	19
20	*	50	3.3	98.4	*	0	0.0	100.0	*	16	1.1	97.9	*	0	0.0	100.0	*	10	0.7	98.6	*	0	0.0	100.0	*	20
21	*	20	1.3	99.7	*	0	0.0	100.0	*	30	2.0	99.9	*	0	0.0	100.0	*	7	0.5	99.1	*	0	0.0	100.0	*	21
22	*	3	0.2	99.9	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	12	0.8	99.9	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.4      DMC = 19.6      DC = 208.6      ISI = 3.5      ADCMC = 48.5      FWI = 6.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1505

MAXIMUM VALUES

FFMC = 95.0      DMC = 90.0      DC = 503.0      ISI = 41.2      ADCMC = 103.0      FWI = 47.0

\*\*\*TOTALS FOR REGION

24

NORTHERN MANITOBA

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	5	0.5	0.5	48	4.6	4.6	0	0.0	0.0	13	1.2	1.2	6	0.6	0.6	169	16.1	16.1	1
2	7	0.7	1.1	72	6.8	11.4	2	0.2	0.2	109	10.4	11.6	7	0.7	1.2	177	16.8	32.9	2
3	11	1.0	2.2	84	8.0	19.4	21	2.0	2.2	169	16.1	27.7	12	1.1	2.4	120	11.4	44.3	3
4	13	1.2	3.4	107	10.2	29.6	17	1.6	3.8	146	13.9	41.5	18	1.7	4.1	134	12.7	57.0	4
5	18	1.7	5.1	124	11.8	41.3	24	2.3	6.1	140	13.3	54.8	44	4.2	8.3	92	8.7	65.8	5
6	32	3.0	8.2	122	11.6	52.9	19	1.8	7.9	115	10.9	65.8	51	4.8	13.1	131	12.5	78.2	6
7	49	4.7	12.8	103	9.8	62.7	55	5.2	13.1	73	6.9	72.7	58	5.5	18.6	94	8.9	87.2	7
8	79	7.5	20.3	105	10.0	72.7	68	6.5	19.6	102	9.7	82.4	72	6.8	25.5	45	4.3	91.4	8
9	33	3.1	23.5	67	6.4	79.1	78	7.4	27.0	67	6.4	88.8	56	5.3	30.8	55	5.2	96.7	9
10	77	7.3	30.8	61	5.8	84.9	114	10.8	37.8	38	3.6	92.4	93	8.8	39.6	17	1.6	98.3	10
11	76	7.2	38.0	65	6.2	91.1	70	6.7	44.5	35	3.3	95.7	102	9.7	49.3	11	1.0	99.3	11
12	95	9.0	47.1	43	4.1	95.2	65	6.2	50.7	20	1.9	97.6	68	6.5	55.8	1	0.1	99.4	12
13	108	10.3	57.3	28	2.7	97.8	57	5.4	56.1	7	0.7	98.3	155	14.7	70.5	4	0.4	99.8	13
14	130	12.4	69.7	13	1.2	99.0	78	7.4	63.5	9	0.9	99.1	135	12.8	83.4	2	0.2	100.0	14
15	165	15.7	85.4	10	1.0	100.0	99	9.4	72.9	6	0.6	99.7	58	5.5	88.9	0	0.0	100.0	15
16	57	5.4	90.8	0	0.0	100.0	98	9.3	82.2	3	0.3	100.0	36	3.4	92.3	0	0.0	100.0	16
17	38	3.6	94.4	0	0.0	100.0	54	5.1	87.4	0	0.0	100.0	61	5.8	98.1	0	0.0	100.0	17
18	33	3.1	97.5	0	0.0	100.0	52	4.9	92.3	0	0.0	100.0	18	1.7	99.8	0	0.0	100.0	18
19	16	1.5	99.0	0	0.0	100.0	64	6.1	98.4	0	0.0	100.0	2	0.2	100.0	0	0.0	100.0	19
20	9	0.9	99.9	0	0.0	100.0	17	1.6	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	20
21	1	0.1	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	21
22	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	22
23	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 62.9      DMC = 13.4      DC = 188.3      ISI = 2.6      ADMC = 36.8      FWI = 4.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1052

MAXIMUM VALUES

FFMC = 91.0      DMC = 49.0      DC = 413.0      ISI = 23.7      ADMC = 66.0      FWI = 36.0

\*\*\*TOTALS FOR STATION 170 BEDE LONG. 10056 LAT. 4922

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	7	0.4	0.4	7	0.4	0.4	29	1.6	1.6	33	1.8	1.8	2	0.1	0.1	149	8.0	8.0	1
2	2	0.1	0.5	29	1.6	1.9	48	2.6	4.1	93	5.0	6.7	3	0.2	0.3	150	8.0	16.0	2
3	7	0.4	0.9	64	3.4	5.4	50	2.7	6.8	124	6.6	13.4	7	0.4	0.6	68	3.6	19.6	3
4	3	0.2	1.0	91	4.9	10.2	63	3.4	10.2	109	5.8	19.2	11	0.6	1.2	71	3.8	23.4	4
5	9	0.5	1.5	75	4.0	14.2	64	3.4	13.6	87	4.7	23.9	36	1.9	3.2	60	3.2	26.7	5
6	11	0.6	2.1	74	4.0	18.2	52	2.8	16.4	88	4.7	28.6	40	2.1	5.3	118	6.3	33.0	6
7	13	0.7	2.8	97	5.2	23.4	113	6.0	22.4	89	4.8	33.4	34	1.8	7.1	125	6.7	39.7	7
8	17	0.9	3.7	98	5.2	28.6	110	5.9	28.3	146	7.8	41.2	54	2.9	10.0	118	6.3	46.0	8
9	35	1.9	5.6	96	5.1	33.8	129	6.9	35.2	137	7.3	48.5	68	3.6	13.7	212	11.3	57.3	9
10	32	1.7	7.3	82	4.4	38.2	75	4.0	39.2	81	4.3	52.8	71	3.8	17.5	199	10.7	68.0	10
11	44	2.4	9.6	193	10.3	48.5	68	3.6	42.9	238	12.7	65.6	66	3.5	21.0	141	7.5	75.5	11
12	62	3.3	13.0	172	9.2	57.7	76	4.1	46.9	157	8.4	74.0	60	3.2	24.2	113	6.0	81.6	12
13	83	4.4	17.4	140	7.5	65.2	80	4.3	51.2	132	7.1	81.0	162	8.7	32.9	84	4.5	86.1	13
14	110	5.9	23.3	103	5.5	70.7	138	7.4	58.6	158	8.5	89.5	141	7.5	40.4	147	7.9	94.0	14
15	174	9.3	32.6	167	8.9	79.7	115	6.2	64.8	83	4.4	94.0	124	6.6	47.1	50	2.7	96.6	15
16	114	6.1	38.7	111	5.9	85.6	97	5.2	70.0	75	4.0	98.0	150	8.0	55.1	33	1.8	98.4	16
17	160	8.6	47.3	106	5.7	91.3	86	4.6	74.6	23	1.2	99.2	233	12.5	67.6	17	0.9	99.3	17
18	178	9.5	56.8	62	3.3	94.6	158	8.5	83.0	8	0.4	99.6	148	7.9	75.5	7	0.4	99.7	18
19	258	13.8	70.6	66	3.5	98.1	93	5.0	88.0	2	0.1	99.7	110	5.9	81.4	2	0.1	99.8	19
20	257	13.8	84.4	20	1.1	99.2	85	4.6	92.6	1	0.1	99.8	89	4.8	86.1	2	0.1	99.9	20
21	181	9.7	94.1	8	0.4	99.6	57	3.1	95.6	2	0.1	99.9	91	4.9	91.0	2	0.1	100.0	21
22	95	5.1	99.1	7	0.4	100.0	73	3.9	99.5	0	0.0	99.9	60	3.2	94.2	0	0.0	100.0	22
23	16	0.9	100.0	0	0.0	100.0	9	0.5	100.0	1	0.1	100.0	70	3.7	98.0	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	1	0.1	100.0	18	1.0	98.9	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	20	1.1	100.0	0	0.0	100.0	25

+ 201 +

AVERAGE VALUES

FFMC = 80.2      DMC = 33.8      DC = 209.9      ISI = 7.7      ADMC = 70.8      FWI = 15.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1868

MAXIMUM VALUES

FFMC = 96.0      DMC = 195.0      DC = 637.0      ISI = 130.3      ADMC = 220.0      FWI = 106.0

\*\*\*TOTALS FOR STATION 186

BROCHET

LONG. 10140

LAT. 5753

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.								
1	*	55	4.6	4.6	*	132	10.9	10.9	*	12	1.0	1.0	*	148	12.3	12.3	*	48	4.0	4.0	*	379	31.4	31.4	*	1
2	*	23	1.9	6.5	*	131	10.9	21.8	*	22	1.8	2.8	*	135	11.2	23.4	*	37	3.1	7.0	*	243	20.1	51.5	*	2
3	*	15	1.2	7.7	*	132	10.9	32.7	*	34	2.8	5.6	*	199	16.5	39.9	*	8	0.7	7.7	*	96	8.0	59.5	*	3
4	*	28	2.3	10.0	*	134	11.1	43.8	*	35	2.9	8.5	*	151	12.5	52.4	*	45	3.7	11.4	*	81	6.7	66.2	*	4
5	*	16	1.3	11.4	*	131	10.9	54.7	*	54	4.5	13.0	*	110	9.1	61.6	*	63	5.2	16.7	*	74	6.1	72.3	*	5
6	*	23	1.9	13.3	*	104	8.6	63.3	*	45	3.7	16.7	*	96	8.0	69.5	*	101	8.4	25.0	*	120	9.9	82.3	*	6
7	*	36	3.0	16.2	*	90	7.5	70.8	*	71	5.9	22.6	*	77	6.4	75.9	*	87	7.2	32.2	*	75	6.2	88.5	*	7
8	*	35	2.9	19.1	*	61	5.1	75.8	*	75	6.2	28.8	*	97	8.0	83.9	*	72	6.0	38.2	*	48	4.0	92.5	*	8
9	*	30	2.5	21.6	*	40	4.1	79.9	*	73	6.0	34.9	*	62	5.1	89.1	*	94	7.8	46.0	*	42	3.5	95.9	*	9
10	*	57	4.7	26.3	*	60	5.0	84.8	*	72	6.0	40.8	*	50	4.1	93.2	*	85	7.0	53.0	*	26	2.2	98.1	*	10
11	*	71	5.9	32.2	*	88	7.3	92.1	*	72	6.0	46.8	*	47	3.9	97.1	*	79	6.5	59.6	*	17	1.4	99.5	*	11
12	*	93	7.7	39.9	*	42	3.5	95.6	*	71	5.9	52.7	*	10	0.8	97.9	*	48	4.0	63.5	*	4	0.3	99.8	*	12
13	*	98	8.1	48.1	*	24	2.0	97.6	*	83	6.9	59.6	*	13	1.1	99.0	*	141	11.7	75.2	*	2	0.2	100.0	*	13
14	*	150	12.4	60.5	*	15	1.2	98.8	*	107	8.9	68.4	*	9	0.7	99.8	*	101	8.4	83.6	*	0	0.0	100.0	*	14
15	*	178	14.7	75.2	*	10	0.8	99.7	*	88	7.3	75.7	*	2	0.2	99.9	*	81	6.7	90.3	*	0	0.0	100.0	*	15
16	*	95	7.9	83.1	*	4	0.3	100.0	*	80	6.6	82.4	*	1	0.1	100.0	*	47	3.9	94.2	*	0	0.0	100.0	*	16
17	*	90	7.5	90.6	*	0	0.0	100.0	*	71	5.9	88.2	*	0	0.0	100.0	*	42	3.5	97.7	*	0	0.0	100.0	*	17
18	*	53	4.4	94.9	*	0	0.0	100.0	*	40	3.3	91.5	*	0	0.0	100.0	*	20	1.7	99.3	*	0	0.0	100.0	*	18
19	*	40	3.3	98.3	*	0	0.0	100.0	*	53	4.4	95.9	*	0	0.0	100.0	*	7	0.6	99.9	*	0	0.0	100.0	*	19
20	*	18	1.5	99.8	*	0	0.0	100.0	*	49	4.1	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	20
21	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 63.5      DMC = 11.8      DC = 176.9      ISI = 2.2      ADMC = 32.0      FWI = 3.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1207

MAXIMUM VALUES

FFMC = 91.0      DMC = 60.0      DC = 445.0      ISI = 21.2      ADMC = 71.0      FWI = 29.0

\*\*\*TOTALS FOR STATION 188 CHURCHILL LONG. 9404 LAT. 5845

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	34	3.1	3.1	*	175	15.8	15.8	*	13	1.2	1.2	*	124	11.2	11.2	*	66	6.0	6.0	*	402	36.2	36.2	*	1
2	*	17	1.5	4.6	*	136	12.3	28.0	*	26	2.3	3.5	*	151	13.6	24.8	*	35	3.2	9.1	*	213	19.2	55.5	*	2
3	*	19	1.7	6.3	*	127	11.5	39.5	*	37	3.3	6.9	*	193	17.4	42.2	*	10	0.9	10.0	*	82	7.4	62.8	*	3
4	*	24	2.2	8.5	*	114	10.3	49.8	*	46	4.1	11.0	*	143	12.9	55.1	*	67	6.0	16.1	*	78	7.0	69.9	*	4
5	*	25	2.3	10.7	*	125	11.3	61.0	*	47	4.2	15.2	*	113	10.2	65.3	*	89	8.0	24.1	*	54	4.9	74.8	*	5
6	*	19	1.7	12.4	*	61	5.5	66.5	*	36	3.2	18.5	*	69	6.2	71.5	*	71	6.4	30.5	*	98	8.8	83.6	*	6
7	*	29	2.6	15.1	*	74	6.7	73.2	*	104	9.4	27.9	*	59	5.3	76.8	*	86	7.8	38.2	*	51	4.6	88.2	*	7
8	*	37	3.3	18.4	*	53	4.8	78.0	*	86	7.8	35.6	*	84	7.6	84.4	*	72	6.5	44.7	*	25	2.3	90.4	*	8
9	*	51	4.6	23.0	*	49	4.4	82.4	*	78	7.0	42.7	*	40	3.6	88.0	*	90	8.1	52.8	*	49	4.4	94.9	*	9
10	*	72	6.5	29.5	*	43	3.9	86.3	*	65	5.9	48.5	*	27	2.4	90.4	*	66	6.0	58.8	*	23	2.1	96.9	*	10
11	*	74	6.7	36.2	*	64	5.8	92.1	*	62	5.6	54.1	*	42	3.8	94.2	*	56	5.0	63.8	*	17	1.5	98.5	*	11
12	*	92	8.3	44.5	*	44	4.0	96.0	*	74	6.7	60.8	*	20	1.8	96.0	*	45	4.1	67.9	*	4	0.4	98.8	*	12
13	*	114	10.3	54.7	*	11	1.0	97.0	*	49	4.4	65.2	*	13	1.2	97.2	*	111	10.0	77.9	*	3	0.3	99.1	*	13
14	*	142	12.8	67.5	*	6	0.5	97.6	*	73	6.6	71.8	*	14	1.3	98.5	*	93	8.4	86.3	*	5	0.5	99.5	*	14
15	*	148	13.3	80.9	*	17	1.5	99.1	*	69	6.2	78.0	*	5	0.5	98.9	*	53	4.8	91.1	*	2	0.2	99.7	*	15
16	*	45	4.1	84.9	*	7	0.6	99.7	*	68	6.1	84.1	*	6	0.5	99.5	*	36	3.2	94.3	*	3	0.3	100.0	*	16
17	*	71	6.4	91.3	*	3	0.3	100.0	*	65	5.9	90.0	*	3	0.3	99.7	*	24	2.2	96.5	*	0	0.0	100.0	*	17
18	*	40	3.6	95.0	*	0	0.0	100.0	*	45	4.1	94.0	*	3	0.3	100.0	*	12	1.1	97.6	*	0	0.0	100.0	*	18
19	*	26	2.3	97.3	*	0	0.0	100.0	*	55	5.0	99.0	*	0	0.0	100.0	*	15	1.4	98.9	*	0	0.0	100.0	*	19
20	*	21	1.9	99.2	*	0	0.0	100.0	*	11	1.0	100.0	*	0	0.0	100.0	*	9	0.8	99.7	*	0	0.0	100.0	*	20
21	*	7	0.6	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.3	100.0	*	0	0.0	100.0	*	21
22	*	2	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 62.5      DMC = 11.1      DC = 160.9      ISI = 2.6      ADMC = 29.9      FWI = 3.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1109

MAXIMUM VALUES

FFMC = 93.0      DMC = 66.0      DC = 435.0      ISI = 46.9      ADMC = 90.0      FWI = 57.0

\*\*\*TOTALS FOR STATION 174 DAUPHIN A LONG. 10003 LAT. 5106

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	18	1.0	1.0	29	1.6	1.6	46	2.5	2.5	80	4.4	4.4	13	0.7	0.7	248	13.5	13.5	1
2	4	0.2	1.2	41	2.2	3.8	47	2.6	5.1	141	7.7	12.0	8	0.4	1.1	134	7.3	20.8	2
3	14	0.8	2.0	54	2.9	6.7	53	2.9	7.9	131	7.1	19.1	18	1.0	2.1	83	4.5	25.3	3
4	16	0.9	2.8	67	3.6	10.4	44	2.4	10.3	125	6.8	25.9	13	0.7	2.8	71	3.9	29.1	4
5	20	1.1	3.9	82	4.5	14.8	50	2.7	13.1	98	5.3	31.3	29	1.6	4.4	69	3.8	32.9	5
6	16	0.9	4.8	112	6.1	20.9	48	2.6	15.7	86	4.7	35.9	38	2.1	6.5	155	8.4	41.3	6
7	23	1.3	6.0	93	5.1	26.0	99	5.4	21.0	102	5.5	41.5	38	2.1	8.5	137	7.4	48.8	7
8	31	1.7	7.7	96	5.2	31.2	101	5.5	26.5	183	10.0	51.4	40	2.2	10.7	140	7.6	56.4	8
9	30	2.1	9.8	124	6.7	38.0	81	4.4	30.9	137	7.4	58.9	52	2.8	13.5	246	13.4	69.8	9
10	45	2.4	12.3	81	4.4	42.4	70	3.8	34.7	150	8.2	67.0	51	2.8	16.3	166	9.0	78.8	10
11	41	2.2	14.5	221	12.0	54.4	83	4.5	39.3	225	12.2	79.3	63	3.4	19.7	109	5.9	84.7	11
12	50	3.2	17.7	157	8.5	62.9	86	4.7	43.9	84	4.6	83.8	75	4.1	23.8	78	4.2	89.0	12
13	31	4.9	22.7	119	6.5	69.4	88	4.8	48.7	99	5.4	89.2	173	9.4	33.2	56	3.0	92.0	13
14	108	5.9	28.5	116	6.3	75.7	110	6.0	54.7	101	5.5	94.7	187	10.2	43.4	96	5.2	97.2	14
15	192	10.4	39.0	148	8.0	83.7	86	4.7	59.4	44	2.4	97.1	169	9.2	52.6	31	1.7	98.9	15
16	130	7.6	46.5	124	6.7	90.5	82	4.5	63.8	34	1.8	99.0	135	7.3	59.9	10	0.5	99.5	16
17	175	9.5	56.1	78	4.2	94.7	111	6.0	69.9	10	0.5	99.5	201	10.9	70.9	5	0.3	99.7	17
18	192	10.4	66.5	34	1.8	96.6	232	12.6	82.5	5	0.3	99.8	151	8.2	79.1	3	0.2	99.9	18
19	250	13.5	80.1	42	2.3	98.9	215	11.7	94.2	3	0.2	99.9	134	7.3	86.4	2	0.1	100.0	19
20	211	11.5	91.6	14	0.8	99.6	70	3.8	98.0	0	0.0	99.9	92	5.0	91.4	0	0.0	100.0	20
21	118	6.4	98.0	7	0.4	100.0	29	1.6	99.6	0	0.0	99.9	61	3.3	94.7	0	0.0	100.0	21
22	37	2.0	100.0	0	0.0	100.0	8	0.4	100.0	1	0.1	100.0	40	2.2	96.8	0	0.0	100.0	22
23	1	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	40	2.2	99.0	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	13	0.7	99.7	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	5	0.3	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 76.7      DMC = 30.1      DC = 210.6      ISI = 5.6      ADMC = 65.3      FWI = 11.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1839

MAXIMUM VALUES

FFMC = 94.0      DMC = 169.0      DC = 508.0      ISI = 82.0      ADMC = 169.0      FWI = 89.0

\*\*\*TOTALS FOR STATION 183 FLIN FLON LONG. 10151 LAT, 5446

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	22	1.5	1.5	*	46	3.1	3.1	*	21	1.4	1.4	*	62	4.1	4.1	*	7	0.5	0.5	*	254	17.0	17.0	*	1
2	*	7	0.1	1.6	*	74	4.9	8.0	*	34	2.3	3.7	*	134	9.0	13.1	*	16	1.1	1.5	*	204	13.6	30.6	*	2
3	*	15	1.0	2.6	*	88	5.9	13.9	*	33	2.2	5.9	*	176	11.8	24.9	*	11	0.7	2.3	*	106	7.1	37.7	*	3
4	*	12	0.8	3.4	*	98	6.6	20.5	*	48	3.2	9.1	*	171	11.4	36.3	*	28	1.9	4.1	*	81	5.4	43.1	*	4
5	*	6	0.4	3.8	*	87	5.8	26.3	*	41	2.7	11.8	*	119	8.0	44.3	*	44	2.9	7.1	*	82	5.5	48.6	*	5
6	*	19	1.3	5.1	*	96	6.4	32.7	*	44	2.9	14.8	*	90	6.0	50.3	*	46	3.1	10.2	*	134	9.0	57.6	*	6
7	*	23	1.5	6.6	*	114	7.6	40.3	*	81	5.4	20.2	*	80	5.4	55.7	*	53	3.5	13.7	*	103	6.9	64.5	*	7
8	*	28	1.9	8.5	*	79	5.3	45.6	*	92	6.2	26.4	*	157	10.5	66.2	*	65	4.3	18.1	*	89	6.0	70.4	*	8
9	*	34	2.3	10.8	*	71	4.7	50.4	*	86	5.8	32.1	*	122	8.2	74.3	*	74	4.9	23.0	*	165	11.0	81.5	*	9
10	*	54	3.6	14.4	*	66	4.4	54.8	*	75	5.0	37.1	*	81	5.4	79.7	*	75	5.0	28.0	*	111	7.4	88.9	*	10
11	*	65	4.3	18.7	*	170	11.4	66.2	*	71	4.7	41.9	*	132	8.8	88.6	*	70	4.7	32.7	*	74	4.9	93.8	*	11
12	*	79	5.3	24.0	*	116	7.8	73.9	*	91	6.1	48.0	*	82	5.5	94.0	*	71	4.7	37.5	*	38	2.5	96.4	*	12
13	*	102	6.8	30.8	*	101	6.8	80.7	*	75	5.0	53.0	*	41	2.7	96.8	*	164	11.0	48.4	*	23	1.5	97.9	*	13
14	*	145	9.7	40.5	*	47	3.1	83.8	*	84	5.6	58.6	*	37	2.5	99.3	*	113	7.6	56.0	*	26	1.7	99.7	*	14
15	*	210	14.0	54.6	*	90	6.0	89.8	*	104	7.0	65.6	*	5	0.3	99.6	*	112	7.5	63.5	*	5	0.3	100.0	*	15
16	*	102	6.8	61.4	*	51	3.4	93.2	*	106	7.1	72.6	*	6	0.4	100.0	*	95	6.4	69.8	*	0	0.0	100.0	*	16
17	*	116	7.8	69.2	*	38	2.5	95.8	*	91	6.1	78.7	*	0	0.0	100.0	*	145	9.7	79.5	*	0	0.0	100.0	*	17
18	*	160	10.7	79.9	*	35	2.3	98.1	*	115	7.7	86.4	*	0	0.0	100.0	*	102	6.8	86.4	*	0	0.0	100.0	*	18
19	*	168	11.2	91.1	*	28	1.9	100.0	*	46	3.1	89.5	*	0	0.0	100.0	*	69	4.6	91.0	*	0	0.0	100.0	*	19
20	*	90	6.0	97.1	*	0	0.0	100.0	*	24	1.6	91.1	*	0	0.0	100.0	*	35	2.3	93.3	*	0	0.0	100.0	*	20
21	*	37	2.5	99.6	*	0	0.0	100.0	*	45	3.0	94.1	*	0	0.0	100.0	*	28	1.9	95.2	*	0	0.0	100.0	*	21
22	*	6	0.4	100.0	*	0	0.0	100.0	*	21	1.4	95.5	*	0	0.0	100.0	*	22	1.5	96.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	67	4.5	100.0	*	0	0.0	100.0	*	44	2.9	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.0      DMC = 23.9      DC = 213.0      ISI = 3.7      ADMC = 55.6      FWI = 7.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1495

MAXIMUM VALUES

FFMC = 94.0      DMC = 105.0      DC = 691.0      ISI = 28.9      ADMC = 136.0      FWI = 47.0

\*\*\*TOTALS FOR STATION 165 GIMLI A LONG. 9703 LAT. 5038

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	8	0.5	0.5	*	20	1.1	1.1	*	44	2.5	2.5	*	66	3.7	3.7	*	6	0.3	0.3	*	272	15.3	15.3	*	1
2	*	8	0.5	0.9	*	72	4.1	5.2	*	55	3.1	5.6	*	146	8.2	11.9	*	9	0.5	0.8	*	215	12.1	27.4	*	2
3	*	10	0.6	1.5	*	97	5.5	10.6	*	63	3.5	9.1	*	186	10.5	22.4	*	14	0.8	1.6	*	95	5.3	32.8	*	3
4	*	10	0.6	2.0	*	126	7.1	17.7	*	73	4.1	13.2	*	149	8.4	30.8	*	23	1.3	2.9	*	106	6.0	38.7	*	4
5	*	21	1.2	3.2	*	139	7.8	25.6	*	53	3.0	16.2	*	127	7.2	38.0	*	48	2.7	5.6	*	103	5.8	44.5	*	5
6	*	25	1.4	4.6	*	126	7.1	32.7	*	58	3.3	19.5	*	116	6.5	44.5	*	56	3.2	8.8	*	160	9.0	53.5	*	6
7	*	26	1.5	6.1	*	137	7.7	40.4	*	106	6.0	25.5	*	109	6.1	50.6	*	55	3.1	11.9	*	147	8.3	61.8	*	7
8	*	29	1.6	7.7	*	134	7.5	47.9	*	92	5.2	30.6	*	148	8.3	59.0	*	76	4.3	16.2	*	128	7.2	69.0	*	8
9	*	46	2.6	10.3	*	108	6.1	54.0	*	118	6.6	37.3	*	168	9.5	68.4	*	97	5.5	21.6	*	179	10.1	79.1	*	9
10	*	39	2.2	12.5	*	83	4.7	58.7	*	104	5.9	43.1	*	115	6.5	74.9	*	111	6.3	27.9	*	129	7.3	86.4	*	10
11	*	69	3.9	16.4	*	210	11.8	70.5	*	105	5.9	49.0	*	145	8.2	83.1	*	107	6.0	33.9	*	101	5.7	92.1	*	11
12	*	74	4.2	20.6	*	152	8.6	79.1	*	128	7.2	56.2	*	111	6.3	89.3	*	75	4.2	38.1	*	46	2.6	94.7	*	12
13	*	100	5.6	26.2	*	103	5.8	84.9	*	79	4.4	60.7	*	67	3.8	93.1	*	197	11.1	49.2	*	39	2.2	96.8	*	13
14	*	148	8.3	34.5	*	94	5.3	90.1	*	116	6.5	67.2	*	55	3.1	96.2	*	185	10.4	59.6	*	40	2.3	99.1	*	14
15	*	237	13.3	47.9	*	73	4.1	94.3	*	158	8.9	76.1	*	32	1.8	98.0	*	144	8.1	67.7	*	9	0.5	99.6	*	15
16	*	136	7.7	55.5	*	52	2.9	97.2	*	150	8.4	84.6	*	25	1.4	99.4	*	142	8.0	75.7	*	5	0.3	99.9	*	16
17	*	166	9.3	64.9	*	21	1.2	98.4	*	104	5.9	90.4	*	5	0.3	99.7	*	195	11.0	86.7	*	2	0.1	100.0	*	17
18	*	202	11.4	76.2	*	12	0.7	99.0	*	81	4.6	95.0	*	4	0.2	99.9	*	116	6.5	93.2	*	0	0.0	100.0	*	18
19	*	211	11.9	88.1	*	17	1.0	100.0	*	58	3.3	98.3	*	1	0.1	99.9	*	52	2.9	96.2	*	0	0.0	100.0	*	19
20	*	144	8.1	96.2	*	0	0.0	100.0	*	30	1.7	99.9	*	1	0.1	100.0	*	34	1.9	98.1	*	0	0.0	100.0	*	20
21	*	52	2.9	99.2	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	18	1.0	99.1	*	0	0.0	100.0	*	21
22	*	15	0.8	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	99.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.9      DMC = 21.5      DC = 167.6      ISI = 4.7      ADMC = 50.0      FWI = 8.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1776

MAXIMUM VALUES

FFMC = 94.0      DMC = 105.0      DC = 453.0      ISI = 67.8      ADMC = 113.0      FWI = 64.0



\*\*\*TOTALS FOR STATION 179 GRAND RAPIDS LONG, 9917 LAT, 5309

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	10	0.7	0.7	*	28	1.8	1.8	*	36	2.4	2.4	*	62	4.0	4.0	*	9	0.6	0.6	*	231	15.1	15.1	*	1
2	*	9	0.6	1.2	*	50	3.3	5.1	*	42	2.7	5.1	*	142	9.3	13.3	*	8	0.5	1.1	*	200	13.1	28.2	*	2
3	*	11	0.7	2.0	*	89	5.8	10.9	*	51	3.3	8.4	*	162	10.6	23.9	*	7	0.5	1.6	*	90	5.9	34.0	*	3
4	*	11	0.7	2.7	*	116	7.6	18.5	*	50	3.3	11.7	*	152	9.9	33.8	*	16	1.0	2.6	*	93	6.1	40.1	*	4
5	*	15	1.0	3.7	*	98	6.4	24.9	*	47	3.1	14.8	*	126	8.2	42.1	*	38	2.5	5.1	*	104	6.8	46.9	*	5
6	*	17	1.1	4.8	*	100	6.5	31.4	*	46	3.0	17.8	*	100	6.5	48.6	*	47	3.1	8.2	*	175	11.4	58.3	*	6
7	*	18	1.2	5.9	*	105	6.9	38.3	*	58	3.8	21.6	*	84	5.5	54.1	*	55	3.6	11.8	*	108	7.1	65.4	*	7
8	*	27	1.8	7.7	*	84	5.5	43.8	*	56	3.7	25.2	*	160	10.5	64.5	*	77	5.0	16.8	*	92	6.0	71.4	*	8
9	*	43	2.8	10.5	*	88	5.7	49.5	*	82	5.4	30.6	*	130	8.5	73.0	*	84	5.5	22.3	*	181	11.8	83.2	*	9
10	*	45	2.9	13.5	*	95	6.2	55.7	*	79	5.2	35.7	*	112	7.3	80.3	*	78	5.1	27.4	*	119	7.8	91.0	*	10
11	*	60	3.9	17.4	*	177	11.6	67.3	*	79	5.2	40.9	*	126	8.2	88.6	*	57	3.7	31.1	*	56	3.7	94.6	*	11
12	*	76	5.0	22.3	*	127	8.3	75.6	*	85	5.6	46.4	*	81	5.3	93.9	*	66	4.3	35.4	*	36	2.4	97.0	*	12
13	*	106	6.9	29.3	*	102	6.7	82.2	*	84	5.5	51.9	*	34	2.2	96.1	*	142	9.3	44.7	*	23	1.5	98.5	*	13
14	*	137	8.9	38.2	*	89	5.8	88.0	*	99	6.5	58.4	*	33	2.2	98.2	*	140	9.1	53.8	*	21	1.4	99.9	*	14
15	*	216	14.1	52.3	*	107	7.0	95.0	*	73	4.8	63.2	*	16	1.0	99.3	*	165	10.8	64.6	*	1	0.1	99.9	*	15
16	*	119	7.8	60.1	*	54	3.5	98.6	*	83	5.4	68.6	*	8	0.5	99.8	*	114	7.4	72.0	*	0	0.0	99.9	*	16
17	*	174	11.4	71.5	*	20	1.3	99.9	*	69	4.5	73.1	*	2	0.1	99.9	*	173	11.3	83.3	*	0	0.0	99.9	*	17
18	*	144	9.4	80.9	*	2	0.1	100.0	*	143	9.3	82.4	*	0	0.0	99.9	*	114	7.4	90.8	*	1	0.1	100.0	*	18
19	*	166	10.8	91.7	*	0	0.0	100.0	*	150	9.8	92.2	*	1	0.1	100.0	*	87	5.7	96.5	*	0	0.0	100.0	*	19
20	*	89	5.8	97.5	*	0	0.0	100.0	*	94	6.1	98.4	*	0	0.0	100.0	*	34	2.2	98.7	*	0	0.0	100.0	*	20
21	*	34	2.2	99.7	*	0	0.0	100.0	*	25	1.6	100.0	*	0	0.0	100.0	*	14	0.9	99.6	*	0	0.0	100.0	*	21
22	*	2	0.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.7     DMC = 21.9     DC = 204.6     ISI = 3.8     ADMC = 51.8     FWI = 7.5

MAXIMUM VALUES

FFMC = 95.0     DMC = 74.0     DC = 490.0     ISI = 59.8     ADMC = 96.0     FWI = 79.0

\*\*\*TOTALS FOR STATION 175 GREAT FALLS LONG. 9600 LAT. 5028

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.		CUM. PCNT.							
1	*	3	0.2	0.2	*	22	1.2	1.2	*	25	1.4	1.4	*	41	2.2	2.2	*	7	0.4	0.4	*	204	11.1	11.1	*	1
2	*	6	0.3	0.5	*	34	1.9	3.0	*	36	2.0	3.3	*	123	6.7	8.9	*	8	0.4	0.8	*	230	12.5	23.6	*	2
3	*	15	0.8	1.3	*	86	4.7	7.7	*	37	2.0	5.3	*	191	10.4	19.3	*	8	0.4	1.3	*	108	5.9	29.5	*	3
4	*	5	0.3	1.6	*	113	6.2	13.9	*	61	3.3	8.7	*	174	9.5	28.8	*	13	0.7	2.0	*	113	6.2	35.7	*	4
5	*	10	0.5	2.1	*	156	8.5	22.4	*	42	2.3	10.9	*	127	6.9	35.7	*	29	1.6	3.5	*	97	5.3	40.9	*	5
6	*	16	0.9	3.0	*	137	7.5	29.8	*	29	1.6	12.5	*	140	7.6	43.3	*	36	2.0	5.5	*	175	9.5	50.5	*	6
7	*	22	1.2	4.2	*	134	7.3	37.1	*	81	4.4	16.9	*	90	4.9	48.2	*	55	3.0	8.5	*	139	7.6	58.0	*	7
8	*	24	1.3	5.5	*	110	6.0	43.1	*	84	4.6	21.5	*	200	10.9	59.1	*	60	3.3	11.8	*	119	6.5	64.5	*	8
9	*	38	2.1	7.6	*	92	5.0	48.1	*	91	5.0	26.5	*	149	8.1	67.2	*	82	4.5	16.2	*	210	11.4	75.9	*	9
10	*	34	1.9	9.4	*	90	4.9	53.0	*	88	4.8	31.2	*	107	5.8	73.1	*	90	4.9	21.1	*	147	8.0	83.9	*	10
11	*	62	3.4	12.8	*	211	11.5	64.5	*	74	4.0	35.3	*	178	9.7	82.7	*	90	4.9	26.0	*	101	5.5	89.4	*	11
12	*	92	5.0	17.8	*	151	8.2	72.7	*	91	5.0	40.2	*	118	6.4	89.2	*	93	5.1	31.1	*	72	3.9	93.4	*	12
13	*	129	7.0	24.8	*	86	4.7	77.4	*	84	4.6	44.8	*	70	3.8	93.0	*	224	12.2	43.3	*	43	2.3	95.7	*	13
14	*	154	8.4	33.2	*	79	4.3	81.7	*	102	5.6	50.4	*	66	3.6	96.6	*	168	9.1	52.4	*	49	2.7	98.4	*	14
15	*	244	13.3	46.5	*	159	8.7	90.4	*	142	7.7	58.1	*	32	1.7	98.3	*	154	8.4	60.8	*	22	1.2	99.6	*	15
16	*	126	6.9	53.3	*	77	4.2	94.6	*	103	5.6	63.7	*	21	1.1	99.5	*	127	6.9	67.7	*	6	0.3	99.9	*	16
17	*	170	9.3	62.6	*	34	1.9	96.4	*	71	3.9	67.6	*	5	0.3	99.7	*	185	10.1	77.8	*	2	0.1	100.0	*	17
18	*	214	11.6	74.3	*	21	1.1	97.6	*	186	10.1	77.7	*	4	0.2	99.9	*	118	6.4	84.2	*	0	0.0	100.0	*	18
19	*	228	12.4	86.7	*	29	1.6	99.1	*	135	7.3	85.0	*	1	0.1	100.0	*	106	5.8	90.0	*	0	0.0	100.0	*	19
20	*	161	8.8	95.4	*	10	0.5	99.7	*	94	5.1	90.1	*	0	0.0	100.0	*	81	4.4	94.4	*	0	0.0	100.0	*	20
21	*	73	4.0	99.4	*	6	0.3	100.0	*	97	5.3	95.4	*	0	0.0	100.0	*	34	1.9	96.2	*	0	0.0	100.0	*	21
22	*	11	0.6	100.0	*	0	0.0	100.0	*	53	2.9	98.3	*	0	0.0	100.0	*	18	1.0	97.2	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	31	1.7	100.0	*	0	0.0	100.0	*	27	1.5	98.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19	1.0	99.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.3      DMC = 25.3      DC = 235.9      ISI = 4.7      ADMC = 58.9      FWI = 9.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1837

MAXIMUM VALUES

FFMC = 94.0      DMC = 162.0      DC = 679.0      ISI = 57.3      ADMC = 166.0      FWI = 69.0

\*\*\*TOTALS FOR STATION 177

GYPSUMVILLE

LONG. 9844

LAT. 5140

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS	
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.		CUM. PCNT.
1	* 20	1.1	1.1	* 14	0.8	0.8	* 32	1.8	1.8	* 70	3.9	3.9	* 3	0.2	0.2	* 251	13.8	13.8	* 1
2	* 7	0.4	1.5	* 39	2.1	2.9	* 32	1.8	3.5	* 152	8.4	12.3	* 8	0.4	0.6	* 153	8.4	22.3	* 2
3	* 12	0.7	2.1	* 65	3.6	6.5	* 41	2.3	5.8	* 149	8.2	20.5	* 14	0.8	1.4	* 78	4.3	26.6	* 3
4	* 16	0.9	3.0	* 66	3.6	10.1	* 42	2.3	8.1	* 122	6.7	27.2	* 10	0.6	1.9	* 73	4.0	30.6	* 4
5	* 11	0.6	3.6	* 95	5.2	15.4	* 53	2.9	11.0	* 114	6.3	33.5	* 31	1.7	3.6	* 91	5.0	35.6	* 5
6	* 16	0.9	4.5	* 115	6.3	21.7	* 55	3.0	14.0	* 103	5.7	39.2	* 30	1.7	5.3	* 145	8.0	43.6	* 6
7	* 20	1.1	5.6	* 100	5.5	27.2	* 95	5.2	19.3	* 101	5.6	44.7	* 34	1.9	7.2	* 161	8.9	52.5	* 7
8	* 40	2.2	7.8	* 102	5.6	32.8	* 94	5.2	24.5	* 171	9.4	54.2	* 51	2.8	10.0	* 139	7.7	60.1	* 8
9	* 38	2.1	9.9	* 115	6.3	39.2	* 69	3.8	28.3	* 167	9.2	63.4	* 49	2.7	12.7	* 214	11.8	71.9	* 9
10	* 52	2.9	12.8	* 89	4.9	44.1	* 71	3.9	32.2	* 144	7.9	71.3	* 57	3.1	15.8	* 150	8.3	80.2	* 10
11	* 37	2.0	14.8	* 224	12.3	56.4	* 79	4.4	36.5	* 187	10.3	81.6	* 84	4.6	20.4	* 115	6.3	86.5	* 11
12	* 71	3.9	18.7	* 154	8.5	64.9	* 74	4.1	40.6	* 99	5.5	87.1	* 81	4.5	24.9	* 73	4.0	90.5	* 12
13	* 100	5.5	24.2	* 119	6.6	71.5	* 80	4.4	45.0	* 76	4.2	91.2	* 169	9.3	34.2	* 45	2.5	93.0	* 13
14	* 102	5.6	29.9	* 90	5.0	76.4	* 128	7.1	52.1	* 78	4.3	95.5	* 180	9.9	44.1	* 88	4.8	97.9	* 14
15	* 208	11.5	41.3	* 142	7.8	84.2	* 83	4.6	56.6	* 32	1.8	97.3	* 156	8.6	52.7	* 22	1.2	99.1	* 15
16	* 139	7.7	49.0	* 107	5.9	90.1	* 65	3.6	60.2	* 34	1.9	99.2	* 144	7.9	60.7	* 11	0.6	99.7	* 16
17	* 176	9.7	58.7	* 70	3.9	94.0	* 87	4.8	65.0	* 9	0.5	99.7	* 198	10.9	71.6	* 4	0.2	99.9	* 17
18	* 179	9.9	68.5	* 32	1.8	95.8	* 267	14.7	79.7	* 4	0.2	99.9	* 144	7.9	79.5	* 1	0.1	99.9	* 18
19	* 246	13.6	82.1	* 51	2.8	98.6	* 190	10.5	90.2	* 1	0.1	99.9	* 130	7.2	86.7	* 0	0.0	99.9	* 19
20	* 205	11.3	93.4	* 19	1.0	99.6	* 97	5.3	95.5	* 1	0.1	100.0	* 102	5.6	92.3	* 1	0.1	100.0	* 20
21	* 92	5.1	98.5	* 7	0.4	100.0	* 49	2.7	98.2	* 0	0.0	100.0	* 56	3.1	95.4	* 0	0.0	100.0	* 21
22	* 28	1.5	100.0	* 0	0.0	100.0	* 32	1.8	100.0	* 0	0.0	100.0	* 28	1.5	96.9	* 0	0.0	100.0	* 22
23	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 30	1.7	98.6	* 0	0.0	100.0	* 23
24	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 21	1.2	99.7	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 5	0.3	100.0	* 0	0.0	100.0	* 25

1 209 1

AVERAGE VALUES

FFMC = 76.1      DMC = 29.9      DC = 225.2      ISI = 5.2      ADMC = 64.9      FWI = 11.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1815

MAXIMUM VALUES

FFMC = 94.0      DMC = 165.0      DC = 559.0      ISI = 64.9      ADMC = 165.0      FWI = 91.0

\*\*\*TOTALS FOR STATION 176 HODGSON LONG. 9735 LAT. 5112

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS	
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	
1	* 18	1.0	1.0	* 23	1.3	1.3	* 30	1.6	1.6	* 69	3.8	3.8	* 3	0.2	0.2	* 256	14.0	14.0	* 1
2	* 8	0.4	1.4	* 59	3.2	4.5	* 34	1.9	3.5	* 141	7.7	11.5	* 10	0.5	0.7	* 194	10.6	24.7	* 2
3	* 12	0.7	2.1	* 84	4.6	9.1	* 54	3.0	6.5	* 176	9.6	21.2	* 10	0.5	1.3	* 100	5.5	30.1	* 3
4	* 10	0.5	2.6	* 133	7.3	16.4	* 82	4.5	11.0	* 143	7.8	29.0	* 25	1.4	2.6	* 107	5.9	36.0	* 4
5	* 14	0.8	3.4	* 120	6.6	23.0	* 58	3.2	14.1	* 132	7.2	36.2	* 32	1.8	4.4	* 77	4.2	40.2	* 5
6	* 19	1.0	4.4	* 112	6.1	29.1	* 54	3.0	17.1	* 116	6.4	42.6	* 56	3.1	7.5	* 189	10.4	50.6	* 6
7	* 29	1.6	6.0	* 106	5.8	34.9	* 104	5.7	22.8	* 100	5.5	48.1	* 59	3.2	10.7	* 151	8.3	58.8	* 7
8	* 31	1.7	7.7	* 119	6.5	41.4	* 88	4.8	27.6	* 210	11.5	59.6	* 71	3.9	14.6	* 133	7.3	66.1	* 8
9	* 36	2.0	9.7	* 111	6.1	47.5	* 90	4.9	32.5	* 151	8.3	67.8	* 85	4.7	19.2	* 188	10.3	76.4	* 9
10	* 46	2.5	12.2	* 94	5.2	52.7	* 76	4.2	36.7	* 105	5.8	73.6	* 105	5.8	25.0	* 146	8.0	84.4	* 10
11	* 55	3.0	15.2	* 212	11.6	64.3	* 86	4.7	41.4	* 177	9.7	83.3	* 81	4.4	29.4	* 108	5.9	90.4	* 11
12	* 68	3.7	19.0	* 169	9.3	73.5	* 105	5.8	47.2	* 107	5.9	89.2	* 64	3.5	32.9	* 72	3.9	94.3	* 12
13	* 106	5.8	24.8	* 134	7.3	80.9	* 81	4.4	51.6	* 83	4.5	93.7	* 175	9.6	42.5	* 40	2.2	96.5	* 13
14	* 142	7.8	32.5	* 99	5.4	86.3	* 124	6.8	58.4	* 57	3.1	96.8	* 181	9.9	52.4	* 42	2.3	98.8	* 14
15	* 228	12.5	45.0	* 109	6.0	92.3	* 169	9.3	67.7	* 30	1.6	98.5	* 165	9.0	61.5	* 15	0.8	99.6	* 15
16	* 142	7.8	52.8	* 53	2.9	95.2	* 145	7.9	75.6	* 19	1.0	99.5	* 138	7.6	69.0	* 5	0.3	99.9	* 16
17	* 185	10.1	63.0	* 16	0.9	96.1	* 90	4.9	80.5	* 5	0.3	99.8	* 219	12.0	81.0	* 1	0.1	99.9	* 17
18	* 215	11.8	74.7	* 8	0.4	96.5	* 151	8.3	88.8	* 3	0.2	99.9	* 145	7.9	89.0	* 0	0.0	99.9	* 18
19	* 235	12.9	87.6	* 41	2.2	98.7	* 112	6.1	95.0	* 1	0.1	100.0	* 78	4.3	93.3	* 1	0.1	100.0	* 19
20	* 152	8.3	95.9	* 19	1.0	99.8	* 44	2.4	97.4	* 0	0.0	100.0	* 39	2.1	95.4	* 0	0.0	100.0	* 20
21	* 65	3.6	99.5	* 4	0.2	100.0	* 7	0.4	97.8	* 0	0.0	100.0	* 21	1.2	96.5	* 0	0.0	100.0	* 21
22	* 9	0.5	100.0	* 0	0.0	100.0	* 25	1.4	99.1	* 0	0.0	100.0	* 8	0.4	97.0	* 0	0.0	100.0	* 22
23	* 0	0.0	100.0	* 0	0.0	100.0	* 16	0.9	100.0	* 0	0.0	100.0	* 17	0.9	97.9	* 0	0.0	100.0	* 23
24	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 27	1.5	99.4	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 11	0.6	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 75.4      DMC = 24.8      DC = 196.6      ISI = 4.6      ADMC = 56.6      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1825

MAXIMUM VALUES

FFMC = 94.0      DMC = 152.0      DC = 647.0      ISI = 55.5      ADMC = 187.0      FWI = 83.0

\*\*\*TOTALS FOR STATION 164 INDIAN BAY LONG. 9512 LAT. 4937

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.								
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.					
1	*	9	0.5	0.5	*	34	1.9	1.9	*	41	2.3	2.3	*	39	2.2	2.2	*	9	0.5	0.5	*	232	13.2	13.2	*	1
2	*	5	0.3	0.8	*	62	3.5	5.5	*	52	3.0	5.3	*	125	7.1	9.3	*	9	0.5	1.0	*	244	13.9	27.1	*	2
3	*	4	0.2	1.0	*	117	6.7	12.1	*	71	4.0	9.3	*	194	11.1	20.4	*	11	0.6	1.7	*	113	6.4	33.6	*	3
4	*	7	0.4	1.4	*	136	7.7	19.9	*	103	5.9	15.2	*	162	9.2	29.6	*	25	1.4	3.1	*	109	6.2	39.8	*	4
5	*	12	0.7	2.1	*	145	8.3	28.1	*	90	5.1	20.3	*	120	6.8	36.5	*	53	3.0	6.1	*	94	5.4	45.1	*	5
6	*	15	0.9	3.0	*	144	8.2	36.4	*	89	5.1	25.4	*	100	5.7	42.2	*	75	4.3	10.4	*	133	7.6	52.7	*	6
7	*	28	1.6	4.6	*	121	6.9	43.2	*	168	9.6	35.0	*	89	5.1	47.2	*	86	4.9	15.3	*	121	6.9	59.6	*	7
8	*	26	1.5	6.0	*	147	8.4	51.6	*	108	6.2	41.1	*	154	8.8	56.0	*	100	5.7	21.0	*	131	7.5	67.1	*	8
9	*	37	2.1	8.1	*	124	7.1	58.7	*	116	6.6	47.7	*	137	7.8	63.8	*	101	5.8	26.7	*	199	11.3	78.4	*	9
10	*	55	3.1	11.3	*	94	5.4	64.0	*	119	6.8	54.5	*	107	6.1	69.9	*	112	6.4	33.1	*	134	7.6	86.0	*	10
11	*	62	3.5	14.8	*	194	11.1	75.1	*	129	7.4	61.9	*	181	10.3	80.2	*	99	5.6	38.7	*	102	5.8	91.9	*	11
12	*	88	5.0	19.8	*	122	7.0	82.1	*	73	4.2	66.0	*	129	7.4	87.6	*	90	5.1	43.9	*	49	2.8	94.6	*	12
13	*	121	6.9	26.7	*	82	4.7	86.7	*	75	4.3	70.3	*	81	4.6	92.2	*	187	10.7	54.5	*	30	1.7	96.4	*	13
14	*	157	8.9	35.7	*	66	3.8	90.5	*	101	5.8	76.1	*	79	4.5	96.7	*	190	10.8	65.4	*	45	2.6	98.9	*	14
15	*	192	10.9	46.6	*	77	4.4	94.9	*	98	5.6	81.7	*	32	1.8	98.5	*	140	8.0	73.3	*	12	0.7	99.6	*	15
16	*	119	6.8	53.4	*	28	1.6	96.5	*	71	4.0	85.7	*	22	1.3	99.8	*	133	7.6	80.9	*	3	0.2	99.8	*	16
17	*	184	10.5	63.9	*	19	1.1	97.5	*	96	5.5	91.2	*	2	0.1	99.9	*	145	8.3	89.2	*	2	0.1	99.9	*	17
18	*	190	10.8	74.7	*	14	0.8	98.3	*	65	3.7	94.9	*	2	0.1	100.0	*	64	3.6	92.8	*	1	0.1	99.9	*	18
19	*	193	11.0	85.7	*	11	0.6	99.0	*	44	2.5	97.4	*	0	0.0	100.0	*	51	2.9	95.7	*	1	0.1	100.0	*	19
20	*	154	8.8	94.5	*	9	0.5	99.5	*	23	1.3	98.7	*	0	0.0	100.0	*	28	1.6	97.3	*	0	0.0	100.0	*	20
21	*	73	4.2	98.6	*	7	0.4	99.9	*	23	1.3	100.0	*	0	0.0	100.0	*	14	0.8	98.1	*	0	0.0	100.0	*	21
22	*	21	1.2	99.8	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	98.6	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.7	99.3	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.3	99.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.3	100.0	*	0	0.0	100.0	*	25

- 211 -

AVERAGE VALUES

FFMC = 75.7      DMC = 21.0      DC = 147.9      ISI = 4.9      ADMC = 47.4      FWI = 8.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1755

MAXIMUM VALUES

FFMC = 95.0      DMC = 175.0      DC = 487.0      ISI = 40.9      ADMC = 175.0      FWI = 90.0

\*\*\*TOTALS FOR STATION 184 LAURIE R. POWERSITE LONG. 10059 LAT. 5614

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			# CLASS							
	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.								
1	*	25	1.7	1.7	*	81	5.5	5.5	*	31	2.1	2.1	*	96	6.6	6.6	*	21	1.4	1.4	*	302	20.7	20.7	*	1
2	*	21	1.4	3.1	*	73	5.0	10.5	*	26	1.8	3.9	*	146	10.0	16.6	*	31	2.1	3.6	*	207	14.2	34.8	*	2
3	*	15	1.0	4.2	*	98	6.7	17.2	*	39	2.7	6.6	*	193	13.2	29.8	*	9	0.6	4.2	*	95	6.5	41.3	*	3
4	*	14	1.0	5.1	*	115	7.9	25.1	*	40	2.7	9.3	*	149	10.2	40.0	*	29	2.0	6.2	*	100	6.8	48.2	*	4
5	*	16	1.1	6.2	*	104	7.1	32.2	*	52	3.6	12.9	*	130	8.9	48.9	*	39	2.7	8.8	*	87	6.0	54.1	*	5
6	*	20	1.4	7.6	*	114	7.8	40.0	*	47	3.2	16.1	*	97	6.6	55.5	*	50	3.4	12.3	*	145	9.9	64.1	*	6
7	*	26	1.8	9.4	*	109	7.5	47.5	*	69	4.7	20.8	*	94	6.4	61.9	*	59	4.0	16.3	*	118	8.1	72.1	*	7
8	*	39	2.7	12.0	*	82	5.6	53.1	*	59	4.0	24.8	*	121	8.3	70.2	*	95	6.5	22.8	*	92	6.3	78.4	*	8
9	*	48	3.3	15.3	*	90	6.2	59.3	*	76	5.2	30.0	*	96	6.6	76.8	*	58	4.0	26.8	*	109	7.5	85.9	*	9
10	*	53	3.6	19.0	*	88	6.0	65.3	*	61	4.2	34.2	*	89	6.1	82.9	*	84	5.7	32.5	*	88	6.0	91.9	*	10
11	*	47	3.2	22.2	*	140	9.6	74.9	*	67	4.6	38.8	*	101	6.9	89.8	*	78	5.3	37.9	*	54	3.7	95.6	*	11
12	*	95	6.5	28.7	*	111	7.6	82.5	*	75	5.1	43.9	*	56	3.8	93.6	*	70	4.8	42.6	*	27	1.8	97.5	*	12
13	*	102	7.0	35.7	*	96	6.6	89.0	*	66	4.5	48.5	*	31	2.1	95.8	*	165	11.3	53.9	*	20	1.4	98.8	*	13
14	*	140	9.6	45.2	*	54	3.7	92.7	*	88	6.0	54.5	*	38	2.6	98.4	*	140	9.6	63.5	*	11	0.8	99.6	*	14
15	*	211	14.4	59.7	*	49	3.4	96.1	*	75	5.1	59.6	*	14	1.0	99.3	*	125	8.6	72.1	*	5	0.3	99.9	*	15
16	*	92	6.3	66.0	*	22	1.5	97.6	*	115	7.9	67.5	*	8	0.5	99.9	*	83	5.7	77.8	*	1	0.1	100.0	*	16
17	*	143	9.8	75.8	*	21	1.4	99.0	*	90	6.2	73.6	*	2	0.1	100.0	*	136	9.3	87.1	*	0	0.0	100.0	*	17
18	*	131	9.0	84.7	*	9	0.6	99.7	*	190	13.0	86.7	*	0	0.0	100.0	*	103	7.0	94.1	*	0	0.0	100.0	*	18
19	*	118	8.1	92.8	*	5	0.3	100.0	*	86	5.9	92.5	*	0	0.0	100.0	*	44	3.0	97.1	*	0	0.0	100.0	*	19
20	*	75	5.1	97.9	*	0	0.0	100.0	*	89	6.1	98.6	*	0	0.0	100.0	*	23	1.6	98.7	*	0	0.0	100.0	*	20
21	*	25	1.7	99.7	*	0	0.0	100.0	*	20	1.4	100.0	*	0	0.0	100.0	*	14	1.0	99.7	*	0	0.0	100.0	*	21
22	*	5	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

212

AVERAGE VALUES

FFMC = 70.3     DMC = 18.9     DC = 207.5     ISI = 3.5     ADMC = 46.5     FWI = 6.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1461

MAXIMUM VALUES

FFMC = 94.0     DMC = 92.0     DC = 477.0     ISI = 36.5     ADMC = 95.0     FWI = 51.0

\*\*\*TOTALS FOR STATION 185 LYNN LAKE LONG. 10102 LAT. 5651

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	50	3.6	3.6	84	6.0	6.0	24	1.7	1.7	149	10.6	10.6	20	1.4	1.4	347	24.7	24.7	1
2	24	1.7	5.3	97	6.9	12.9	24	1.7	3.4	136	9.7	20.3	28	2.0	3.4	210	14.9	39.6	2
3	21	1.5	6.8	105	7.5	20.3	43	3.1	6.5	177	12.6	32.8	11	0.8	4.2	97	6.9	46.5	3
4	14	1.0	7.7	113	8.0	28.4	39	2.8	9.2	148	10.5	43.4	34	2.4	6.6	82	5.8	52.3	4
5	27	1.9	9.7	100	7.1	35.5	54	3.8	13.1	115	8.2	51.5	55	3.9	10.5	82	5.8	58.1	5
6	26	1.8	11.5	119	8.5	43.9	47	3.3	16.4	89	5.3	57.9	65	4.6	15.1	131	9.3	67.4	6
7	30	2.1	13.6	88	6.3	50.2	104	7.4	23.8	99	7.0	64.9	56	4.0	19.1	108	7.7	75.1	7
8	29	2.1	15.7	81	5.8	55.9	118	8.4	32.2	135	9.6	74.5	93	6.6	25.7	81	5.8	80.9	8
9	35	2.5	18.2	83	5.9	61.8	97	6.9	39.1	75	5.3	79.8	96	6.8	32.6	101	7.2	88.1	9
10	62	4.4	22.6	85	6.0	67.9	89	6.3	45.4	78	5.5	85.4	67	4.8	37.3	68	4.8	92.9	10
11	59	4.2	26.8	128	9.1	77.0	92	6.5	52.0	87	6.2	91.5	74	5.3	42.6	51	3.6	96.5	11
12	71	5.0	31.8	112	8.0	84.9	87	6.2	58.1	50	3.6	95.1	63	4.5	47.1	22	1.6	98.1	12
13	101	7.2	39.0	66	4.7	89.6	76	5.4	63.5	31	2.2	97.3	158	11.2	58.3	15	1.1	99.1	13
14	144	10.2	49.3	38	2.7	92.3	78	5.5	69.1	19	1.4	98.6	128	9.1	67.4	11	0.8	99.9	14
15	195	13.9	63.1	43	3.1	95.4	79	5.6	74.7	8	0.6	99.2	109	7.7	75.1	0	0.0	99.9	15
16	117	8.3	71.4	22	1.6	96.9	43	3.1	77.8	10	0.7	99.9	87	6.2	81.3	1	0.1	100.0	16
17	117	8.3	79.7	23	1.6	98.6	47	3.3	81.1	1	0.1	100.0	122	8.7	90.0	0	0.0	100.0	17
18	121	8.6	88.3	16	1.1	99.7	88	6.3	87.3	0	0.0	100.0	44	3.1	93.1	0	0.0	100.0	18
19	85	6.0	94.4	4	0.3	100.0	50	3.6	90.9	0	0.0	100.0	30	2.1	95.2	0	0.0	100.0	19
20	56	4.0	98.4	0	0.0	100.0	35	2.5	93.4	0	0.0	100.0	19	1.4	96.6	0	0.0	100.0	20
21	21	1.5	99.9	0	0.0	100.0	55	3.9	97.3	0	0.0	100.0	16	1.1	97.7	0	0.0	100.0	21
22	2	0.1	100.0	0	0.0	100.0	38	2.7	100.0	0	0.0	100.0	21	1.5	99.2	0	0.0	100.0	22
23	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	11	0.8	100.0	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 67.5      DMC = 18.3      DC = 184.8      ISI = 3.1      ADCM = 45.1      FWI = 5.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1407

MAXIMUM VALUES

FFMC = 94.0      DMC = 96.0      DC = 536.0      ISI = 30.8      ADCM = 115.0      FWI = 54.0

\*\*\*TOTALS FOR STATION 173 MOOSE HORN LONG. 9837 LAT. 5118

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS
	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	PCNT.
1	* 18	1.0	1.0	* 23	1.3	1.3	* 17	1.0	1.0	* 65	3.7	3.7	* 11	0.6	0.6	* 214	12.2	12.2	* 1
2	* 6	0.3	1.4	* 34	1.9	3.2	* 19	1.1	2.0	* 128	7.3	11.0	* 5	0.3	0.9	* 177	10.1	22.2	* 2
3	* 10	0.6	1.9	* 53	3.0	6.3	* 35	2.0	4.0	* 161	9.2	20.1	* 5	0.3	1.2	* 89	5.1	27.3	* 3
4	* 17	1.0	2.9	* 66	3.8	10.0	* 47	2.7	6.7	* 130	7.4	27.5	* 6	0.3	1.5	* 75	4.3	31.6	* 4
5	* 13	0.7	3.6	* 87	4.9	15.0	* 49	2.8	9.5	* 128	7.3	34.8	* 24	1.4	2.9	* 97	5.5	37.1	* 5
6	* 10	0.6	4.2	* 115	6.5	21.5	* 69	3.9	13.4	* 94	5.3	40.1	* 33	1.9	4.8	* 155	8.8	45.9	* 6
7	* 16	0.9	5.1	* 112	6.4	27.9	* 90	5.1	18.5	* 109	6.2	46.3	* 42	2.4	7.2	* 150	8.5	54.4	* 7
8	* 35	2.0	7.1	* 100	5.7	33.5	* 85	4.8	23.4	* 194	11.0	57.4	* 38	2.2	9.3	* 133	7.6	62.0	* 8
9	* 28	1.6	8.7	* 112	6.4	39.9	* 95	5.4	28.8	* 139	7.9	65.3	* 52	3.0	12.3	* 207	11.8	73.7	* 9
10	* 42	2.4	11.1	* 105	6.0	45.9	* 97	5.5	34.3	* 108	6.1	71.4	* 72	4.1	16.4	* 129	7.3	81.1	* 10
11	* 56	3.2	14.3	* 222	12.6	58.5	* 81	4.6	38.9	* 195	11.1	82.5	* 65	3.7	20.1	* 91	5.2	86.2	* 11
12	* 78	4.4	18.7	* 146	8.3	66.8	* 70	4.0	42.9	* 91	5.2	87.7	* 75	4.3	24.3	* 80	4.5	90.8	* 12
13	* 87	4.9	23.6	* 115	6.5	73.3	* 66	3.8	46.6	* 66	3.8	91.4	* 219	12.5	36.8	* 46	2.6	93.4	* 13
14	* 138	7.8	31.5	* 96	5.5	78.8	* 88	5.0	51.6	* 83	4.7	96.1	* 146	8.3	45.1	* 75	4.3	97.7	* 14
15	* 207	11.8	43.3	* 126	7.2	86.0	* 64	3.6	55.3	* 24	1.4	97.5	* 152	8.6	53.7	* 21	1.2	98.9	* 15
16	* 135	7.7	50.9	* 83	4.7	90.7	* 68	3.9	59.1	* 32	1.8	99.3	* 146	8.3	62.0	* 12	0.7	99.5	* 16
17	* 178	10.1	61.1	* 55	3.1	93.8	* 83	4.7	63.8	* 7	0.4	99.7	* 190	10.8	72.8	* 4	0.2	99.8	* 17
18	* 192	10.9	72.0	* 32	1.8	95.6	* 164	9.3	73.2	* 3	0.2	99.9	* 128	7.3	80.1	* 3	0.2	99.9	* 18
19	* 234	13.3	85.3	* 48	2.7	98.4	* 120	6.8	80.0	* 1	0.1	99.9	* 104	5.9	86.0	* 1	0.1	100.0	* 19
20	* 167	9.5	94.8	* 18	1.0	99.4	* 137	7.8	87.8	* 1	0.1	100.0	* 76	4.3	90.3	* 0	0.0	100.0	* 20
21	* 78	4.4	99.2	* 8	0.5	99.8	* 105	6.0	93.7	* 0	0.0	100.0	* 40	2.3	92.6	* 0	0.0	100.0	* 21
22	* 14	0.8	100.0	* 3	0.2	100.0	* 95	5.4	99.1	* 0	0.0	100.0	* 32	1.8	94.4	* 0	0.0	100.0	* 22
23	* 0	0.0	100.0	* 0	0.0	100.0	* 15	0.9	100.0	* 0	0.0	100.0	* 54	3.1	97.5	* 0	0.0	100.0	* 23
24	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 23	1.3	98.8	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 21	1.2	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 76.0      DMC = 29.3      DC = 242.2      ISI = 5.0      ADMC = 66.3      FWI = 10.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1759

MAXIMUM VALUES

FFMC = 94.0      DMC = 182.0      DC = 682.0      ISI = 69.2      ADMC = 182.0      FWI = 86.0



\*\*\*TOTALS FOR STATION 180 PASQUA PROJECT LONG. 10130 LAT. 5343

FFMC				DMC				DC				ISI				ADMC				FWI			
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS		
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.			
1	*	8	0.5	0.5	*	28	1.8	1.8	*	18	1.1	1.1	*	61	3.9	3.9	*	2	0.1	0.1	*	1	
2	*	9	0.6	1.1	*	48	3.1	4.8	*	28	1.8	2.9	*	135	8.6	12.5	*	12	0.8	0.9	*	2	
3	*	8	0.5	1.6	*	70	4.5	9.3	*	39	2.5	5.4	*	176	11.2	23.7	*	7	0.4	1.3	*	3	
4	*	7	0.4	2.0	*	107	6.8	16.1	*	39	2.5	7.9	*	121	7.7	31.4	*	20	1.3	2.6	*	4	
5	*	16	1.0	3.1	*	106	6.7	22.9	*	36	2.3	10.2	*	100	6.4	37.7	*	24	1.5	4.1	*	5	
6	*	16	1.0	4.1	*	97	6.2	29.0	*	33	2.1	12.3	*	101	6.4	44.2	*	40	2.5	6.7	*	6	
7	*	21	1.3	5.4	*	86	5.5	34.5	*	66	4.2	16.5	*	91	5.8	50.0	*	43	2.7	9.4	*	7	
8	*	29	1.8	7.3	*	73	4.6	39.1	*	67	4.3	20.8	*	140	8.9	58.9	*	58	3.7	13.1	*	8	
9	*	37	2.4	9.6	*	84	5.3	44.5	*	80	5.1	25.8	*	147	9.4	68.2	*	79	5.0	18.1	*	9	
10	*	47	3.0	12.6	*	78	5.0	49.5	*	92	5.9	31.7	*	119	7.6	75.8	*	78	5.0	23.1	*	10	
11	*	65	4.1	16.7	*	168	10.7	60.2	*	84	5.3	37.0	*	141	9.0	84.8	*	78	5.0	28.1	*	11	
12	*	70	4.5	21.2	*	110	7.0	67.2	*	91	5.8	42.8	*	116	7.4	92.2	*	60	3.8	31.9	*	12	
13	*	79	5.0	26.2	*	97	6.2	73.3	*	93	5.9	48.8	*	38	2.4	94.6	*	152	9.7	41.6	*	13	
14	*	124	7.9	34.1	*	91	5.8	79.1	*	119	7.6	56.3	*	63	4.0	98.6	*	122	7.8	49.3	*	14	
15	*	186	11.8	46.0	*	127	8.1	87.2	*	110	7.0	63.3	*	13	0.8	99.4	*	125	8.0	57.3	*	15	
16	*	106	6.7	52.7	*	83	5.3	92.5	*	78	5.0	68.3	*	7	0.4	99.9	*	111	7.1	64.4	*	16	
17	*	156	9.9	62.6	*	49	3.1	95.6	*	55	3.5	71.8	*	1	0.1	99.9	*	161	10.2	74.6	*	17	
18	*	192	12.2	74.9	*	39	2.5	98.1	*	97	6.2	78.0	*	0	0.0	99.9	*	118	7.5	82.1	*	18	
19	*	188	12.0	86.8	*	29	1.8	99.9	*	95	6.0	84.0	*	1	0.1	100.0	*	103	6.6	88.7	*	19	
20	*	149	9.5	96.3	*	1	0.1	100.0	*	63	4.0	88.0	*	0	0.0	100.0	*	54	3.4	92.1	*	20	
21	*	48	3.1	99.4	*	0	0.0	100.0	*	57	3.6	91.7	*	0	0.0	100.0	*	37	2.4	94.5	*	21	
22	*	9	0.6	99.9	*	0	0.0	100.0	*	103	6.6	98.2	*	0	0.0	100.0	*	31	2.0	96.4	*	22	
23	*	1	0.1	100.0	*	0	0.0	100.0	*	26	1.7	99.9	*	0	0.0	100.0	*	48	3.1	99.5	*	23	
24	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	8	0.5	100.0	*	24	
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	

215

AVERAGE VALUES

FFMC = 75.2      DMC = 26.6      DC = 233.4      ISI = 4.2      ADMC = 60.9      FWI = 9.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1571

MAXIMUM VALUES

FFMC = 95.0      DMC = 113.0      DC = 705.0      ISI = 52.5      ADMC = 142.0      FWI = 96.0

\*\*\*TOTALS FOR STATION 168 PILOT MOUND PO LONG. 9853 LAT. 4912

FFMC			DMC			DC			ISI			ADMC			FWI							
CLASS	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	CLASS
1	10	0.6	0.6	36	2.1	2.1	57	3.3	3.3	52	3.0	3.0	11	0.6	0.6	226	12.9	12.9	1			
2	7	0.4	1.0	60	3.4	5.5	56	3.2	6.4	137	7.8	10.8	11	0.6	1.3	177	10.1	23.0	2			
3	6	0.3	1.3	77	4.4	9.9	56	3.2	9.6	144	8.2	19.0	24	1.4	2.6	80	4.6	27.6	3			
4	11	0.6	1.9	92	5.2	15.1	55	3.1	12.8	130	7.4	26.4	20	1.1	3.8	67	3.8	31.4	4			
5	12	0.7	2.6	93	5.3	20.4	47	2.7	15.5	108	6.2	32.6	38	2.2	5.9	65	3.7	35.1	5			
6	15	0.9	3.5	88	5.0	25.4	45	2.6	18.0	63	3.6	36.2	54	3.1	9.0	150	8.6	43.6	6			
7	25	1.4	4.9	107	6.1	31.5	99	5.6	23.7	84	4.8	41.0	40	2.3	11.3	114	6.5	50.1	7			
8	40	2.3	7.2	95	5.4	37.0	98	5.6	29.3	164	9.4	50.3	72	4.1	15.4	115	6.6	56.7	8			
9	30	1.7	8.9	91	5.2	42.2	103	5.9	35.1	137	7.8	58.1	62	3.5	18.9	190	10.8	67.5	9			
10	48	2.7	11.6	88	5.0	47.2	77	4.4	39.5	105	6.0	64.1	63	3.6	22.5	146	8.3	75.9	10			
11	61	3.5	15.1	171	9.8	56.9	97	5.5	45.1	186	10.6	74.7	67	3.8	26.4	136	7.8	83.6	11			
12	65	3.7	18.8	154	8.8	65.7	91	5.2	50.3	129	7.4	82.1	71	4.1	30.4	83	4.7	88.4	12			
13	92	5.2	24.1	131	7.5	73.2	73	4.2	54.4	95	5.4	87.5	160	9.1	39.5	55	3.1	91.5	13			
14	128	7.3	31.4	111	6.3	79.5	67	3.8	58.2	92	5.2	92.8	134	7.6	47.2	89	5.1	96.6	14			
15	176	10.0	41.4	174	9.9	89.4	68	3.9	62.1	54	3.1	95.8	133	7.6	54.8	33	1.9	98.5	15			
16	97	5.5	46.9	65	3.7	93.2	82	4.7	66.8	46	2.6	98.5	123	7.0	61.8	15	0.9	99.3	16			
17	157	9.0	55.9	31	1.8	94.9	80	4.6	71.4	16	0.9	99.4	192	11.0	72.7	8	0.5	99.8	17			
18	195	11.1	67.0	25	1.4	96.3	166	9.5	80.8	4	0.2	99.6	153	8.7	81.5	4	0.2	100.0	18			
19	234	13.3	80.4	53	3.0	99.4	91	5.2	86.0	1	0.1	99.7	119	6.8	88.2	0	0.0	100.0	19			
20	218	12.4	92.8	8	0.5	99.8	68	3.9	89.9	4	0.2	99.9	85	4.8	93.1	0	0.0	100.0	20			
21	79	4.5	97.3	3	0.2	100.0	120	6.8	96.7	1	0.1	99.9	38	2.2	95.3	0	0.0	100.0	21			
22	42	2.4	99.7	0	0.0	100.0	42	2.4	99.1	1	0.1	100.0	30	1.7	97.0	0	0.0	100.0	22			
23	5	0.3	100.0	0	0.0	100.0	15	0.9	100.0	0	0.0	100.0	34	1.9	98.9	0	0.0	100.0	23			
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	9	0.5	99.4	0	0.0	100.0	24			
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	10	0.6	100.0	0	0.0	100.0	25			

AVERAGE VALUES

FFMC = 76.7      DMC = 27.5      DC = 211.8      ISI = 6.2      ADMC = 61.5      FWI = 12.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1753

MAXIMUM VALUES

FFMC = 96.0      DMC = 149.0      DC = 635.0      ISI = 84.4      ADMC = 187.0      FWI = 80.0

\*\*\*TOTALS FOR STATION 171 PLUMAS LONG. 9905 LAT. 5023

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	4	0.2	0.2	*	4	0.2	0.2	*	19	1.0	1.0	*	35	1.9	1.9	*	170	9.1	9.1	*	1				
2	*	4	0.2	0.4	*	37	1.7	1.9	*	41	2.2	3.2	*	100	5.3	7.2	*	4	0.2	0.2	*	135	7.2	16.3	*	2
3	*	4	0.2	0.6	*	66	3.5	5.4	*	46	2.5	5.7	*	147	7.8	15.0	*	6	0.3	0.5	*	72	3.8	20.1	*	3
4	*	7	0.4	1.0	*	68	3.6	9.1	*	51	2.7	8.4	*	135	7.2	22.3	*	15	0.8	1.3	*	89	4.7	24.9	*	4
5	*	9	0.5	1.5	*	79	4.2	13.3	*	40	2.1	10.5	*	108	5.8	28.0	*	30	1.6	2.9	*	77	4.1	29.0	*	5
6	*	11	0.6	2.1	*	73	3.9	17.2	*	39	2.1	12.6	*	106	5.7	33.7	*	30	1.6	4.5	*	156	8.3	37.3	*	6
7	*	21	1.1	3.2	*	73	3.9	21.1	*	104	5.5	18.1	*	84	4.5	38.2	*	32	1.7	6.2	*	143	7.6	44.9	*	7
8	*	20	1.1	4.3	*	85	4.5	25.6	*	91	4.9	23.0	*	188	10.0	48.2	*	54	2.9	9.1	*	123	6.6	51.5	*	8
9	*	30	1.6	5.9	*	111	5.9	31.5	*	71	3.8	26.8	*	117	6.2	54.4	*	51	2.7	11.8	*	213	11.4	62.9	*	9
10	*	35	1.9	7.7	*	77	4.1	35.6	*	52	2.8	29.6	*	127	6.8	61.2	*	49	2.6	14.5	*	153	8.2	71.0	*	10
11	*	55	2.9	10.7	*	200	10.7	46.3	*	55	2.9	32.5	*	187	10.0	71.2	*	51	2.7	17.2	*	144	7.7	78.7	*	11
12	*	73	3.9	14.6	*	192	10.2	56.6	*	75	4.0	36.5	*	150	8.0	79.2	*	52	2.8	20.0	*	102	5.4	84.2	*	12
13	*	88	4.7	19.3	*	162	8.6	65.2	*	88	4.7	41.2	*	108	5.8	85.0	*	140	7.5	27.4	*	77	4.1	88.3	*	13
14	*	125	6.7	25.9	*	131	7.0	72.2	*	134	7.2	48.3	*	140	7.5	92.4	*	174	9.3	36.7	*	136	7.3	95.5	*	14
15	*	215	11.5	37.4	*	196	10.5	82.7	*	118	6.3	54.6	*	57	3.0	95.5	*	150	8.0	44.7	*	50	2.7	98.2	*	15
16	*	117	6.2	43.6	*	133	7.1	89.8	*	127	6.8	61.4	*	59	3.1	98.6	*	147	7.8	52.6	*	15	0.8	99.0	*	16
17	*	182	9.7	53.4	*	77	4.1	93.9	*	101	5.4	66.8	*	18	1.0	99.6	*	241	12.9	65.4	*	12	0.6	99.6	*	17
18	*	176	9.4	62.8	*	41	2.2	96.1	*	155	8.3	75.1	*	3	0.2	99.7	*	189	10.1	75.5	*	5	0.3	99.9	*	18
19	*	212	11.3	74.1	*	38	2.0	98.1	*	147	7.8	82.9	*	3	0.2	99.9	*	128	6.8	82.3	*	2	0.1	100.0	*	19
20	*	230	12.3	86.3	*	24	1.3	99.4	*	96	5.1	88.0	*	0	0.0	99.9	*	107	5.7	88.0	*	0	0.0	100.0	*	20
21	*	159	8.5	94.8	*	12	0.6	100.0	*	76	4.1	92.1	*	1	0.1	99.9	*	67	3.6	91.6	*	0	0.0	100.0	*	21
22	*	89	4.7	99.6	*	0	0.0	100.0	*	138	7.4	99.5	*	0	0.0	99.9	*	76	4.1	95.7	*	0	0.0	100.0	*	22
23	*	8	0.4	100.0	*	0	0.0	100.0	*	10	0.5	100.0	*	1	0.1	100.0	*	37	2.0	97.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21	1.1	98.8	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23	1.2	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 79.1     DMC = 32.7     DC = 244.9     ISI = 6.6     ADMC = 71.9     FWI = 13.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1874

MAXIMUM VALUES

FFMC = 96.0     DMC = 166.0     DC = 637.0     ISI = 106.4     ADMC = 195.0     FWI = 84.0

\*\*\*TOTALS FOR STATION 167 PORTAGE LA PRAIRIE LONG. 9816 LAT. 4954

FFMC				DMC				DC				ISI				ADMC				FWI						
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS	
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	*	
1	*	4	0.2	0.2	*	23	1.3	1.3	*	60	3.3	3.3	*	70	3.8	3.8	*	9	0.5	0.5	*	239	13.1	13.1	*	1
2	*	7	0.4	0.6	*	51	2.8	4.1	*	57	3.1	6.4	*	115	6.3	10.1	*	8	0.4	0.9	*	174	9.5	22.7	*	2
3	*	17	0.9	1.5	*	72	3.9	8.0	*	57	3.1	9.5	*	162	8.9	19.0	*	15	0.8	1.8	*	75	4.1	26.8	*	3
4	*	15	0.8	2.4	*	101	5.5	13.5	*	52	2.9	12.4	*	133	7.3	26.3	*	26	1.4	3.2	*	80	4.4	31.2	*	4
5	*	18	1.0	3.3	*	108	5.9	19.5	*	60	3.3	15.7	*	98	5.4	31.7	*	34	1.9	5.0	*	77	4.2	35.4	*	5
6	*	16	0.9	4.2	*	102	5.6	25.1	*	48	2.6	18.3	*	76	4.2	35.9	*	47	2.6	7.6	*	135	7.4	42.8	*	6
7	*	24	1.3	5.5	*	120	6.6	31.7	*	113	6.2	24.5	*	86	4.7	40.6	*	51	2.8	10.4	*	148	8.1	50.9	*	7
8	*	28	1.5	7.1	*	112	6.1	37.8	*	87	4.8	29.3	*	164	9.0	49.6	*	43	2.4	12.8	*	138	7.6	58.5	*	8
9	*	37	2.0	9.1	*	89	4.9	42.7	*	101	5.5	34.8	*	178	9.8	59.4	*	76	4.2	17.0	*	210	11.5	70.0	*	9
10	*	44	2.4	11.5	*	121	6.6	49.3	*	93	5.1	39.9	*	125	6.9	66.2	*	73	4.0	21.0	*	166	9.1	79.1	*	10
11	*	51	2.8	14.3	*	226	12.4	61.7	*	121	6.6	46.6	*	187	10.3	76.5	*	81	4.4	25.4	*	123	6.7	85.8	*	11
12	*	67	3.7	18.0	*	141	7.7	69.4	*	122	6.7	53.3	*	117	6.4	82.9	*	73	4.0	29.4	*	80	4.4	90.2	*	12
13	*	94	5.2	23.1	*	144	7.9	77.3	*	116	6.4	59.6	*	83	4.6	87.4	*	204	11.2	40.6	*	57	3.1	93.4	*	13
14	*	125	6.9	30.0	*	108	5.9	83.3	*	119	6.5	66.2	*	117	6.4	93.9	*	168	9.2	49.8	*	71	3.9	97.3	*	14
15	*	172	9.4	39.4	*	122	6.7	90.0	*	105	5.8	71.9	*	52	2.9	96.7	*	184	10.1	59.9	*	31	1.7	99.0	*	15
16	*	122	6.7	46.1	*	62	3.4	93.4	*	93	5.1	77.0	*	37	2.0	98.7	*	156	8.6	68.5	*	11	0.6	99.6	*	16
17	*	170	9.3	55.5	*	40	2.2	95.6	*	71	3.9	80.9	*	14	0.8	99.5	*	187	10.3	78.7	*	5	0.3	99.8	*	17
18	*	193	10.6	66.0	*	24	1.3	96.9	*	136	7.5	88.4	*	3	0.2	99.7	*	137	7.5	86.2	*	2	0.1	99.9	*	18
19	*	251	13.8	79.8	*	36	2.0	98.8	*	156	8.6	96.9	*	4	0.2	99.9	*	114	6.3	92.5	*	1	0.1	100.0	*	19
20	*	227	12.2	92.0	*	12	0.7	99.5	*	40	2.2	99.1	*	1	0.1	99.9	*	49	2.7	95.2	*	0	0.0	100.0	*	20
21	*	95	5.2	97.2	*	5	0.3	99.8	*	16	0.9	100.0	*	1	0.1	100.0	*	30	1.6	96.8	*	0	0.0	100.0	*	21
22	*	45	2.5	99.7	*	4	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	1.4	98.2	*	0	0.0	100.0	*	22
23	*	6	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	0.9	99.1	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.5	99.6	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.0      DMC = 26.7      DC = 181.7      ISI = 5.9      ADMC = 57.9      FWI = 11.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1823

MAXIMUM VALUES

FFMC = 96.0      DMC = 184.0      DC = 481.0      ISI = 75.6      ADMC = 183.0      FWI = 81.0

\*\*\*TOTALS FOR STATION 169 RIVERS LONG. 10019 LAT. 5001

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	
1	6	0.3	0.3	13	0.7	0.7	13	0.7	0.7	48	2.6	2.6	3	0.2	0.2	193	10.6	10.6	1
2	3	0.2	0.5	30	1.7	2.4	31	1.7	2.4	114	6.3	8.9	6	0.3	0.5	170	9.4	20.0	2
3	11	0.6	1.1	46	2.5	4.9	51	2.8	5.2	152	8.4	17.3	4	0.2	0.7	63	3.5	23.5	3
4	9	0.5	1.6	106	5.8	10.7	68	3.7	9.0	127	7.0	24.3	8	0.4	1.2	83	4.6	28.0	4
5	14	0.8	2.4	83	4.6	15.3	49	2.7	11.7	100	5.5	29.8	28	1.5	2.7	78	4.3	32.3	5
6	16	0.9	3.2	93	5.1	20.4	58	3.2	14.9	103	5.7	35.5	27	1.5	4.2	130	7.2	39.5	6
7	18	1.0	4.2	102	5.6	26.0	88	4.8	19.7	83	4.6	40.0	40	2.2	6.4	129	7.1	46.6	7
8	26	1.4	5.7	94	5.2	31.2	99	5.5	25.2	117	6.4	46.5	42	2.3	8.7	110	6.1	52.6	8
9	37	2.0	7.7	105	5.8	37.0	104	5.7	30.9	133	7.3	53.8	78	4.3	13.0	214	11.8	64.4	9
10	37	2.0	9.7	92	5.1	42.1	90	5.0	35.8	139	7.7	61.5	69	3.8	16.8	160	8.8	73.2	10
11	55	3.0	12.8	197	10.8	52.9	80	4.4	40.3	170	9.4	70.8	76	4.2	21.0	130	7.2	80.4	11
12	77	4.2	17.0	173	9.5	62.4	95	5.2	45.5	176	9.7	80.5	60	3.3	24.3	103	5.7	86.1	12
13	92	5.1	22.1	146	8.0	70.5	68	3.7	49.2	95	5.2	85.7	162	8.9	33.2	53	2.9	89.0	13
14	115	6.3	28.4	118	6.5	77.0	89	4.9	54.1	116	6.4	92.1	168	9.3	42.5	132	7.3	96.3	14
15	189	10.4	38.8	149	8.2	85.2	90	5.0	59.1	73	4.0	96.1	153	8.4	50.9	37	2.0	98.3	15
16	98	5.4	44.2	87	4.8	90.0	96	5.3	64.4	49	2.7	98.8	148	8.1	59.0	16	0.9	99.2	16
17	139	7.7	51.9	56	3.1	93.1	106	5.8	70.2	14	0.8	99.6	226	12.4	71.5	10	0.6	99.7	17
18	215	11.8	63.7	40	2.2	95.3	180	9.9	80.1	3	0.2	99.8	174	9.6	81.1	1	0.1	99.8	18
19	225	12.4	76.1	46	2.5	97.8	169	9.3	89.4	2	0.1	99.9	100	5.5	86.6	3	0.2	99.9	19
20	206	11.3	87.4	27	1.5	99.3	114	6.3	95.7	0	0.0	99.9	77	4.2	90.8	1	0.1	100.0	20
21	157	8.6	96.1	7	0.4	99.7	45	2.5	98.2	0	0.0	99.9	54	3.0	93.8	0	0.0	100.0	21
22	65	3.6	99.7	6	0.3	100.0	33	1.8	100.0	1	0.1	99.9	41	2.3	96.0	0	0.0	100.0	22
23	6	0.3	100.0	0	0.0	100.0	0	0.0	100.0	1	0.1	100.0	49	2.7	98.7	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	12	0.7	99.4	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	11	0.6	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 78.0      DMC = 30.9      DC = 217.1      ISI = 6.4      ADMC = 66.2      FWI = 13.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1816

MAXIMUM VALUES

FFMC = 95.0      DMC = 185.0      DC = 577.0      ISI = 100.7      ADMC = 185.0      FWI = 93.0

\*\*\*TOTALS FOR STATION 172 RUSSEL LONG. 10116 LAT. 5047

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CLASS						
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.							
1	*	22	1.2	1.2	*	13	0.7	0.7	*	7	0.4	0.4	*	76	4.2	4.2	*	1	0.1	0.1	*	227	12.6	12.6	*	1
2	*	9	0.5	1.7	*	30	1.7	2.4	*	11	0.6	1.0	*	134	7.4	11.6	*	3	0.2	0.2	*	192	10.6	23.2	*	2
3	*	11	0.6	2.3	*	58	3.2	5.6	*	31	1.7	2.7	*	179	9.9	21.5	*	4	0.2	0.4	*	88	4.9	28.0	*	3
4	*	16	0.9	3.2	*	75	4.1	9.7	*	51	2.8	5.5	*	142	7.9	29.4	*	9	0.5	0.9	*	86	4.8	32.8	*	4
5	*	8	0.4	3.7	*	102	5.6	15.4	*	45	2.5	8.0	*	115	6.4	35.7	*	20	1.1	2.0	*	76	4.2	37.0	*	5
6	*	27	1.5	5.1	*	121	6.7	22.1	*	43	2.4	10.4	*	107	5.9	41.6	*	30	1.7	3.7	*	165	9.1	46.1	*	6
7	*	22	1.2	6.4	*	111	6.1	28.2	*	92	5.1	15.5	*	93	5.1	46.8	*	45	2.5	6.2	*	119	6.6	52.7	*	7
8	*	30	1.7	8.0	*	114	6.3	34.5	*	82	4.5	20.0	*	183	10.1	56.9	*	42	2.3	8.5	*	139	7.7	60.4	*	8
9	*	40	2.2	10.2	*	102	5.6	40.2	*	76	4.2	24.2	*	155	8.6	65.5	*	73	4.0	12.6	*	215	11.9	72.3	*	9
10	*	47	2.6	12.8	*	89	4.9	45.1	*	71	3.9	28.2	*	104	5.8	71.2	*	69	3.8	16.4	*	142	7.9	80.1	*	10
11	*	60	3.3	16.2	*	213	11.8	56.9	*	68	3.8	31.9	*	176	9.7	81.0	*	70	3.9	20.2	*	99	5.5	85.6	*	11
12	*	78	4.3	20.5	*	147	8.1	65.0	*	70	3.9	35.8	*	115	6.4	87.3	*	82	4.5	24.8	*	68	3.8	89.4	*	12
13	*	118	6.5	27.0	*	115	6.4	71.3	*	77	4.3	40.0	*	52	2.9	90.2	*	170	9.4	34.2	*	51	2.8	92.2	*	13
14	*	134	7.4	34.4	*	101	5.6	76.9	*	93	5.1	45.2	*	100	5.5	95.7	*	173	9.6	43.7	*	84	4.6	96.8	*	14
15	*	211	11.7	46.1	*	151	8.4	85.3	*	87	4.8	50.0	*	29	1.6	97.3	*	137	7.6	51.3	*	30	1.7	98.5	*	15
16	*	125	6.9	53.0	*	97	5.4	90.7	*	61	3.4	53.4	*	35	1.9	99.3	*	127	7.0	58.4	*	16	0.9	99.4	*	16
17	*	164	9.1	62.1	*	43	2.4	93.0	*	75	4.1	57.5	*	8	0.4	99.7	*	190	10.5	68.9	*	5	0.3	99.7	*	17
18	*	179	9.9	72.0	*	33	1.8	94.9	*	140	7.7	65.3	*	2	0.1	99.8	*	145	8.0	76.9	*	4	0.2	99.9	*	18
19	*	231	12.8	84.7	*	42	2.3	97.2	*	115	6.4	71.6	*	2	0.1	99.9	*	137	7.6	84.5	*	1	0.1	99.9	*	19
20	*	168	9.3	94.0	*	27	1.5	98.7	*	129	7.1	78.8	*	1	0.1	100.0	*	93	5.1	89.6	*	0	0.0	99.9	*	20
21	*	83	4.6	98.6	*	13	0.7	99.4	*	95	5.3	84.0	*	0	0.0	100.0	*	54	3.0	92.6	*	1	0.1	100.0	*	21
22	*	25	1.4	100.0	*	11	0.6	100.0	*	214	11.8	95.9	*	0	0.0	100.0	*	29	1.6	94.2	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	65	3.6	99.4	*	0	0.0	100.0	*	48	2.7	96.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	24	1.3	98.2	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	33	1.8	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.0      DMC = 30.7      DC = 281.5      ISI = 5.1      ADMC = 68.7      FWI = 11.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1808

MAXIMUM VALUES

FFMC = 94.0      DMC = 196.0      DC = 765.0      ISI = 64.4      ADMC = 239.0      FWI = 108.0

\*\*\*TOTALS FOR STATION 166     STEINBACH            LONG. 9641     LAT. 4931

			FFMC			DMC			DC			ISI			ADMC			FWI								
CLASS	NO. OF		CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	CLASS				
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.					
1	*	8	0.4	0.4	*	23	1.3	1.3	*	44	2.5	2.5	*	29	1.6	1.6	*	9	0.5	0.5	*	192	10.7	10.7	*	1
2	*	3	0.2	0.6	*	57	3.2	4.5	*	44	2.5	4.9	*	124	6.9	8.5	*	11	0.6	1.1	*	200	11.2	21.9	*	2
3	*	4	0.2	0.8	*	84	4.7	9.1	*	49	2.7	7.6	*	159	8.9	17.4	*	8	0.4	1.6	*	100	5.6	27.4	*	3
4	*	3	0.2	1.0	*	86	4.8	13.9	*	67	3.7	11.4	*	161	9.0	26.4	*	15	0.8	2.4	*	96	5.4	32.8	*	4
5	*	10	0.6	1.6	*	106	5.9	19.9	*	74	4.1	15.5	*	120	6.7	33.1	*	45	2.5	4.9	*	108	6.0	38.8	*	5
6	*	8	0.4	2.0	*	114	6.4	26.2	*	68	3.8	19.3	*	84	4.7	37.8	*	46	2.6	7.5	*	137	7.6	46.5	*	6
7	*	20	1.1	3.1	*	110	6.1	32.3	*	119	6.6	25.9	*	96	5.4	43.1	*	67	3.7	11.2	*	126	7.0	53.5	*	7
8	*	27	1.5	4.6	*	120	6.7	39.0	*	110	6.1	32.1	*	167	9.3	52.4	*	61	3.4	14.6	*	138	7.7	61.2	*	8
9	*	41	2.3	6.9	*	99	5.5	44.6	*	112	6.2	38.3	*	142	7.9	60.3	*	82	4.6	19.2	*	202	11.3	72.4	*	9
10	*	53	3.0	9.9	*	101	5.6	50.2	*	96	5.4	43.7	*	102	5.7	66.0	*	84	4.7	23.9	*	143	8.0	80.4	*	10
11	*	56	3.1	13.0	*	238	13.3	63.5	*	69	3.8	47.5	*	202	11.3	77.3	*	68	3.8	27.7	*	123	6.9	87.3	*	11
12	*	77	4.3	17.3	*	166	9.3	72.7	*	92	5.1	52.6	*	118	6.6	83.9	*	71	4.0	31.6	*	73	4.1	91.4	*	12
13	*	89	5.0	22.3	*	133	7.4	80.1	*	104	5.8	58.4	*	104	5.8	89.7	*	179	10.0	41.6	*	45	2.5	93.9	*	13
14	*	163	9.1	31.3	*	114	6.4	86.5	*	112	6.2	64.7	*	83	4.6	94.3	*	167	9.3	50.9	*	68	3.8	97.7	*	14
15	*	222	12.4	43.7	*	108	6.0	92.5	*	114	6.4	71.1	*	41	2.3	96.6	*	170	9.5	60.4	*	28	1.6	99.2	*	15
16	*	96	5.4	49.1	*	46	2.6	95.1	*	101	5.6	76.7	*	41	2.3	98.9	*	153	8.5	68.9	*	7	0.4	99.6	*	16
17	*	147	8.2	57.3	*	19	1.1	96.2	*	111	6.2	82.9	*	13	0.7	99.6	*	219	12.2	81.1	*	4	0.2	99.8	*	17
18	*	200	11.2	68.4	*	14	0.8	96.9	*	150	8.4	91.2	*	2	0.1	99.7	*	145	8.1	89.2	*	3	0.2	100.0	*	18
19	*	237	13.2	81.7	*	37	2.1	99.0	*	85	4.7	96.0	*	4	0.2	99.9	*	81	4.5	93.8	*	0	0.0	100.0	*	19
20	*	211	11.8	93.4	*	14	0.8	99.8	*	41	2.3	98.3	*	0	0.0	99.9	*	39	2.2	95.9	*	0	0.0	100.0	*	20
21	*	100	5.6	99.0	*	4	0.2	100.0	*	21	1.2	99.4	*	1	0.1	100.0	*	19	1.1	97.0	*	0	0.0	100.0	*	21
22	*	17	0.9	99.9	*	0	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	10	0.6	97.5	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23	1.3	98.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19	1.1	99.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.4     DMC = 25.1     DC = 180.1     ISI = 5.7     ADMC = 56.3     FWI = 10.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1793

MAXIMUM VALUES

FFMC = 95.0     DMC = 156.0     DC = 547.0     ISI = 73.0     ADMC = 156.0     FWI = 76.0

\*\*\*TOTALS FOR STATION 178 SWAN RIVER LONG. 10116 LAT. 5206

FFMC						DMC						DC						ISI						ADMC						FWI					
CLASS	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	CLASS								
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.									
1	*	15	0.8	0.8	*	10	0.6	0.6	*	19	1.1	1.1	*	63	3.6	3.6	*	2	0.1	0.1	*	218	12.3	12.3	*	1									
2	*	12	0.7	1.5	*	28	1.6	2.1	*	25	1.4	2.5	*	138	7.8	11.4	*	6	0.3	0.5	*	187	10.6	22.9	*	2									
3	*	9	0.5	2.0	*	53	3.0	5.1	*	40	2.3	4.7	*	182	10.3	21.7	*	4	0.2	0.7	*	84	4.7	27.6	*	3									
4	*	13	0.7	2.8	*	87	4.9	10.1	*	47	2.7	7.4	*	135	7.6	29.3	*	10	0.6	1.2	*	80	4.5	32.2	*	4									
5	*	9	0.5	3.3	*	88	5.0	15.0	*	36	2.0	9.4	*	106	6.0	35.3	*	21	1.2	2.4	*	72	4.1	36.2	*	5									
6	*	16	0.9	4.2	*	106	6.0	21.0	*	49	2.8	12.2	*	102	5.8	41.0	*	31	1.8	4.2	*	160	9.0	45.3	*	6									
7	*	20	1.1	5.3	*	102	5.8	26.8	*	56	3.2	15.4	*	103	5.8	46.9	*	38	2.1	6.3	*	174	9.8	55.1	*	7									
8	*	27	1.5	6.8	*	103	5.8	32.6	*	66	3.7	19.1	*	159	9.0	55.9	*	36	2.0	8.4	*	111	6.3	61.4	*	8									
9	*	38	2.1	9.0	*	100	5.7	38.3	*	76	4.3	23.4	*	165	9.3	65.2	*	48	2.7	11.1	*	205	11.6	73.0	*	9									
10	*	51	2.9	11.9	*	94	5.3	43.6	*	93	5.3	28.7	*	122	6.9	72.1	*	62	3.5	14.6	*	163	9.2	82.2	*	10									
11	*	54	3.1	14.9	*	208	11.8	55.3	*	97	5.5	34.1	*	201	11.4	83.4	*	80	4.5	19.1	*	97	5.5	87.7	*	11									
12	*	68	3.8	18.8	*	175	9.9	65.2	*	89	5.0	39.2	*	93	5.3	88.7	*	73	4.1	23.2	*	65	3.7	91.4	*	12									
13	*	104	5.9	24.6	*	125	7.1	72.3	*	94	5.3	44.5	*	61	3.4	92.1	*	196	11.1	34.3	*	53	3.0	94.3	*	13									
14	*	136	7.7	32.3	*	93	5.3	77.6	*	104	5.9	50.4	*	82	4.6	96.8	*	162	9.2	43.5	*	65	3.7	98.0	*	14									
15	*	190	10.7	43.1	*	151	8.5	86.1	*	103	5.8	56.2	*	28	1.6	98.4	*	144	8.1	51.6	*	20	1.1	99.2	*	15									
16	*	118	6.7	49.7	*	82	4.6	90.7	*	122	6.9	63.1	*	20	1.1	99.5	*	140	7.9	59.5	*	9	0.5	99.7	*	16									
17	*	144	8.1	57.9	*	56	3.2	93.9	*	123	7.0	70.0	*	7	0.4	99.9	*	237	13.4	72.9	*	5	0.3	99.9	*	17									
18	*	197	11.1	69.0	*	26	1.5	95.4	*	163	9.2	79.3	*	2	0.1	100.0	*	142	8.0	80.9	*	1	0.1	100.0	*	18									
19	*	199	11.2	80.3	*	50	2.8	98.2	*	156	8.8	88.1	*	0	0.0	100.0	*	103	5.8	86.8	*	0	0.0	100.0	*	19									
20	*	197	11.1	91.4	*	26	1.5	99.7	*	97	5.5	93.6	*	0	0.0	100.0	*	70	4.0	90.7	*	0	0.0	100.0	*	20									
21	*	113	6.4	97.8	*	6	0.3	100.0	*	20	1.1	94.7	*	0	0.0	100.0	*	47	2.7	93.4	*	0	0.0	100.0	*	21									
22	*	36	2.0	99.8	*	0	0.0	100.0	*	27	1.5	96.2	*	0	0.0	100.0	*	37	2.1	95.5	*	0	0.0	100.0	*	22									
23	*	3	0.2	100.0	*	0	0.0	100.0	*	26	1.5	97.7	*	0	0.0	100.0	*	30	1.7	97.2	*	0	0.0	100.0	*	23									
24	*	0	0.0	100.0	*	0	0.0	100.0	*	41	2.3	100.0	*	0	0.0	100.0	*	29	1.6	98.8	*	0	0.0	100.0	*	24									
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21	1.2	100.0	*	0	0.0	100.0	*	25									

AVERAGE VALUES

FFMC = 76.2 DMC = 29.8 DC = 239.3 ISI = 4.8 ADMC = 66.8 FWI = 10.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1769

MAXIMUM VALUES

FFMC = 95.0 DMC = 154.0 DC = 764.0 ISI = 43.4 ADMC = 201.0 FWI = 80.0



\*\*\*TOTALS FOR STATION 181 THE PAS A LONG. 10106 LAT. 5358

FFMC			DMC			DC			ISI			* ADMC			FWI			* CLASS	
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS
1	* 11	0.7	0.7	* 36	2.4	2.4	* 21	1.4	1.4	* 73	4.9	4.9	* 10	0.7	0.7	* 258	17.1	17.1	* 1
2	* 16	1.1	1.8	* 53	3.5	5.9	* 20	1.3	2.7	* 160	10.6	15.5	* 10	0.7	1.3	* 209	13.9	31.0	* 2
3	* 10	0.7	2.5	* 89	5.9	11.8	* 31	2.1	4.8	* 178	11.8	27.3	* 7	0.5	1.8	* 74	4.9	35.9	* 3
4	* 13	0.9	3.3	* 114	7.6	19.4	* 41	2.7	7.5	* 121	8.0	35.3	* 18	1.2	3.0	* 72	4.8	40.7	* 4
5	* 16	1.1	4.4	* 101	6.7	26.1	* 56	3.7	11.2	* 117	7.8	43.1	* 26	1.7	4.7	* 98	6.5	47.2	* 5
6	* 22	1.5	5.8	* 89	5.9	32.0	* 51	3.4	14.6	* 75	5.0	48.1	* 48	3.2	7.9	* 140	9.3	56.5	* 6
7	* 29	1.9	7.8	* 91	6.0	38.1	* 93	6.2	20.8	* 86	5.7	53.8	* 62	4.1	12.0	* 107	7.1	63.7	* 7
8	* 36	2.4	10.2	* 87	5.8	43.9	* 75	5.0	25.8	* 163	10.8	64.7	* 73	4.9	16.9	* 103	6.8	70.5	* 8
9	* 40	2.7	12.8	* 75	5.0	48.8	* 96	6.4	32.2	* 111	7.4	72.0	* 77	5.1	22.0	* 174	11.6	82.1	* 9
10	* 48	3.2	16.0	* 93	6.2	55.0	* 81	5.4	37.5	* 106	7.0	79.1	* 74	4.9	26.9	* 114	7.6	89.6	* 10
11	* 52	3.5	19.5	* 154	10.2	65.2	* 76	5.0	42.6	* 141	9.4	88.4	* 73	4.9	31.8	* 71	4.7	94.4	* 11
12	* 77	5.1	24.6	* 122	8.1	73.4	* 84	5.6	48.2	* 74	4.9	93.4	* 66	4.4	36.1	* 42	2.8	97.1	* 12
13	* 104	6.9	31.5	* 98	6.5	79.9	* 91	6.0	54.2	* 43	2.9	96.2	* 146	9.7	45.8	* 21	1.4	98.5	* 13
14	* 112	7.4	38.9	* 78	5.2	85.0	* 119	7.9	62.1	* 34	2.3	98.5	* 130	8.6	54.5	* 19	1.3	99.8	* 14
15	* 179	11.9	50.8	* 117	7.8	92.8	* 94	6.2	68.4	* 12	0.8	99.3	* 130	8.6	63.1	* 2	0.1	99.9	* 15
16	* 107	7.1	57.9	* 56	3.7	96.5	* 75	5.0	73.4	* 8	0.5	99.8	* 97	6.4	69.6	* 0	0.0	99.9	* 16
17	* 164	10.9	68.8	* 30	2.0	98.5	* 50	3.3	76.7	* 2	0.1	99.9	* 175	11.6	81.2	* 0	0.0	99.9	* 17
18	* 157	10.4	79.3	* 20	1.3	99.9	* 111	7.4	84.1	* 0	0.0	99.9	* 110	7.3	88.5	* 0	0.0	99.9	* 18
19	* 190	12.6	91.9	* 2	0.1	100.0	* 97	6.4	90.5	* 1	0.1	100.0	* 82	5.4	94.0	* 0	0.0	99.9	* 19
20	* 89	5.9	97.8	* 0	0.0	100.0	* 72	4.8	95.3	* 0	0.0	100.0	* 42	2.8	96.7	* 1	0.1	100.0	* 20
21	* 26	1.7	99.5	* 0	0.0	100.0	* 23	1.5	96.8	* 0	0.0	100.0	* 18	1.2	97.9	* 0	0.0	100.0	* 21
22	* 6	0.4	99.9	* 0	0.0	100.0	* 48	3.2	100.0	* 0	0.0	100.0	* 16	1.1	99.0	* 0	0.0	100.0	* 22
23	* 1	0.1	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 15	1.0	100.0	* 0	0.0	100.0	* 23
24	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 25

223

AVERAGE VALUES

FFMC = 72.9      DMC = 22.9      DC = 204.0      ISI = 3.8      \* ADMC = 53.8      FWI = 7.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1505

MAXIMUM VALUES

FFMC = 95.0      DMC = 87.0      DC = 561.0      ISI = 56.0      \* ADMC = 116.0      FWI = 97.0

\*\*\*TOTALS FOR STATION 182 WABOWDEN LONG. 9838 LAT. 5455

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	26	1.8	1.8	*	46	3.2	3.2	*	3	0.2	0.2	*	95	6.5	6.5	*	7	0.5	0.5	*	292	20.1	20.1	*	1
2	*	16	1.1	2.9	*	84	5.8	8.9	*	16	1.1	1.3	*	123	8.5	15.0	*	15	1.0	1.5	*	195	13.4	33.5	*	2
3	*	13	0.9	3.8	*	101	7.0	15.9	*	29	2.0	3.3	*	176	12.1	27.1	*	3	0.2	1.7	*	93	6.4	39.9	*	3
4	*	17	1.2	5.0	*	106	7.3	23.2	*	45	3.1	6.4	*	145	10.0	37.1	*	26	1.8	3.5	*	87	6.0	45.9	*	4
5	*	16	1.1	6.1	*	100	6.9	30.1	*	36	2.5	8.9	*	122	8.4	45.5	*	44	3.0	6.5	*	69	4.7	50.7	*	5
6	*	13	0.9	7.0	*	106	7.3	37.4	*	44	3.0	11.9	*	112	7.7	53.2	*	64	4.4	10.9	*	149	10.3	60.9	*	6
7	*	29	2.0	8.9	*	106	7.3	44.7	*	103	7.1	19.0	*	81	5.6	58.8	*	62	4.3	15.2	*	112	7.7	68.6	*	7
8	*	28	1.9	10.9	*	118	8.1	52.8	*	80	5.5	24.5	*	137	9.4	68.2	*	62	4.3	19.5	*	111	7.6	76.3	*	8
9	*	41	2.8	13.7	*	75	5.2	57.9	*	68	4.7	29.2	*	111	7.6	75.8	*	68	4.7	24.2	*	156	10.7	87.0	*	9
10	*	55	3.8	17.5	*	92	6.3	64.3	*	99	6.8	36.0	*	91	6.3	82.1	*	88	6.1	30.2	*	79	5.4	92.4	*	10
11	*	52	3.6	21.1	*	179	12.3	76.6	*	70	4.8	40.8	*	122	8.4	90.5	*	76	5.2	35.4	*	45	3.1	95.5	*	11
12	*	71	4.9	25.9	*	110	7.6	84.2	*	100	6.9	47.7	*	55	3.8	94.3	*	73	5.0	40.5	*	18	1.2	96.8	*	12
13	*	117	8.1	34.0	*	61	4.2	88.4	*	70	4.8	52.5	*	22	1.5	95.8	*	178	12.3	52.7	*	21	1.4	98.2	*	13
14	*	147	10.1	44.1	*	47	3.2	91.6	*	83	5.7	58.2	*	38	2.6	98.4	*	153	10.5	63.2	*	18	1.2	99.4	*	14
15	*	207	14.2	58.4	*	53	3.6	95.3	*	128	8.8	67.0	*	13	0.9	99.3	*	129	8.9	72.1	*	7	0.5	99.9	*	15
16	*	114	7.8	66.2	*	26	1.8	97.0	*	106	7.3	74.3	*	6	0.4	99.7	*	115	7.9	80.0	*	1	0.1	100.0	*	16
17	*	138	9.5	75.7	*	14	1.0	98.0	*	71	4.9	79.2	*	3	0.2	99.9	*	118	8.1	88.2	*	0	0.0	100.0	*	17
18	*	149	10.3	86.0	*	9	0.6	98.6	*	102	7.0	86.2	*	0	0.0	99.9	*	82	5.6	93.8	*	0	0.0	100.0	*	18
19	*	116	8.0	93.9	*	20	1.4	100.0	*	112	7.7	93.9	*	1	0.1	100.0	*	34	2.3	96.1	*	0	0.0	100.0	*	19
20	*	58	4.0	97.9	*	0	0.0	100.0	*	35	2.4	96.4	*	0	0.0	100.0	*	27	1.9	98.0	*	0	0.0	100.0	*	20
21	*	26	1.8	99.7	*	0	0.0	100.0	*	23	1.6	97.9	*	0	0.0	100.0	*	9	0.6	98.6	*	0	0.0	100.0	*	21
22	*	3	0.2	99.9	*	0	0.0	100.0	*	30	2.1	100.0	*	0	0.0	100.0	*	7	0.5	99.1	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.9	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.9      DMC = 19.7      DC = 203.4      ISI = 3.6      ADMC = 47.8      FWI = 6.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1453

MAXIMUM VALUES

FFMC = 95.0      DMC = 97.0      DC = 569.0      ISI = 54.0      ADMC = 121.0      FWI = 54.0

FINAL TOTALS FOR THE PROVINCE OF SASKATCHEWAN

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	
1	* 426	0.8	0.8	* 1027	1.8	1.8	* 533	0.9	0.9	* 2096	3.7	3.7	* 197	0.3	0.3	* 7977	14.1	14.1	* 1
2	* 261	0.5	1.2	* 1678	3.0	4.8	* 899	1.6	2.5	* 4826	8.6	12.3	* 369	0.7	1.0	* 6320	11.2	25.3	* 2
3	* 333	0.6	1.8	* 2476	4.4	9.2	* 1212	2.1	4.7	* 6024	10.7	22.9	* 177	0.3	1.3	* 3078	5.5	30.8	* 3
4	* 399	0.7	2.5	* 2953	5.2	14.4	* 1443	2.6	7.2	* 4781	8.5	31.4	* 588	1.0	2.4	* 2806	5.0	35.8	* 4
5	* 445	0.8	3.3	* 3305	5.9	20.3	* 1429	2.5	9.8	* 3875	6.9	38.3	* 1053	1.9	4.2	* 2703	4.8	40.6	* 5
6	* 599	1.1	4.4	* 3274	5.8	26.1	* 1441	2.6	12.3	* 3209	5.7	44.0	* 1303	2.3	6.5	* 4779	8.5	49.0	* 6
7	* 797	1.4	5.8	* 3174	5.6	31.7	* 2635	4.7	17.0	* 2874	5.1	49.1	* 1627	2.9	9.4	* 4226	7.5	56.5	* 7
8	* 954	1.7	7.5	* 3157	5.6	37.3	* 2531	4.5	21.5	* 5314	9.4	58.5	* 1860	3.3	12.7	* 3775	6.7	63.2	* 8
9	* 1218	2.2	9.6	* 2836	5.0	42.3	* 2540	4.5	26.0	* 4534	8.0	66.5	* 2038	3.6	16.3	* 6359	11.3	74.5	* 9
10	* 1522	2.7	12.3	* 2533	4.5	46.8	* 2558	4.5	30.5	* 3786	6.7	73.2	* 2362	4.2	20.5	* 4505	8.0	82.5	* 10
11	* 1886	3.3	15.7	* 5578	9.9	56.7	* 2713	4.8	35.3	* 5718	10.1	83.4	* 2407	4.3	24.8	* 3350	5.9	88.4	* 11
12	* 2568	4.6	20.2	* 4604	8.2	64.9	* 2784	4.9	40.3	* 3252	5.8	89.1	* 2260	4.0	28.8	* 2296	4.1	92.5	* 12
13	* 3347	5.9	26.2	* 3817	6.8	71.6	* 2984	5.3	45.6	* 2292	4.1	93.2	* 5424	9.6	38.4	* 1549	2.7	95.2	* 13
14	* 4383	7.8	33.9	* 2988	5.3	76.9	* 3877	6.9	52.4	* 2212	3.9	97.1	* 4976	8.8	47.2	* 1896	3.4	98.6	* 14
15	* 6441	11.4	45.3	* 4605	8.2	85.1	* 3780	6.7	59.1	* 903	1.6	98.7	* 4411	7.8	55.0	* 539	1.0	99.5	* 15
16	* 3883	6.9	52.2	* 2994	5.3	90.4	* 3479	6.2	65.3	* 591	1.0	99.8	* 3758	6.7	61.7	* 186	0.3	99.9	* 16
17	* 4895	8.7	60.9	* 1956	3.5	93.9	* 3311	5.9	71.2	* 106	0.2	99.9	* 6153	10.9	72.6	* 53	0.1	100.0	* 17
18	* 5977	10.6	71.5	* 1258	2.2	96.1	* 5404	9.6	80.7	* 19	0.0	100.0	* 4733	3.4	81.0	* 15	0.0	100.0	* 18
19	* 6737	11.9	83.4	* 1607	2.8	98.9	* 4084	7.2	88.0	* 1	0.0	100.0	* 3460	6.1	87.1	* 2	0.0	100.0	* 19
20	* 5410	9.6	93.0	* 409	0.7	99.7	* 2656	4.7	92.7	* 1	0.0	100.0	* 2364	4.2	91.3	* 2	0.0	100.0	* 20
21	* 3067	5.4	98.5	* 141	0.2	99.9	* 1980	3.5	96.2	* 4	0.0	100.0	* 1554	2.8	94.1	* 3	0.0	100.0	* 21
22	* 780	1.4	99.8	* 45	0.1	100.0	* 1661	2.9	99.1	* 1	0.0	100.0	* 1087	1.9	96.0	* 0	0.0	100.0	* 22
23	* 86	0.2	100.0	* 4	0.0	100.0	* 400	0.7	99.8	* 0	0.0	100.0	* 1542	2.7	98.7	* 0	0.0	100.0	* 23
24	* 5	0.0	100.0	* 0	0.0	100.0	* 83	0.1	100.0	* 0	0.0	100.0	* 509	0.9	99.6	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 2	0.0	100.0	* 0	0.0	100.0	* 207	0.4	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 75.5      DMC = 28.9      DC = 228.3      ISI = 4.6      ADMC = 63.4      FWI = 9.9

THE TOTAL NUMBER OF OBSERVATIONS IS 56419

MAXIMUM VALUES

FFMC = 97.0      DMC = 218.0      DC = 807.0      ISI = 90.9      ADMC = 243.0      FWI = 118.0

\*\*\*TOTALS FOR REGION 25

WESTERN SASKATCHEWAN

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS			
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.				
1	*	0	0.0	0.0	*	5	0.3	0.3	*	1	0.1	0.1	*	0	0.0	0.0	*	38	2.0	2.0	*	1
2	*	0	0.0	0.0	*	7	0.4	0.6	*	14	0.7	0.8	*	48	2.5	2.5	*	117	6.1	8.1	*	2
3	*	1	0.1	0.1	*	30	1.6	2.2	*	34	1.8	2.6	*	123	6.4	9.0	*	125	7.1	15.2	*	3
4	*	3	0.2	0.2	*	52	2.7	4.9	*	41	2.1	4.7	*	158	8.3	17.2	*	101	5.3	20.5	*	4
5	*	3	0.2	0.4	*	68	3.6	8.5	*	39	2.0	6.8	*	149	7.8	25.0	*	3	0.2	0.4	*	5
6	*	5	0.3	0.6	*	81	4.2	12.7	*	49	2.6	9.3	*	136	7.1	32.1	*	15	0.8	1.2	*	6
7	*	12	0.6	1.3	*	108	5.7	18.4	*	67	3.5	12.8	*	130	6.8	39.0	*	29	1.5	2.7	*	7
8	*	22	1.2	2.4	*	99	5.2	23.6	*	66	3.5	16.3	*	249	13.0	52.0	*	33	1.7	4.5	*	8
9	*	35	1.8	4.2	*	107	5.6	29.2	*	65	3.4	19.7	*	211	11.0	63.0	*	43	2.3	6.7	*	9
10	*	66	3.5	7.7	*	98	5.1	34.3	*	97	5.1	24.8	*	196	10.3	73.3	*	64	3.4	10.1	*	10
11	*	82	4.3	12.0	*	293	15.3	49.6	*	65	3.6	28.4	*	227	11.9	85.2	*	57	3.0	13.0	*	11
12	*	90	4.7	16.7	*	225	11.8	61.4	*	71	3.7	32.1	*	121	6.3	91.5	*	49	2.6	15.6	*	12
13	*	167	8.7	25.4	*	158	8.3	69.7	*	70	3.7	35.8	*	63	3.3	94.8	*	183	9.6	25.2	*	13
14	*	195	10.2	35.7	*	165	8.6	78.3	*	86	4.5	40.3	*	72	3.8	98.6	*	201	10.5	35.7	*	14
15	*	333	17.4	53.1	*	203	10.6	89.0	*	148	7.7	48.0	*	18	0.9	99.5	*	200	10.5	46.2	*	15
16	*	154	8.1	61.2	*	108	5.7	94.6	*	176	9.2	57.2	*	8	0.4	99.9	*	196	10.3	56.4	*	16
17	*	189	9.9	71.0	*	35	1.8	96.4	*	195	10.2	67.4	*	1	0.1	100.0	*	304	15.9	72.4	*	17
18	*	134	0.6	80.7	*	18	0.9	97.4	*	329	17.2	84.7	*	0	0.0	100.0	*	218	11.4	83.8	*	18
19	*	180	9.4	90.1	*	49	2.6	99.9	*	164	8.6	93.2	*	0	0.0	100.0	*	135	7.1	90.8	*	19
20	*	123	6.4	96.5	*	1	0.1	100.0	*	87	4.6	97.8	*	0	0.0	100.0	*	81	4.2	95.1	*	20
21	*	53	2.8	99.3	*	0	0.0	100.0	*	42	2.2	100.0	*	0	0.0	100.0	*	33	1.7	96.8	*	21
22	*	12	0.6	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	40	2.1	98.9	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21	1.1	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.4      DMC = 29.9      DC = 237.6      ISI = 4.8      ADMC = 66.4      FWI = 10.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1910

MAXIMUM VALUES

FFMC = 95.0      DMC = 111.0      DC = 494.0      ISI = 32.4      ADMC = 111.0      FWI = 53.0

\*\*\*TOTALS FOR REGION 26

EASTERN SASKATCHEWAN

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS				
CLASS	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.						
1	*	0	0.0	0.0	*	12	0.7	0.7	*	11	0.6	0.6	*	0	0.0	0.0	*	55	3.1	3.1	*	1
2	*	1	0.1	0.1	*	19	1.1	1.8	*	16	0.9	1.5	*	67	3.8	3.8	*	143	8.2	11.3	*	2
3	*	7	0.4	0.5	*	52	3.0	4.7	*	25	1.4	3.0	*	140	8.0	11.8	*	118	6.7	18.0	*	3
4	*	6	0.3	0.8	*	56	3.2	7.9	*	32	1.8	4.8	*	157	9.0	20.8	*	118	6.7	24.7	*	4
5	*	6	0.3	1.1	*	78	4.4	12.4	*	34	1.9	6.7	*	144	8.2	29.0	*	14	0.8	1.8	*	5
6	*	19	1.1	2.2	*	98	5.6	18.0	*	37	2.1	8.8	*	138	7.9	36.8	*	20	1.1	3.0	*	6
7	*	20	1.1	3.4	*	77	4.4	22.3	*	72	4.1	12.9	*	130	7.4	44.2	*	30	1.7	4.7	*	7
8	*	33	1.9	5.2	*	115	6.6	28.9	*	75	4.3	17.2	*	223	12.7	57.0	*	43	2.5	7.1	*	8
9	*	50	2.9	8.1	*	109	6.2	35.1	*	76	4.3	21.6	*	190	10.8	67.8	*	48	2.7	9.9	*	9
10	*	57	3.2	11.3	*	115	6.6	41.7	*	75	4.3	25.8	*	140	8.0	75.8	*	54	3.1	12.9	*	10
11	*	93	5.3	16.6	*	239	13.6	55.3	*	97	5.5	31.4	*	202	11.5	87.3	*	81	4.6	17.6	*	11
12	*	133	7.6	24.2	*	158	9.0	64.3	*	84	4.8	36.1	*	95	5.4	92.7	*	62	3.5	21.1	*	12
13	*	130	7.4	31.6	*	144	8.2	72.5	*	84	4.8	40.9	*	68	3.9	96.6	*	164	9.4	30.4	*	13
14	*	211	12.0	43.7	*	155	8.8	81.4	*	77	4.4	45.3	*	44	2.5	99.1	*	190	10.8	41.3	*	14
15	*	288	16.4	60.1	*	137	7.8	89.2	*	98	5.6	50.9	*	9	0.5	99.6	*	184	10.5	51.8	*	15
16	*	149	8.5	68.6	*	77	4.4	93.6	*	145	8.3	59.2	*	6	0.3	99.9	*	169	9.6	61.4	*	16
17	*	166	9.5	78.1	*	29	1.7	95.2	*	162	9.2	68.4	*	1	0.1	100.0	*	234	13.3	74.7	*	17
18	*	124	7.1	85.1	*	38	2.2	97.4	*	233	13.3	81.7	*	0	0.0	100.0	*	201	11.5	86.2	*	18
19	*	135	7.7	92.8	*	46	2.6	100.0	*	164	9.4	91.0	*	0	0.0	100.0	*	82	4.7	90.9	*	19
20	*	91	5.2	98.0	*	0	0.0	100.0	*	75	4.3	95.3	*	0	0.0	100.0	*	48	2.7	93.6	*	20
21	*	32	1.8	99.8	*	0	0.0	100.0	*	32	1.8	97.1	*	0	0.0	100.0	*	44	2.5	96.1	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	45	2.6	99.7	*	0	0.0	100.0	*	24	1.4	97.5	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	39	2.2	99.7	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.6      DMC = 28.4      DC = 237.3      ISI = 4.4      ADMC = 63.9      FWI = 9.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1754

MAXIMUM VALUES

FFMC = 93.0      DMC = 107.0      DC = 620.0      ISI = 33.3      ADMC = 132.0      FWI = 48.0

227

\*\*\*TOTALS FOR REGION

27

NORTHERN SASKATCHEWAN

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	NO. OF OBS.	CUM. PCNT.	CLASS							
1	*	0	0.0	0.0	*	1	0.1	0.1	*	6	0.4	0.4	*	2	0.1	0.1	*	0	0.0	0.0	*	72	4.6	4.6	*	1
2	*	1	0.1	0.1	*	40	2.6	2.6	*	4	0.3	0.6	*	49	3.1	3.3	*	0	0.0	0.0	*	166	10.6	15.2	*	2
3	*	0	0.0	0.1	*	86	5.5	8.1	*	12	0.8	1.4	*	167	10.7	14.0	*	2	0.1	0.1	*	159	10.2	25.4	*	3
4	*	0	0.0	0.1	*	128	8.2	16.3	*	34	2.2	3.6	*	178	11.4	25.4	*	2	0.1	0.3	*	134	8.6	34.0	*	4
5	*	3	0.2	0.3	*	112	7.2	23.5	*	37	2.4	6.0	*	156	10.0	35.3	*	16	1.0	1.3	*	131	8.4	42.4	*	5
6	*	15	1.0	1.2	*	76	4.9	28.4	*	37	2.4	8.3	*	136	8.7	44.0	*	31	2.0	3.3	*	186	11.9	54.3	*	6
7	*	17	1.1	2.3	*	105	6.7	35.1	*	90	5.8	14.1	*	137	8.8	52.8	*	35	2.2	5.5	*	163	10.4	64.7	*	7
8	*	32	2.0	4.4	*	99	6.3	41.4	*	63	4.0	18.1	*	212	13.6	66.4	*	82	5.2	10.8	*	136	8.7	73.4	*	8
9	*	55	3.5	7.9	*	101	6.5	47.9	*	53	3.4	21.5	*	140	9.0	75.4	*	80	5.1	15.9	*	220	14.1	87.5	*	9
10	*	69	4.4	12.3	*	80	5.1	53.0	*	69	4.4	25.9	*	124	7.9	83.3	*	97	6.2	22.1	*	102	6.5	94.0	*	10
11	*	112	7.2	19.5	*	199	12.7	65.7	*	58	3.7	29.6	*	142	9.1	92.4	*	95	5.1	28.2	*	43	2.8	96.8	*	11
12	*	164	10.5	30.0	*	162	10.4	76.1	*	57	3.6	33.3	*	68	4.4	96.7	*	65	4.2	32.3	*	30	1.9	98.7	*	12
13	*	161	10.3	40.3	*	110	7.0	83.2	*	51	3.3	36.6	*	25	1.6	98.3	*	192	12.3	44.6	*	16	1.0	99.7	*	13
14	*	233	14.9	55.2	*	78	5.0	88.2	*	83	5.3	41.9	*	20	1.3	99.6	*	170	10.9	55.5	*	4	0.3	100.0	*	14
15	*	247	15.8	71.0	*	109	7.0	95.1	*	178	11.4	53.3	*	5	0.3	99.9	*	133	8.5	64.0	*	0	0.0	100.0	*	15
16	*	104	6.7	77.7	*	24	1.5	96.7	*	217	13.9	67.2	*	1	0.1	100.0	*	143	9.2	73.2	*	0	0.0	100.0	*	16
17	*	113	7.2	84.9	*	13	0.8	97.5	*	186	11.9	79.1	*	0	0.0	100.0	*	189	12.1	85.3	*	0	0.0	100.0	*	17
18	*	100	6.4	91.3	*	36	2.3	99.8	*	231	14.8	93.9	*	0	0.0	100.0	*	127	8.1	93.4	*	0	0.0	100.0	*	18
19	*	84	5.4	96.7	*	3	0.2	100.0	*	90	5.8	99.6	*	0	0.0	100.0	*	50	3.2	96.6	*	0	0.0	100.0	*	19
20	*	38	2.4	99.1	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	13	0.8	97.4	*	0	0.0	100.0	*	20
21	*	12	0.8	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.4	98.8	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	1.0	99.8	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.4      DMC = 22.8      DC = 218.7      ISI = 3.6      ADMC = 53.3      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1562

MAXIMUM VALUES

FFMC = 94.0      DMC = 83.0      DC = 421.0      ISI = 25.7      ADMC = 105.0      FWI = 37.0

\*\*\*TOTALS FOR STATION 207 ARRAN LONG, 10144 LAT. 5158

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS			
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.				
1	*	13	0.7	0.7	*	12	0.7	0.7	*	31	1.8	1.8	*	4	0.2	0.2	*	224	12.9	12.9	*	1
2	*	10	0.6	1.3	*	39	2.2	2.9	*	33	1.9	3.7	*	5	0.3	0.5	*	214	12.3	25.2	*	2
3	*	7	0.4	1.7	*	81	4.7	7.6	*	31	1.8	5.5	*	9	0.5	1.0	*	92	5.3	30.5	*	3
4	*	9	0.5	2.2	*	81	4.7	12.2	*	44	2.5	8.0	*	8	0.5	1.5	*	94	5.4	35.9	*	4
5	*	12	0.7	2.9	*	116	6.7	18.9	*	38	2.2	10.2	*	31	1.8	3.3	*	84	4.8	40.7	*	5
6	*	20	1.1	4.1	*	112	6.4	25.3	*	27	1.6	11.7	*	38	2.2	5.5	*	147	8.4	49.1	*	6
7	*	19	1.1	5.2	*	104	6.0	31.3	*	76	4.4	16.1	*	98	5.6	7.5	*	132	7.6	56.7	*	7
8	*	28	1.6	6.8	*	116	6.7	38.0	*	63	3.6	19.7	*	68	3.9	11.4	*	119	6.8	63.6	*	8
9	*	41	2.4	9.1	*	88	5.1	43.0	*	72	4.1	23.9	*	51	2.9	14.4	*	201	11.6	75.1	*	9
10	*	45	2.6	11.7	*	90	5.2	48.2	*	94	5.4	29.3	*	57	3.3	17.6	*	130	7.5	82.6	*	10
11	*	55	3.2	14.9	*	190	10.9	59.1	*	91	5.2	34.5	*	83	4.8	22.4	*	109	6.3	88.9	*	11
12	*	77	4.4	19.3	*	163	9.4	68.5	*	94	5.4	39.9	*	72	4.1	26.6	*	64	3.7	92.5	*	12
13	*	114	6.6	25.9	*	123	7.1	75.6	*	107	6.1	46.0	*	64	3.7	92.2	*	193	11.1	37.6	*	13
14	*	134	7.7	33.6	*	86	4.9	80.5	*	135	7.8	53.8	*	80	4.6	96.8	*	183	10.5	48.2	*	14
15	*	204	11.7	45.3	*	108	6.2	86.7	*	130	7.5	61.3	*	22	1.3	98.1	*	140	8.0	56.2	*	15
16	*	143	8.2	53.5	*	52	3.0	89.7	*	102	5.9	67.1	*	23	1.3	99.4	*	123	7.1	63.3	*	16
17	*	138	7.9	61.4	*	56	3.2	92.9	*	81	4.7	71.8	*	6	0.3	99.8	*	212	12.2	75.5	*	17
18	*	207	11.9	73.3	*	39	2.2	95.2	*	171	9.8	81.6	*	3	0.2	99.9	*	132	7.6	83.0	*	18
19	*	211	12.1	85.5	*	57	3.3	98.4	*	72	4.1	85.7	*	0	0.0	99.9	*	80	4.6	87.6	*	19
20	*	149	8.6	94.0	*	16	0.9	99.4	*	75	4.3	90.1	*	0	0.0	99.9	*	56	3.2	90.9	*	20
21	*	86	4.9	99.0	*	8	0.5	99.8	*	76	4.4	94.4	*	0	0.0	99.9	*	39	2.2	93.1	*	21
22	*	16	0.9	99.9	*	3	0.2	100.0	*	97	5.6	100.0	*	1	0.1	100.0	*	25	1.4	94.5	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	52	3.0	97.5	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	33	1.9	99.4	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	100.0	*	25

AVERAGE VALUES

FFMC = 75.7      DMC = 28.7      DC = 230.0      ISI = 4.7      ADCM = 64.0      FWI = 10.0

MAXIMUM VALUES

FFMC = 95.0      DMC = 179.0      DC = 591.0      ISI = 90.9      ADCM = 179.0      FWI = 118.0

\*\*\*TOTALS FOR STATION 199 BUFFALO NARROWS

LONG. 10829 LAT. 5552

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	11	0.7	0.7	36	2.3	2.3	23	1.4	1.4	65	4.1	4.1	9	0.6	0.6	273	17.1	17.1	1
2	8	0.5	1.2	66	4.1	6.4	27	1.7	3.1	169	10.6	14.6	9	0.6	1.1	201	12.6	29.6	2
3	9	0.6	1.8	85	5.3	11.7	47	2.9	6.1	187	11.7	26.3	9	0.6	1.7	87	5.4	35.1	3
4	9	0.6	2.3	100	6.3	17.9	63	3.9	10.0	138	8.6	35.0	18	1.1	2.8	79	4.9	40.0	4
5	15	0.9	3.3	110	6.9	24.8	49	3.1	13.1	124	7.8	42.7	38	2.4	5.2	88	5.5	45.5	5
6	24	1.5	4.8	102	6.4	31.2	54	3.4	16.4	87	5.4	48.2	51	3.2	8.4	155	9.7	55.2	6
7	30	1.9	6.6	102	6.4	37.6	94	5.9	22.3	78	4.9	53.0	58	3.6	12.0	111	6.9	62.2	7
8	25	1.6	8.2	115	7.2	44.8	51	3.2	25.5	151	9.4	62.5	60	3.8	15.8	119	7.4	69.6	8
9	32	2.0	10.2	79	4.9	49.7	62	3.9	29.4	123	7.7	70.2	73	4.6	20.3	165	10.3	79.9	9
10	55	3.4	13.6	66	4.1	53.8	54	3.4	32.8	104	6.5	76.7	83	5.2	25.5	109	6.8	86.7	10
11	54	3.4	17.0	155	9.7	63.5	69	4.3	37.1	129	8.1	84.7	87	5.4	31.0	83	5.2	91.9	11
12	77	4.8	21.8	119	7.4	71.0	68	4.3	41.3	88	5.5	90.2	68	4.3	35.2	55	3.4	95.4	12
13	105	6.6	28.4	98	6.1	77.1	83	5.2	46.5	63	3.9	94.2	184	11.5	46.7	34	2.1	97.5	13
14	145	9.1	37.5	86	5.4	82.5	130	8.1	54.7	49	3.1	97.2	137	8.6	55.3	31	1.9	99.4	14
15	196	12.3	49.7	147	9.2	91.7	117	7.3	62.0	31	1.9	99.2	104	6.5	61.8	8	0.5	99.9	15
16	102	6.4	56.1	55	3.4	95.1	106	6.6	68.6	12	0.8	99.9	114	7.1	68.9	1	0.1	100.0	16
17	137	8.6	64.7	36	2.3	97.4	123	7.7	76.3	1	0.1	100.0	179	11.2	80.1	0	0.0	100.0	17
18	168	10.5	75.2	16	1.0	98.4	228	14.3	90.6	0	0.0	100.0	128	8.0	88.1	0	0.0	100.0	18
19	183	11.4	86.6	20	1.3	99.6	141	8.8	99.4	0	0.0	100.0	88	5.5	93.6	0	0.0	100.0	19
20	142	8.9	95.5	6	0.4	100.0	10	0.6	100.0	0	0.0	100.0	42	2.6	96.2	0	0.0	100.0	20
21	53	3.3	98.8	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	29	1.8	98.1	0	0.0	100.0	21
22	17	1.1	99.9	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	17	1.1	99.1	0	0.0	100.0	22
23	2	0.1	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	14	0.9	100.0	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 74.4      DMC = 24.3      DC = 200.9      ISI = 4.2      ADMC = 54.4      FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1599

MAXIMUM VALUES

FFMC = 95.0      DMC = 121.0      DC = 427.0      ISI = 30.8      ADMC = 121.0      FWI = 55.0



\*\*\*TOTALS FOR STATION 217 CREE LAKE LONG. 10640 LAT, 5723

		FFMC		DMC		DC		ISI		ADMC		FWI			
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.
1	*	9	0.6	0.6	*	41	2.6	2.6	*	8	0.5	0.5	*	82	5.2
2	*	12	0.8	1.3	*	64	4.1	6.7	*	22	1.4	1.9	*	184	11.7
3	*	14	0.9	2.2	*	75	4.8	11.5	*	33	2.1	4.0	*	185	11.8
4	*	20	1.3	3.5	*	101	6.4	17.9	*	38	2.4	6.4	*	145	9.2
5	*	19	1.2	4.7	*	98	6.2	24.1	*	43	2.7	9.2	*	92	5.9
6	*	23	1.5	6.2	*	107	6.8	31.0	*	38	2.4	11.6	*	91	5.8
7	*	29	1.8	8.0	*	91	5.8	36.8	*	46	2.9	14.5	*	92	5.9
8	*	35	2.2	10.3	*	110	7.0	43.8	*	69	4.4	18.9	*	129	8.2
9	*	35	2.2	12.5	*	85	5.4	49.2	*	53	3.4	22.3	*	116	7.4
10	*	48	3.1	15.5	*	61	3.9	53.1	*	50	3.2	25.5	*	105	6.7
11	*	68	4.3	19.9	*	163	10.4	63.4	*	55	3.5	29.0	*	140	8.9
12	*	82	5.2	25.1	*	117	7.5	70.9	*	78	5.0	33.9	*	59	3.8
13	*	109	6.9	32.0	*	108	6.9	77.8	*	92	5.9	39.8	*	60	3.8
14	*	130	8.3	40.3	*	91	5.8	83.6	*	142	9.0	48.9	*	45	2.9
15	*	192	12.2	52.5	*	105	6.7	90.3	*	175	11.1	60.0	*	29	1.8
16	*	101	6.4	59.0	*	78	5.0	95.2	*	167	10.6	70.6	*	15	1.0
17	*	128	8.2	67.1	*	45	2.9	98.1	*	146	9.3	79.9	*	1	0.1
18	*	155	9.9	77.0	*	23	1.5	99.6	*	134	8.5	88.5	*	0	0.0
19	*	165	10.5	87.5	*	7	0.4	100.0	*	57	3.6	92.1	*	0	0.0
20	*	132	8.4	95.9	*	0	0.0	100.0	*	32	2.0	94.1	*	0	0.0
21	*	54	3.4	99.4	*	0	0.0	100.0	*	28	1.8	95.9	*	0	0.0
22	*	9	0.6	99.9	*	0	0.0	100.0	*	64	4.1	100.0	*	0	0.0
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0

AVERAGE VALUES

FFMC = 72.9      DMC = 24.0      DC = 224.0      ISI = 4.0      ADMC = 56.0      FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1570

MAXIMUM VALUES

FFMC = 96.0      DMC = 86.0      DC = 546.0      ISI = 37.0      ADMC = 114.0      FWI = 46.0

\*\*\*TOTALS FOR STATION 211

CUMBERLAND HOUSE

LONG. 10218

LAT. 5358

CLASS	NO. OF	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
		OBS.	PCNT.	CUM. PCNT.	OBS.	PCNT.	CUM. PCNT.	OBS.	PCNT.	CUM. PCNT.	OBS.	PCNT.	CUM. PCNT.	OBS.	PCNT.	CUM. PCNT.	OBS.	PCNT.	CUM. PCNT.	
1	9	0.5	0.5	14	0.9	0.9	4	0.2	0.2	47	2.9	2.9	1	0.1	0.1	203	12.4	12.4	1	
2	6	0.4	0.9	30	1.8	2.7	4	0.2	0.5	138	8.4	11.3	5	0.3	0.4	215	13.1	25.5	2	
3	7	0.4	1.3	61	3.7	6.4	21	1.3	1.8	206	12.5	23.8	1	0.1	0.4	97	5.9	31.4	3	
4	12	0.7	2.1	97	5.9	12.3	24	1.5	3.2	136	8.3	32.1	7	0.4	0.9	78	4.8	36.1	4	
5	7	0.4	2.5	93	5.7	18.0	30	1.8	5.1	124	7.6	39.6	18	1.1	1.9	84	5.1	41.2	5	
6	14	0.9	3.3	90	5.5	23.4	30	1.8	6.9	109	6.6	46.3	26	1.6	3.5	153	9.3	50.5	6	
7	13	0.8	4.1	109	6.6	30.1	75	4.6	11.4	99	6.0	52.3	39	2.4	5.9	153	9.3	59.9	7	
8	34	2.1	6.2	96	5.8	35.9	85	5.2	16.6	152	9.3	61.6	43	2.6	8.5	112	6.8	66.7	8	
9	34	2.1	8.3	89	5.4	41.4	61	3.7	20.3	153	9.3	70.9	53	3.2	11.8	196	11.9	78.6	9	
10	50	3.0	11.3	99	6.0	47.4	59	3.6	23.9	97	5.9	76.8	85	5.2	16.9	132	8.0	86.7	10	
11	71	4.3	15.7	207	12.6	60.0	76	4.6	28.6	150	9.1	85.9	61	3.7	20.6	81	4.9	91.6	11	
12	80	4.9	20.5	158	9.6	69.6	82	5.0	33.6	95	5.8	91.7	65	4.0	24.6	65	4.0	95.6	12	
13	129	7.9	28.4	127	7.7	77.3	90	5.5	39.0	52	3.2	94.9	185	11.3	35.9	29	1.8	97.3	13	
14	105	6.4	34.8	84	5.1	82.5	118	7.2	46.2	62	3.8	98.7	154	9.4	45.2	36	2.2	99.5	14	
15	213	13.0	47.7	141	8.6	91.0	179	10.9	57.1	13	0.8	99.5	172	10.5	55.7	6	0.4	99.9	15	
16	126	7.7	55.4	70	4.3	95.3	102	6.2	63.3	6	0.4	99.8	137	8.3	64.1	2	0.1	100.0	16	
17	161	9.8	65.2	33	2.0	97.3	118	7.2	70.5	2	0.1	99.9	219	13.3	77.4	0	0.0	100.0	17	
18	186	11.3	76.6	15	0.9	98.2	119	7.2	77.8	1	0.1	100.0	148	9.0	86.4	0	0.0	100.0	18	
19	205	12.5	89.0	22	1.3	99.6	163	9.9	87.7	0	0.0	100.0	102	6.2	92.6	0	0.0	100.0	19	
20	112	6.8	95.9	7	0.4	100.0	107	6.5	94.2	0	0.0	100.0	43	2.6	95.2	0	0.0	100.0	20	
21	54	3.3	99.1	0	0.0	100.0	48	2.9	97.1	0	0.0	100.0	32	1.9	97.2	0	0.0	100.0	21	
22	13	0.8	99.9	0	0.0	100.0	39	2.4	99.5	0	0.0	100.0	18	1.1	98.3	0	0.0	100.0	22	
23	1	0.1	100.0	0	0.0	100.0	8	0.5	100.0	0	0.0	100.0	24	1.5	99.8	0	0.0	100.0	23	
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	4	0.2	100.0	0	0.0	100.0	24	
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25	

AVERAGE VALUES

FFMC = 75.3      DMC = 26.0      DC = 241.6      ISI = 4.1      ADMC = 60.7      FWI = 8.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1642

MAXIMUM VALUES

FFMC = 95.0      DMC = 133.0      DC = 612.0      ISI = 46.0      ADMC = 133.0      FWI = 60.0

\*\*\*TOTALS FOR STATION 190 DORINTOSH LONG. 10837 LAT. 5420

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	9	0.5	0.5	*	13	0.7	0.7	*	9	0.5	0.5	*	41	2.2	2.2	*	5	0.3	0.3	*	200	10.8	10.8	*	1
2	*	8	0.4	0.9	*	35	1.9	2.6	*	18	1.0	1.5	*	123	6.7	8.9	*	3	0.2	0.4	*	147	8.0	18.8	*	2
3	*	7	0.4	1.3	*	55	3.0	5.6	*	31	1.7	3.1	*	166	9.0	17.9	*	3	0.2	0.6	*	109	5.9	24.7	*	3
4	*	2	0.1	1.4	*	95	5.1	10.7	*	32	1.7	4.9	*	149	8.1	25.9	*	7	0.4	1.0	*	95	5.1	29.8	*	4
5	*	11	0.6	2.0	*	87	4.7	15.4	*	34	1.8	6.7	*	135	7.3	33.3	*	14	0.8	1.7	*	83	4.5	34.3	*	5
6	*	11	0.6	2.6	*	89	4.8	20.3	*	36	2.0	8.7	*	102	5.5	38.8	*	32	1.7	3.5	*	166	9.0	43.3	*	6
7	*	18	1.0	3.6	*	109	5.9	26.2	*	67	3.6	12.3	*	90	4.9	43.7	*	43	2.3	5.8	*	140	7.6	50.9	*	7
8	*	22	1.2	4.8	*	119	6.4	32.6	*	51	2.8	15.1	*	178	9.6	53.3	*	37	2.0	7.8	*	142	7.7	58.6	*	8
9	*	34	1.8	6.6	*	109	5.9	38.5	*	61	3.3	18.4	*	143	7.7	61.1	*	64	3.5	11.3	*	210	11.4	70.0	*	9
10	*	43	2.3	8.9	*	71	3.8	42.4	*	79	4.3	22.6	*	136	7.4	68.4	*	64	3.5	14.7	*	169	9.2	79.1	*	10
11	*	49	2.7	11.6	*	200	10.8	53.2	*	84	4.6	27.2	*	233	12.6	81.0	*	67	3.6	18.4	*	128	6.9	86.1	*	11
12	*	77	4.2	15.8	*	190	10.3	63.5	*	105	5.7	32.9	*	108	5.9	86.9	*	67	3.6	22.0	*	79	4.3	90.4	*	12
13	*	84	4.6	20.3	*	127	6.9	70.4	*	137	7.4	40.3	*	75	4.1	91.0	*	189	10.2	32.2	*	76	4.1	94.5	*	13
14	*	123	6.7	27.0	*	110	6.0	76.3	*	167	9.0	49.3	*	89	4.8	95.8	*	180	9.8	42.0	*	67	3.6	98.1	*	14
15	*	204	11.1	38.0	*	169	9.2	85.5	*	139	7.5	56.9	*	40	2.2	97.9	*	137	7.4	49.4	*	29	1.6	99.7	*	15
16	*	129	7.0	45.0	*	118	6.4	91.9	*	161	8.7	65.6	*	30	1.6	99.6	*	143	7.7	57.2	*	4	0.2	99.9	*	16
17	*	154	8.3	53.4	*	58	3.1	95.0	*	130	7.0	72.6	*	7	0.4	99.9	*	254	13.8	70.9	*	2	0.1	100.0	*	17
18	*	186	10.1	63.4	*	24	1.3	96.3	*	138	7.5	80.1	*	1	0.1	100.0	*	223	12.1	83.0	*	0	0.0	100.0	*	18
19	*	251	13.6	77.0	*	37	2.0	98.3	*	167	9.0	89.2	*	0	0.0	100.0	*	136	7.4	90.4	*	0	0.0	100.0	*	19
20	*	228	12.4	89.4	*	23	1.2	99.6	*	121	6.6	95.7	*	0	0.0	100.0	*	76	4.1	94.5	*	0	0.0	100.0	*	20
21	*	155	8.4	97.8	*	8	0.4	100.0	*	78	4.2	99.9	*	0	0.0	100.0	*	31	1.7	96.2	*	0	0.0	100.0	*	21
22	*	35	1.9	99.7	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	18	1.0	97.1	*	0	0.0	100.0	*	22
23	*	6	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	31	1.7	98.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21	1.1	99.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 78.4      DMC = 29.9      DC = 234.4      ISI = 5.2      ADMC = 64.9      FWI = 11.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1846

MAXIMUM VALUES

FFMC = 96.0      DMC = 153.0      DC = 504.0      ISI = 48.8      ADMC = 152.0      FWI = 65.0

\*\*\*TOTALS FOR STATION 215 FOSTER LAKE LONG, 10521 LAT. 5648

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS					
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	*				
1	*	4	0.2	0.2	*	31	1.9	1.9	*	18	1.1	1.1	*	53	3.2	3.2	*	3	0.2	0.2	*	275	16.5	16.5	*	1
2	*	3	0.2	0.4	*	60	3.6	5.5	*	33	2.0	3.1	*	183	11.0	14.1	*	11	0.7	0.8	*	218	13.1	29.6	*	2
3	*	7	0.4	0.8	*	94	5.6	11.1	*	55	3.3	6.4	*	213	12.8	26.9	*	7	0.4	1.3	*	109	6.5	36.1	*	3
4	*	13	0.8	1.6	*	92	5.5	16.6	*	60	3.6	10.0	*	152	9.1	36.0	*	20	1.2	2.5	*	99	5.9	42.0	*	4
5	*	14	0.8	2.5	*	130	7.8	24.4	*	48	2.9	12.8	*	131	7.9	43.9	*	38	2.3	4.7	*	92	5.5	47.5	*	5
6	*	23	1.4	3.8	*	108	6.5	30.9	*	53	3.2	16.0	*	107	6.4	50.3	*	47	2.8	7.6	*	152	9.1	56.7	*	6
7	*	30	1.8	5.6	*	117	7.0	37.9	*	92	5.5	21.5	*	91	5.5	55.8	*	67	4.0	11.6	*	110	6.6	63.2	*	7
8	*	33	2.0	7.6	*	103	6.2	44.1	*	67	4.0	25.5	*	132	7.9	63.7	*	64	3.8	15.4	*	114	6.8	70.1	*	8
9	*	39	2.3	10.0	*	109	6.5	50.6	*	56	3.4	28.9	*	109	6.5	70.2	*	67	4.0	19.4	*	159	9.5	79.6	*	9
10	*	47	2.8	12.8	*	78	4.7	55.3	*	56	3.4	32.3	*	107	6.4	76.6	*	95	5.7	25.1	*	115	6.9	86.5	*	10
11	*	66	4.0	16.7	*	145	8.7	64.0	*	64	3.8	36.1	*	132	7.9	84.5	*	89	5.3	30.5	*	92	5.5	92.0	*	11
12	*	98	5.9	22.6	*	140	8.4	72.4	*	65	3.9	40.0	*	83	5.0	89.5	*	73	4.4	34.8	*	47	2.8	94.8	*	12
13	*	122	7.3	29.9	*	101	6.1	78.4	*	91	5.5	45.4	*	69	4.1	93.6	*	195	11.7	46.5	*	34	2.0	96.9	*	13
14	*	163	9.8	39.7	*	95	5.7	84.1	*	111	6.7	52.1	*	61	3.7	97.3	*	154	9.2	55.8	*	47	2.8	99.7	*	14
15	*	205	12.3	52.0	*	115	6.9	91.0	*	107	6.4	58.5	*	28	1.7	99.0	*	122	7.3	63.1	*	5	0.3	100.0	*	15
16	*	106	6.4	58.3	*	71	4.3	95.3	*	134	8.0	66.5	*	16	1.0	99.9	*	96	5.8	68.8	*	0	0.0	100.0	*	16
17	*	140	8.4	66.7	*	36	2.2	97.4	*	126	7.6	74.1	*	1	0.1	100.0	*	178	10.7	79.5	*	0	0.0	100.0	*	17
18	*	155	9.3	76.0	*	14	0.8	98.3	*	173	10.4	84.5	*	0	0.0	100.0	*	145	8.7	88.2	*	0	0.0	100.0	*	18
19	*	184	11.0	87.1	*	29	1.7	100.0	*	135	8.1	92.6	*	0	0.0	100.0	*	87	5.2	93.4	*	0	0.0	100.0	*	19
20	*	138	8.3	95.3	*	0	0.0	100.0	*	63	3.8	96.3	*	0	0.0	100.0	*	51	3.1	96.5	*	0	0.0	100.0	*	20
21	*	57	3.4	98.7	*	0	0.0	100.0	*	61	3.7	100.0	*	0	0.0	100.0	*	18	1.1	97.5	*	0	0.0	100.0	*	21
22	*	19	1.1	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	1.1	98.6	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23	1.4	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.4      DMC = 24.0      DC = 213.3      ISI = 4.2      ADMC = 54.7      FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1668

MAXIMUM VALUES

FFMC = 96.0      DMC = 103.0      DC = 496.0      ISI = 37.0      ADMC = 124.0      FWI = 49.0

\*\*\*TOTALS FOR STATION 191 GREEN LAKE LONG, 10748 LAT. 5417

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	3	0.2	0.2	*	19	1.1	1.1	*	21	1.2	1.2	*	30	1.7	1.7	*	226	12.9	12.9	*	1				
2	*	4	0.2	0.4	*	46	2.6	3.7	*	41	2.3	3.5	*	144	8.2	9.9	*	5	0.3	0.4	*	208	11.9	24.8	*	2
3	*	5	0.3	0.7	*	73	4.2	7.9	*	44	2.5	6.1	*	195	11.1	21.1	*	4	0.2	0.6	*	93	5.3	30.1	*	3
4	*	3	0.2	0.9	*	97	5.5	13.4	*	63	3.6	9.7	*	175	10.0	31.1	*	15	0.9	1.5	*	114	6.5	36.6	*	4
5	*	12	0.7	1.5	*	115	6.6	20.0	*	70	4.0	13.7	*	110	6.3	37.4	*	25	1.4	2.9	*	92	5.3	41.9	*	5
6	*	10	0.6	2.1	*	112	6.4	26.4	*	64	3.7	17.3	*	108	6.2	43.5	*	39	2.2	5.1	*	151	8.6	50.5	*	6
7	*	29	1.7	3.8	*	113	6.5	32.9	*	101	5.8	23.1	*	85	4.9	48.4	*	59	3.4	8.5	*	148	8.5	59.0	*	7
8	*	21	1.2	5.0	*	126	7.2	40.1	*	89	5.1	28.2	*	167	9.5	57.9	*	72	4.1	12.6	*	140	8.0	67.0	*	8
9	*	37	2.1	7.1	*	114	6.5	46.6	*	102	5.8	34.0	*	151	8.6	66.6	*	84	4.8	17.4	*	217	12.4	79.4	*	9
10	*	44	2.5	9.6	*	98	5.6	52.2	*	96	5.5	39.5	*	124	7.1	73.7	*	96	5.5	22.9	*	129	7.4	86.7	*	10
11	*	60	3.4	13.0	*	208	11.9	64.1	*	104	5.9	45.4	*	193	11.0	84.7	*	103	5.9	28.8	*	83	4.7	91.5	*	11
12	*	66	3.8	16.8	*	149	8.5	72.6	*	129	7.4	52.8	*	95	5.4	90.1	*	77	4.4	33.2	*	58	3.3	94.8	*	12
13	*	118	6.7	23.5	*	118	6.7	79.3	*	124	7.1	59.9	*	62	3.5	93.7	*	191	10.9	44.1	*	36	2.1	96.9	*	13
14	*	147	8.4	31.9	*	93	5.3	84.6	*	143	8.2	68.1	*	60	3.4	97.1	*	190	10.9	55.0	*	43	2.5	99.3	*	14
15	*	229	13.1	45.0	*	108	6.2	90.8	*	172	9.8	77.9	*	29	1.7	98.7	*	165	9.4	64.4	*	11	0.6	99.9	*	15
16	*	120	6.9	51.9	*	60	3.4	94.2	*	102	5.8	83.7	*	16	0.9	99.7	*	121	6.9	71.3	*	1	0.1	100.0	*	16
17	*	144	8.2	60.1	*	31	1.8	96.0	*	98	5.6	89.3	*	6	0.3	100.0	*	186	10.6	81.9	*	0	0.0	100.0	*	17
18	*	160	9.1	69.3	*	26	1.5	97.5	*	74	4.2	93.5	*	0	0.0	100.0	*	125	7.1	89.1	*	0	0.0	100.0	*	18
19	*	237	13.5	82.8	*	44	2.5	100.0	*	49	2.8	96.3	*	0	0.0	100.0	*	66	3.8	92.9	*	0	0.0	100.0	*	19
20	*	183	10.5	93.3	*	0	0.0	100.0	*	37	2.1	98.5	*	0	0.0	100.0	*	54	3.1	95.9	*	0	0.0	100.0	*	20
21	*	92	5.3	98.5	*	0	0.0	100.0	*	21	1.2	99.7	*	0	0.0	100.0	*	28	1.6	97.5	*	0	0.0	100.0	*	21
22	*	23	1.3	99.8	*	0	0.0	100.0	*	6	0.3	100.0	*	0	0.0	100.0	*	25	1.4	99.0	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	1.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.1      DMC = 25.1      DC = 175.8      ISI = 4.5      ADMC = 55.1      FWI = 8.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1750

MAXIMUM VALUES

FFMC = 95.0      DMC = 110.0      DC = 506.0      ISI = 38.0      ADMC = 115.0      FWI = 52.0

\*\*\*TOTALS FOR STATION 206 HUDSON BAY LONG. 10224 LAT. 5252

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	16	0.9	0.9	*	30	1.8	1.8	*	26	1.5	1.5	*	80	4.7	4.7	*	6	0.4	0.4	*	256	15.0	15.0	*	1
2	*	9	0.5	1.5	*	47	2.8	4.5	*	27	1.6	3.1	*	162	9.5	14.2	*	10	0.6	0.9	*	193	11.3	26.3	*	2
3	*	20	1.2	2.6	*	74	4.3	8.8	*	33	1.9	5.0	*	182	10.7	24.8	*	6	0.4	1.3	*	100	5.9	32.2	*	3
4	*	13	0.8	3.4	*	78	4.6	13.4	*	39	2.3	7.3	*	122	7.1	32.0	*	19	1.1	2.4	*	81	4.7	36.9	*	4
5	*	14	0.8	4.2	*	90	5.3	18.7	*	42	2.5	9.8	*	116	6.8	38.8	*	31	1.8	4.2	*	78	4.6	41.5	*	5
6	*	18	1.1	5.3	*	97	5.7	24.4	*	37	2.2	12.0	*	104	6.1	44.9	*	39	2.3	6.5	*	148	8.7	50.1	*	6
7	*	21	1.2	6.5	*	120	7.0	31.4	*	87	5.1	17.0	*	81	4.7	49.6	*	47	2.8	9.3	*	131	7.7	57.8	*	7
8	*	27	1.6	8.1	*	122	7.1	38.5	*	89	5.2	22.3	*	170	10.0	59.6	*	54	3.2	12.4	*	119	7.0	64.8	*	8
9	*	46	2.7	10.8	*	90	5.3	43.8	*	110	6.4	28.7	*	145	8.5	68.1	*	50	2.9	15.3	*	203	11.9	76.7	*	9
10	*	68	4.0	14.8	*	72	4.2	48.0	*	119	7.0	35.7	*	129	7.6	75.6	*	76	4.5	19.8	*	138	8.1	84.8	*	10
11	*	48	2.8	17.6	*	162	9.5	57.5	*	95	5.6	41.2	*	158	9.3	84.9	*	61	3.6	23.4	*	94	5.5	90.3	*	11
12	*	78	4.6	22.1	*	129	7.6	65.1	*	108	6.3	47.6	*	75	4.4	89.3	*	65	3.8	27.2	*	64	3.7	94.0	*	12
13	*	96	5.6	27.8	*	125	7.3	72.4	*	102	6.0	53.5	*	69	4.0	93.3	*	184	10.8	38.0	*	36	2.1	96.1	*	13
14	*	112	6.6	34.3	*	103	6.0	78.4	*	149	8.7	62.3	*	64	3.7	97.1	*	175	10.3	48.2	*	44	2.6	98.7	*	14
15	*	176	10.3	44.6	*	142	8.3	86.8	*	101	5.9	68.2	*	17	1.0	98.1	*	128	7.5	55.7	*	13	0.8	99.5	*	15
16	*	130	7.6	52.3	*	87	5.1	91.9	*	68	4.0	72.2	*	27	1.6	99.6	*	121	7.1	62.8	*	6	0.4	99.8	*	16
17	*	162	9.5	61.7	*	67	3.9	95.8	*	57	3.3	75.5	*	3	0.2	99.8	*	199	11.7	74.5	*	2	0.1	99.9	*	17
18	*	202	11.8	73.6	*	22	1.3	97.1	*	89	5.2	80.7	*	2	0.1	99.9	*	169	9.9	84.4	*	0	0.0	99.9	*	18
19	*	199	11.7	85.2	*	28	1.6	98.7	*	147	8.6	89.3	*	0	0.0	99.9	*	108	6.3	90.7	*	0	0.0	99.9	*	19
20	*	153	9.0	94.2	*	21	1.2	99.9	*	129	7.6	96.9	*	0	0.0	99.9	*	66	3.9	94.6	*	1	0.1	100.0	*	20
21	*	78	4.6	98.8	*	1	0.1	100.0	*	33	1.9	98.8	*	1	0.1	100.0	*	31	1.8	96.4	*	0	0.0	100.0	*	21
22	*	19	1.1	99.9	*	0	0.0	100.0	*	20	1.2	100.0	*	0	0.0	100.0	*	25	1.5	97.8	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	1.1	98.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	0.9	99.8	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.7      DMC = 27.9      DC = 208.1      ISI = 4.5      ADMC = 60.8      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1707

MAXIMUM VALUES

FFMC = 95.0      DMC = 141.0      DC = 531.0      ISI = 72.7      ADMC = 156.0      FWI = 98.0

\*\*\*TOTALS FOR STATION 204 HUMBOLDT LONG. 10507 LAT. 5212

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	23	1.2	1.2	*	14	0.8	0.8	*	1	0.1	0.1	*	54	2.9	2.9	*	0	0.0	0.0	*	170	9.1	9.1	*	1
2	*	4	0.2	1.5	*	24	1.3	2.0	*	22	1.2	1.2	*	97	5.2	8.1	*	7	0.4	0.4	*	154	8.3	17.4	*	2
3	*	8	0.4	1.9	*	48	2.6	4.6	*	30	1.6	2.8	*	169	9.1	17.2	*	3	0.2	0.5	*	76	4.1	21.5	*	3
4	*	9	0.5	2.4	*	60	3.2	7.8	*	44	2.4	5.2	*	129	6.9	24.1	*	10	0.5	1.1	*	81	4.4	25.8	*	4
5	*	6	0.3	2.7	*	99	5.3	13.2	*	39	2.1	7.3	*	128	6.9	31.0	*	16	0.9	1.9	*	65	3.5	29.3	*	5
6	*	14	0.8	3.4	*	90	4.8	18.0	*	37	2.0	9.3	*	77	4.1	35.1	*	25	1.3	3.3	*	144	7.7	37.1	*	6
7	*	16	0.9	4.3	*	83	4.5	22.5	*	89	4.8	14.1	*	71	3.8	39.0	*	36	1.9	5.2	*	123	6.6	43.7	*	7
8	*	23	1.2	5.5	*	84	4.5	27.0	*	94	5.1	19.1	*	161	8.7	47.6	*	42	2.3	7.5	*	107	5.7	49.4	*	8
9	*	25	1.3	6.9	*	85	4.6	31.5	*	90	4.8	24.0	*	134	7.2	54.8	*	57	3.1	10.5	*	189	10.2	59.6	*	9
10	*	40	2.1	9.0	*	65	3.5	35.0	*	72	3.9	27.8	*	119	6.4	61.2	*	59	3.2	13.7	*	203	10.9	70.5	*	10
11	*	58	3.1	12.1	*	183	9.8	44.9	*	61	3.3	31.1	*	249	13.4	74.6	*	60	3.2	16.9	*	152	8.2	78.7	*	11
12	*	76	4.1	16.2	*	130	7.0	51.9	*	63	3.4	34.5	*	145	7.8	82.4	*	60	3.2	20.2	*	107	5.7	84.4	*	12
13	*	92	4.9	21.2	*	103	5.5	57.4	*	57	3.1	37.6	*	121	6.5	88.9	*	131	7.0	27.2	*	90	4.8	89.3	*	13
14	*	138	7.4	28.6	*	99	5.3	62.7	*	60	3.2	40.8	*	103	5.5	94.4	*	138	7.4	34.6	*	119	6.4	95.6	*	14
15	*	172	9.2	37.8	*	170	9.1	71.8	*	99	5.3	46.1	*	49	2.6	97.0	*	146	7.8	42.5	*	51	2.7	98.4	*	15
16	*	110	5.9	43.7	*	140	7.5	79.4	*	106	5.7	51.8	*	53	2.8	99.9	*	112	6.0	48.5	*	15	0.8	99.2	*	16
17	*	139	7.5	51.2	*	116	6.2	85.6	*	91	4.9	56.7	*	2	0.1	100.0	*	190	10.2	58.7	*	11	0.6	99.8	*	17
18	*	205	11.0	62.2	*	85	4.6	90.2	*	214	11.5	68.2	*	0	0.0	100.0	*	142	7.6	66.3	*	4	0.2	100.0	*	18
19	*	223	12.0	74.2	*	142	7.6	97.8	*	209	11.2	79.4	*	0	0.0	100.0	*	127	6.8	73.1	*	0	0.0	100.0	*	19
20	*	269	14.5	88.7	*	12	0.6	98.4	*	143	7.7	87.1	*	0	0.0	100.0	*	127	6.8	80.0	*	0	0.0	100.0	*	20
21	*	157	8.4	97.1	*	9	0.5	98.9	*	64	3.4	90.5	*	0	0.0	100.0	*	96	5.2	85.1	*	0	0.0	100.0	*	21
22	*	51	2.7	99.8	*	20	1.1	100.0	*	90	4.8	95.4	*	0	0.0	100.0	*	71	3.8	88.9	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	34	1.8	97.2	*	0	0.0	100.0	*	110	5.9	94.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	50	2.7	99.9	*	0	0.0	100.0	*	55	3.0	97.8	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	41	2.2	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 78.1      DMC = 39.0      DC = 274.6      ISI = 5.9      ADMC = 81.0      FWI = 14.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1861

MAXIMUM VALUES

FFMC = 95.0      DMC = 197.0      DC = 807.0      ISI = 33.9      ADMC = 243.0      FWI = 77.0

\*\*\*TOTALS FOR STATION 193 ILE A LA CROSSE LONG. 10752 LAT. 5527

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CLASS						
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.							
1	*	1	0.1	0.1	*	12	0.7	0.7	*	15	0.8	0.8	*	22	1.2	1.2	*	0	0.0	0.0	*	187	10.6	10.6	*	1
2	*	3	0.2	0.2	*	36	2.0	2.7	*	32	1.8	2.7	*	123	6.9	8.2	*	4	0.2	0.2	*	184	10.4	21.0	*	2
3	*	3	0.2	0.4	*	61	3.4	6.2	*	46	2.6	5.3	*	189	10.7	18.9	*	2	0.1	0.3	*	100	5.6	26.6	*	3
4	*	6	0.3	0.7	*	102	5.8	11.9	*	56	3.2	8.4	*	176	9.9	28.8	*	12	0.7	1.0	*	102	5.8	32.4	*	4
5	*	5	0.3	1.0	*	104	5.9	17.8	*	58	3.3	11.7	*	122	6.9	35.7	*	19	1.1	2.1	*	94	5.3	37.7	*	5
6	*	10	0.6	1.6	*	90	5.1	22.9	*	58	3.3	15.0	*	124	7.0	42.7	*	31	1.8	3.8	*	164	9.3	46.9	*	6
7	*	18	1.0	2.6	*	89	5.0	27.9	*	108	6.1	21.1	*	87	4.9	47.6	*	56	3.2	7.0	*	141	8.0	54.9	*	7
8	*	17	1.0	3.6	*	108	6.1	34.0	*	76	4.3	25.4	*	177	10.0	57.6	*	65	3.7	10.7	*	130	7.3	62.3	*	8
9	*	30	1.7	5.3	*	94	5.3	39.3	*	76	4.3	29.7	*	135	7.6	65.3	*	72	4.1	14.7	*	244	13.8	76.0	*	9
10	*	42	2.4	7.6	*	82	4.6	44.0	*	76	4.3	34.0	*	133	7.5	72.8	*	93	5.3	20.0	*	125	7.1	83.1	*	10
11	*	60	3.4	11.0	*	178	10.1	54.0	*	88	5.0	38.9	*	197	11.1	83.9	*	74	4.2	24.2	*	95	5.4	88.5	*	11
12	*	84	4.7	15.8	*	143	8.1	62.1	*	85	4.8	43.7	*	104	5.9	89.8	*	68	3.8	28.0	*	77	4.4	92.8	*	12
13	*	105	5.9	21.7	*	142	8.0	70.1	*	120	6.8	50.5	*	67	3.8	93.6	*	180	10.2	38.2	*	46	2.6	95.4	*	13
14	*	151	8.5	30.2	*	103	5.8	75.9	*	173	9.8	60.3	*	56	3.2	96.7	*	156	8.8	47.0	*	50	2.8	98.2	*	14
15	*	209	11.8	42.0	*	153	8.6	84.6	*	127	7.2	67.5	*	33	1.9	98.6	*	150	8.5	55.5	*	22	1.2	99.5	*	15
16	*	136	7.7	49.7	*	104	5.9	90.5	*	90	5.1	72.5	*	20	1.1	99.7	*	102	5.8	61.2	*	8	0.5	99.9	*	16
17	*	169	9.5	59.3	*	43	2.4	92.9	*	132	7.5	80.0	*	5	0.3	100.0	*	203	11.5	72.7	*	1	0.1	100.0	*	17
18	*	177	10.0	69.3	*	35	2.0	94.9	*	174	9.8	89.8	*	0	0.0	100.0	*	141	8.0	80.7	*	0	0.0	100.0	*	18
19	*	217	12.3	81.5	*	61	3.4	98.3	*	97	5.5	95.3	*	0	0.0	100.0	*	90	5.1	85.8	*	0	0.0	100.0	*	19
20	*	190	10.7	92.3	*	12	0.7	99.0	*	41	2.3	97.6	*	0	0.0	100.0	*	105	5.9	91.7	*	0	0.0	100.0	*	20
21	*	110	6.2	98.5	*	14	0.8	99.8	*	25	1.4	99.0	*	0	0.0	100.0	*	48	2.7	94.4	*	0	0.0	100.0	*	21
22	*	24	1.4	99.8	*	4	0.2	100.0	*	17	1.0	100.0	*	0	0.0	100.0	*	37	2.1	96.5	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	35	2.0	98.5	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.7	99.2	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.8	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 78.0      DMC = 30.7      DC = 199.0      ISI = 4.6      ADMC = 64.1      FWI = 10.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1770

MAXIMUM VALUES

FFMC = 95.0      DMC = 185.0      DC = 559.0      ISI = 38.0      ADMC = 185.0      FWI = 61.0



\*\*\*TOTALS FOR STATION 213 ISLAND FALLS LONG. 10221 LAT. 5532

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	28	2.0	2.0	*	81	5.8	5.8	*	3	0.2	0.2	*	93	6.6	6.6	*	7	0.5	0.5	*	306	21.7	21.7	*	1
2	*	17	1.2	3.2	*	87	6.2	11.9	*	24	1.7	1.9	*	137	9.7	16.3	*	32	2.3	2.8	*	204	14.5	36.2	*	2
3	*	16	1.1	4.3	*	101	7.2	19.1	*	45	3.2	5.1	*	165	11.7	28.1	*	7	0.5	3.3	*	91	6.5	42.7	*	3
4	*	18	1.3	5.6	*	138	9.8	28.9	*	54	3.8	8.9	*	151	10.7	38.8	*	41	2.9	6.2	*	88	6.3	48.9	*	4
5	*	9	0.6	6.2	*	117	8.3	37.2	*	53	3.8	12.7	*	138	9.8	48.6	*	49	3.5	9.7	*	85	6.0	55.0	*	5
6	*	17	1.2	7.5	*	98	7.0	44.2	*	53	3.8	16.5	*	100	7.1	55.7	*	68	4.8	14.5	*	139	9.9	64.8	*	6
7	*	29	2.1	9.5	*	94	6.7	50.9	*	99	7.0	23.5	*	76	5.4	61.1	*	81	5.8	20.2	*	106	7.5	72.4	*	7
8	*	28	2.0	11.5	*	73	5.2	56.0	*	96	6.8	30.3	*	135	9.6	70.7	*	84	6.0	26.2	*	84	6.0	78.3	*	8
9	*	42	3.0	14.5	*	59	4.2	60.2	*	85	6.0	36.4	*	123	8.7	79.4	*	96	6.8	33.0	*	128	9.1	87.4	*	9
10	*	47	3.3	17.8	*	71	5.0	65.3	*	91	6.5	42.8	*	70	5.0	84.4	*	86	6.1	39.1	*	87	6.2	93.6	*	10
11	*	49	3.5	21.3	*	130	9.2	74.5	*	93	6.6	49.4	*	99	7.0	91.4	*	56	4.0	43.1	*	40	2.8	96.4	*	11
12	*	88	6.3	27.6	*	92	6.5	81.0	*	79	5.6	55.0	*	56	4.0	95.4	*	67	4.8	47.9	*	29	2.1	98.5	*	12
13	*	100	7.1	34.7	*	86	6.1	87.1	*	73	5.2	60.2	*	27	1.9	97.3	*	135	9.6	57.5	*	10	0.7	99.2	*	13
14	*	132	9.4	44.0	*	54	3.8	91.0	*	114	8.1	68.3	*	25	1.6	99.1	*	125	8.9	66.3	*	9	0.6	99.9	*	14
15	*	189	13.4	57.5	*	67	4.8	95.7	*	102	7.2	75.6	*	7	0.5	99.6	*	106	7.5	73.9	*	2	0.1	100.0	*	15
16	*	113	8.0	65.5	*	33	2.3	98.1	*	90	6.4	82.0	*	6	0.4	100.0	*	76	5.4	79.3	*	0	0.0	100.0	*	16
17	*	131	9.3	74.8	*	18	1.3	99.4	*	68	4.8	86.8	*	0	0.0	100.0	*	123	8.7	88.0	*	0	0.0	100.0	*	17
18	*	139	9.9	84.7	*	6	0.4	99.8	*	104	7.4	94.2	*	0	0.0	100.0	*	73	5.2	93.2	*	0	0.0	100.0	*	18
19	*	124	8.8	93.5	*	3	0.2	100.0	*	70	5.0	99.1	*	0	0.0	100.0	*	49	3.5	96.7	*	0	0.0	100.0	*	19
20	*	66	4.7	98.2	*	0	0.0	100.0	*	12	0.9	100.0	*	0	0.0	100.0	*	31	2.2	98.9	*	0	0.0	100.0	*	20
21	*	21	1.5	99.6	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.7	99.6	*	0	0.0	100.0	*	21
22	*	5	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	99.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.7      DMC = 18.7      DC = 172.6      ISI = 3.3      ADMC = 44.4      FWI = 6.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1408

MAXIMUM VALUES

FFMC = 94.0      DMC = 83.0      DC = 436.0      ISI = 28.9      ADMC = 102.0      FWI = 44.0

\*\*\*TOTALS FOR STATION 208 LINTLAW LONG. 10316 LAT, 5205

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	31	1.8	1.8	*	33	1.9	1.9	*	43	2.5	2.5	*	87	5.0	5.0	*	9	0.5	0.5	*	258	14.9	14.9	*	1
2	*	11	0.6	2.4	*	72	4.2	6.1	*	45	2.6	5.1	*	155	9.0	14.0	*	11	0.6	1.2	*	230	13.3	28.3	*	2
3	*	13	0.8	3.2	*	85	4.9	11.0	*	45	2.6	7.7	*	197	11.4	25.4	*	19	1.1	2.3	*	102	5.9	34.2	*	3
4	*	14	0.8	4.0	*	100	5.8	16.8	*	50	2.9	10.6	*	141	8.2	33.6	*	23	1.3	3.6	*	81	4.7	38.9	*	4
5	*	11	0.6	4.6	*	99	5.7	22.5	*	34	2.0	12.6	*	122	7.1	40.7	*	42	2.4	6.0	*	89	5.2	44.0	*	5
6	*	22	1.3	5.9	*	104	6.0	28.6	*	51	3.0	15.6	*	101	5.9	46.5	*	43	2.5	8.5	*	132	7.6	51.7	*	6
7	*	20	1.2	7.1	*	96	5.6	34.1	*	63	3.7	19.2	*	84	4.9	51.4	*	54	3.1	11.6	*	131	7.6	59.3	*	7
8	*	34	2.0	9.0	*	87	5.0	39.2	*	59	3.4	22.6	*	152	8.8	60.2	*	56	3.2	14.9	*	113	6.5	65.8	*	8
9	*	45	2.6	11.6	*	87	5.0	44.2	*	62	3.6	26.2	*	150	8.7	68.9	*	72	4.2	19.1	*	192	11.1	76.9	*	9
10	*	46	2.7	14.3	*	90	5.2	49.4	*	60	3.5	29.7	*	125	7.2	76.1	*	83	4.8	23.9	*	131	7.6	84.5	*	10
11	*	59	3.4	17.7	*	189	11.0	60.4	*	90	5.2	34.9	*	146	8.5	84.6	*	74	4.3	28.2	*	81	4.7	89.2	*	11
12	*	84	4.9	22.6	*	144	8.3	68.7	*	94	5.4	40.3	*	88	5.1	89.7	*	60	3.5	31.6	*	68	3.9	93.2	*	12
13	*	114	6.6	29.2	*	104	6.0	74.7	*	66	3.8	44.1	*	65	3.8	93.5	*	145	8.4	40.0	*	41	2.4	95.5	*	13
14	*	141	8.2	37.4	*	75	4.3	79.1	*	86	5.0	49.1	*	66	3.8	97.3	*	127	7.4	47.4	*	45	2.6	98.1	*	14
15	*	194	11.2	48.6	*	121	7.0	86.1	*	86	5.0	54.1	*	14	0.8	98.1	*	132	7.6	55.0	*	18	1.0	99.2	*	15
16	*	122	7.1	55.7	*	80	4.6	90.7	*	97	5.6	59.7	*	22	1.3	99.4	*	151	8.7	63.8	*	7	0.4	99.6	*	16
17	*	164	9.5	65.2	*	65	3.8	94.5	*	111	6.4	66.2	*	8	0.5	99.8	*	194	11.2	75.0	*	4	0.2	99.8	*	17
18	*	204	11.8	77.0	*	27	1.6	96.1	*	124	7.2	73.3	*	2	0.1	99.9	*	110	6.4	81.4	*	1	0.1	99.9	*	18
19	*	184	10.7	87.7	*	50	2.9	99.0	*	96	5.6	78.9	*	0	0.0	99.9	*	116	6.7	88.1	*	1	0.1	99.9	*	19
20	*	131	7.6	95.2	*	18	1.0	100.0	*	132	7.6	86.6	*	0	0.0	99.9	*	64	3.7	91.8	*	0	0.0	99.9	*	20
21	*	72	4.2	99.4	*	0	0.0	100.0	*	125	7.2	93.8	*	1	0.1	100.0	*	35	2.0	93.9	*	1	0.1	100.0	*	21
22	*	10	0.6	100.0	*	0	0.0	100.0	*	71	4.1	97.9	*	0	0.0	100.0	*	29	1.7	95.5	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	33	1.9	99.8	*	0	0.0	100.0	*	43	2.5	98.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	15	0.9	98.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19	1.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.7      DMC = 27.4      DC = 246.0      ISI = 4.4      ADMC = 62.0      FWI = 9.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1726.

MAXIMUM VALUES

FFMC = 93.0      DMC = 137.0      DC = 716.0      ISI = 77.9      ADMC = 185.0      FWI = 102.0

\*\*\*TOTALS FOR STATION 194 NORTH BATTLEFORD A LONG, 10815 LAT. 5296

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.								
1	*	2	0.1	0.1	*	13	0.7	0.7	*	20	1.0	1.0	*	47	2.4	2.4	*	5	0.3	0.3	*	175	9.1	9.1	*	1
2	*	5	0.3	0.4	*	18	0.9	1.6	*	31	1.6	2.6	*	137	7.1	9.5	*	6	0.3	0.6	*	165	8.5	17.6	*	2
3	*	9	0.5	0.8	*	38	2.0	3.6	*	28	1.4	4.1	*	163	8.4	18.0	*	4	0.2	0.8	*	85	4.4	22.0	*	3
4	*	9	0.5	1.3	*	45	2.3	5.9	*	27	1.4	5.5	*	127	6.6	24.5	*	6	0.3	1.1	*	72	3.7	25.7	*	4
5	*	20	1.0	2.3	*	58	3.0	8.9	*	30	1.6	7.0	*	121	6.3	30.8	*	23	1.2	2.3	*	67	3.5	29.2	*	5
6	*	11	0.6	2.9	*	93	4.8	13.7	*	45	2.3	9.4	*	90	4.7	35.5	*	21	1.1	3.4	*	111	5.7	34.9	*	6
7	*	20	1.0	3.9	*	78	4.0	17.8	*	73	3.8	13.1	*	76	3.9	39.4	*	18	0.9	4.3	*	134	6.9	41.9	*	7
8	*	33	1.7	5.6	*	80	4.1	21.9	*	55	2.8	16.0	*	165	8.5	47.9	*	23	1.2	5.5	*	121	6.3	48.1	*	8
9	*	32	1.7	7.3	*	93	4.8	26.7	*	59	3.1	19.0	*	172	8.9	56.8	*	29	1.5	7.0	*	256	13.3	61.4	*	9
10	*	45	2.3	9.6	*	88	4.6	31.3	*	62	3.2	22.3	*	139	7.2	64.0	*	34	1.8	8.7	*	192	9.9	71.3	*	10
11	*	57	3.0	12.6	*	163	8.4	39.7	*	77	4.0	26.2	*	220	11.4	75.4	*	61	3.2	11.9	*	163	8.4	79.8	*	11
12	*	69	3.6	16.1	*	164	8.5	48.2	*	66	3.4	29.7	*	154	8.0	83.4	*	67	3.5	15.4	*	134	6.9	86.7	*	12
13	*	86	4.5	20.6	*	136	7.0	55.2	*	94	4.9	34.5	*	104	5.4	88.8	*	145	7.5	22.9	*	79	4.1	90.8	*	13
14	*	114	5.9	26.5	*	123	6.4	61.6	*	104	5.4	39.9	*	112	5.8	94.6	*	138	7.1	30.0	*	114	5.9	96.7	*	14
15	*	194	10.0	36.5	*	237	12.3	73.9	*	104	5.4	45.3	*	58	3.0	97.6	*	144	7.5	37.5	*	44	2.3	99.0	*	15
16	*	115	6.0	42.5	*	165	8.5	82.4	*	98	5.1	50.4	*	38	2.0	99.5	*	134	6.9	44.4	*	13	0.7	99.6	*	16
17	*	161	8.3	50.8	*	129	6.7	89.1	*	128	6.6	57.0	*	7	0.4	99.9	*	218	11.3	55.7	*	4	0.2	99.8	*	17
18	*	212	11.0	61.8	*	75	3.9	93.0	*	195	10.1	67.1	*	1	0.1	99.9	*	204	10.6	66.3	*	3	0.2	100.0	*	18
19	*	265	13.7	75.5	*	98	5.1	98.0	*	186	9.6	76.7	*	1	0.1	100.0	*	173	9.0	75.2	*	0	0.0	100.0	*	19
20	*	245	12.7	88.2	*	35	1.8	99.8	*	160	8.3	85.0	*	0	0.0	100.0	*	133	6.9	82.1	*	0	0.0	100.0	*	20
21	*	161	8.3	96.5	*	3	0.2	100.0	*	133	6.9	91.9	*	0	0.0	100.0	*	108	5.6	87.7	*	0	0.0	100.0	*	21
22	*	61	3.2	99.7	*	0	0.0	100.0	*	149	7.7	99.6	*	0	0.0	100.0	*	82	4.2	91.9	*	0	0.0	100.0	*	22
23	*	5	0.3	99.9	*	0	0.0	100.0	*	8	0.4	100.0	*	0	0.0	100.0	*	113	5.8	97.8	*	0	0.0	100.0	*	23
24	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	42	2.2	99.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 78.5      DMC = 37.9      DC = 275.2      ISI = 5.7      ADMC = 80.9      FWI = 13.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1932

MAXIMUM VALUES

FFMC = 97.0      DMC = 149.0      DC = 612.0      ISI = 57.4      ADMC = 151.0      FWI = 75.0

\*\*\*TOTALS FOR STATION 201 PRINCE ALBERT A

LONG. 10541 LAT. 5313

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS				
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS			
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	*			
1	*	7	0.4	0.4	*	17	0.9	0.9	*	25	1.3	1.3	*	64	3.4	3.4	*	205	11.0	11.0	*	1
2	*	10	0.5	0.9	*	33	1.8	2.7	*	41	2.2	3.5	*	132	7.1	10.5	*	154	8.2	19.2	*	2
3	*	8	0.4	1.3	*	66	3.5	6.2	*	37	2.0	5.5	*	162	8.7	19.2	*	82	4.4	23.6	*	3
4	*	15	0.8	2.1	*	56	3.0	9.2	*	27	1.4	7.0	*	129	6.9	26.1	*	14	0.7	1.8	*	4
5	*	15	0.8	2.9	*	72	3.9	13.1	*	29	1.6	8.5	*	115	6.2	32.2	*	25	1.3	3.1	*	5
6	*	24	1.3	4.2	*	88	4.7	17.8	*	39	2.1	10.6	*	89	4.8	37.0	*	27	1.4	4.6	*	6
7	*	25	1.3	5.6	*	93	5.0	22.8	*	66	3.5	14.1	*	78	4.2	41.2	*	40	2.1	6.7	*	7
8	*	29	1.6	7.1	*	77	4.1	26.9	*	60	3.2	17.4	*	174	9.3	50.5	*	39	2.1	8.8	*	8
9	*	33	1.8	8.9	*	69	3.7	30.6	*	69	3.7	21.0	*	140	7.5	58.0	*	39	2.1	10.9	*	9
10	*	36	1.9	10.8	*	69	3.7	34.3	*	74	4.0	25.0	*	134	7.2	65.2	*	46	2.5	13.3	*	10
11	*	48	2.6	13.4	*	150	8.0	42.3	*	74	4.0	29.0	*	239	12.8	78.0	*	41	2.2	15.5	*	11
12	*	72	3.9	17.2	*	163	8.7	51.0	*	77	4.1	33.1	*	136	7.3	85.3	*	61	3.3	18.8	*	12
13	*	76	4.1	21.3	*	142	7.6	58.7	*	83	4.4	37.5	*	106	5.7	90.9	*	153	8.2	27.0	*	13
14	*	123	6.6	27.9	*	96	5.1	63.8	*	98	5.2	42.8	*	111	5.9	96.9	*	146	7.8	34.8	*	14
15	*	163	8.7	36.6	*	187	10.0	73.8	*	72	3.9	46.7	*	38	2.0	98.9	*	110	5.9	40.7	*	15
16	*	126	6.7	43.4	*	131	7.0	80.8	*	87	4.7	51.3	*	18	1.0	99.9	*	102	5.5	46.2	*	9
17	*	162	8.7	52.1	*	104	5.6	86.4	*	77	4.1	55.4	*	2	0.1	100.0	*	208	11.1	57.3	*	2
18	*	183	9.8	61.9	*	100	5.4	91.8	*	220	11.8	67.2	*	0	0.0	100.0	*	207	11.1	68.4	*	0
19	*	270	14.5	76.3	*	102	5.5	97.2	*	214	11.5	78.7	*	0	0.0	100.0	*	150	8.0	76.4	*	0
20	*	240	12.9	89.2	*	32	1.7	98.9	*	137	7.3	86.0	*	0	0.0	100.0	*	116	6.2	82.6	*	0
21	*	162	8.7	97.9	*	16	0.9	99.8	*	93	5.0	91.0	*	0	0.0	100.0	*	73	3.9	86.6	*	0
22	*	34	1.8	99.7	*	4	0.2	100.0	*	116	6.2	97.2	*	0	0.0	100.0	*	67	3.6	90.1	*	0
23	*	6	0.3	100.0	*	0	0.0	100.0	*	48	2.6	99.8	*	0	0.0	100.0	*	119	6.4	96.5	*	0
24	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	47	2.5	99.0	*	0
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	1.0	100.0	*	0

AVERAGE VALUES

FFMC = 77.7      DMC = 37.9      DC = 272.0      ISI = 5.3      ADMC = 79.1      FWI = 12.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1867

MAXIMUM VALUES

FFMC = 96.0      DMC = 185.0      DC = 710.0      ISI = 34.4      ADMC = 200.0      FWI = 65.0

\*\*\*TOTALS FOR STATION 209 RIDGEDALE LONG, 10415 LAT. 5303

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	10	0.6	0.6	*	16	0.9	0.9	*	14	0.8	0.8	*	63	3.5	3.5	*	2	0.1	0.1	*	222	12.3	12.3	*	1
2	*	15	0.8	1.4	*	44	2.4	3.3	*	29	1.6	2.4	*	131	7.2	10.7	*	11	0.6	0.7	*	181	10.0	22.3	*	2
3	*	11	0.6	2.0	*	50	2.8	6.1	*	47	2.6	5.0	*	157	8.7	19.4	*	7	0.4	1.1	*	91	5.0	27.3	*	3
4	*	8	0.4	2.4	*	90	5.0	11.1	*	50	2.8	7.7	*	147	8.1	27.5	*	8	0.4	1.5	*	77	4.3	31.6	*	4
5	*	15	0.8	3.3	*	106	5.9	16.9	*	45	2.5	10.2	*	117	6.5	34.0	*	19	1.1	2.6	*	99	5.5	37.0	*	5
6	*	16	0.9	4.1	*	132	7.3	24.2	*	51	2.8	13.0	*	106	5.9	39.9	*	39	2.2	4.8	*	156	8.6	45.7	*	6
7	*	28	1.5	5.7	*	126	7.0	31.2	*	85	4.7	17.7	*	87	4.8	44.7	*	39	2.2	6.9	*	139	7.7	53.3	*	7
8	*	24	1.3	7.0	*	113	6.2	37.4	*	80	4.4	22.2	*	189	10.4	55.1	*	53	2.9	9.8	*	148	8.2	61.5	*	8
9	*	31	1.7	8.7	*	105	5.8	43.2	*	85	4.7	26.9	*	137	7.6	62.7	*	58	3.2	13.0	*	189	10.4	72.0	*	9
10	*	41	2.3	11.0	*	90	5.0	48.2	*	97	5.4	32.2	*	152	8.4	71.1	*	79	4.4	17.4	*	139	7.7	79.7	*	10
11	*	47	2.6	13.6	*	189	10.4	58.7	*	77	4.3	36.5	*	193	10.7	81.8	*	91	5.0	22.4	*	107	5.9	85.6	*	11
12	*	65	3.6	17.2	*	104	5.7	64.4	*	67	3.7	40.2	*	101	5.6	87.3	*	85	4.7	27.1	*	86	4.8	90.3	*	12
13	*	100	5.5	22.7	*	97	5.4	69.8	*	70	3.9	44.1	*	79	4.4	91.7	*	208	11.5	38.6	*	53	2.9	93.3	*	13
14	*	116	6.4	29.1	*	77	4.3	74.0	*	101	5.6	49.6	*	84	4.6	96.4	*	182	10.1	48.7	*	75	4.1	97.4	*	14
15	*	204	11.3	40.4	*	160	8.8	82.9	*	117	6.5	56.1	*	23	1.3	97.6	*	142	7.8	56.6	*	29	1.6	99.0	*	15
16	*	115	6.4	46.8	*	99	5.5	88.3	*	122	6.7	62.9	*	30	1.7	99.3	*	108	6.0	62.5	*	10	0.6	99.6	*	16
17	*	162	9.0	55.7	*	61	3.4	91.7	*	119	6.6	69.4	*	10	0.6	99.8	*	157	8.7	71.2	*	5	0.3	99.8	*	17
18	*	237	13.1	68.8	*	48	2.7	94.4	*	171	9.5	78.9	*	2	0.1	99.9	*	132	7.3	78.5	*	2	0.1	99.9	*	18
19	*	217	12.0	80.8	*	65	3.6	98.0	*	126	7.0	85.8	*	0	0.0	99.9	*	101	5.6	84.1	*	0	0.0	99.9	*	19
20	*	180	10.0	90.8	*	26	1.4	99.4	*	72	4.0	89.8	*	0	0.0	99.9	*	87	4.8	88.9	*	0	0.0	99.9	*	20
21	*	122	6.7	97.5	*	11	0.6	100.0	*	84	4.6	94.5	*	1	0.1	100.0	*	55	3.0	91.9	*	1	0.1	100.0	*	21
22	*	43	2.4	99.9	*	0	0.0	100.0	*	58	3.2	97.7	*	0	0.0	100.0	*	32	1.8	93.7	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	20	1.1	98.8	*	0	0.0	100.0	*	65	3.6	97.3	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.2	100.0	*	0	0.0	100.0	*	22	1.2	98.5	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	27	1.5	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.9      DMC = 30.6      DC = 237.4      ISI = 5.1      ADMC = 66.6      FWI = 11.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1809

MAXIMUM VALUES

FFMC = 95.0      DMC = 169.0      DC = 737.0      ISI = 72.7      ADMC = 194.0      FWI = 101.0

\*\*\*TOTALS FOR STATION 200 ROSTERN LONG, 10620 LAT, 5240

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS	
CLASS	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	CLASS
1	13	0.7	0.7	11	0.6	0.6	20	1.0	1.0	49	2.5	2.5	1	0.1	0.1	138	7.1	7.1	1
2	8	0.4	1.1	15	0.8	1.3	26	1.3	2.4	93	4.8	7.3	6	0.3	0.4	128	6.6	13.7	2
3	6	0.3	1.4	30	1.5	2.9	30	1.5	3.9	133	6.8	14.1	3	0.2	0.5	65	3.3	17.0	3
4	6	0.3	1.7	50	2.6	5.4	33	1.7	5.6	129	6.6	20.8	7	0.4	0.9	65	3.3	20.4	4
5	11	0.6	2.3	49	2.5	8.0	40	2.1	7.7	105	5.4	26.2	19	1.0	1.9	83	4.3	24.6	5
6	11	0.6	2.8	68	3.5	11.5	39	2.0	9.7	83	4.3	30.4	23	1.2	3.0	137	7.0	31.7	6
7	11	0.6	3.4	70	3.6	15.1	61	3.1	12.8	96	4.9	35.4	21	1.1	4.1	166	8.5	40.2	7
8	23	1.2	4.6	67	3.4	18.5	94	4.8	17.6	168	8.6	44.0	23	1.2	5.3	114	5.9	46.1	8
9	26	1.3	5.9	82	4.2	22.7	104	5.3	23.0	170	8.7	52.8	32	1.6	6.9	206	10.6	56.7	9
10	36	1.9	7.8	74	3.8	26.5	82	4.2	27.2	111	5.7	58.5	32	1.6	8.6	203	10.4	67.1	10
11	56	2.9	10.6	172	8.8	35.4	78	4.0	31.2	296	15.2	73.7	28	1.4	10.0	174	8.9	76.0	11
12	59	3.0	13.7	167	8.6	44.0	67	3.4	34.7	139	7.1	80.8	38	2.0	12.0	117	6.0	82.1	12
13	81	4.2	17.8	147	7.6	51.5	68	3.5	38.1	122	6.3	87.1	153	7.9	19.8	119	6.1	88.2	13
14	113	5.8	23.7	117	6.0	57.5	78	4.0	42.2	126	6.5	93.6	136	7.0	26.8	141	7.2	95.4	14
15	171	8.8	32.4	210	10.8	68.3	82	4.2	46.4	84	4.3	97.9	145	7.5	34.3	56	2.9	98.3	15
16	119	6.1	38.6	163	8.4	76.7	72	3.7	50.1	39	2.0	99.9	140	7.2	41.5	27	1.4	99.7	16
17	170	8.7	47.3	134	6.9	83.6	78	4.0	54.1	2	0.1	100.0	218	11.2	52.7	5	0.2	99.9	17
18	207	10.6	57.9	116	6.0	89.6	191	9.8	63.9	0	0.0	100.0	187	9.6	62.3	1	0.1	100.0	18
19	277	14.2	72.2	149	7.7	97.2	194	10.0	73.9	0	0.0	100.0	187	9.6	71.9	0	0.0	100.0	19
20	267	13.7	85.9	35	1.8	99.0	232	11.9	85.8	0	0.0	100.0	121	6.2	78.1	0	0.0	100.0	20
21	210	10.8	96.7	19	1.0	100.0	186	9.6	95.4	0	0.0	100.0	107	5.5	83.7	0	0.0	100.0	21
22	58	3.0	99.7	0	0.0	100.0	87	4.5	99.8	0	0.0	100.0	92	4.7	88.4	0	0.0	100.0	22
23	6	0.3	100.0	0	0.0	100.0	3	0.2	100.0	0	0.0	100.0	171	8.8	97.2	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	39	2.0	99.2	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	16	0.8	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 79.6      DMC = 42.2      DC = 270.3      ISI = 6.2      ADMC = 86.0      FWI = 17.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1945

MAXIMUM VALUES

FFMC = 96.0      DMC = 166.0      DC = 616.0      ISI = 37.7      ADMC = 172.0      FWI = 71.0

\*\*\*TOTALS FOR STATION 196 ST. WALBURG LONG. 10913 LAT. 5338

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	17	1.0	1.0	*	38	2.1	2.1	*	15	0.8	0.8	*	83	4.7	4.7	*	11	0.6	0.6	*	253	14.3	14.3	*	1
2	*	15	0.8	1.8	*	50	2.8	5.0	*	38	2.1	3.0	*	147	8.3	13.0	*	9	0.5	1.1	*	200	11.3	25.5	*	2
3	*	14	0.8	2.6	*	72	4.1	9.0	*	32	1.8	4.8	*	181	10.2	23.2	*	5	0.3	1.4	*	83	4.7	30.2	*	3
4	*	13	0.7	3.3	*	84	4.7	13.8	*	41	2.3	7.1	*	149	8.4	31.6	*	24	1.4	2.8	*	90	5.1	35.3	*	4
5	*	16	0.9	4.2	*	86	4.9	18.6	*	32	1.8	8.9	*	122	6.9	38.5	*	43	2.4	5.2	*	82	4.6	39.9	*	5
6	*	15	0.8	5.1	*	114	6.4	25.0	*	36	2.0	10.9	*	98	5.5	44.0	*	35	2.0	7.2	*	157	8.9	48.8	*	6
7	*	31	1.7	6.8	*	74	4.2	29.2	*	71	4.0	14.9	*	93	5.2	49.2	*	35	2.0	9.1	*	144	8.1	56.9	*	7
8	*	30	1.7	8.5	*	101	5.7	34.9	*	65	3.7	18.6	*	175	9.9	59.1	*	56	3.2	12.3	*	127	7.2	64.1	*	8
9	*	44	2.5	11.0	*	88	5.0	39.9	*	78	4.4	23.0	*	152	8.6	67.7	*	46	2.6	14.9	*	216	12.2	76.3	*	9
10	*	46	2.6	13.6	*	76	4.3	44.2	*	93	5.2	28.3	*	107	6.0	73.7	*	68	3.8	18.7	*	159	9.0	85.2	*	10
11	*	51	2.9	16.5	*	204	11.5	55.7	*	97	5.5	33.7	*	209	11.8	85.5	*	58	3.3	22.0	*	95	5.4	90.6	*	11
12	*	72	4.1	20.5	*	197	11.1	66.8	*	88	5.0	38.7	*	96	5.4	90.9	*	73	4.1	26.1	*	76	4.3	94.9	*	12
13	*	94	5.3	25.8	*	151	8.5	75.3	*	84	4.7	43.4	*	55	3.1	94.0	*	155	8.7	34.9	*	36	2.0	96.9	*	13
14	*	139	7.8	33.7	*	99	5.6	80.9	*	120	6.8	50.2	*	61	3.4	97.5	*	156	8.8	43.7	*	35	2.0	98.9	*	14
15	*	199	11.2	44.9	*	128	7.2	88.1	*	102	5.8	56.0	*	19	1.1	98.5	*	161	9.1	52.7	*	13	0.7	99.6	*	15
16	*	127	7.2	52.1	*	102	5.8	93.9	*	117	6.6	62.5	*	21	1.2	99.7	*	160	9.0	61.8	*	5	0.3	99.9	*	16
17	*	159	9.0	61.0	*	44	2.5	96.3	*	124	7.0	69.5	*	4	0.2	99.9	*	247	13.9	75.7	*	2	0.1	100.0	*	17
18	*	187	10.5	71.6	*	28	1.6	97.9	*	172	9.7	79.2	*	1	0.1	100.0	*	161	9.1	84.8	*	0	0.0	100.0	*	18
19	*	230	13.0	84.5	*	32	1.8	99.7	*	137	7.7	87.0	*	0	0.0	100.0	*	110	6.2	91.0	*	0	0.0	100.0	*	19
20	*	146	8.2	92.8	*	5	0.3	100.0	*	130	7.3	94.3	*	0	0.0	100.0	*	59	3.3	94.3	*	0	0.0	100.0	*	20
21	*	105	5.9	98.7	*	0	0.0	100.0	*	92	5.2	99.5	*	0	0.0	100.0	*	55	3.1	97.4	*	0	0.0	100.0	*	21
22	*	18	1.0	99.7	*	0	0.0	100.0	*	9	0.5	100.0	*	0	0.0	100.0	*	26	1.5	98.9	*	0	0.0	100.0	*	22
23	*	4	0.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	0.9	99.8	*	0	0.0	100.0	*	23
24	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.1      DMC = 27.1      DC = 231.2      ISI = 4.4      ADMC = 61.0      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1773

MAXIMUM VALUES

FFMC = 97.0      DMC = 126.0      DC = 511.0      ISI = 49.1      ADMC = 136.0      FWI = 68.0

\*\*\*TOTALS FOR STATION 210 SMOKY BURN LONG. 10308 LAT. 5320

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF		CUM.							
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.								
1	*	5	0.3	0.3	*	19	1.1	1.1	*	18	1.1	1.1	*	58	3.5	3.5	*	0	0.0	0.0	*	241	14.4	14.4	*	1
2	*	8	0.5	0.8	*	63	3.8	4.9	*	18	1.1	2.2	*	152	9.1	12.6	*	8	0.5	0.5	*	175	10.5	24.9	*	2
3	*	12	0.7	1.5	*	82	4.9	9.8	*	28	1.7	3.8	*	172	10.3	22.9	*	8	0.5	1.0	*	89	5.3	30.3	*	3
4	*	20	1.2	2.7	*	89	5.3	15.2	*	38	2.3	6.1	*	129	7.7	30.6	*	19	1.1	2.1	*	81	4.9	35.1	*	4
5	*	9	0.5	3.2	*	103	6.2	21.3	*	45	2.7	8.8	*	112	6.7	37.3	*	31	1.9	4.0	*	83	5.0	40.1	*	5
6	*	17	1.0	4.3	*	90	5.4	26.7	*	47	2.8	11.6	*	78	4.7	42.0	*	43	2.6	6.5	*	135	8.1	48.2	*	6
7	*	20	1.2	5.5	*	86	5.2	31.9	*	92	5.5	17.1	*	88	5.3	47.3	*	37	2.2	8.7	*	128	7.7	55.8	*	7
8	*	25	1.5	7.0	*	101	6.1	37.9	*	86	5.2	22.3	*	167	10.0	57.3	*	59	3.5	12.3	*	101	6.1	61.9	*	8
9	*	47	2.8	9.8	*	96	5.8	43.7	*	70	4.2	26.5	*	146	8.7	66.0	*	68	4.1	16.4	*	207	12.4	74.3	*	9
10	*	53	3.2	12.9	*	61	3.7	47.3	*	89	5.3	31.8	*	112	6.7	72.7	*	68	4.1	20.4	*	136	8.1	82.4	*	10
11	*	45	2.7	15.6	*	153	9.2	56.5	*	64	3.8	35.7	*	169	10.1	82.9	*	80	4.8	25.2	*	106	6.4	88.8	*	11
12	*	75	4.5	20.1	*	142	8.5	65.0	*	78	4.7	40.3	*	83	5.0	87.8	*	54	3.2	28.5	*	73	4.4	93.2	*	12
13	*	86	5.2	25.3	*	122	7.3	72.3	*	96	5.8	46.1	*	91	5.5	93.3	*	172	10.3	38.8	*	44	2.6	95.8	*	13
14	*	128	7.7	33.0	*	85	5.1	77.4	*	150	9.0	55.1	*	61	3.7	96.9	*	168	10.1	48.8	*	50	3.0	98.8	*	14
15	*	196	11.7	44.7	*	129	7.7	85.1	*	140	8.4	63.5	*	19	1.1	98.1	*	126	7.5	56.4	*	10	0.6	99.4	*	15
16	*	91	5.5	50.1	*	93	5.6	90.7	*	149	8.9	72.4	*	25	1.5	99.6	*	95	5.7	62.1	*	7	0.4	99.8	*	16
17	*	145	8.7	58.8	*	63	3.8	94.5	*	126	7.5	79.9	*	5	0.3	99.9	*	205	12.3	74.4	*	2	0.1	99.9	*	17
18	*	196	11.7	70.6	*	35	2.1	96.6	*	141	8.4	88.4	*	1	0.1	99.9	*	129	7.7	82.1	*	0	0.0	99.9	*	18
19	*	199	11.9	82.5	*	46	2.8	99.3	*	79	4.7	93.1	*	0	0.0	99.9	*	100	6.0	88.1	*	0	0.0	99.9	*	19
20	*	185	11.1	93.6	*	11	0.7	100.0	*	87	5.2	98.3	*	0	0.0	99.9	*	80	4.8	92.9	*	1	0.1	100.0	*	20
21	*	87	5.2	98.8	*	0	0.0	100.0	*	27	1.6	99.9	*	1	0.1	100.0	*	47	2.8	95.7	*	0	0.0	100.0	*	21
22	*	20	1.2	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	38	2.3	98.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	28	1.7	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

246

AVERAGE VALUES

FFMC = 75.9      DMC = 28.3      DC = 208.2      ISI = 4.7      ADMC = 61.4      FWI = 9.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1669.

MAXIMUM VALUES

FFMC = 94.0      DMC = 120.0      DC = 504.0      ISI = 74.8      ADMC = 136.0      FWI = 99.0



\*\*\*TOTALS FOR STATION 203 SNOWDEN LONG. 10441 LAT. 5332

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CLASS						
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.							
1	*	16	0.9	0.9	*	12	0.7	0.7	*	15	0.8	0.8	*	68	3.7	3.7	*	6	0.3	0.3	*	230	12.6	12.6	*	1
2	*	7	0.4	1.3	*	26	1.4	2.1	*	33	1.8	2.6	*	149	8.2	11.9	*	3	0.2	0.5	*	175	9.6	22.2	*	2
3	*	15	0.8	2.1	*	67	3.7	5.8	*	39	2.1	4.8	*	172	9.4	21.3	*	6	0.3	0.8	*	96	5.3	27.5	*	3
4	*	9	0.5	2.6	*	59	3.2	9.0	*	45	2.5	7.2	*	127	7.0	28.3	*	6	0.3	1.2	*	87	4.8	32.3	*	4
5	*	15	0.8	3.4	*	102	5.6	14.6	*	34	1.9	9.1	*	118	6.5	34.8	*	25	1.4	2.5	*	89	4.9	37.1	*	5
6	*	20	1.1	4.5	*	100	5.5	20.1	*	37	2.0	11.1	*	108	5.9	40.7	*	35	1.9	4.4	*	141	7.7	44.9	*	6
7	*	21	1.2	5.7	*	121	6.6	26.7	*	83	4.6	15.7	*	76	4.2	44.9	*	44	2.4	6.9	*	120	6.6	51.5	*	7
8	*	29	1.6	7.2	*	106	5.8	32.5	*	83	4.6	20.2	*	164	9.0	53.9	*	39	2.1	9.0	*	122	6.7	58.1	*	8
9	*	37	2.0	9.3	*	98	5.4	37.9	*	75	4.1	24.4	*	151	8.3	62.2	*	45	2.5	11.5	*	188	10.3	68.5	*	9
10	*	52	2.9	12.1	*	88	4.8	42.7	*	71	3.9	28.3	*	107	5.9	68.0	*	56	3.1	14.5	*	139	7.6	76.1	*	10
11	*	48	2.6	14.8	*	164	9.0	51.7	*	58	3.2	31.4	*	224	12.3	80.3	*	86	4.7	19.3	*	132	7.2	83.3	*	11
12	*	68	3.7	18.5	*	142	7.8	59.5	*	57	3.1	34.6	*	120	6.6	86.9	*	63	3.5	22.7	*	94	5.2	88.5	*	12
13	*	86	4.7	23.2	*	106	5.8	65.3	*	79	4.3	38.9	*	97	5.3	92.2	*	165	9.1	31.8	*	66	3.6	92.1	*	13
14	*	135	7.4	30.6	*	103	5.7	71.0	*	118	6.5	45.4	*	90	4.9	97.1	*	182	10.0	41.7	*	109	6.0	98.1	*	14
15	*	188	10.3	40.9	*	133	7.3	78.3	*	89	4.9	50.2	*	40	2.2	99.3	*	159	8.7	50.5	*	21	1.2	99.2	*	15
16	*	125	6.9	47.8	*	111	6.1	84.4	*	126	6.9	57.2	*	12	0.7	100.0	*	114	6.3	56.7	*	9	0.5	99.7	*	16
17	*	135	7.4	55.2	*	81	4.4	88.8	*	117	6.4	63.6	*	0	0.0	100.0	*	166	9.1	65.8	*	5	0.3	100.0	*	17
18	*	153	8.4	63.6	*	71	3.9	92.7	*	209	11.5	75.0	*	0	0.0	100.0	*	148	8.1	73.9	*	0	0.0	100.0	*	18
19	*	244	13.4	77.0	*	84	4.6	97.3	*	159	8.7	83.8	*	0	0.0	100.0	*	139	7.6	81.6	*	0	0.0	100.0	*	19
20	*	219	12.0	89.0	*	22	1.2	98.5	*	68	3.7	87.5	*	0	0.0	100.0	*	84	4.6	86.2	*	0	0.0	100.0	*	20
21	*	154	8.4	97.4	*	11	0.6	99.1	*	110	6.0	93.5	*	0	0.0	100.0	*	65	3.6	89.7	*	0	0.0	100.0	*	21
22	*	41	2.2	99.7	*	12	0.7	99.8	*	87	4.8	98.3	*	0	0.0	100.0	*	39	2.1	91.9	*	0	0.0	100.0	*	22
23	*	6	0.3	100.0	*	4	0.2	100.0	*	31	1.7	100.0	*	0	0.0	100.0	*	82	4.5	96.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	38	2.1	98.5	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	28	1.5	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.8      DMC = 34.7      DC = 252.5      ISI = 4.9      ADMC = 72.2      FWI = 11.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1823

MAXIMUM VALUES

FFMC = 96.0      DMC = 218.0      DC = 657.0      ISI = 28.2      ADMC = 218.0      FWI = 70.0

\*\*\*TOTALS FOR STATION 197 SPIRITWOOD LONG. 10731 LAT. 5322

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	7	0.4	0.4	17	0.9	0.9	7	0.4	0.4	41	2.1	2.1	1	0.1	0.1	175	9.1	9.1	1
2	8	0.4	0.8	28	1.5	2.3	14	0.7	1.1	126	6.5	8.7	7	0.4	0.4	181	9.4	18.5	2
3	6	0.3	1.1	54	2.8	5.1	31	1.6	2.7	185	9.6	18.3	2	0.1	0.5	83	4.3	22.8	3
4	7	0.4	1.5	75	3.9	9.0	40	2.1	4.8	144	7.5	25.7	9	0.5	1.0	81	4.2	27.0	4
5	8	0.4	1.9	91	4.7	13.8	36	1.9	6.6	125	6.5	32.2	17	0.9	1.9	82	4.3	31.2	5
6	11	0.6	2.4	98	5.1	18.8	26	1.3	8.0	112	5.8	38.0	29	1.5	3.4	175	9.1	40.3	6
7	16	0.8	3.3	76	3.9	22.8	57	3.0	10.9	108	5.6	43.6	33	1.7	5.1	152	7.9	48.2	7
8	28	1.5	4.7	73	3.8	26.6	58	3.0	14.0	196	10.2	53.8	48	2.5	7.6	124	6.4	54.6	8
9	31	1.6	6.3	74	3.8	30.4	64	3.3	17.3	174	9.0	62.8	49	2.5	10.1	248	12.9	67.5	9
10	40	2.1	8.4	83	4.3	34.7	82	4.3	21.5	138	7.2	70.0	60	3.1	13.2	186	9.7	77.2	10
11	55	2.9	11.3	176	9.1	43.9	74	3.8	25.4	187	9.7	79.7	63	3.3	16.5	143	7.4	84.6	11
12	78	4.0	15.3	161	8.4	52.2	60	3.1	28.5	162	8.4	88.1	68	3.5	20.0	114	5.9	90.5	12
13	99	5.1	20.4	169	8.8	61.0	85	4.4	32.9	79	4.1	92.2	130	6.7	26.8	64	3.3	93.8	13
14	137	7.1	27.6	124	6.4	67.4	125	6.5	39.4	84	4.4	96.6	133	6.9	33.7	86	4.5	98.3	14
15	212	11.0	38.6	218	11.3	78.7	129	6.7	46.1	29	1.5	98.1	153	7.9	41.6	19	1.0	99.3	15
16	140	7.3	45.8	142	7.4	86.1	104	5.4	51.5	27	1.4	99.5	126	6.5	48.2	10	0.5	99.8	16
17	194	10.1	55.9	108	5.6	91.7	94	4.9	56.4	7	0.4	99.8	208	10.8	59.0	2	0.1	99.9	17
18	221	11.5	67.4	59	3.1	94.8	180	9.3	65.7	3	0.2	100.0	216	11.2	70.2	2	0.1	100.0	18
19	267	13.9	81.2	82	4.3	99.0	178	9.2	74.9	0	0.0	100.0	167	8.7	78.8	0	0.0	100.0	19
20	194	10.1	91.3	19	1.0	100.0	144	7.5	82.4	0	0.0	100.0	116	6.0	84.8	0	0.0	100.0	20
21	131	6.8	98.1	0	0.0	100.0	125	6.5	88.9	0	0.0	100.0	97	5.0	89.9	0	0.0	100.0	21
22	31	1.6	99.7	0	0.0	100.0	161	8.4	97.2	0	0.0	100.0	62	3.2	93.1	0	0.0	100.0	22
23	5	0.3	99.9	0	0.0	100.0	53	2.8	100.0	0	0.0	100.0	98	5.1	98.2	0	0.0	100.0	23
24	1	0.1	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	35	1.8	100.0	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 78.2      DMC = 34.4      DC = 285.3      ISI = 5.1      ADMC = 76.2      FWI = 11.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1927

MAXIMUM VALUES

FFMC = 97.0      DMC = 133.0      DC = 681.0      ISI = 45.4      ADMC = 144.0      FWI = 78.0

\*\*\*TOTALS FOR STATION 205

STANLEY

LONG, 10432

LAT. 5525

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	4	0.2	0.2	*	19	1.0	1.0	*	13	0.7	0.7	*	49	2.7	2.7	*	194	10.6	10.6	*	1				
2	*	1	0.1	0.3	*	39	2.1	3.2	*	20	1.1	1.8	*	115	6.3	9.0	*	166	9.1	19.7	*	2				
3	*	12	0.7	0.9	*	72	3.9	7.1	*	34	1.9	3.7	*	171	9.4	18.4	*	96	5.3	25.0	*	3				
4	*	11	0.6	1.5	*	76	4.2	11.3	*	39	2.1	5.8	*	133	7.3	25.7	*	10	0.5	1.5	*	88	4.8	29.8	*	4
5	*	14	0.8	2.3	*	82	4.5	15.8	*	48	2.6	8.4	*	138	7.6	33.2	*	33	1.8	3.3	*	84	4.6	34.4	*	5
6	*	18	1.0	3.3	*	87	4.8	20.6	*	58	3.2	11.6	*	90	4.9	38.2	*	26	1.4	4.7	*	157	8.6	43.1	*	6
7	*	16	0.9	4.2	*	104	5.7	26.3	*	65	3.6	15.2	*	98	5.4	43.6	*	44	2.4	7.1	*	133	7.3	50.4	*	7
8	*	28	1.5	5.7	*	88	4.8	31.1	*	72	3.9	19.1	*	176	9.7	53.2	*	47	2.6	9.7	*	114	6.3	56.6	*	8
9	*	28	1.5	7.2	*	88	4.8	35.9	*	87	4.8	23.9	*	116	6.4	59.6	*	68	3.7	13.4	*	223	12.2	68.8	*	9
10	*	37	2.0	9.3	*	84	4.6	40.5	*	68	3.7	27.6	*	146	8.0	67.6	*	58	3.2	16.6	*	159	8.7	77.6	*	10
11	*	53	2.9	12.2	*	171	9.4	49.9	*	75	4.1	31.8	*	226	12.4	80.0	*	60	3.3	19.9	*	125	6.9	84.4	*	11
12	*	71	3.9	16.1	*	178	9.8	59.7	*	83	4.6	36.3	*	145	8.0	87.9	*	72	3.9	23.9	*	88	4.8	89.2	*	12
13	*	101	5.5	21.6	*	145	8.0	67.6	*	76	4.2	40.5	*	85	4.7	92.6	*	159	8.7	32.6	*	65	3.6	92.8	*	13
14	*	142	7.8	29.4	*	105	5.8	73.4	*	112	6.1	46.6	*	87	4.8	97.4	*	151	8.3	40.9	*	96	5.3	98.1	*	14
15	*	185	10.1	39.6	*	168	9.2	82.6	*	114	6.3	52.9	*	33	1.8	99.2	*	133	7.3	48.2	*	23	1.3	99.3	*	15
16	*	121	6.6	46.2	*	88	4.8	87.4	*	87	4.8	57.7	*	13	0.7	99.9	*	113	6.2	54.4	*	12	0.7	100.0	*	16
17	*	161	8.8	55.0	*	60	3.3	90.7	*	96	5.3	62.9	*	2	0.1	100.0	*	227	12.5	66.8	*	0	0.0	100.0	*	17
18	*	205	11.2	66.3	*	49	2.7	93.4	*	237	13.0	75.9	*	0	0.0	100.0	*	192	10.5	77.3	*	0	0.0	100.0	*	18
19	*	235	12.9	79.2	*	84	4.6	98.0	*	146	8.0	83.9	*	0	0.0	100.0	*	118	6.5	83.8	*	0	0.0	100.0	*	19
20	*	211	11.6	90.7	*	23	1.3	99.3	*	90	4.9	88.9	*	0	0.0	100.0	*	80	4.4	88.2	*	0	0.0	100.0	*	20
21	*	134	7.4	98.1	*	13	0.7	100.0	*	47	2.6	91.4	*	0	0.0	100.0	*	48	2.6	90.8	*	0	0.0	100.0	*	21
22	*	31	1.7	99.8	*	0	0.0	100.0	*	77	4.2	95.7	*	0	0.0	100.0	*	40	2.2	93.0	*	0	0.0	100.0	*	22
23	*	4	0.2	100.0	*	0	0.0	100.0	*	75	4.1	99.8	*	0	0.0	100.0	*	70	3.8	96.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	46	2.5	99.4	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	11	0.6	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.8      DMC = 32.6      DC = 254.8      ISI = 5.0      ADMC = 70.4      FWI = 11.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1823

MAXIMUM VALUES

FFMC = 95.0      DMC = 163.0      DC = 710.0      ISI = 35.6      ADMC = 170.0      FWI = 60.0

\*\*\*TOTALS FOR STATION 221 STONEY RAPIDS LONG, 10546 LAT. 5916

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	13	0.9	0.9	*	53	3.7	3.7	*	3	0.2	0.2	*	58	4.0	4.0	*	11	0.8	0.8	*	257	17.8	17.8	*	1
2	*	3	0.2	1.1	*	49	3.4	7.1	*	9	0.6	0.8	*	150	10.4	14.4	*	13	0.9	1.7	*	231	16.0	33.8	*	2
3	*	7	0.5	1.6	*	76	5.3	12.3	*	23	1.6	2.4	*	236	16.3	30.7	*	1	0.1	1.7	*	91	6.3	40.1	*	3
4	*	10	0.7	2.3	*	93	6.4	18.8	*	20	1.4	3.8	*	148	10.2	41.0	*	31	2.1	3.9	*	67	4.6	44.7	*	4
5	*	14	1.0	3.3	*	93	6.4	25.2	*	27	1.9	5.7	*	94	6.5	47.5	*	24	1.7	5.5	*	58	4.0	48.8	*	5
6	*	20	1.4	4.6	*	81	5.6	30.8	*	34	2.4	8.0	*	71	4.9	52.4	*	41	2.8	8.4	*	124	8.6	57.3	*	6
7	*	31	2.1	6.8	*	79	5.5	36.3	*	74	5.1	13.2	*	73	5.1	57.5	*	36	2.5	10.9	*	110	7.6	65.0	*	7
8	*	34	2.4	9.1	*	62	4.3	40.6	*	54	3.7	16.9	*	124	8.6	66.1	*	52	3.6	14.5	*	89	6.2	71.1	*	8
9	*	27	1.9	11.0	*	72	5.0	45.6	*	67	4.6	21.5	*	121	8.4	74.4	*	56	3.9	18.4	*	143	9.9	81.0	*	9
10	*	49	3.4	14.4	*	79	5.5	51.0	*	69	4.8	26.3	*	89	6.2	80.6	*	61	4.2	22.6	*	85	5.9	86.9	*	10
11	*	81	5.6	20.0	*	160	11.1	62.1	*	47	3.3	29.6	*	115	8.0	88.6	*	55	3.8	26.4	*	87	6.0	92.9	*	11
12	*	87	6.0	26.0	*	124	8.6	70.7	*	54	3.7	33.3	*	64	4.4	93.0	*	81	5.6	32.0	*	44	3.0	96.0	*	12
13	*	105	7.3	33.3	*	86	6.0	76.7	*	71	4.9	38.2	*	54	3.7	96.7	*	150	10.4	42.4	*	27	1.9	97.9	*	13
14	*	142	9.8	43.1	*	70	4.8	81.5	*	82	5.7	43.9	*	31	2.1	98.9	*	132	9.1	51.5	*	22	1.5	99.4	*	14
15	*	151	10.5	53.6	*	88	6.1	87.6	*	62	4.3	48.2	*	9	0.6	99.5	*	126	8.7	60.2	*	8	0.6	99.9	*	15
16	*	95	6.6	60.2	*	71	4.9	92.5	*	81	5.6	53.8	*	6	0.4	99.9	*	105	7.3	67.5	*	1	0.1	100.0	*	16
17	*	109	7.5	67.7	*	42	2.9	95.4	*	106	7.3	61.1	*	1	0.1	100.0	*	148	10.2	77.8	*	0	0.0	100.0	*	17
18	*	132	9.1	76.9	*	20	1.4	96.8	*	279	19.3	80.5	*	0	0.0	100.0	*	106	7.3	85.1	*	0	0.0	100.0	*	18
19	*	160	11.1	88.0	*	43	3.0	99.8	*	155	10.7	91.2	*	0	0.0	100.0	*	71	4.9	90.0	*	0	0.0	100.0	*	19
20	*	113	7.8	95.8	*	3	0.2	100.0	*	87	6.0	97.2	*	0	0.0	100.0	*	57	3.9	94.0	*	0	0.0	100.0	*	20
21	*	47	3.3	99.0	*	0	0.0	100.0	*	40	2.8	100.0	*	0	0.0	100.0	*	35	2.4	96.4	*	0	0.0	100.0	*	21
22	*	14	1.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21	1.5	97.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	28	1.9	99.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.0      DMC = 25.8      DC = 241.7      ISI = 3.6      ADMC = 58.0      FWI = 7.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1444

MAXIMUM VALUES

FFMC = 94.0      DMC = 120.0      DC = 490.0      ISI = 31.5      ADMC = 131.0      FWI = 55.0

\*\*\*TOTALS FOR STATION 220 URANIUM CITY LONG, 10829 LAT, 5934

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	12	0.8	0.8	*	40	2.6	2.6	*	5	0.3	0.3	*	63	4.1	4.1	*	4	0.3	0.3	*	241	15.7	15.7	*	1
2	*	8	0.5	1.3	*	59	3.8	6.4	*	12	0.8	1.1	*	150	9.8	13.9	*	12	0.8	1.0	*	212	13.8	29.5	*	2
3	*	10	0.7	2.0	*	84	5.5	11.9	*	24	1.6	2.7	*	193	12.6	26.4	*	1	0.1	1.1	*	103	6.7	36.2	*	3
4	*	10	0.7	2.6	*	91	5.9	17.9	*	24	1.6	4.2	*	148	9.6	36.1	*	25	1.6	2.7	*	82	5.3	41.6	*	4
5	*	16	1.0	3.6	*	121	7.9	25.7	*	29	1.9	6.1	*	102	6.6	42.7	*	27	1.8	4.5	*	81	5.3	46.8	*	5
6	*	24	1.6	5.2	*	88	5.7	31.5	*	34	2.2	8.3	*	113	7.4	50.1	*	41	2.7	7.2	*	122	7.9	54.8	*	6
7	*	27	1.8	7.0	*	95	6.2	37.7	*	64	4.2	12.5	*	72	4.7	54.8	*	53	3.5	10.6	*	121	7.9	62.7	*	7
8	*	31	2.0	9.0	*	73	4.8	42.4	*	75	4.9	17.4	*	144	9.4	64.2	*	56	3.6	14.3	*	88	5.7	68.4	*	8
9	*	46	3.0	12.0	*	69	4.5	46.9	*	65	4.2	21.6	*	110	7.2	71.3	*	55	3.6	17.9	*	162	10.6	79.0	*	9
10	*	33	2.1	14.1	*	67	4.4	51.3	*	68	4.4	26.1	*	112	7.3	78.6	*	78	5.1	22.9	*	103	6.7	85.7	*	10
11	*	70	4.6	18.7	*	130	8.5	59.7	*	82	5.3	31.4	*	130	8.5	87.1	*	79	5.1	28.1	*	75	4.9	90.6	*	11
12	*	82	5.3	24.0	*	95	6.2	65.9	*	77	5.0	36.4	*	79	5.1	92.2	*	79	5.1	33.2	*	69	4.5	95.0	*	12
13	*	109	7.1	31.1	*	89	5.8	71.7	*	73	4.8	41.2	*	40	2.6	94.9	*	140	9.1	42.3	*	29	1.9	96.9	*	13
14	*	132	8.6	39.7	*	83	5.4	77.1	*	112	7.3	48.5	*	54	3.5	98.4	*	144	9.4	51.7	*	39	2.5	99.5	*	14
15	*	202	13.2	52.9	*	122	7.9	85.1	*	119	7.8	56.2	*	18	1.2	99.5	*	104	6.8	58.5	*	5	0.3	99.8	*	15
16	*	113	7.4	60.3	*	77	5.0	90.1	*	84	5.5	61.7	*	6	0.4	99.9	*	105	6.8	65.3	*	3	0.2	100.0	*	16
17	*	120	7.8	68.1	*	52	3.4	93.5	*	91	5.9	67.6	*	1	0.1	100.0	*	152	9.9	75.2	*	0	0.0	100.0	*	17
18	*	158	10.3	78.4	*	37	2.4	95.9	*	184	12.0	79.6	*	0	0.0	100.0	*	115	7.5	82.7	*	0	0.0	100.0	*	18
19	*	157	10.2	88.6	*	59	3.8	99.7	*	176	11.5	91.1	*	0	0.0	100.0	*	84	5.5	88.2	*	0	0.0	100.0	*	19
20	*	111	7.2	95.8	*	4	0.3	100.0	*	56	3.6	94.7	*	0	0.0	100.0	*	67	4.4	92.6	*	0	0.0	100.0	*	20
21	*	53	3.5	99.3	*	0	0.0	100.0	*	32	2.1	96.8	*	0	0.0	100.0	*	45	2.9	95.5	*	0	0.0	100.0	*	21
22	*	10	0.7	99.9	*	0	0.0	100.0	*	49	3.2	100.0	*	0	0.0	100.0	*	26	1.7	97.2	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	40	2.6	99.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.3      DMC = 27.6      DC = 236.4      ISI = 3.9      ADMC = 59.7      FWI = 8.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1535

MAXIMUM VALUES

FFMC = 95.0      DMC = 120.0      DC = 537.0      ISI = 32.3      ADMC = 131.0      FWI = 59.0

\*\*\*TOTALS FOR STATION 202 WAKESIU LAKE LONG. 10605 LAT. 5355

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	15	0.8	0.8	*	22	1.2	1.2	*	24	1.3	1.3	*	77	4.3	4.3	*	8	0.4	0.4	*	248	13.8	13.8	*	1
2	*	7	0.4	1.2	*	62	3.5	4.7	*	39	2.2	3.5	*	143	8.0	12.3	*	8	0.4	0.9	*	188	10.5	24.3	*	2
3	*	10	0.6	1.8	*	85	4.7	9.4	*	46	2.6	6.1	*	184	10.3	22.6	*	8	0.4	1.3	*	92	5.1	29.5	*	3
4	*	13	0.7	2.5	*	94	5.2	14.7	*	31	1.7	7.8	*	142	7.9	30.5	*	15	0.8	2.2	*	96	5.4	34.8	*	4
5	*	19	1.1	3.6	*	115	6.4	21.1	*	35	2.0	9.8	*	138	7.7	38.2	*	44	2.5	4.6	*	76	4.2	39.1	*	5
6	*	23	1.3	4.9	*	95	5.3	26.4	*	41	2.3	12.1	*	118	6.6	44.8	*	44	2.5	7.1	*	170	9.5	48.6	*	6
7	*	22	1.2	6.1	*	90	5.0	31.4	*	71	4.0	16.0	*	72	4.0	48.8	*	51	2.8	9.9	*	124	6.9	55.5	*	7
8	*	38	2.1	8.2	*	83	4.6	36.1	*	63	3.5	19.5	*	176	9.8	58.6	*	55	3.1	13.0	*	119	6.6	62.1	*	8
9	*	35	2.0	10.2	*	83	4.6	40.7	*	63	3.5	23.1	*	154	8.6	67.2	*	57	3.2	16.2	*	203	11.3	73.5	*	9
10	*	33	1.8	12.0	*	52	2.9	43.6	*	83	4.6	27.7	*	133	7.4	74.7	*	72	4.0	20.2	*	161	9.0	82.5	*	10
11	*	57	3.2	15.2	*	154	8.6	52.2	*	110	6.1	33.8	*	189	10.6	85.2	*	70	3.9	24.1	*	106	5.9	88.4	*	11
12	*	84	4.7	19.9	*	144	8.0	60.2	*	101	5.6	39.5	*	103	5.8	91.0	*	64	3.6	27.7	*	70	3.9	92.3	*	12
13	*	100	5.6	25.5	*	125	7.0	67.2	*	92	5.1	44.6	*	73	4.1	95.0	*	163	9.1	36.8	*	70	3.9	96.2	*	13
14	*	135	7.5	33.0	*	123	6.9	74.1	*	97	5.4	50.0	*	65	3.6	98.7	*	133	7.4	44.2	*	52	2.9	99.1	*	14
15	*	202	11.3	44.3	*	158	8.8	82.9	*	109	6.1	56.1	*	16	0.9	99.6	*	105	5.9	50.1	*	14	0.8	99.9	*	15
16	*	147	8.2	52.5	*	99	5.5	88.4	*	73	4.1	60.2	*	7	0.3	99.9	*	102	5.7	55.8	*	2	0.1	100.0	*	16
17	*	158	8.8	61.3	*	68	3.8	92.2	*	63	3.5	63.7	*	1	0.1	100.0	*	196	10.9	66.7	*	0	0.0	100.0	*	17
18	*	209	11.7	73.0	*	55	3.1	95.3	*	180	10.1	73.8	*	0	0.0	100.0	*	204	11.4	78.1	*	0	0.0	100.0	*	18
19	*	215	12.0	85.0	*	49	2.7	98.0	*	137	7.6	81.4	*	0	0.0	100.0	*	120	6.7	84.8	*	0	0.0	100.0	*	19
20	*	169	9.4	94.4	*	23	1.3	99.3	*	81	4.5	85.9	*	0	0.0	100.0	*	80	4.5	89.3	*	0	0.0	100.0	*	20
21	*	82	4.6	99.0	*	12	0.7	100.0	*	85	4.7	90.7	*	0	0.0	100.0	*	49	2.7	92.0	*	0	0.0	100.0	*	21
22	*	16	0.9	99.9	*	0	0.0	100.0	*	152	8.5	99.2	*	0	0.0	100.0	*	38	2.1	94.1	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	15	0.8	100.0	*	0	0.0	100.0	*	76	4.2	98.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.3	99.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.5      DMC = 31.0      DC = 249.8      ISI = 4.3      ADCM = 67.3      FWI = 9.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1791

MAXIMUM VALUES

FFMC = 95.0      DMC = 157.0      DC = 619.0      ISI = 33.1      ADCM = 157.0      FWI = 55.0

\*\*\*TOTALS FOR STATION 195 WASECA LONG. 10924 LAT. 5308

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	20	1.1	1.1	*	19	1.1	1.1	*	16	0.9	0.9	*	80	4.5	4.5	*	7	0.4	0.4	*	227	12.7	12.7	*	1
2	*	13	0.7	1.9	*	44	2.5	3.5	*	29	1.6	2.5	*	130	7.3	11.8	*	3	0.2	0.6	*	173	9.7	22.4	*	2
3	*	10	0.6	2.4	*	61	3.4	7.0	*	37	2.1	4.6	*	160	9.0	20.8	*	3	0.2	0.7	*	85	4.8	27.2	*	3
4	*	18	1.0	3.4	*	76	4.3	11.2	*	49	2.7	7.3	*	136	7.6	28.4	*	16	0.9	1.6	*	79	4.4	31.6	*	4
5	*	11	0.6	4.0	*	110	6.2	17.4	*	54	3.0	10.4	*	110	6.2	34.5	*	30	1.7	3.3	*	64	3.6	35.2	*	5
6	*	12	0.7	4.7	*	97	5.4	22.8	*	44	2.5	12.8	*	80	4.5	39.0	*	37	2.1	5.4	*	134	7.5	42.7	*	6
7	*	22	1.2	5.9	*	93	5.2	28.0	*	71	4.0	16.8	*	103	5.8	44.8	*	40	2.2	7.6	*	134	7.5	50.3	*	7
8	*	27	1.5	7.5	*	99	5.6	33.6	*	69	3.9	20.7	*	161	9.0	53.8	*	52	2.9	10.5	*	141	7.9	58.2	*	8
9	*	40	2.2	9.7	*	77	4.3	37.9	*	59	3.3	24.0	*	148	8.3	62.1	*	54	3.0	13.6	*	222	12.5	70.6	*	9
10	*	41	2.3	12.0	*	70	3.9	41.8	*	67	3.8	27.8	*	124	7.0	69.1	*	74	4.2	17.7	*	164	9.2	79.8	*	10
11	*	48	2.7	14.7	*	160	9.0	50.8	*	76	4.3	32.0	*	193	10.8	79.9	*	74	4.2	21.9	*	120	6.7	86.5	*	11
12	*	69	3.9	18.6	*	159	8.9	59.7	*	90	5.0	37.1	*	123	6.9	86.8	*	67	3.8	25.6	*	83	4.7	91.2	*	12
13	*	97	5.4	24.0	*	126	7.1	66.8	*	117	6.6	43.6	*	78	4.4	91.2	*	163	9.1	34.8	*	65	3.6	94.8	*	13
14	*	108	6.1	30.1	*	106	5.9	72.7	*	156	8.7	52.4	*	79	4.4	95.6	*	160	9.0	43.7	*	62	3.5	98.3	*	14
15	*	188	10.5	40.6	*	191	10.7	83.5	*	122	6.8	59.2	*	47	2.6	98.3	*	107	6.0	49.7	*	21	1.2	99.5	*	15
16	*	122	6.8	47.4	*	140	7.9	91.3	*	102	5.7	64.9	*	23	1.3	99.6	*	111	6.2	56.0	*	6	0.3	99.8	*	16
17	*	158	8.9	56.3	*	69	3.9	95.2	*	85	4.8	69.7	*	6	0.3	99.9	*	192	10.8	66.7	*	2	0.1	99.9	*	17
18	*	203	11.4	67.7	*	31	1.7	96.9	*	169	9.5	79.2	*	2	0.1	100.0	*	174	9.8	76.5	*	1	0.1	100.0	*	18
19	*	208	11.7	79.4	*	38	2.1	99.0	*	141	7.9	87.1	*	0	0.0	100.0	*	135	7.6	84.1	*	0	0.0	100.0	*	19
20	*	197	11.0	90.4	*	10	0.6	99.6	*	69	3.9	91.0	*	0	0.0	100.0	*	124	7.0	91.0	*	0	0.0	100.0	*	20
21	*	130	7.3	97.7	*	7	0.4	100.0	*	39	2.2	93.2	*	0	0.0	100.0	*	87	4.9	95.9	*	0	0.0	100.0	*	21
22	*	34	1.9	99.6	*	0	0.0	100.0	*	120	6.7	99.9	*	0	0.0	100.0	*	24	1.3	97.3	*	0	0.0	100.0	*	22
23	*	5	0.3	99.9	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	36	2.0	99.3	*	0	0.0	100.0	*	23
24	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	99.8	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.4      DMC = 30.4      DC = 235.1      ISI = 5.1      ADMC = 66.5      FWI = 10.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1783

MAXIMUM VALUES

FFMC = 97.0      DMC = 162.0      DC = 604.0      ISI = 47.7      ADMC = 162.0      FWI = 79.0

\*\*\*TOTALS FOR STATION 214 WHITESAND LONG. 10315 LAT. 5620

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	
1	49	3.4	3.4	113	7.9	7.9	12	0.8	0.8	140	9.8	9.8	27	1.9	1.9	425	29.8	29.8	1
2	15	1.1	4.5	103	7.2	15.2	28	2.0	2.8	187	13.1	23.0	47	3.3	5.2	222	15.6	45.4	2
3	19	1.3	5.8	134	9.4	24.6	35	2.5	5.3	228	16.0	39.0	10	0.7	5.9	112	7.9	53.3	3
4	21	1.5	7.3	144	10.1	34.7	61	4.3	9.6	152	10.7	49.6	39	2.7	8.6	96	6.7	60.0	4
5	23	1.6	8.9	158	11.1	45.8	75	5.3	14.8	132	9.3	58.9	61	4.3	12.9	88	6.2	66.2	5
6	27	1.9	10.8	114	8.0	53.8	41	2.9	17.7	88	6.2	65.1	74	5.2	18.1	133	9.3	75.6	6
7	42	2.9	13.8	98	6.9	60.7	71	5.0	22.7	76	5.3	70.4	84	5.9	24.0	94	6.6	82.2	7
8	44	3.1	16.9	88	6.2	66.9	53	3.7	26.4	134	9.4	79.8	78	5.5	29.5	69	4.8	87.0	8
9	51	3.6	20.4	64	4.5	71.3	60	4.2	30.6	96	6.7	86.6	95	6.7	36.2	92	6.5	93.5	9
10	65	4.6	25.0	55	3.9	75.2	64	4.5	35.1	53	3.7	90.3	105	7.4	43.5	32	2.2	95.7	10
11	68	4.8	29.8	122	8.6	83.8	84	5.9	41.0	69	4.8	95.2	97	6.8	50.4	29	2.0	97.8	11
12	103	7.2	37.0	95	6.7	90.4	63	4.4	45.4	29	2.0	97.2	80	5.6	56.0	17	1.2	98.9	12
13	104	7.3	44.3	36	2.5	93.0	67	4.7	50.1	19	1.3	98.5	143	10.0	66.0	9	0.6	99.6	13
14	170	11.9	56.2	18	1.3	94.2	76	5.3	55.5	14	1.0	99.5	111	7.8	73.8	6	0.4	100.0	14
15	186	13.1	69.3	23	1.6	95.9	87	6.1	61.6	6	0.4	99.9	97	6.8	80.6	0	0.0	100.0	15
16	104	7.3	76.6	25	1.8	97.6	87	6.1	67.7	1	0.1	100.0	93	6.5	87.1	0	0.0	100.0	16
17	109	7.7	84.3	8	0.6	98.2	98	6.9	74.6	0	0.0	100.0	95	6.7	93.8	0	0.0	100.0	17
18	104	7.3	91.6	12	0.8	99.0	236	16.6	91.2	0	0.0	100.0	29	2.0	95.9	0	0.0	100.0	18
19	72	5.1	96.6	14	1.0	100.0	99	7.0	98.1	0	0.0	100.0	22	1.5	97.4	0	0.0	100.0	19
20	31	2.2	98.8	0	0.0	100.0	27	1.9	100.0	0	0.0	100.0	13	0.9	98.3	0	0.0	100.0	20
21	16	1.1	99.9	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	8	0.6	98.9	0	0.0	100.0	21
22	1	0.1	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	9	0.6	99.5	0	0.0	100.0	22
23	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	7	0.5	100.0	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 65.8      DMC = 15.8      DC = 198.4      ISI = 2.5      ADMC = 39.6      FWI = 4.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1424

MAXIMUM VALUES

FFMC = 94.0      DMC = 95.0      DC = 423.0      ISI = 26.9      ADMC = 112.0      FWI = 36.0



\*\*\*TOTALS FOR STATION 216 WOLLASTON LAKE LONG. 10310 LAT. 5803

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	2	0.1	0.1	*	79	5.3	5.3	*	34	2.3	2.3	*	54	3.6	3.6	*	18	1.2	1.2	*	287	19.2	19.2	*	1
2	*	6	0.4	0.5	*	90	6.0	11.3	*	28	1.9	4.1	*	153	10.2	13.8	*	30	2.0	3.2	*	218	14.6	33.7	*	2
3	*	11	0.7	1.3	*	114	7.6	18.9	*	33	2.2	6.3	*	180	12.0	25.8	*	6	0.4	3.6	*	100	6.7	40.4	*	3
4	*	11	0.7	2.0	*	116	7.7	26.6	*	55	3.7	10.0	*	160	10.7	36.5	*	35	2.3	5.9	*	91	6.1	46.5	*	4
5	*	19	1.3	3.3	*	111	7.4	34.0	*	44	2.9	13.0	*	129	8.6	45.1	*	56	3.7	9.7	*	85	5.7	52.1	*	5
6	*	21	1.4	4.7	*	119	7.9	42.0	*	43	2.9	15.8	*	90	6.0	51.1	*	62	4.1	13.8	*	128	8.5	60.7	*	6
7	*	27	1.8	6.5	*	107	7.1	49.1	*	90	6.0	21.8	*	95	6.3	57.5	*	72	4.8	18.6	*	128	8.5	69.2	*	7
8	*	39	2.6	9.1	*	131	8.7	57.9	*	93	6.2	28.0	*	140	9.3	66.8	*	85	5.7	24.3	*	106	7.1	76.3	*	8
9	*	39	2.6	11.7	*	82	5.5	63.4	*	95	6.3	34.4	*	116	7.7	74.6	*	83	5.5	29.8	*	151	10.1	86.4	*	9
10	*	51	3.4	15.1	*	88	5.9	69.2	*	86	5.7	40.1	*	86	5.7	80.3	*	88	5.9	35.7	*	79	5.3	91.7	*	10
11	*	63	4.2	19.3	*	131	8.7	78.0	*	96	6.4	46.5	*	124	8.3	88.6	*	89	5.9	41.7	*	61	4.1	95.7	*	11
12	*	84	5.6	24.9	*	94	6.3	84.2	*	115	7.7	54.2	*	79	5.3	93.9	*	76	5.1	46.7	*	30	2.0	97.7	*	12
13	*	115	7.7	32.6	*	62	4.1	88.4	*	118	7.9	62.1	*	38	2.5	96.4	*	182	12.1	58.9	*	19	1.3	99.0	*	13
14	*	150	10.0	42.6	*	33	2.2	90.6	*	133	8.9	71.0	*	30	2.0	98.4	*	140	9.3	68.2	*	12	0.8	99.8	*	14
15	*	204	13.6	56.2	*	67	4.5	95.1	*	133	8.9	79.8	*	11	0.7	99.1	*	128	8.5	76.8	*	2	0.1	99.9	*	15
16	*	115	7.7	63.9	*	42	2.8	97.9	*	104	6.9	86.8	*	9	0.6	99.7	*	82	5.5	82.2	*	1	0.1	100.0	*	16
17	*	153	10.2	74.1	*	20	1.3	99.2	*	52	3.5	90.3	*	3	0.2	99.9	*	114	7.6	89.9	*	0	0.0	100.0	*	17
18	*	146	9.7	83.8	*	12	0.8	100.0	*	58	3.9	94.1	*	0	0.0	99.9	*	49	3.3	93.1	*	0	0.0	100.0	*	18
19	*	141	9.4	93.3	*	0	0.0	100.0	*	52	3.5	97.6	*	0	0.0	99.9	*	44	2.9	96.1	*	0	0.0	100.0	*	19
20	*	70	4.7	97.9	*	0	0.0	100.0	*	23	1.5	99.1	*	1	0.1	100.0	*	26	1.7	97.8	*	0	0.0	100.0	*	20
21	*	27	1.8	99.7	*	0	0.0	100.0	*	13	0.9	100.0	*	0	0.0	100.0	*	16	1.1	98.9	*	0	0.0	100.0	*	21
22	*	3	0.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.9	99.8	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

255

AVERAGE VALUES

FFMC = 72.6      DMC = 18.3      DC = 171.1      ISI = 3.7      ADMC = 44.5      FWI = 6.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1498

MAXIMUM VALUES

FFMC = 95.0      DMC = 78.0      DC = 489.0      ISI = 68.1      ADMC = 104.0      FWI = 58.0

FINAL TOTALS FOR THE PROVINCE OF ALBERTA

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	* 908	0.9	0.9	* 2925	2.9	2.9	* 1494	1.5	1.5	* 4467	4.4	4.4	* 655	0.7	0.7	*17795	17.7	17.7	* 1
2	* 512	0.5	1.4	* 4292	4.3	7.2	* 2146	2.1	3.6	*10504	10.4	14.9	* 1055	1.0	1.7	*12186	12.1	29.8	* 2
3	* 680	0.7	2.1	* 5480	5.4	12.6	* 2949	2.9	6.5	*11564	11.5	26.4	* 541	0.5	2.2	* 5639	5.6	35.4	* 3
4	* 865	0.9	2.9	* 6316	6.3	18.9	* 3154	3.1	9.7	* 8700	8.6	35.0	* 1428	1.4	3.7	* 5403	5.4	40.8	* 4
5	* 1077	1.1	4.0	* 6280	6.2	25.1	* 3326	3.3	13.0	* 6843	6.8	41.8	* 2664	2.6	6.3	* 4912	4.9	45.6	* 5
6	* 1222	1.2	5.2	* 6282	6.2	31.4	* 3297	3.3	16.3	* 5828	5.8	47.6	* 3168	3.1	9.5	* 8821	8.8	54.4	* 6
7	* 1601	1.6	6.8	* 5968	5.9	37.3	* 5958	5.9	22.2	* 5451	5.4	53.0	* 3677	3.7	13.1	* 7439	7.4	61.8	* 7
8	* 2055	2.0	8.9	* 5682	5.6	43.0	* 5912	5.9	28.1	* 5182	9.1	62.1	* 4140	4.1	17.2	* 6808	6.8	68.6	* 8
9	* 2505	2.5	11.4	* 5158	5.1	48.1	* 5566	5.5	33.6	* 7670	7.6	69.8	* 4456	4.4	21.6	*10294	10.2	78.8	* 9
10	* 3045	3.0	14.4	* 4701	4.7	52.7	* 5346	5.3	38.9	* 6210	6.2	75.9	* 4642	4.6	26.3	* 7250	7.2	86.0	* 10
11	* 3751	3.7	18.1	*10327	10.3	63.0	* 5568	5.5	44.4	* 8841	8.8	84.7	* 4554	4.5	30.8	* 4965	4.9	90.9	* 11
12	* 4895	4.9	23.0	* 8136	8.1	71.1	* 5406	5.4	49.8	* 5472	5.4	90.2	* 4312	4.3	35.1	* 3212	3.2	94.1	* 12
13	* 5984	5.9	28.9	* 6589	6.5	77.6	* 5068	5.0	54.8	* 3256	3.2	93.4	*10268	10.2	45.3	* 2110	2.1	96.2	* 13
14	* 7941	7.9	36.8	* 5251	5.2	82.9	* 6309	6.3	61.1	* 3292	3.3	96.7	* 9148	9.1	54.4	* 2501	2.5	98.7	* 14
15	*11895	11.8	48.6	* 7111	7.1	89.9	* 6007	6.0	67.1	* 1587	1.6	98.2	* 7821	7.8	62.1	* 785	0.8	99.5	* 15
16	* 6857	6.8	55.4	* 4369	4.3	94.3	* 5510	5.5	72.6	* 1189	1.2	99.4	* 6874	6.8	69.0	* 276	0.3	99.8	* 16
17	* 8491	8.4	63.9	* 2447	2.4	96.7	* 4910	4.9	77.4	* 288	0.3	99.7	*10540	10.5	79.4	* 107	0.1	99.9	* 17
18	*10131	10.1	73.9	* 1434	1.4	98.1	* 8580	8.5	86.0	* 140	0.1	99.8	* 7648	7.6	87.0	* 64	0.1	99.9	* 18
19	*10595	10.5	84.5	* 1496	1.5	99.6	* 6428	6.4	92.3	* 60	0.1	99.9	* 4915	4.9	91.9	* 30	0.0	100.0	* 19
20	* 9144	9.1	93.6	* 334	0.3	99.9	* 3488	3.5	95.8	* 39	0.0	99.9	* 3091	3.1	95.0	* 13	0.0	100.0	* 20
21	* 5034	5.0	98.6	* 51	0.1	100.0	* 2272	2.3	98.1	* 13	0.0	100.0	* 1960	1.9	96.9	* 20	0.0	100.0	* 21
22	* 1331	1.3	99.9	* 7	0.0	100.0	* 1655	1.6	99.7	* 20	0.0	100.0	* 1198	1.2	98.1	* 4	0.0	100.0	* 22
23	* 117	0.1	100.0	* 0	0.0	100.0	* 285	0.3	100.0	* 13	0.0	100.0	* 1390	1.4	99.5	* 1	0.0	100.0	* 23
24	* 0	0.0	100.0	* 0	0.0	100.0	* 2	0.0	100.0	* 5	0.0	100.0	* 368	0.4	99.9	* 1	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 2	0.0	100.0	* 123	0.1	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 74.2      DMC = 24.7      DC = 198.6      ISI = 4.4      ADCM = 55.4      FWI = 8.9

THE TOTAL NUMBER OF OBSERVATIONS IS 100636

MAXIMUM VALUES

FFMC = 96.0      DMC = 179.0      DC = 710.0      ISI = ~~220.3~~ <sup>1494</sup>      ADCM = 198.0      FWI = ~~199.0~~ <sup>147.0</sup>

\*\*\*TOTALS FOR REGION 30

EASTERN ALBERTA

FFMC					DMC					DC					ISI					ADMC					FWI				
CLASS	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	CLASS	
	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.		
1	*	1	0.1	0.1	*	10	0.5	0.5	*	2	0.1	0.1	*	2	0.1	0.1	*	0	0.0	0.0	*	95	5.1	5.1	*	1			
2	*	1	0.1	0.1	*	39	2.1	2.6	*	23	1.2	1.4	*	81	4.4	4.5	*	3	0.2	0.2	*	163	8.8	13.9	*	2			
3	*	2	0.1	0.2	*	82	4.4	7.1	*	33	1.8	3.1	*	162	8.8	13.2	*	4	0.2	0.4	*	160	8.6	22.6	*	3			
4	*	11	0.6	0.8	*	92	5.0	12.1	*	42	2.3	5.4	*	185	10.0	23.2	*	6	0.3	0.7	*	151	8.2	30.8	*	4			
5	*	9	0.5	1.3	*	112	6.1	18.1	*	54	2.9	8.3	*	179	9.7	32.9	*	23	1.2	1.9	*	133	7.2	37.9	*	5			
6	*	16	0.9	2.2	*	99	5.4	23.5	*	50	2.7	11.0	*	132	7.1	40.1	*	44	2.4	4.3	*	229	12.4	50.3	*	6			
7	*	17	0.9	3.1	*	129	7.0	30.4	*	99	5.4	16.4	*	150	8.1	48.2	*	59	3.2	7.5	*	198	10.7	61.0	*	7			
8	*	41	2.2	5.3	*	160	8.6	39.1	*	91	4.9	21.3	*	249	13.5	61.6	*	53	2.9	10.4	*	201	10.9	71.9	*	8			
9	*	34	1.8	7.1	*	125	6.8	45.8	*	94	5.1	26.4	*	200	10.8	72.4	*	83	4.5	14.9	*	247	13.4	85.2	*	9			
10	*	73	3.9	11.1	*	109	5.9	51.7	*	81	4.4	30.8	*	163	8.8	81.2	*	88	4.8	19.6	*	138	7.5	92.7	*	10			
11	*	102	5.5	16.6	*	235	12.7	64.4	*	105	5.7	36.4	*	172	9.3	90.5	*	73	3.9	23.6	*	65	3.5	96.2	*	11			
12	*	156	8.4	25.0	*	141	7.6	72.1	*	131	7.1	43.5	*	78	4.2	94.8	*	87	4.7	28.3	*	33	1.8	98.0	*	12			
13	*	175	9.5	34.5	*	170	9.2	81.2	*	143	7.7	51.2	*	44	2.4	97.1	*	246	13.3	41.6	*	17	0.9	98.9	*	13			
14	*	248	13.4	47.9	*	140	7.6	89.8	*	155	8.4	59.6	*	36	1.9	99.1	*	238	12.9	54.4	*	17	0.9	99.8	*	14			
15	*	263	14.2	62.1	*	124	6.7	95.5	*	201	10.9	70.5	*	11	0.6	99.7	*	157	8.5	62.9	*	3	0.2	100.0	*	15			
16	*	141	7.6	69.7	*	59	3.2	98.7	*	182	9.8	80.3	*	6	0.3	100.0	*	148	8.0	70.9	*	0	0.0	100.0	*	16			
17	*	138	7.5	77.2	*	16	0.9	99.6	*	114	6.2	86.5	*	0	0.0	100.0	*	230	12.4	83.4	*	0	0.0	100.0	*	17			
18	*	174	9.4	86.6	*	6	0.3	99.9	*	109	5.9	92.4	*	0	0.0	100.0	*	197	10.6	94.0	*	0	0.0	100.0	*	18			
19	*	128	6.9	93.5	*	2	0.1	100.0	*	74	4.0	96.4	*	0	0.0	100.0	*	66	3.6	97.6	*	0	0.0	100.0	*	19			
20	*	83	4.5	98.0	*	0	0.0	100.0	*	49	2.6	99.0	*	0	0.0	100.0	*	24	1.3	98.9	*	0	0.0	100.0	*	20			
21	*	32	1.7	99.7	*	0	0.0	100.0	*	18	1.0	100.0	*	0	0.0	100.0	*	17	0.9	99.8	*	0	0.0	100.0	*	21			
22	*	5	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	99.9	*	0	0.0	100.0	*	22			
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	23			
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24			
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25			

AVERAGE VALUES

FFMC = 73.1      DMC = 23.2      DC = 195.8      ISI = 4.0      ADMC = 53.8      FWI = 8.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1850

MAXIMUM VALUES

FFMC = 94.0      DMC = 81.0      DC = 470.0      ISI = 25.2      ADMC = 105.0      FWI = 46.0

- 257 -

\*\*\*TOTALS FOR REGION 31

WESTERN ALBERTA

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	1	0.1	0.1	*	23	1.3	1.3	*	10	0.6	0.6	*	11	0.6	0.6	*	2	0.1	0.1	*	141	7.8	7.8	*	1
2	*	7	0.4	0.4	*	56	3.1	4.4	*	41	2.3	2.8	*	124	6.8	7.4	*	10	0.6	0.7	*	154	10.7	18.4	*	2
3	*	16	0.9	1.3	*	97	5.3	9.7	*	47	2.6	5.4	*	179	9.9	17.3	*	14	0.8	1.4	*	157	8.6	27.1	*	3
4	*	12	0.7	2.0	*	125	6.9	16.6	*	52	2.9	8.3	*	190	10.5	27.8	*	11	0.6	2.0	*	150	8.3	35.4	*	4
5	*	17	0.9	2.9	*	119	6.6	23.1	*	54	3.0	11.2	*	153	8.4	36.2	*	42	2.3	4.4	*	135	7.4	42.8	*	5
6	*	27	1.5	4.4	*	118	6.5	29.6	*	50	2.8	14.0	*	159	8.8	44.9	*	47	2.6	6.9	*	238	13.1	55.9	*	6
7	*	28	1.5	5.9	*	118	6.5	36.1	*	112	6.2	20.2	*	126	6.9	51.9	*	71	3.9	10.8	*	165	9.1	65.0	*	7
8	*	39	2.1	8.1	*	113	6.2	42.3	*	132	7.3	27.4	*	201	11.1	62.9	*	88	4.8	15.7	*	145	8.0	73.0	*	8
9	*	60	3.3	11.4	*	97	5.3	47.7	*	103	5.7	33.1	*	175	9.6	72.6	*	72	4.0	19.7	*	206	11.3	84.3	*	9
10	*	78	4.3	15.7	*	115	6.3	54.0	*	115	6.3	39.4	*	121	6.7	79.2	*	86	4.7	24.4	*	126	6.9	91.2	*	10
11	*	85	4.7	20.4	*	228	12.6	66.6	*	108	5.9	45.4	*	172	9.5	88.7	*	75	4.1	28.5	*	75	4.1	95.4	*	11
12	*	120	6.6	27.0	*	175	9.6	76.2	*	79	4.4	49.7	*	87	4.8	93.5	*	87	4.8	33.3	*	41	2.3	97.6	*	12
13	*	159	8.8	35.7	*	126	6.6	83.1	*	142	7.8	57.5	*	41	2.3	95.8	*	213	11.7	45.0	*	18	1.0	98.6	*	13
14	*	212	11.7	47.4	*	108	5.9	89.1	*	132	7.3	64.8	*	45	2.5	98.2	*	200	11.0	56.1	*	19	1.0	99.7	*	14
15	*	294	16.2	63.6	*	120	6.6	95.7	*	89	4.9	69.7	*	15	0.8	99.1	*	208	11.5	67.5	*	5	0.3	99.9	*	15
16	*	138	7.6	71.2	*	47	2.6	98.3	*	98	5.4	75.1	*	12	0.7	99.7	*	165	9.1	76.6	*	0	0.0	99.9	*	16
17	*	137	7.5	78.7	*	24	1.3	99.6	*	138	7.6	82.7	*	5	0.3	100.0	*	179	9.9	86.5	*	1	0.1	100.0	*	17
18	*	149	8.2	86.9	*	7	0.4	100.0	*	198	10.9	93.6	*	0	0.0	100.0	*	140	7.7	94.2	*	0	0.0	100.0	*	18
19	*	110	6.1	93.0	*	0	0.0	100.0	*	52	2.9	96.5	*	0	0.0	100.0	*	50	2.8	96.9	*	0	0.0	100.0	*	19
20	*	94	5.2	98.2	*	0	0.0	100.0	*	39	2.1	98.6	*	0	0.0	100.0	*	28	1.5	98.5	*	0	0.0	100.0	*	20
21	*	30	1.7	99.8	*	0	0.0	100.0	*	21	1.2	99.8	*	0	0.0	100.0	*	11	0.6	99.1	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	11	0.6	99.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.6      DMC = 22.0      DC = 186.2      ISI = 4.1      ADMC = 51.1      FWI = 7.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1816

MAXIMUM VALUES

FFMC = 93.0      DMC = 77.0      DC = 505.0      ISI = 38.6      ADMC = 108.0      FWI = 68.0

\*\*\*TOTALS FOR REGION 32

NORTH WESTERN ALBERTA

FFMC					DMC			DC			ISI			ADMC			FWI			CLASS		
CLASS	NO.OF	PCNT.	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CUM.	NO.OF	PCNT.	CLASS	
	OBS.		PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.		PCNT.	OBS.			
1	*	0	0.0	0.0	*	20	1.1	1.1	*	12	0.7	0.7	*	3	0.2	0.2	*	9	0.5	0.5	*	1
2	*	2	0.1	0.1	*	47	2.6	3.7	*	32	1.8	2.4	*	164	9.1	9.2	*	2	0.1	0.6	*	2
3	*	7	0.4	0.5	*	91	5.0	8.7	*	25	1.4	3.8	*	196	10.9	20.1	*	6	0.3	0.9	*	3
4	*	11	0.6	1.1	*	112	6.2	15.0	*	41	2.3	6.1	*	163	9.0	29.1	*	12	0.7	1.6	*	4
5	*	16	0.9	2.0	*	112	6.2	21.2	*	46	2.5	8.6	*	159	8.8	37.9	*	29	1.6	3.2	*	5
6	*	28	1.6	3.5	*	119	6.6	27.7	*	33	1.8	10.5	*	163	9.0	47.0	*	39	2.2	5.4	*	6
7	*	49	2.7	6.3	*	126	7.0	34.7	*	95	5.3	15.7	*	133	7.4	54.3	*	60	3.3	8.7	*	7
8	*	49	2.7	9.0	*	95	5.3	40.0	*	92	5.1	20.8	*	210	11.6	65.9	*	85	4.7	13.4	*	8
9	*	60	3.3	12.3	*	92	5.1	45.1	*	97	5.4	26.2	*	163	9.0	75.0	*	74	4.1	17.5	*	9
10	*	89	4.9	17.2	*	86	4.8	49.8	*	133	7.4	33.6	*	129	7.1	82.1	*	89	4.9	22.4	*	10
11	*	90	5.0	22.2	*	149	8.3	58.1	*	103	5.7	39.3	*	175	9.7	91.8	*	78	4.3	26.7	*	11
12	*	135	7.5	29.7	*	145	8.0	66.1	*	100	5.5	44.8	*	76	4.2	96.0	*	77	4.3	31.0	*	12
13	*	145	8.0	37.7	*	144	8.0	74.1	*	131	7.3	52.0	*	33	1.8	97.8	*	197	10.9	41.9	*	13
14	*	222	12.3	50.0	*	138	7.6	81.7	*	153	8.5	60.5	*	28	1.6	99.4	*	184	10.2	52.1	*	14
15	*	274	15.2	65.2	*	186	10.3	92.0	*	117	6.5	67.0	*	10	0.6	99.9	*	139	7.7	59.8	*	15
16	*	122	6.8	71.9	*	85	4.7	96.7	*	74	4.1	71.1	*	1	0.1	100.0	*	107	5.9	65.7	*	16
17	*	128	7.1	79.0	*	39	2.2	98.9	*	61	3.4	74.5	*	0	0.0	100.0	*	211	11.7	77.4	*	17
18	*	116	6.4	85.4	*	14	0.8	99.7	*	220	12.2	86.7	*	0	0.0	100.0	*	204	11.3	88.7	*	18
19	*	131	7.3	92.7	*	6	0.3	100.0	*	93	5.1	91.8	*	0	0.0	100.0	*	104	5.8	94.5	*	19
20	*	99	5.5	98.2	*	0	0.0	100.0	*	54	3.0	94.8	*	0	0.0	100.0	*	57	3.2	97.6	*	20
21	*	27	1.5	99.7	*	0	0.0	100.0	*	69	3.8	98.6	*	0	0.0	100.0	*	20	1.1	98.7	*	21
22	*	6	0.3	100.0	*	0	0.0	100.0	*	25	1.4	100.0	*	0	0.0	100.0	*	9	0.5	99.2	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.8	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.2      DMC = 25.1      DC = 210.0      ISI = 3.6      ADMC = 56.2      FWI = 7.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1806

MAXIMUM VALUES

FFMC = 93.0      DMC = 88.0      DC = 540.0      ISI = 20.6      ADMC = 124.0      FWI = 36.0

\*\*\*TOTALS FOR REGION 23

NORTH EASTERN ALBERTA

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	3	0.2	0.2	*	1	0.1	0.1	*	3	0.2	0.2	*	0	0.0	0.0	*	125	7.2	7.2	*	1
2	*	0	0.0	0.0	*	20	1.1	1.3	*	19	1.1	1.1	*	134	7.7	7.9	*	0	0.0	0.0	*	184	10.6	17.7	*	2
3	*	3	0.2	0.2	*	79	4.5	5.8	*	30	1.7	2.9	*	183	10.5	18.3	*	1	0.1	0.1	*	149	8.5	26.3	*	3
4	*	7	0.4	0.6	*	121	6.9	12.8	*	38	2.2	5.0	*	187	10.7	29.1	*	0	0.0	0.1	*	168	9.6	35.9	*	4
5	*	8	0.5	1.0	*	124	7.1	19.9	*	43	2.5	7.5	*	162	9.3	38.4	*	15	0.9	0.9	*	111	6.4	42.3	*	5
6	*	22	1.3	2.3	*	129	7.4	27.3	*	48	2.8	10.3	*	150	8.6	47.0	*	27	1.5	2.5	*	224	12.8	55.1	*	6
7	*	35	2.0	4.3	*	105	6.0	33.3	*	85	4.9	15.1	*	137	7.9	54.8	*	58	3.3	5.8	*	164	9.4	64.5	*	7
8	*	38	2.2	6.5	*	100	5.7	39.0	*	72	4.1	19.3	*	185	10.6	65.4	*	73	4.2	10.0	*	135	7.7	72.2	*	8
9	*	65	3.7	10.2	*	99	5.7	44.7	*	68	3.9	23.2	*	166	9.5	74.9	*	84	4.8	14.8	*	186	10.7	82.9	*	9
10	*	101	5.8	16.0	*	83	4.8	49.5	*	46	2.6	25.8	*	121	6.9	81.9	*	85	4.9	19.7	*	138	7.9	90.8	*	10
11	*	129	7.4	23.4	*	179	10.3	59.7	*	55	3.2	29.0	*	153	8.8	90.7	*	86	4.9	24.6	*	76	4.4	95.2	*	11
12	*	124	7.1	30.5	*	168	9.6	69.4	*	49	2.8	31.8	*	84	4.8	95.5	*	82	4.7	29.3	*	42	2.4	97.6	*	12
13	*	138	7.9	38.4	*	159	9.1	78.5	*	82	4.7	36.5	*	40	2.3	97.8	*	220	12.6	41.9	*	26	1.5	99.1	*	13
14	*	211	12.1	50.5	*	103	5.9	84.4	*	158	9.1	45.5	*	31	1.8	99.5	*	172	9.9	51.8	*	15	0.9	99.9	*	14
15	*	238	13.6	64.2	*	121	6.9	91.3	*	163	9.3	54.9	*	7	0.4	99.9	*	155	8.9	60.7	*	1	0.1	100.0	*	15
16	*	126	7.2	71.4	*	61	3.5	94.8	*	209	12.0	66.9	*	1	0.1	100.0	*	117	6.7	67.4	*	0	0.0	100.0	*	16
17	*	129	7.4	78.8	*	36	2.1	96.9	*	158	9.1	75.9	*	0	0.0	100.0	*	235	13.5	80.8	*	0	0.0	100.0	*	17
18	*	123	7.1	85.8	*	28	1.6	98.5	*	262	15.0	90.9	*	0	0.0	100.0	*	160	9.2	90.0	*	0	0.0	100.0	*	18
19	*	115	6.6	92.4	*	25	1.4	99.9	*	103	5.9	96.8	*	0	0.0	100.0	*	77	4.4	94.4	*	0	0.0	100.0	*	19
20	*	91	5.2	97.6	*	1	0.1	100.0	*	38	2.2	99.0	*	0	0.0	100.0	*	35	2.0	96.4	*	0	0.0	100.0	*	20
21	*	35	2.0	99.7	*	0	0.0	100.0	*	17	1.0	100.0	*	0	0.0	100.0	*	13	0.7	97.2	*	0	0.0	100.0	*	21
22	*	4	0.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23	1.3	98.5	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	26	1.5	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.6      DMC = 25.4      DC = 221.0      ISI = 3.6      ADMC = 57.1      FWI = 7.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1744

MAXIMUM VALUES

FFMC = 95.0      DMC = 112.0      DC = 480.0      ISI = 27.4      ADMC = 114.0      FWI = 41.0

\*\*\*TOTALS FOR REGION 34

SOUTH WESTERN ALBERTA

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.								
1	*	2	0.1	0.1	*	6	0.3	0.3	*	13	0.7	0.7	*	0	0.0	0.0	*	3	0.2	0.2	*	64	3.4	3.4	*	1
2	*	1	0.1	0.2	*	19	1.0	1.3	*	45	2.4	3.1	*	76	4.1	4.1	*	2	0.1	0.3	*	112	6.0	9.4	*	2
3	*	2	0.1	0.3	*	55	2.9	4.3	*	48	2.6	5.7	*	113	6.0	10.1	*	2	0.1	0.4	*	115	6.1	15.5	*	3
4	*	10	0.5	0.8	*	56	3.0	7.3	*	50	2.7	8.3	*	119	6.4	16.5	*	7	0.4	0.7	*	103	5.5	21.0	*	4
5	*	13	0.7	1.5	*	107	5.7	13.0	*	55	2.9	11.3	*	121	6.5	22.9	*	31	1.7	2.4	*	116	6.2	27.2	*	5
6	*	17	0.9	2.4	*	109	5.8	18.8	*	53	2.8	14.1	*	106	5.7	28.6	*	28	1.5	3.9	*	183	9.8	37.0	*	6
7	*	36	1.9	4.3	*	116	6.2	25.0	*	118	6.3	20.4	*	109	5.8	34.4	*	39	2.1	6.0	*	198	10.6	47.6	*	7
8	*	37	2.0	6.3	*	107	5.7	30.7	*	104	5.6	26.0	*	211	11.3	45.7	*	40	2.1	8.1	*	199	10.6	58.2	*	8
9	*	50	2.7	9.0	*	115	6.1	36.9	*	82	4.4	30.3	*	199	10.1	55.8	*	57	3.0	11.2	*	281	15.0	73.2	*	9
10	*	70	3.7	12.7	*	96	5.1	42.0	*	89	4.8	35.1	*	158	8.4	64.3	*	78	4.2	15.3	*	196	10.5	83.7	*	10
11	*	88	4.7	17.4	*	273	14.6	56.6	*	90	4.8	39.9	*	236	12.6	76.9	*	89	4.8	20.1	*	149	8.0	91.7	*	11
12	*	100	5.3	22.8	*	235	12.6	69.1	*	99	5.2	45.1	*	174	9.3	86.2	*	76	4.1	24.1	*	74	4.0	95.6	*	12
13	*	123	6.6	29.3	*	201	10.7	79.9	*	111	5.9	51.1	*	102	5.4	91.6	*	224	12.0	36.1	*	38	2.0	97.6	*	13
14	*	199	10.6	40.0	*	152	8.1	88.0	*	100	5.8	56.9	*	82	4.4	96.0	*	194	10.4	46.5	*	34	1.8	99.5	*	14
15	*	270	14.4	54.4	*	121	6.5	94.4	*	181	9.7	66.6	*	33	1.8	97.8	*	196	10.5	56.9	*	8	0.4	99.9	*	15
16	*	148	7.9	62.3	*	65	3.5	97.9	*	124	6.6	73.2	*	30	1.6	99.4	*	158	8.4	65.4	*	2	0.1	100.0	*	16
17	*	157	8.4	70.7	*	32	1.7	99.6	*	101	5.4	78.6	*	8	0.4	99.8	*	297	15.9	81.2	*	0	0.0	100.0	*	17
18	*	187	10.0	80.7	*	7	0.4	100.0	*	258	13.8	92.4	*	3	0.2	99.9	*	214	11.4	92.7	*	0	0.0	100.0	*	18
19	*	142	7.6	88.2	*	0	0.0	100.0	*	132	7.1	99.4	*	1	0.1	100.0	*	87	4.6	97.3	*	0	0.0	100.0	*	19
20	*	146	7.8	96.0	*	0	0.0	100.0	*	11	0.6	100.0	*	0	0.0	100.0	*	34	1.8	99.1	*	0	0.0	100.0	*	20
21	*	65	3.5	99.5	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.7	99.8	*	0	0.0	100.0	*	21
22	*	9	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.4      DMC = 25.2      DC = 194.4      ISI = 5.8      ADMC = 57.0      FWI = 10.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1872

MAXIMUM VALUES

FFMC = 94.0      DMC = 79.0      DC = 409.0      ISI = 53.8      ADMC = 96.0      FWI = 53.0

\*\*\*TOTALS FOR STATION 26C ALGAR LO LONG, 11147 LAT, 5607

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS					
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.					
1	*	24	1.5	1.5	*	85	5.2	5.2	*	36	2.2	2.2	*	108	6.6	6.6	*	25	1.5	1.5	*	395	24.0	24.0	*	1
2	*	12	0.7	2.2	*	98	5.9	11.1	*	75	4.6	6.7	*	210	12.7	19.3	*	35	2.1	3.6	*	218	13.2	37.2	*	2
3	*	17	1.0	3.2	*	113	6.9	18.0	*	87	5.3	12.0	*	211	12.8	32.1	*	10	0.6	4.2	*	102	6.3	43.4	*	3
4	*	25	1.5	4.7	*	123	7.5	25.4	*	72	4.4	16.4	*	148	9.0	41.1	*	37	2.2	6.5	*	81	4.9	48.4	*	4
5	*	22	1.3	6.1	*	138	8.4	33.8	*	54	3.3	19.7	*	94	5.7	46.8	*	60	3.6	10.1	*	71	4.3	52.7	*	5
6	*	33	2.0	8.1	*	119	7.2	41.0	*	62	3.8	23.4	*	95	5.8	52.5	*	81	4.9	15.0	*	158	9.6	62.3	*	6
7	*	34	2.1	10.1	*	114	6.9	47.9	*	122	7.4	30.8	*	95	5.8	58.3	*	89	5.4	20.4	*	110	6.7	68.9	*	7
8	*	30	1.8	12.0	*	108	6.6	54.5	*	126	7.6	38.5	*	134	8.1	66.4	*	80	4.9	25.3	*	115	7.0	75.9	*	8
9	*	35	2.1	14.1	*	91	5.5	60.0	*	103	6.3	44.7	*	115	7.0	73.4	*	85	5.2	30.5	*	123	7.5	83.4	*	9
10	*	62	3.8	17.8	*	60	3.6	63.7	*	76	4.6	49.3	*	93	5.6	79.1	*	95	5.8	36.2	*	100	6.1	89.4	*	10
11	*	69	4.2	22.0	*	137	8.3	72.0	*	90	5.5	54.8	*	126	7.6	86.7	*	105	6.4	42.6	*	80	4.9	94.3	*	11
12	*	83	5.0	27.1	*	92	5.6	77.5	*	108	6.6	61.3	*	83	5.0	91.7	*	70	4.2	46.8	*	43	2.6	96.9	*	12
13	*	116	7.0	34.1	*	74	4.5	82.0	*	74	4.5	65.8	*	55	3.3	95.1	*	191	11.6	58.4	*	27	1.6	98.5	*	13
14	*	131	7.9	42.1	*	69	4.2	86.2	*	116	7.0	72.9	*	59	3.6	98.7	*	146	8.9	67.3	*	23	1.4	99.9	*	14
15	*	186	11.3	53.3	*	109	6.6	92.8	*	127	7.7	80.6	*	17	1.0	99.7	*	107	6.5	73.8	*	1	0.1	100.0	*	15
16	*	101	6.1	59.5	*	71	4.3	97.1	*	118	7.2	87.7	*	4	0.2	99.9	*	77	4.7	78.5	*	0	0.0	100.0	*	16
17	*	125	7.6	67.1	*	30	1.8	99.0	*	89	5.4	93.1	*	1	0.1	100.0	*	115	7.0	85.4	*	0	0.0	100.0	*	17
18	*	166	10.1	77.1	*	13	0.8	99.8	*	73	4.4	97.6	*	0	0.0	100.0	*	101	6.1	91.6	*	0	0.0	100.0	*	18
19	*	169	10.3	87.4	*	4	0.2	100.0	*	19	1.2	98.7	*	0	0.0	100.0	*	72	4.4	95.9	*	0	0.0	100.0	*	19
20	*	138	8.4	95.8	*	0	0.0	100.0	*	8	0.5	99.2	*	0	0.0	100.0	*	27	1.6	97.6	*	0	0.0	100.0	*	20
21	*	49	3.0	98.7	*	0	0.0	100.0	*	13	0.8	100.0	*	0	0.0	100.0	*	17	1.0	98.6	*	0	0.0	100.0	*	21
22	*	19	1.2	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.7	99.3	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	11	0.7	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.7      DMC = 20.4      DC = 151.9      ISI = 3.7      ADMC = 45.7      FWI = 6.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1648

MAXIMUM VALUES

FFMC = 96.0      DMC = 82.0      DC = 493.0      ISI = 33.0      ADMC = 114.0      FWI = 50.0



\*\*\*TOTALS FOR STATION 258 ATHABASCA 2 LONG. 11332 LAT. 5449

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	24	1.3	1.3	*	45	2.7	2.7	*	17	0.9	0.9	*	79	4.4	4.4	*	4	0.2	0.2	*	322	17.9	17.9	*	1
2	*	12	0.7	2.0	*	62	3.4	6.2	*	36	2.0	2.9	*	187	10.4	14.8	*	24	1.3	1.6	*	210	11.6	29.5	*	2
3	*	10	0.6	2.6	*	93	5.2	11.3	*	40	2.2	5.2	*	204	11.3	26.1	*	7	0.4	1.9	*	105	5.8	35.3	*	3
4	*	12	0.7	3.2	*	115	6.4	17.7	*	39	2.2	7.3	*	167	9.3	35.3	*	26	1.4	3.4	*	109	6.0	41.4	*	4
5	*	15	0.8	4.0	*	123	6.8	24.5	*	43	2.4	9.7	*	146	8.1	43.4	*	33	1.8	5.2	*	87	4.8	46.2	*	5
6	*	18	1.0	5.0	*	123	6.8	31.3	*	46	2.6	12.3	*	118	6.5	50.0	*	53	2.9	8.2	*	190	10.5	56.7	*	6
7	*	26	1.4	6.5	*	109	6.0	37.4	*	91	5.0	17.3	*	86	4.8	54.7	*	66	3.7	11.8	*	139	7.7	64.4	*	7
8	*	30	1.7	8.2	*	111	6.2	43.5	*	105	5.8	23.1	*	206	11.4	66.2	*	66	3.7	15.5	*	147	8.2	72.6	*	8
9	*	39	2.2	10.3	*	98	5.4	49.0	*	94	5.2	28.3	*	138	7.7	73.8	*	76	4.2	19.7	*	188	10.4	83.0	*	9
10	*	62	3.4	13.8	*	93	5.2	54.1	*	92	5.1	33.4	*	112	6.2	80.0	*	87	4.8	24.5	*	131	7.3	90.3	*	10
11	*	62	3.4	17.2	*	207	11.5	65.6	*	77	4.3	37.7	*	157	8.7	88.7	*	79	4.4	28.9	*	77	4.3	94.6	*	11
12	*	94	5.2	22.4	*	127	7.0	72.7	*	111	6.2	43.9	*	76	4.2	93.0	*	76	4.2	33.1	*	34	1.9	96.5	*	12
13	*	119	6.6	29.0	*	118	6.5	79.2	*	141	7.8	51.7	*	47	2.6	95.6	*	214	11.9	45.0	*	21	1.2	97.6	*	13
14	*	137	7.6	36.6	*	108	6.0	85.2	*	131	7.3	59.0	*	44	2.4	98.0	*	183	10.1	55.1	*	29	1.6	99.2	*	14
15	*	247	13.7	50.3	*	124	6.9	92.1	*	96	5.3	64.3	*	18	1.0	99.0	*	154	8.5	63.7	*	11	0.6	99.8	*	15
16	*	147	8.2	58.5	*	57	3.2	95.2	*	111	6.2	70.4	*	11	0.6	99.6	*	132	7.3	71.0	*	2	0.1	99.9	*	16
17	*	156	8.7	67.1	*	46	2.6	97.8	*	125	6.9	77.4	*	6	0.3	99.9	*	207	11.5	82.5	*	C	0.0	99.9	*	17
18	*	200	11.1	78.2	*	28	1.6	99.3	*	199	11.0	88.4	*	0	0.0	99.9	*	115	6.4	88.9	*	1	0.1	100.0	*	18
19	*	200	11.1	89.3	*	12	0.7	100.0	*	81	4.5	92.9	*	1	0.1	100.0	*	88	4.9	93.7	*	0	0.0	100.0	*	19
20	*	120	6.7	96.0	*	0	0.0	100.0	*	69	3.8	96.7	*	0	0.0	100.0	*	55	3.1	96.8	*	C	0.0	100.0	*	20
21	*	60	3.3	99.3	*	0	0.0	100.0	*	12	0.7	97.4	*	0	0.0	100.0	*	25	1.4	98.2	*	C	0.0	100.0	*	21
22	*	11	0.6	99.9	*	0	0.0	100.0	*	32	1.8	99.2	*	0	0.0	100.0	*	14	0.8	98.9	*	C	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	15	0.8	100.0	*	0	0.0	100.0	*	15	0.8	99.8	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.9      DMC = 23.5      DC = 208.3      ISI = 3.9      ADMC = 54.0      FWI = 7.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1803

MAXIMUM VALUES

FFMC = 95.0      DMC = 106.0      DC = 636.0      ISI = 52.9      ADMC = 137.0      FWI = 80.0

\*\*\*TOTALS FOR STATION 302 BANFF LONG, 11534 LAT, 5111

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	5	0.3	0.3	*	24	1.3	1.3	*	47	2.6	2.6	*	34	1.9	1.9	*	8	0.4	0.4	*	147	8.2	8.2	*	1
2	*	3	0.2	0.4	*	46	2.6	3.9	*	39	2.2	4.8	*	79	4.4	6.3	*	11	0.6	1.1	*	138	7.7	15.9	*	2
3	*	8	0.4	0.9	*	78	4.3	8.2	*	66	3.7	8.5	*	116	6.5	12.8	*	12	0.7	1.7	*	91	5.1	20.9	*	3
4	*	6	0.3	1.2	*	112	6.2	14.5	*	49	2.7	11.2	*	136	7.6	20.3	*	16	0.9	2.6	*	97	5.4	26.4	*	4
5	*	9	0.5	1.7	*	121	6.7	21.2	*	43	2.4	13.6	*	91	5.1	25.4	*	32	1.8	4.4	*	79	4.4	30.8	*	5
6	*	5	0.3	2.0	*	106	5.9	27.1	*	36	2.0	15.6	*	101	5.6	31.0	*	40	2.2	6.6	*	158	8.8	39.6	*	6
7	*	19	1.1	3.1	*	104	5.8	32.9	*	78	4.3	19.9	*	89	5.0	36.0	*	59	3.3	9.9	*	114	6.4	45.9	*	7
8	*	27	1.5	4.6	*	92	5.1	38.1	*	80	4.5	24.4	*	134	7.5	43.5	*	69	3.8	13.8	*	126	7.0	52.9	*	8
9	*	25	1.4	6.0	*	97	5.4	43.5	*	68	3.8	28.2	*	141	7.9	51.3	*	90	5.0	18.8	*	197	11.0	63.9	*	9
10	*	48	2.7	8.6	*	100	5.6	49.0	*	47	2.6	30.8	*	110	6.1	57.4	*	68	3.8	22.6	*	138	7.7	71.6	*	10
11	*	57	3.2	11.8	*	224	12.5	61.5	*	69	3.8	34.7	*	185	10.3	67.7	*	60	3.3	25.9	*	128	7.1	78.7	*	11
12	*	92	5.1	16.9	*	179	10.0	71.5	*	96	5.3	40.0	*	132	7.4	75.1	*	76	4.2	30.1	*	98	5.5	84.2	*	12
13	*	120	6.7	23.6	*	132	7.4	78.8	*	94	5.2	45.2	*	85	4.7	79.8	*	158	8.8	38.9	*	74	4.1	88.3	*	13
14	*	140	7.8	31.4	*	99	5.5	84.3	*	103	5.7	51.0	*	118	6.6	86.4	*	167	9.3	48.2	*	115	6.4	94.7	*	14
15	*	224	12.5	43.9	*	124	6.9	91.3	*	76	4.2	55.2	*	76	4.2	90.6	*	162	9.0	57.3	*	41	2.3	97.0	*	15
16	*	114	6.4	50.3	*	79	4.4	95.7	*	65	3.6	58.8	*	85	4.7	95.4	*	154	8.6	65.8	*	27	1.5	98.5	*	16
17	*	161	9.0	59.2	*	37	2.1	97.7	*	77	4.3	63.1	*	38	2.1	97.5	*	222	12.4	78.2	*	8	0.4	98.9	*	17
18	*	173	9.6	68.9	*	22	1.2	98.9	*	184	10.3	73.4	*	24	1.3	98.8	*	134	7.5	85.7	*	13	0.7	99.7	*	18
19	*	217	12.1	80.9	*	16	0.9	99.8	*	270	15.0	88.4	*	4	0.2	99.1	*	119	6.6	92.3	*	0	0.0	99.7	*	19
20	*	184	10.3	91.2	*	3	0.2	100.0	*	139	7.7	96.2	*	8	0.4	99.5	*	57	3.2	95.5	*	1	0.1	99.7	*	20
21	*	129	7.2	98.4	*	0	0.0	100.0	*	58	3.2	99.4	*	1	0.1	99.6	*	36	2.0	97.5	*	5	0.3	100.0	*	21
22	*	29	1.6	100.0	*	0	0.0	100.0	*	11	0.6	100.0	*	5	0.3	99.8	*	22	1.2	98.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	99.9	*	19	1.1	99.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.5      DMC = 24.8      DC = 229.2      ISI = 8.6      ADMC = 58.1      FWI = 14.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1795

MAXIMUM VALUES

FFMC = 94.0      DMC = 117.0      DC = 544.0      ISI = 149.9      ADMC = 137.0      FWI = 115.0

\*\*\*TOTALS FOR STATION 279 BATTLE RIVER LO LONG. 11739 LAT. 5729

FFMC				DMC				DC				ISI				ADMC				FWI						
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS					
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.						
1	*	15	0.8	0.8	*	55	3.0	3.0	*	25	1.4	1.4	*	69	3.8	3.8	*	6	0.3	0.3	*	338	18.4	18.4	*	1
2	*	7	0.4	1.2	*	74	4.0	7.0	*	39	2.1	3.5	*	213	11.6	15.4	*	16	0.9	1.2	*	235	12.8	31.3	*	2
3	*	10	0.5	1.7	*	99	5.4	12.4	*	66	3.6	7.1	*	229	12.5	27.9	*	7	0.4	1.6	*	105	5.7	37.0	*	3
4	*	19	1.0	2.8	*	110	6.0	18.4	*	72	3.9	11.0	*	204	11.1	39.0	*	32	1.7	3.3	*	116	6.3	43.3	*	4
5	*	12	0.7	3.4	*	100	5.5	23.9	*	72	3.9	15.0	*	128	7.0	46.0	*	47	2.6	5.9	*	113	6.2	49.5	*	5
6	*	22	1.2	4.6	*	120	6.6	30.5	*	60	3.3	18.2	*	113	6.2	52.2	*	75	4.1	10.0	*	185	10.1	59.6	*	6
7	*	27	1.5	6.1	*	106	5.8	36.2	*	114	6.2	24.5	*	109	5.9	58.1	*	94	5.1	15.1	*	150	8.2	67.8	*	7
8	*	30	1.6	7.8	*	89	4.9	41.1	*	117	6.4	30.8	*	197	10.8	68.9	*	56	3.1	18.2	*	113	6.2	74.0	*	8
9	*	47	2.6	10.3	*	96	5.2	46.3	*	91	5.0	35.8	*	136	7.4	76.3	*	82	4.5	22.7	*	188	10.3	84.2	*	9
10	*	61	3.3	13.6	*	85	4.6	51.0	*	106	5.8	41.6	*	98	5.3	81.7	*	88	4.8	27.5	*	103	5.6	89.8	*	10
11	*	78	4.3	17.9	*	203	11.1	62.1	*	100	5.5	47.1	*	146	8.0	89.6	*	78	4.3	31.7	*	72	3.9	93.8	*	11
12	*	84	4.6	22.5	*	168	9.2	71.2	*	106	5.8	52.8	*	86	4.7	94.3	*	56	3.1	34.8	*	44	2.4	96.2	*	12
13	*	143	7.8	30.3	*	120	6.6	77.8	*	100	5.5	58.3	*	34	1.9	96.2	*	169	9.2	44.0	*	28	1.5	97.7	*	13
14	*	157	8.6	38.9	*	108	5.9	83.7	*	104	5.7	64.0	*	44	2.4	98.6	*	135	7.4	51.4	*	30	1.6	99.3	*	14
15	*	239	13.0	51.9	*	143	7.8	91.5	*	86	4.7	68.7	*	17	0.9	99.5	*	143	7.8	59.2	*	11	0.6	99.9	*	15
16	*	125	6.8	58.7	*	81	4.4	95.9	*	73	4.0	72.7	*	9	0.5	100.0	*	147	8.0	67.2	*	1	0.1	100.0	*	16
17	*	180	9.8	68.6	*	36	2.0	97.9	*	71	3.9	76.5	*	0	0.0	100.0	*	237	12.9	80.1	*	0	0.0	100.0	*	17
18	*	221	12.1	80.6	*	16	0.9	98.7	*	127	6.9	83.5	*	0	0.0	100.0	*	166	9.1	89.2	*	0	0.0	100.0	*	18
19	*	137	7.5	88.1	*	18	1.0	99.7	*	88	4.8	88.3	*	0	0.0	100.0	*	84	4.6	93.8	*	0	0.0	100.0	*	19
20	*	142	7.8	95.9	*	5	0.3	100.0	*	39	2.1	90.4	*	0	0.0	100.0	*	34	1.9	95.6	*	0	0.0	100.0	*	20
21	*	68	3.7	99.6	*	0	0.0	100.0	*	49	2.7	93.1	*	0	0.0	100.0	*	24	1.3	96.9	*	0	0.0	100.0	*	21
22	*	8	0.4	100.0	*	0	0.0	100.0	*	102	5.6	98.6	*	0	0.0	100.0	*	19	1.0	98.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	25	1.4	100.0	*	0	0.0	100.0	*	18	1.0	99.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.8	99.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.8      DMC = 24.3      DC = 204.1      ISI = 3.5      ADMC = 55.5      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1832

MAXIMUM VALUES

FFMC = 93.0      DMC = 121.0      DC = 643.0      ISI = 26.7      ADMC = 165.0      FWI = 54.0

\*\*\*TOTALS FOR STATION 291 BIRCH MTN, LO LONG, 11151 LAT, 5743

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	21	1.3	1.3	*	41	2.5	2.5	*	15	0.9	0.9	*	94	5.6	5.6	*	5	0.3	0.3	*	331	19.9	19.9	*	1
2	*	10	0.6	1.9	*	80	4.8	7.3	*	40	2.4	3.3	*	184	11.1	16.7	*	14	0.8	1.1	*	229	13.8	33.7	*	2
3	*	15	0.9	2.8	*	113	6.8	14.1	*	49	2.9	6.2	*	218	13.1	29.8	*	4	0.2	1.4	*	105	6.3	40.0	*	3
4	*	18	1.1	3.8	*	129	7.8	21.8	*	58	3.5	9.7	*	153	9.2	39.0	*	26	1.6	2.9	*	94	5.6	45.6	*	4
5	*	26	1.6	5.4	*	125	7.5	29.3	*	54	3.2	13.0	*	112	6.7	45.7	*	51	3.1	6.0	*	89	5.3	51.0	*	5
6	*	30	1.8	7.2	*	119	7.2	36.5	*	47	2.8	15.8	*	105	6.3	52.0	*	60	3.6	9.6	*	159	9.6	60.5	*	6
7	*	28	1.7	8.9	*	121	7.3	43.7	*	81	4.9	20.7	*	96	5.8	57.8	*	78	4.7	14.3	*	106	6.4	66.9	*	7
8	*	23	1.4	10.3	*	97	5.8	49.6	*	108	6.5	27.2	*	132	7.9	65.7	*	82	4.9	19.2	*	110	6.6	73.5	*	8
9	*	41	2.5	12.7	*	91	5.5	55.0	*	80	4.8	32.0	*	124	7.5	73.2	*	95	5.7	24.9	*	145	8.7	82.2	*	9
10	*	49	2.9	15.7	*	60	3.6	58.7	*	91	5.5	37.4	*	98	5.9	79.1	*	83	5.0	29.9	*	104	6.3	88.5	*	10
11	*	68	4.1	19.8	*	169	10.2	68.8	*	118	7.1	44.5	*	129	7.8	86.8	*	98	5.9	35.8	*	75	4.5	93.0	*	11
12	*	80	4.8	24.6	*	117	7.0	75.8	*	120	7.2	51.7	*	83	5.0	91.8	*	71	4.3	40.1	*	50	3.0	96.0	*	12
13	*	119	7.2	31.7	*	89	5.3	81.2	*	91	5.5	57.2	*	58	3.5	95.3	*	174	10.5	50.5	*	32	1.9	97.9	*	13
14	*	143	8.6	40.3	*	72	4.3	85.5	*	150	9.0	66.2	*	56	3.4	98.7	*	159	9.6	60.1	*	33	2.0	99.9	*	14
15	*	200	12.0	52.3	*	97	5.8	91.3	*	120	7.2	73.4	*	18	1.1	99.8	*	121	7.3	67.4	*	2	0.1	100.0	*	15
16	*	114	6.9	59.2	*	68	4.1	95.4	*	125	7.5	80.9	*	3	0.2	99.9	*	105	6.3	73.7	*	0	0.0	100.0	*	16
17	*	128	7.7	66.9	*	35	2.1	97.5	*	112	6.7	87.7	*	1	0.1	100.0	*	156	9.4	83.1	*	0	0.0	100.0	*	17
18	*	171	10.3	77.2	*	20	1.2	98.7	*	105	6.3	94.0	*	0	0.0	100.0	*	118	7.1	90.1	*	0	0.0	100.0	*	18
19	*	168	10.1	87.3	*	19	1.1	99.9	*	58	3.5	97.5	*	0	0.0	100.0	*	63	3.8	93.9	*	0	0.0	100.0	*	19
20	*	137	8.2	95.5	*	2	0.1	100.0	*	29	1.7	99.2	*	0	0.0	100.0	*	41	2.5	96.4	*	0	0.0	100.0	*	20
21	*	52	3.1	98.6	*	0	0.0	100.0	*	13	0.8	100.0	*	0	0.0	100.0	*	26	1.6	98.0	*	0	0.0	100.0	*	21
22	*	21	1.3	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	1.0	98.9	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	1.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.7      DMC = 22.4      DC = 179.9      ISI = 3.7      ADMC = 51.1      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1664

MAXIMUM VALUES

FFMC = 96.0      DMC = 116.0      DC = 493.0      ISI = 33.0      ADMC = 121.0      FWI = 50.0

\*\*\*TOTALS FOR STATION 285 BUFFALO LO

LONG. 11613 LAT, 5757

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	11	0.7	0.7	*	50	3.4	3.4	*	14	0.9	0.9	*	71	4.8	4.8	*	10	0.7	0.7	*	309	20.8	20.8	*	1
2	*	8	0.5	1.3	*	70	4.7	8.1	*	28	1.9	2.8	*	185	12.4	17.2	*	14	0.9	1.6	*	228	15.3	36.1	*	2
3	*	10	0.7	2.0	*	99	6.7	14.7	*	39	2.6	5.5	*	215	14.5	31.7	*	4	0.3	1.9	*	86	5.8	41.9	*	3
4	*	16	1.1	3.0	*	106	7.1	21.9	*	44	3.0	8.4	*	138	9.3	41.0	*	31	2.1	4.0	*	87	5.9	47.8	*	4
5	*	18	1.2	4.2	*	96	6.5	28.3	*	59	4.0	12.4	*	123	8.3	49.3	*	46	3.1	7.1	*	77	5.2	53.0	*	5
6	*	27	1.8	6.1	*	126	8.5	36.8	*	60	4.0	16.4	*	84	5.7	54.9	*	56	3.8	10.8	*	133	9.0	61.9	*	6
7	*	23	1.5	7.6	*	92	6.2	43.0	*	92	6.2	22.6	*	87	5.9	60.8	*	63	4.2	15.1	*	96	6.5	68.4	*	7
8	*	40	2.7	10.3	*	65	4.4	47.4	*	86	5.8	28.4	*	129	8.7	69.4	*	75	5.0	20.1	*	74	5.0	73.4	*	8
9	*	28	1.9	12.2	*	60	4.0	51.4	*	85	5.7	34.1	*	124	8.3	77.8	*	66	4.4	24.6	*	137	9.2	82.6	*	9
10	*	58	3.9	16.1	*	58	3.9	55.3	*	89	6.0	40.1	*	89	6.0	83.8	*	68	4.6	29.1	*	99	6.7	89.2	*	10
11	*	78	5.2	21.3	*	111	7.5	62.8	*	65	4.4	44.5	*	105	7.1	90.8	*	72	4.8	34.0	*	60	4.0	93.3	*	11
12	*	80	5.4	26.7	*	99	6.7	69.4	*	55	3.7	48.2	*	63	4.2	95.1	*	72	4.8	38.8	*	47	3.2	96.4	*	12
13	*	91	6.1	32.8	*	69	4.6	74.1	*	77	5.2	53.4	*	39	2.6	97.7	*	168	11.3	50.1	*	30	2.0	98.5	*	13
14	*	138	9.3	42.1	*	79	5.3	79.4	*	105	7.1	60.4	*	27	1.8	99.5	*	104	7.0	57.1	*	18	1.2	99.7	*	14
15	*	185	12.4	54.6	*	96	6.5	85.9	*	82	5.5	65.9	*	4	0.3	99.8	*	89	6.0	63.1	*	5	0.3	100.0	*	15
16	*	103	6.9	61.5	*	80	5.4	91.3	*	98	6.6	72.5	*	3	0.2	100.0	*	88	5.9	69.0	*	0	0.0	100.0	*	16
17	*	112	7.5	69.0	*	45	3.0	94.3	*	92	6.2	78.7	*	0	0.0	100.0	*	114	7.7	76.7	*	0	0.0	100.0	*	17
18	*	145	9.8	78.8	*	37	2.5	96.8	*	109	7.3	86.1	*	0	0.0	100.0	*	94	6.3	83.0	*	0	0.0	100.0	*	18
19	*	127	8.5	87.3	*	30	2.0	98.8	*	122	8.2	94.3	*	0	0.0	100.0	*	80	5.4	88.4	*	0	0.0	100.0	*	19
20	*	115	7.7	95.1	*	14	0.9	99.7	*	58	3.9	98.2	*	0	0.0	100.0	*	60	4.0	92.5	*	0	0.0	100.0	*	20
21	*	62	4.2	99.3	*	4	0.3	100.0	*	13	0.9	99.1	*	0	0.0	100.0	*	43	2.9	95.4	*	0	0.0	100.0	*	21
22	*	10	0.7	99.9	*	0	0.0	100.0	*	14	0.9	100.0	*	0	0.0	100.0	*	26	1.7	97.1	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	31	2.1	99.2	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.7	99.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.5      DMC = 26.0      DC = 196.0      ISI = 3.2      ADMC = 56.3      FWI = 7.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1486

MAXIMUM VALUES

FFMC = 95.0      DMC = 157.0      DC = 577.0      ISI = 23.0      ADMC = 156.0      FWI = 49.0

\*\*\*TOTALS FOR STATION 301 CALGARY A LONG. 11401 LAT. 5106

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	5	0.3	0.3	*	18	0.9	0.9	*	15	0.8	0.8	*	65	3.4	3.4	*	1	0.1	0.1	*	220	11.6	11.6	*	1
2	*	8	0.4	0.7	*	32	1.7	2.6	*	33	1.7	2.5	*	130	6.8	10.2	*	11	0.6	0.6	*	140	7.4	18.9	*	2
3	*	7	0.4	1.1	*	47	2.5	5.1	*	76	4.0	6.5	*	156	8.2	18.4	*	7	0.4	1.0	*	76	4.0	22.9	*	3
4	*	16	0.8	1.9	*	70	3.7	8.8	*	79	4.2	10.7	*	106	5.6	24.0	*	5	0.3	1.3	*	76	4.0	26.9	*	4
5	*	21	1.1	3.0	*	65	3.4	12.2	*	76	4.0	14.7	*	96	5.0	29.1	*	25	1.3	2.6	*	66	3.5	30.4	*	5
6	*	22	1.2	4.2	*	72	3.8	16.0	*	61	3.2	17.9	*	80	4.2	33.3	*	46	2.4	5.0	*	105	5.5	35.9	*	6
7	*	26	1.4	5.5	*	84	4.4	20.4	*	120	6.3	24.2	*	67	3.5	36.8	*	48	2.5	7.5	*	123	6.5	42.4	*	7
8	*	24	1.3	6.8	*	89	4.7	25.1	*	123	6.5	30.6	*	152	8.0	44.8	*	47	2.5	10.0	*	117	6.1	48.5	*	8
9	*	37	1.9	8.7	*	70	3.7	28.7	*	98	5.1	35.8	*	127	6.7	51.4	*	63	3.3	13.3	*	223	11.7	60.2	*	9
10	*	40	2.1	10.8	*	84	4.4	33.2	*	93	4.9	40.7	*	133	7.0	58.4	*	51	2.7	16.0	*	150	10.0	70.2	*	10
11	*	63	3.3	14.1	*	198	10.4	43.6	*	101	5.3	46.0	*	239	12.6	71.0	*	50	2.6	18.6	*	170	8.9	79.1	*	11
12	*	74	3.9	18.0	*	157	8.3	51.8	*	90	4.7	50.7	*	166	8.7	79.7	*	56	2.9	21.5	*	132	6.9	86.1	*	12
13	*	69	3.6	21.6	*	163	8.6	60.4	*	66	3.5	54.2	*	120	6.3	86.0	*	135	7.1	28.6	*	83	4.4	90.4	*	13
14	*	81	4.3	25.9	*	144	7.6	67.9	*	86	4.5	58.7	*	126	6.6	92.6	*	131	6.9	35.5	*	105	5.5	96.0	*	14
15	*	150	7.9	33.8	*	231	12.1	80.1	*	68	3.6	62.3	*	56	2.9	95.6	*	152	8.0	43.5	*	54	2.8	98.8	*	15
16	*	87	4.6	38.4	*	157	8.3	88.3	*	92	4.8	67.1	*	54	2.8	98.4	*	150	7.9	51.4	*	11	0.6	99.4	*	16
17	*	133	7.0	45.3	*	100	5.3	93.6	*	89	4.7	71.8	*	21	1.1	99.5	*	248	13.0	64.4	*	6	0.3	99.7	*	17
18	*	151	7.9	53.3	*	42	2.2	95.8	*	199	10.5	82.2	*	5	0.3	99.8	*	205	10.8	75.2	*	2	0.1	99.8	*	18
19	*	225	11.8	65.1	*	78	4.1	99.9	*	159	8.4	90.6	*	1	0.1	99.8	*	138	7.3	82.4	*	2	0.1	99.9	*	19
20	*	323	17.0	82.1	*	2	0.1	100.0	*	105	5.5	96.1	*	1	0.1	99.9	*	122	6.4	88.9	*	1	0.1	99.9	*	20
21	*	251	13.2	95.3	*	0	0.0	100.0	*	67	3.5	99.6	*	0	0.0	99.9	*	84	4.4	93.3	*	1	0.1	100.0	*	21
22	*	83	4.4	99.6	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	99.9	*	67	3.5	96.8	*	0	0.0	100.0	*	22
23	*	7	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	61	3.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 78.8      DMC = 33.7      DC = 202.6      ISI = 6.7      ADMC = 70.5      FWI = 13.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1903

MAXIMUM VALUES

FFMC = 95.0      DMC = 113.0      DC = 513.0      ISI = 122.6      ADMC = 125.0      FWI = 116.0

\*\*\*TOTALS FOR STATION 252 CAMPSIE LONG, 11441 LAT, 5408

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	18	1.0	1.0	*	15	0.8	0.8	*	14	0.8	0.8	*	54	2.9	2.9	*	6	0.3	0.3	*	233	12.6	12.6	*	1
2	*	6	0.3	1.3	*	52	2.8	3.6	*	18	1.0	1.7	*	140	7.6	10.5	*	3	0.2	0.5	*	215	11.6	24.2	*	2
3	*	5	0.3	1.6	*	69	3.7	7.4	*	32	1.7	3.5	*	209	11.3	21.8	*	4	0.2	0.7	*	100	5.4	29.6	*	3
4	*	11	0.6	2.2	*	94	5.1	12.4	*	31	1.7	5.1	*	168	9.1	30.9	*	9	0.5	1.2	*	57	5.2	34.9	*	4
5	*	10	0.5	2.7	*	110	5.9	18.4	*	38	2.1	7.2	*	126	6.8	37.7	*	32	1.7	2.9	*	88	4.8	39.6	*	5
6	*	16	0.9	3.6	*	93	5.0	23.4	*	41	2.2	9.4	*	112	6.1	43.8	*	29	1.6	4.5	*	151	8.2	47.8	*	6
7	*	20	1.1	4.7	*	99	5.4	28.8	*	74	4.0	13.4	*	78	4.2	48.0	*	42	2.3	6.8	*	161	8.7	56.5	*	7
8	*	27	1.5	6.1	*	96	5.2	34.0	*	105	5.7	19.1	*	206	11.1	59.1	*	55	3.0	9.7	*	146	7.9	64.4	*	8
9	*	34	1.8	8.0	*	107	5.8	39.8	*	110	5.9	25.0	*	148	8.0	67.1	*	77	4.2	13.9	*	236	12.8	77.2	*	9
10	*	43	2.3	10.3	*	96	5.2	44.9	*	94	5.1	30.1	*	145	7.8	75.0	*	66	3.6	17.5	*	165	8.9	86.1	*	10
11	*	80	4.3	14.6	*	210	11.4	56.3	*	101	5.5	35.6	*	200	10.8	85.8	*	79	4.3	21.7	*	101	5.5	91.6	*	11
12	*	78	4.2	18.8	*	176	9.5	65.8	*	135	7.3	42.9	*	110	5.9	91.7	*	77	4.2	25.9	*	55	3.0	94.5	*	12
13	*	99	5.4	24.2	*	189	10.2	76.0	*	140	7.6	50.5	*	43	2.3	94.1	*	184	10.0	35.9	*	44	2.4	96.9	*	13
14	*	150	8.1	32.3	*	140	7.6	83.6	*	121	6.5	57.0	*	58	3.1	97.2	*	168	9.1	44.9	*	38	2.1	99.0	*	14
15	*	208	11.2	43.5	*	136	7.4	91.0	*	86	4.7	61.7	*	35	1.9	99.1	*	182	9.8	54.8	*	12	0.6	99.6	*	15
16	*	122	6.6	50.1	*	83	4.5	95.5	*	102	5.5	67.2	*	12	0.6	99.7	*	154	8.3	63.1	*	6	0.3	99.9	*	16
17	*	160	8.7	58.8	*	38	2.1	97.5	*	92	5.0	72.1	*	4	0.2	99.9	*	236	12.8	75.9	*	1	0.1	100.0	*	17
18	*	212	11.5	70.3	*	23	1.2	98.8	*	215	11.6	83.8	*	1	0.1	100.0	*	205	11.1	87.0	*	0	0.0	100.0	*	18
19	*	211	11.4	81.7	*	22	1.2	99.9	*	171	9.2	93.0	*	0	0.0	100.0	*	110	5.9	92.9	*	0	0.0	100.0	*	19
20	*	205	11.1	92.8	*	1	0.1	100.0	*	61	3.3	96.3	*	0	0.0	100.0	*	64	3.5	96.4	*	0	0.0	100.0	*	20
21	*	97	5.2	98.0	*	0	0.0	100.0	*	29	1.6	97.9	*	0	0.0	100.0	*	33	1.8	98.2	*	0	0.0	100.0	*	21
22	*	35	1.9	99.9	*	0	0.0	100.0	*	34	1.8	99.7	*	0	0.0	100.0	*	14	0.8	98.9	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	15	0.8	99.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

269

AVERAGE VALUES

FFMC = 76.5      DMC = 26.2      DC = 218.7      ISI = 4.4      ADMC = 60.0      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1849

MAXIMUM VALUES

FFMC = 95.0      DMC = 113.0      DC = 631.0      ISI = 41.2      ADMC = 141.0      FWI = 62.0

\*\*\*TOTALS FOR STATION 277 CLEAR HILLS LO LONG. 11925 LAT. 5636

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	24	1.3	1.3	*	51	2.8	2.8	*	21	1.1	1.1	*	85	4.6	4.6	*	9	0.5	0.5	*	324	17.6	17.6	*	1
2	*	8	0.4	1.7	*	105	5.7	8.5	*	35	1.9	3.0	*	186	10.1	14.7	*	17	0.9	1.4	*	238	12.9	30.6	*	2
3	*	12	0.7	2.4	*	107	5.8	14.3	*	62	3.4	6.4	*	210	11.4	26.2	*	6	0.3	1.7	*	84	4.6	35.1	*	3
4	*	18	1.0	3.4	*	118	6.4	20.7	*	55	3.0	9.4	*	161	8.8	34.9	*	28	1.5	3.3	*	110	6.0	41.1	*	4
5	*	18	1.0	4.4	*	106	5.8	26.5	*	55	3.0	12.4	*	118	6.4	41.3	*	61	3.3	6.6	*	99	5.4	46.5	*	5
6	*	16	0.9	5.2	*	125	6.8	33.3	*	55	3.0	15.4	*	110	6.0	47.3	*	86	4.7	11.3	*	168	9.1	55.6	*	6
7	*	29	1.6	6.8	*	126	6.9	40.1	*	103	5.6	21.0	*	104	5.7	53.0	*	74	4.0	15.3	*	148	8.0	63.7	*	7
8	*	34	1.8	8.6	*	106	5.8	45.9	*	103	5.6	26.6	*	166	9.0	62.0	*	69	3.8	19.0	*	133	7.2	70.9	*	8
9	*	48	2.6	11.3	*	103	5.6	51.5	*	98	5.3	31.9	*	130	7.1	69.1	*	85	4.6	23.7	*	152	10.4	81.3	*	9
10	*	54	2.9	14.2	*	111	6.0	57.5	*	90	4.9	36.8	*	110	6.0	75.0	*	75	4.1	27.7	*	111	6.0	87.4	*	10
11	*	72	3.9	18.1	*	191	10.4	67.9	*	99	5.4	42.2	*	185	10.1	85.1	*	71	3.9	31.6	*	95	5.2	92.6	*	11
12	*	96	5.2	23.3	*	152	8.3	76.2	*	105	5.7	47.9	*	79	4.3	89.4	*	85	4.6	36.2	*	50	2.7	95.3	*	12
13	*	122	6.6	30.0	*	123	6.7	82.9	*	93	5.1	53.0	*	81	4.4	93.8	*	206	11.2	47.4	*	37	2.0	97.3	*	13
14	*	152	8.3	38.2	*	95	4.6	87.5	*	109	5.9	58.9	*	56	3.0	96.8	*	195	10.6	58.0	*	37	2.0	99.3	*	14
15	*	241	13.1	51.3	*	126	6.9	94.3	*	72	3.9	62.8	*	32	1.7	98.6	*	154	8.4	66.4	*	10	0.5	99.8	*	15
16	*	131	7.1	58.5	*	57	3.1	97.4	*	86	4.7	67.5	*	20	1.1	99.7	*	124	6.7	73.1	*	2	0.1	99.9	*	16
17	*	152	8.3	66.7	*	26	1.4	98.9	*	106	5.8	73.2	*	6	0.3	100.0	*	204	11.1	84.2	*	1	0.1	100.0	*	17
18	*	207	11.3	78.0	*	12	0.7	99.5	*	221	12.0	85.3	*	0	0.0	100.0	*	139	7.6	91.8	*	0	0.0	100.0	*	18
19	*	160	8.7	86.7	*	9	0.5	100.0	*	136	7.4	92.7	*	0	0.0	100.0	*	70	3.8	95.6	*	0	0.0	100.0	*	19
20	*	153	8.3	95.0	*	0	0.0	100.0	*	102	5.5	98.2	*	0	0.0	100.0	*	32	1.7	97.3	*	0	0.0	100.0	*	20
21	*	81	4.4	99.4	*	0	0.0	100.0	*	29	1.6	99.8	*	0	0.0	100.0	*	26	1.4	98.7	*	0	0.0	100.0	*	21
22	*	11	0.6	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	10	0.5	99.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.7	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.6 DMC = 21.7 DC = 203.3 ISI = 4.3 ADMC = 51.1 FWI = 8.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1839

MAXIMUM VALUES

FFMC = 94.0 DMC = 92.0 DC = 510.0 ISI = 36.9 ADMC = 124.0 FWI = 61.0



\*\*\*TOTALS FOR STATION 253 GOLD LAKE A LONG. 11017 LAT. 5425

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	8	0.4	0.4	*	27	1.5	1.5	*	17	0.9	0.9	*	55	3.0	3.0	*	6	0.3	0.3	*	255	14.1	14.1	*	1
2	*	2	0.1	0.6	*	36	2.0	3.5	*	25	1.4	2.3	*	168	9.3	12.3	*	9	0.5	0.8	*	208	11.5	25.6	*	2
3	*	8	0.4	1.0	*	80	4.4	7.9	*	38	2.1	4.4	*	178	9.8	22.2	*	4	0.2	1.1	*	111	6.1	31.7	*	3
4	*	10	0.6	1.5	*	111	6.1	14.0	*	51	2.8	7.2	*	169	9.3	31.5	*	16	0.9	1.9	*	91	5.0	36.8	*	4
5	*	14	0.8	2.3	*	115	6.4	20.4	*	67	3.7	11.0	*	125	6.9	38.4	*	23	1.3	3.2	*	95	5.3	42.0	*	5
6	*	23	1.3	3.6	*	130	7.2	27.6	*	59	3.3	14.2	*	102	5.6	44.1	*	36	2.0	5.2	*	147	8.1	50.2	*	6
7	*	27	1.5	5.1	*	90	5.0	32.6	*	129	7.1	21.3	*	75	4.1	48.2	*	65	3.6	8.8	*	145	8.0	58.2	*	7
8	*	30	1.7	6.7	*	111	6.1	38.7	*	110	6.1	27.4	*	190	10.5	58.7	*	73	4.0	12.8	*	115	6.4	64.5	*	8
9	*	46	2.5	9.3	*	103	5.7	44.4	*	115	6.4	33.8	*	134	7.4	66.2	*	68	3.8	16.6	*	225	12.4	77.0	*	9
10	*	59	3.3	12.6	*	87	4.8	49.2	*	106	5.9	39.7	*	144	8.0	74.1	*	92	5.1	21.7	*	138	7.6	84.6	*	10
11	*	53	2.9	15.5	*	189	10.5	59.7	*	117	6.5	46.1	*	182	10.1	84.2	*	93	5.1	26.8	*	102	5.6	90.3	*	11
12	*	68	3.8	19.2	*	159	8.8	68.5	*	87	4.8	50.9	*	90	5.0	89.2	*	87	4.8	31.6	*	63	3.5	93.7	*	12
13	*	109	6.0	25.3	*	132	7.3	75.8	*	91	5.0	56.0	*	82	4.5	93.7	*	192	10.6	42.3	*	33	1.8	95.6	*	13
14	*	136	7.5	32.8	*	102	5.6	81.4	*	117	6.5	62.4	*	57	3.2	96.8	*	178	9.8	52.1	*	63	3.5	99.1	*	14
15	*	215	11.9	44.7	*	133	7.4	88.8	*	106	5.9	68.3	*	34	1.9	98.7	*	160	8.8	61.0	*	13	0.7	99.8	*	15
16	*	113	6.3	50.9	*	81	4.5	93.3	*	123	6.8	75.1	*	19	1.1	99.8	*	125	6.9	67.9	*	4	0.2	100.0	*	16
17	*	140	7.7	58.7	*	53	2.9	96.2	*	136	7.5	82.6	*	4	0.2	100.0	*	180	10.0	77.8	*	0	0.0	100.0	*	17
18	*	166	9.2	67.9	*	21	1.2	97.3	*	181	10.0	92.6	*	0	0.0	100.0	*	138	7.6	85.5	*	0	0.0	100.0	*	18
19	*	239	13.2	81.1	*	34	1.9	99.2	*	76	4.2	96.8	*	0	0.0	100.0	*	104	5.8	91.2	*	0	0.0	100.0	*	19
20	*	194	10.7	91.8	*	14	0.8	100.0	*	38	2.1	98.9	*	0	0.0	100.0	*	80	4.4	95.6	*	0	0.0	100.0	*	20
21	*	118	6.5	98.3	*	0	0.0	100.0	*	19	1.1	100.0	*	0	0.0	100.0	*	24	1.3	97.0	*	0	0.0	100.0	*	21
22	*	27	1.5	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23	1.3	98.2	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	1.4	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.3      DMC = 26.5      DC = 186.8      ISI = 4.5      ADMC = 57.7      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1808

MAXIMUM VALUES

FFMC = 95.0      DMC = 138.0      DC = 482.0      ISI = 36.8      ADMC = 144.0      FWI = 59.0

\*\*\*TOTALS FOR STATION 261

COWPAR LO

LONG. 11023

LAT. 5550

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.								
1	*	13	0.8	0.8	*	51	3.2	3.2	*	12	0.7	0.7	*	77	4.8	4.8	*	7	0.4	0.4	*	324	20.1	20.1	*	1
2	*	12	0.7	1.6	*	79	4.9	8.1	*	41	2.5	3.3	*	190	11.8	16.6	*	15	0.9	1.4	*	206	12.8	32.5	*	2
3	*	6	0.4	1.9	*	105	6.5	14.6	*	56	3.5	6.8	*	197	12.2	28.8	*	6	0.4	1.7	*	96	6.0	38.9	*	3
4	*	17	1.1	3.0	*	94	5.8	20.4	*	61	3.8	10.6	*	133	8.3	37.1	*	34	2.1	3.9	*	62	3.9	42.7	*	4
5	*	23	1.4	4.4	*	105	6.5	27.0	*	63	3.9	14.5	*	99	6.1	43.2	*	54	3.4	7.2	*	77	4.8	47.5	*	5
6	*	26	1.6	6.0	*	103	6.4	33.4	*	57	3.5	18.0	*	78	4.8	48.1	*	54	3.4	10.6	*	152	9.4	57.0	*	6
7	*	29	1.8	7.8	*	93	5.8	39.1	*	105	6.5	24.5	*	95	5.9	54.0	*	71	4.4	15.0	*	109	6.8	63.7	*	7
8	*	29	1.8	9.6	*	98	6.1	45.2	*	112	7.0	31.5	*	145	9.0	63.0	*	75	4.7	19.6	*	101	6.3	70.0	*	8
9	*	42	2.6	12.2	*	93	5.8	51.0	*	92	5.7	37.2	*	120	7.5	70.4	*	66	4.1	23.7	*	168	10.4	80.4	*	9
10	*	51	3.2	15.4	*	86	5.2	56.3	*	77	4.8	42.0	*	95	5.9	76.3	*	85	5.3	29.0	*	103	6.4	86.8	*	10
11	*	57	3.5	18.9	*	165	10.2	66.6	*	76	4.7	46.7	*	131	8.1	84.5	*	96	6.0	35.0	*	84	5.2	92.0	*	11
12	*	101	6.3	25.2	*	125	7.8	74.3	*	88	5.5	52.2	*	84	5.2	89.7	*	72	4.5	39.4	*	54	3.4	95.4	*	12
13	*	107	6.6	31.9	*	119	7.4	81.7	*	91	5.7	57.8	*	59	3.7	93.4	*	143	8.9	48.3	*	35	2.2	97.6	*	13
14	*	106	6.6	38.4	*	75	4.7	86.4	*	127	7.9	65.7	*	76	4.7	98.1	*	138	8.6	56.9	*	31	1.9	99.5	*	14
15	*	183	11.4	49.8	*	105	6.5	92.9	*	110	6.8	72.5	*	18	1.1	99.2	*	136	8.4	65.3	*	6	0.4	99.9	*	15
16	*	90	5.6	55.4	*	46	2.9	95.8	*	120	7.5	80.0	*	11	0.7	99.9	*	120	7.5	72.8	*	2	0.1	100.0	*	16
17	*	146	9.1	64.5	*	22	1.4	97.1	*	69	4.3	84.3	*	2	0.1	100.0	*	167	10.4	83.2	*	0	0.0	100.0	*	17
18	*	175	10.9	75.3	*	16	1.0	98.1	*	151	9.4	93.7	*	0	0.0	100.0	*	124	7.7	90.9	*	0	0.0	100.0	*	18
19	*	176	10.9	86.3	*	28	1.7	99.9	*	83	5.2	98.8	*	0	0.0	100.0	*	73	4.5	95.4	*	0	0.0	100.0	*	19
20	*	140	8.7	95.0	*	2	0.1	100.0	*	18	1.1	99.9	*	0	0.0	100.0	*	29	1.8	97.2	*	0	0.0	100.0	*	20
21	*	55	3.4	98.4	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	17	1.1	98.3	*	0	0.0	100.0	*	21
22	*	24	1.5	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.8	99.1	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.9	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.5      DMC = 22.9      DC = 176.3      ISI = 4.1      ADMC = 51.2      FWI = 8.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1610

MAXIMUM VALUES

FFMC = 96.0      DMC = 115.0      DC = 455.0      ISI = 35.1      ADMC = 117.0      FWI = 55.0

\*\*\*TOTALS FOR STATION 263 DOUCETTE LO LONG. 1141P LAT. 5549

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.		CUM. PCNT.							
1	*	14	0.9	0.9	*	100	6.4	6.4	*	39	2.5	2.5	*	88	5.7	5.7	*	16	1.0	1.0	*	396	25.4	25.4	*	1
2	*	8	0.5	1.4	*	133	8.5	15.0	*	56	3.6	6.1	*	206	13.2	18.9	*	44	2.8	3.9	*	265	17.0	42.5	*	2
3	*	12	0.8	2.2	*	126	8.1	23.1	*	57	3.7	9.8	*	246	15.8	34.7	*	27	1.7	5.6	*	110	7.1	49.5	*	3
4	*	16	1.0	3.2	*	147	9.4	32.5	*	48	3.1	12.8	*	166	10.7	45.3	*	36	2.3	7.9	*	95	6.1	55.6	*	4
5	*	24	1.5	4.8	*	142	9.1	41.6	*	40	2.6	15.4	*	137	8.8	54.1	*	87	5.6	13.5	*	106	6.8	62.4	*	5
6	*	32	2.1	6.8	*	141	9.1	50.7	*	35	2.2	17.7	*	121	7.8	61.9	*	62	4.0	17.5	*	155	10.0	72.4	*	6
7	*	26	1.7	8.5	*	105	6.7	57.4	*	71	4.6	22.2	*	108	6.9	68.9	*	73	4.7	22.2	*	122	7.8	80.2	*	7
8	*	44	2.8	11.3	*	79	5.1	62.5	*	102	6.6	28.8	*	155	10.0	78.8	*	106	6.8	29.0	*	94	6.0	86.3	*	8
9	*	44	2.8	14.1	*	67	4.3	66.8	*	142	9.1	37.9	*	98	6.3	85.1	*	99	6.4	35.3	*	115	7.4	93.6	*	9
10	*	69	4.4	18.6	*	67	4.3	71.1	*	116	7.5	45.3	*	80	5.1	90.2	*	115	7.4	42.7	*	54	3.5	97.1	*	10
11	*	83	5.3	23.9	*	157	10.1	81.2	*	102	6.6	51.9	*	85	5.5	95.7	*	79	5.1	47.8	*	20	1.3	98.4	*	11
12	*	96	6.2	30.1	*	109	7.0	88.2	*	97	6.2	58.1	*	34	2.2	97.9	*	86	5.5	53.3	*	9	0.6	99.0	*	12
13	*	118	7.6	37.6	*	53	3.4	91.6	*	93	6.0	64.1	*	14	0.9	98.8	*	147	9.4	62.7	*	5	0.3	99.3	*	13
14	*	158	10.1	47.8	*	43	2.8	94.3	*	165	10.6	74.7	*	8	0.5	99.3	*	142	9.1	71.9	*	8	0.5	99.8	*	14
15	*	231	14.8	62.6	*	44	2.8	97.2	*	129	8.3	83.0	*	7	0.4	99.7	*	114	7.3	79.2	*	3	0.2	100.0	*	15
16	*	147	9.4	72.1	*	21	1.3	98.5	*	55	3.5	86.5	*	3	0.2	99.9	*	104	6.7	85.9	*	0	0.0	100.0	*	16
17	*	162	10.4	82.5	*	14	0.9	99.4	*	43	2.8	89.3	*	1	0.1	100.0	*	104	6.7	92.5	*	0	0.0	100.0	*	17
18	*	139	8.9	91.4	*	4	0.3	99.7	*	72	4.6	93.9	*	0	0.0	100.0	*	45	2.9	95.4	*	0	0.0	100.0	*	18
19	*	95	6.1	97.5	*	5	0.3	100.0	*	31	2.0	95.9	*	0	0.0	100.0	*	34	2.2	97.6	*	0	0.0	100.0	*	19
20	*	35	2.2	99.7	*	0	0.0	100.0	*	7	0.4	96.3	*	0	0.0	100.0	*	10	0.6	98.3	*	0	0.0	100.0	*	20
21	*	4	0.3	100.0	*	0	0.0	100.0	*	24	1.5	97.9	*	0	0.0	100.0	*	7	0.4	98.7	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	33	2.1	100.0	*	0	0.0	100.0	*	9	0.6	99.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	99.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.9      DMC = 16.3      DC = 168.1      ISI = 2.7      ADMC = 40.9      FWI = 4.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1557

MAXIMUM VALUES

FFMC = 92.0      DMC = 93.0      DC = 581.0      ISI = 30.8      ADMC = 127.0      FWI = 45.0

\*\*\*TOTALS FOR STATION 250 EDMONTON NAMA0 A LONG. 11328 LAT. 5340

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	6	0.3	0.3	*	12	0.6	0.6	*	10	0.5	0.5	*	53	2.8	2.8	*	0	0.0	0.0	*	223	11.9	11.9	*	1
2	*	4	0.2	0.5	*	46	2.5	3.1	*	14	0.7	1.3	*	148	7.9	10.7	*	4	0.2	0.2	*	202	10.8	22.7	*	2
3	*	6	0.3	0.9	*	66	3.5	6.6	*	32	1.7	3.0	*	213	11.4	22.1	*	1	0.1	0.3	*	92	4.9	27.6	*	3
4	*	20	1.1	1.9	*	84	4.5	11.1	*	35	1.9	4.9	*	155	8.3	30.4	*	14	0.7	1.0	*	109	5.8	33.5	*	4
5	*	8	0.4	2.4	*	95	5.1	16.2	*	41	2.2	7.1	*	128	6.8	37.3	*	22	1.2	2.2	*	82	4.4	37.8	*	5
6	*	22	1.2	3.5	*	100	5.3	21.5	*	47	2.5	9.6	*	91	4.9	42.1	*	37	2.0	4.2	*	170	9.1	46.9	*	6
7	*	21	1.1	4.6	*	89	4.8	26.3	*	101	5.4	15.0	*	105	5.6	47.7	*	40	2.1	6.3	*	143	7.6	54.6	*	7
8	*	29	1.5	6.2	*	99	5.3	31.6	*	100	5.3	20.3	*	174	9.3	57.0	*	51	2.7	9.0	*	123	6.6	61.1	*	8
9	*	36	1.9	8.1	*	85	4.5	36.1	*	88	4.7	25.0	*	151	8.1	65.1	*	66	3.5	12.6	*	247	13.2	74.3	*	9
10	*	63	3.4	11.5	*	100	5.3	41.5	*	69	3.7	28.7	*	143	7.6	72.7	*	63	3.4	15.9	*	178	9.5	83.9	*	10
11	*	55	2.9	14.4	*	214	11.4	52.9	*	67	3.6	32.3	*	208	11.1	83.9	*	76	4.1	20.0	*	118	6.3	90.2	*	11
12	*	86	4.6	19.0	*	184	9.8	62.7	*	75	4.0	36.3	*	109	5.8	89.7	*	72	3.8	23.8	*	63	3.4	93.5	*	12
13	*	101	5.4	24.4	*	143	7.6	70.4	*	98	5.2	41.5	*	58	3.1	92.8	*	173	9.2	33.1	*	45	2.4	95.9	*	13
14	*	144	7.7	32.1	*	131	7.0	77.4	*	112	6.0	47.5	*	76	4.1	96.8	*	180	9.6	42.7	*	56	3.0	98.9	*	14
15	*	199	10.6	42.8	*	204	10.9	88.3	*	121	6.5	54.0	*	31	1.7	98.5	*	140	7.5	50.2	*	11	0.6	99.5	*	15
16	*	130	6.9	49.7	*	105	5.6	93.9	*	119	6.4	60.3	*	24	1.3	99.8	*	142	7.6	57.8	*	8	0.4	99.9	*	16
17	*	170	9.1	58.8	*	54	2.9	96.8	*	140	7.5	67.8	*	2	0.1	99.9	*	249	13.3	71.1	*	0	0.0	99.9	*	17
18	*	193	10.3	69.1	*	36	1.9	98.7	*	247	13.2	81.0	*	1	0.1	99.9	*	209	11.2	82.3	*	1	0.1	100.0	*	18
19	*	248	13.3	82.4	*	20	1.1	99.8	*	151	8.1	89.1	*	1	0.1	100.0	*	155	8.3	90.5	*	0	0.0	100.0	*	19
20	*	200	10.7	93.1	*	4	0.2	100.0	*	86	4.6	93.7	*	0	0.0	100.0	*	92	4.9	95.5	*	0	0.0	100.0	*	20
21	*	97	5.2	98.2	*	0	0.0	100.0	*	54	2.9	96.6	*	0	0.0	100.0	*	36	1.9	97.4	*	0	0.0	100.0	*	21
22	*	29	1.5	99.8	*	0	0.0	100.0	*	63	3.4	99.9	*	0	0.0	100.0	*	25	1.3	98.7	*	0	0.0	100.0	*	22
23	*	4	0.2	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	20	1.1	99.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.6      DMC = 28.3      DC = 235.7      ISI = 4.6      ADMC = 63.4      FWI = 9.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1871

MAXIMUM VALUES

FFMC = 95.0      DMC = 124.0      DC = 604.0      ISI = 52.1      ADMC = 139.0      FWI = 76.0

\*\*\*TOTALS FOR STATION 294 EDSON LONG. 11625 LAT. 5335

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	21	1.1	1.1	*	45	2.4	2.4	*	32	1.7	1.7	*	89	4.8	4.8	*	11	0.6	0.6	*	335	18.2	18.2	*	1
2	*	16	0.9	2.0	*	99	5.4	7.8	*	46	2.5	4.2	*	167	9.1	13.9	*	15	0.8	1.4	*	241	13.1	31.2	*	2
3	*	10	0.5	2.5	*	125	6.8	14.6	*	86	4.7	8.9	*	228	12.4	26.2	*	9	0.5	1.9	*	123	6.7	37.9	*	3
4	*	13	0.7	3.3	*	123	6.7	21.2	*	76	4.1	13.0	*	161	8.7	35.0	*	33	1.8	3.7	*	98	5.3	43.2	*	4
5	*	18	1.0	4.2	*	150	8.1	29.4	*	76	4.1	17.1	*	140	7.6	42.5	*	58	3.1	6.8	*	119	6.4	49.6	*	5
6	*	22	1.2	5.4	*	142	7.7	37.1	*	78	4.2	21.4	*	122	6.6	49.2	*	72	3.9	10.7	*	163	8.8	58.5	*	6
7	*	36	2.0	7.4	*	161	8.7	45.8	*	115	6.2	27.6	*	103	5.6	54.7	*	91	4.9	15.7	*	144	7.8	66.3	*	7
8	*	30	1.6	9.0	*	128	6.9	52.7	*	120	6.5	34.1	*	156	8.5	63.2	*	86	4.7	20.3	*	129	7.0	73.3	*	8
9	*	34	1.8	10.8	*	111	6.0	58.8	*	130	7.0	41.1	*	116	6.3	69.5	*	102	5.5	25.9	*	168	9.1	82.4	*	9
10	*	62	3.4	14.2	*	98	5.3	64.1	*	135	7.3	48.5	*	106	5.7	75.2	*	112	6.1	31.9	*	143	7.8	90.1	*	10
11	*	62	3.4	17.6	*	191	10.4	74.4	*	116	6.3	54.7	*	168	9.1	84.3	*	111	6.0	37.9	*	90	4.9	95.0	*	11
12	*	92	5.0	22.5	*	135	7.5	82.0	*	114	6.2	60.9	*	103	5.6	89.9	*	105	5.7	43.6	*	37	2.0	97.0	*	12
13	*	116	6.3	28.8	*	103	5.6	87.5	*	74	4.0	64.9	*	62	3.4	93.3	*	239	13.0	56.6	*	27	1.5	98.5	*	13
14	*	161	8.7	37.6	*	73	4.0	91.5	*	124	6.7	71.7	*	72	3.9	97.2	*	203	11.0	67.6	*	20	1.1	99.6	*	14
15	*	231	12.5	50.1	*	87	4.7	96.2	*	113	6.1	77.8	*	30	1.6	98.8	*	151	8.2	75.8	*	7	0.4	99.9	*	15
16	*	133	7.2	57.3	*	42	2.3	98.5	*	127	6.9	84.7	*	17	0.9	99.7	*	117	6.3	82.1	*	1	0.1	100.0	*	16
17	*	145	7.9	65.1	*	25	1.4	99.8	*	105	5.7	90.4	*	3	0.2	99.9	*	157	8.5	90.6	*	0	0.0	100.0	*	17
18	*	164	8.9	74.0	*	3	0.2	100.0	*	107	5.8	96.2	*	2	0.1	100.0	*	107	5.8	96.4	*	0	0.0	100.0	*	18
19	*	204	11.1	85.1	*	0	0.0	100.0	*	55	3.0	99.1	*	0	0.0	100.0	*	39	2.1	98.5	*	0	0.0	100.0	*	19
20	*	159	8.6	93.7	*	0	0.0	100.0	*	16	0.9	100.0	*	0	0.0	100.0	*	18	1.0	99.5	*	0	0.0	100.0	*	20
21	*	95	5.1	98.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.4	99.9	*	0	0.0	100.0	*	21
22	*	21	1.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.0      DMC = 19.3      DC = 158.9      ISI = 4.3      ADMC = 44.7      FWI = 7.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1845

MAXIMUM VALUES

FFMC = 94.0      DMC = 72.0      DC = 431.0      ISI = 46.9      ADMC = 91.0      FWI = 54.0

\*\*\*TOTALS FOR STATION 254 ELK POINT LONG. 11054 LAT. 5353

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	5	0.3	0.3	*	24	1.4	1.4	*	22	1.3	1.3	*	36	2.1	2.1	*	1	0.1	0.1	*	213	12.3	12.3	*	1
2	*	9	0.5	0.8	*	49	2.8	4.2	*	24	1.4	2.7	*	141	8.1	10.2	*	14	0.8	0.9	*	170	9.8	22.1	*	2
3	*	5	0.3	1.1	*	67	3.9	8.1	*	30	1.7	4.4	*	175	10.1	20.3	*	8	0.5	1.3	*	77	4.4	26.5	*	3
4	*	8	0.5	1.6	*	81	4.7	12.7	*	33	1.9	6.3	*	118	6.8	27.1	*	15	0.9	2.2	*	62	3.6	30.1	*	4
5	*	7	0.4	2.0	*	92	5.3	18.0	*	49	2.8	9.1	*	118	6.8	33.9	*	28	1.6	3.8	*	88	5.1	35.2	*	5
6	*	9	0.5	2.5	*	76	4.4	22.4	*	49	2.8	11.9	*	94	5.4	39.3	*	32	1.8	5.6	*	133	7.7	42.8	*	6
7	*	12	0.7	3.2	*	81	4.7	27.1	*	99	5.7	17.6	*	81	4.7	44.0	*	49	2.8	8.5	*	138	8.0	50.8	*	7
8	*	35	2.0	5.2	*	78	4.5	31.6	*	99	5.7	23.3	*	160	9.2	53.2	*	53	3.1	11.5	*	121	7.0	57.8	*	8
9	*	29	1.7	6.9	*	75	4.3	35.9	*	88	5.1	28.4	*	150	8.6	61.8	*	50	2.9	14.4	*	220	12.7	70.4	*	9
10	*	48	2.8	9.6	*	66	3.8	39.7	*	101	5.8	34.2	*	135	7.8	69.6	*	73	4.2	18.6	*	165	9.7	80.2	*	10
11	*	59	3.4	13.0	*	162	9.3	49.0	*	99	5.7	39.9	*	209	12.0	81.7	*	62	3.6	22.2	*	120	6.9	87.1	*	11
12	*	69	4.0	17.0	*	149	8.6	57.6	*	103	5.9	45.9	*	120	6.9	88.6	*	65	3.7	25.9	*	84	4.8	91.9	*	12
13	*	94	5.4	22.4	*	125	7.2	64.8	*	89	5.1	51.0	*	65	3.7	92.3	*	153	8.8	34.8	*	51	2.9	94.9	*	13
14	*	135	7.8	30.2	*	126	7.3	72.1	*	82	4.7	55.7	*	72	4.1	96.5	*	138	8.0	42.7	*	60	3.5	98.3	*	14
15	*	177	10.2	40.4	*	172	9.9	82.0	*	87	5.0	60.7	*	33	1.9	98.4	*	121	7.0	49.7	*	21	1.2	99.5	*	15
16	*	108	6.2	46.6	*	129	7.4	89.5	*	106	6.1	66.9	*	24	1.4	99.8	*	116	6.7	56.4	*	5	0.3	99.8	*	16
17	*	130	7.5	54.1	*	72	4.1	93.6	*	123	7.1	73.9	*	3	0.2	99.9	*	175	10.1	66.5	*	3	0.2	100.0	*	17
18	*	156	9.0	63.1	*	46	2.7	96.3	*	162	9.3	83.3	*	1	0.1	100.0	*	164	9.5	75.9	*	0	0.0	100.0	*	18
19	*	232	13.4	76.5	*	62	3.6	99.8	*	115	6.6	89.9	*	0	0.0	100.0	*	131	7.6	83.5	*	0	0.0	100.0	*	19
20	*	242	13.9	90.4	*	3	0.2	100.0	*	77	4.4	94.4	*	0	0.0	100.0	*	120	6.9	90.4	*	0	0.0	100.0	*	20
21	*	129	7.4	97.9	*	0	0.0	100.0	*	44	2.5	96.9	*	0	0.0	100.0	*	91	5.2	95.6	*	0	0.0	100.0	*	21
22	*	32	1.8	99.7	*	0	0.0	100.0	*	44	2.5	99.4	*	0	0.0	100.0	*	42	2.4	98.0	*	0	0.0	100.0	*	22
23	*	5	0.3	100.0	*	0	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	30	1.7	99.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.9      DMC = 31.2      DC = 216.7      ISI = 4.9      ADMC = 66.4      FWI = 10.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1735

MAXIMUM VALUES

FFMC = 96.0      DMC = 117.0      DC = 618.0      ISI = 42.6      ADMC = 140.0      FWI = 67.0

\*\*\*TOTALS FOR STATION 289 ELLS LO LONG. 11220 LAT, 5711

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CLASS						
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.					
1	*	13	0.8	0.8	*	42	2.4	2.4	*	8	0.5	0.5	*	79	4.6	4.6	*	5	0.3	0.3	*	324	19.3	19.3	*	1
2	*	8	0.5	1.2	*	64	3.7	6.1	*	27	1.6	2.0	*	211	12.2	16.8	*	16	0.9	1.2	*	206	11.9	31.2	*	2
3	*	14	0.8	2.0	*	93	5.4	11.5	*	49	2.8	4.9	*	189	10.9	27.7	*	7	0.4	1.6	*	108	6.2	37.5	*	3
4	*	18	1.0	3.1	*	114	6.6	18.1	*	60	3.5	8.3	*	175	10.1	37.8	*	21	1.2	2.8	*	103	6.0	43.4	*	4
5	*	17	1.0	4.0	*	116	6.7	24.8	*	49	2.8	11.2	*	126	7.3	45.1	*	38	2.2	5.0	*	91	5.3	48.7	*	5
6	*	29	1.7	5.7	*	133	7.7	32.5	*	43	2.5	13.6	*	88	5.1	50.2	*	44	2.5	7.6	*	145	8.4	57.1	*	6
7	*	37	2.1	7.9	*	113	6.5	39.0	*	97	5.6	19.2	*	100	5.8	56.0	*	64	3.7	11.3	*	138	8.0	65.0	*	7
8	*	31	1.8	9.7	*	119	6.9	45.9	*	92	5.3	24.6	*	157	9.1	65.0	*	70	4.0	15.3	*	115	6.6	71.7	*	8
9	*	44	2.5	12.2	*	108	6.2	52.1	*	70	4.0	28.6	*	130	7.5	72.5	*	82	4.7	20.1	*	159	9.2	80.9	*	9
10	*	47	2.7	14.9	*	79	4.6	56.7	*	80	4.6	33.2	*	109	6.3	78.8	*	81	4.7	24.7	*	108	6.1	87.0	*	10
11	*	65	3.8	18.7	*	175	10.1	66.8	*	69	4.0	37.2	*	135	7.8	86.6	*	75	4.3	29.1	*	90	5.2	92.2	*	11
12	*	79	4.6	23.2	*	126	7.3	74.1	*	97	5.6	42.8	*	92	5.3	92.0	*	93	5.4	34.5	*	62	3.6	95.8	*	12
13	*	121	7.0	30.2	*	95	5.5	79.6	*	104	6.0	48.8	*	58	3.4	95.3	*	221	12.8	47.2	*	40	2.3	98.1	*	13
14	*	136	7.9	38.1	*	71	4.1	83.7	*	134	7.7	56.6	*	51	2.9	98.3	*	201	11.6	58.8	*	26	1.5	99.6	*	14
15	*	234	13.5	51.6	*	88	5.1	88.8	*	129	7.5	64.0	*	24	1.4	99.7	*	132	7.6	66.5	*	7	0.4	100.0	*	15
16	*	111	6.4	58.0	*	71	4.1	92.9	*	91	5.3	69.3	*	5	0.3	99.9	*	93	5.4	71.8	*	0	0.0	100.0	*	16
17	*	141	8.2	66.2	*	50	2.9	95.8	*	111	6.4	75.7	*	1	0.1	100.0	*	159	9.2	81.0	*	0	0.0	100.0	*	17
18	*	186	10.8	76.9	*	31	1.8	97.6	*	120	6.9	82.7	*	0	0.0	100.0	*	103	6.0	87.0	*	0	0.0	100.0	*	18
19	*	177	10.2	87.2	*	38	2.2	99.8	*	146	8.4	91.1	*	0	0.0	100.0	*	78	4.5	91.5	*	0	0.0	100.0	*	19
20	*	141	8.2	95.3	*	4	0.2	100.0	*	102	5.9	97.0	*	0	0.0	100.0	*	53	3.1	94.6	*	0	0.0	100.0	*	20
21	*	63	3.6	99.0	*	0	0.0	100.0	*	38	2.2	99.2	*	0	0.0	100.0	*	41	2.4	96.9	*	0	0.0	100.0	*	21
22	*	16	0.9	99.9	*	0	0.0	100.0	*	14	0.8	100.0	*	0	0.0	100.0	*	17	1.0	97.9	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	36	2.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

277

AVERAGE VALUES

FFMC = 73.5      DMC = 24.3      DC = 211.3      ISI = 3.8      ADMC = 54.8      FWI = 7.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1730

MAXIMUM VALUES

FFMC = 96.0      DMC = 118.0      DC = 573.0      ISI = 33.4      ADMC = 125.0      FWI = 45.0

\*\*\*TOTALS FOR STATION 295 ENTRANCE LONG, 11742 LAT. 5322

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS						
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.							
1	*	20	1.2	1.2	*	83	4.8	4.8	*	57	3.3	3.3	*	76	4.4	4.4	*	22	1.3	1.3	*	318	18.3	18.3	*	1
2	*	9	0.5	1.7	*	105	6.1	10.8	*	53	3.1	6.3	*	163	9.4	13.8	*	28	1.6	2.9	*	232	13.4	31.7	*	2
3	*	14	0.8	2.5	*	103	5.9	16.8	*	78	4.5	10.8	*	227	13.1	26.9	*	21	1.2	4.1	*	86	5.0	36.7	*	3
4	*	13	0.7	3.2	*	118	6.8	23.6	*	66	3.8	14.6	*	148	8.5	35.4	*	36	2.1	6.2	*	83	4.8	41.4	*	4
5	*	13	0.7	4.0	*	103	5.9	29.5	*	85	4.9	19.5	*	87	5.0	40.4	*	70	4.0	10.2	*	85	4.9	46.3	*	5
6	*	19	1.1	5.1	*	111	6.4	35.9	*	94	5.4	25.0	*	93	5.4	45.8	*	68	3.9	14.1	*	144	8.3	54.6	*	6
7	*	28	1.6	6.7	*	105	6.1	42.0	*	123	7.1	32.0	*	105	6.1	51.8	*	74	4.3	18.4	*	134	7.7	62.4	*	7
8	*	31	1.8	8.5	*	107	6.2	48.1	*	108	6.2	38.3	*	130	7.5	59.3	*	88	5.1	23.5	*	117	6.7	69.1	*	8
9	*	37	2.1	10.6	*	97	5.6	53.7	*	104	6.0	44.3	*	128	7.4	66.7	*	97	5.6	29.0	*	197	11.4	80.5	*	9
10	*	54	3.1	13.7	*	85	4.9	58.6	*	104	6.0	50.3	*	112	6.5	73.1	*	85	4.9	33.9	*	150	8.6	89.1	*	10
11	*	61	3.5	17.2	*	181	10.4	69.0	*	116	6.7	56.9	*	180	10.4	83.5	*	83	4.8	38.7	*	71	4.1	93.2	*	11
12	*	89	5.1	22.4	*	143	8.2	77.3	*	86	5.0	61.9	*	107	6.2	89.7	*	73	4.2	42.9	*	52	3.0	96.2	*	12
13	*	130	7.5	29.9	*	123	7.1	84.4	*	83	4.8	66.7	*	70	4.0	93.7	*	160	9.2	52.2	*	30	1.7	97.9	*	13
14	*	121	7.0	36.8	*	88	5.1	89.5	*	77	4.4	71.1	*	65	3.7	97.5	*	151	8.7	60.9	*	27	1.6	99.5	*	14
15	*	196	11.3	48.1	*	93	5.4	94.8	*	82	4.7	75.9	*	21	1.2	98.7	*	126	7.3	68.1	*	7	0.4	99.9	*	15
16	*	108	6.2	54.4	*	34	2.0	96.8	*	112	6.5	82.3	*	16	0.9	99.6	*	134	7.7	75.9	*	0	0.0	99.9	*	16
17	*	130	7.5	61.8	*	25	1.4	98.2	*	88	5.1	87.4	*	5	0.3	99.9	*	208	12.0	87.8	*	1	0.1	99.9	*	17
18	*	176	10.1	72.0	*	14	0.8	99.0	*	148	8.5	95.9	*	1	0.1	99.9	*	104	6.0	93.8	*	1	0.1	100.0	*	18
19	*	203	11.7	83.7	*	17	1.0	100.0	*	62	3.6	99.5	*	1	0.1	100.0	*	48	2.8	96.6	*	0	0.0	100.0	*	19
20	*	171	9.9	93.5	*	0	0.0	100.0	*	9	0.5	100.0	*	0	0.0	100.0	*	27	1.6	98.2	*	0	0.0	100.0	*	20
21	*	82	4.7	98.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	0.9	99.1	*	0	0.0	100.0	*	21
22	*	30	1.7	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	99.5	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.4      DMC = 21.1      DC = 155.9      ISI = 4.4      ADMC = 47.3      FWI = 8.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1735

MAXIMUM VALUES

FFMC = 94.0      DMC = 101.0      DC = 422.0      ISI = 53.8      ADMC = 115.0      FWI = 71.0



\*\*\*TOTALS FOR STATION 276 FAIRVIEW LONG. 11823 LAT. 5604

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	14	0.8	0.8	*	17	0.9	0.9	*	5	0.3	0.3	*	56	3.1	3.1	*	2	0.1	0.1	*	207	11.3	11.3	*	1
2	*	8	0.4	1.2	*	32	1.8	2.7	*	15	0.8	1.1	*	138	7.6	10.6	*	8	0.4	0.5	*	192	10.5	21.9	*	2
3	*	9	0.5	1.7	*	68	3.7	6.4	*	32	1.8	2.9	*	175	9.6	20.2	*	2	0.1	0.7	*	91	5.0	26.9	*	3
4	*	10	0.5	2.2	*	91	5.0	11.4	*	51	2.8	5.6	*	166	9.1	29.3	*	5	0.3	0.9	*	105	5.8	32.6	*	4
5	*	10	0.5	2.8	*	93	5.1	16.5	*	73	4.0	9.6	*	148	8.1	37.4	*	22	1.2	2.1	*	99	5.4	38.0	*	5
6	*	14	0.8	3.6	*	111	6.1	22.6	*	49	2.7	12.3	*	116	6.4	43.8	*	29	1.6	3.7	*	158	8.7	46.7	*	6
7	*	18	1.0	4.6	*	86	4.7	27.3	*	101	5.5	17.9	*	107	5.9	49.7	*	47	2.6	6.3	*	163	8.9	55.6	*	7
8	*	30	1.6	6.2	*	112	6.1	33.4	*	103	5.6	23.5	*	169	9.3	58.9	*	62	3.4	9.7	*	138	7.6	63.2	*	8
9	*	32	1.8	7.9	*	97	5.3	38.8	*	92	5.0	28.6	*	134	7.3	66.3	*	57	3.1	12.8	*	181	9.9	73.1	*	9
10	*	50	2.7	10.7	*	87	4.8	43.5	*	81	4.4	33.0	*	105	5.8	72.0	*	83	4.6	17.4	*	148	8.1	81.2	*	10
11	*	57	3.1	13.8	*	175	9.6	53.1	*	59	3.2	36.2	*	164	9.0	81.0	*	71	3.9	21.3	*	107	5.9	87.1	*	11
12	*	80	4.4	18.2	*	149	8.2	61.3	*	67	3.7	39.9	*	125	6.9	87.9	*	71	3.9	25.2	*	63	3.5	90.6	*	12
13	*	107	5.9	24.1	*	139	7.6	68.9	*	73	4.0	43.9	*	61	3.3	91.2	*	165	9.0	34.2	*	48	2.6	93.2	*	13
14	*	135	7.4	31.5	*	101	5.5	74.5	*	82	4.5	48.4	*	69	3.8	95.0	*	161	8.8	43.0	*	87	4.8	98.0	*	14
15	*	257	14.1	45.6	*	132	7.2	81.7	*	98	5.4	53.8	*	37	2.0	97.0	*	152	8.3	51.4	*	18	1.0	99.0	*	15
16	*	149	8.2	53.7	*	124	6.8	88.5	*	85	4.7	58.4	*	37	2.0	99.1	*	112	6.1	57.5	*	11	0.6	99.6	*	16
17	*	165	9.0	62.8	*	83	4.6	93.0	*	92	5.0	63.5	*	5	0.3	99.3	*	225	12.3	69.8	*	3	0.2	99.7	*	17
18	*	176	9.6	72.4	*	47	2.6	95.6	*	200	11.0	74.5	*	7	0.4	99.7	*	168	9.2	79.1	*	3	0.2	99.9	*	18
19	*	192	10.5	82.9	*	71	3.9	99.5	*	193	10.6	85.0	*	1	0.1	99.8	*	114	6.3	85.3	*	1	0.1	99.9	*	19
20	*	199	10.9	93.9	*	9	0.5	100.0	*	101	5.5	90.6	*	3	0.2	99.9	*	91	5.0	90.3	*	1	0.1	100.0	*	20
21	*	95	5.2	99.1	*	C	0.0	100.0	*	57	3.1	93.7	*	1	0.1	100.0	*	57	3.1	93.4	*	C	0.0	100.0	*	21
22	*	17	0.9	100.0	*	C	0.0	100.0	*	89	4.9	98.6	*	0	0.0	100.0	*	47	2.6	96.0	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	C	0.0	100.0	*	26	1.4	100.0	*	0	0.0	100.0	*	51	2.8	98.8	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	19	1.0	99.8	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.2      DMC = 30.7      DC = 242.5      ISI = 5.1      ADMC = 66.8      FWI = 10.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1824

MAXIMUM VALUES

FFMC = 94.0      DMC = 117.0      DC = 631.0      ISI = 73.4      ADMC = 154.0      FWI = 99.0

\*\*\*TOTALS FOR STATION 287 FORT McMURRAY A LONG, 11113 LAT, 5639

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CLASS						
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.							
1	*	10	0.6	0.6	*	27	1.5	1.5	*	11	0.6	0.6	*	80	4.6	4.6	*	2	0.1	0.1	*	311	17.8	17.8	*	1
2	*	9	0.5	1.1	*	61	3.5	5.0	*	27	1.5	2.2	*	191	10.9	15.5	*	9	0.5	0.6	*	224	12.8	30.6	*	2
3	*	13	0.7	1.8	*	90	5.1	10.2	*	46	2.6	4.8	*	222	12.7	28.2	*	5	0.3	0.9	*	106	6.1	36.6	*	3
4	*	20	1.1	3.0	*	129	7.4	17.5	*	48	2.7	7.5	*	159	9.1	37.2	*	18	1.0	1.9	*	96	5.5	42.1	*	4
5	*	19	1.1	4.1	*	124	7.1	24.6	*	38	2.2	9.7	*	111	6.3	43.6	*	30	1.7	3.7	*	99	5.7	47.7	*	5
6	*	24	1.4	5.4	*	118	6.7	31.4	*	46	2.6	12.3	*	90	5.1	48.7	*	47	2.7	6.3	*	145	8.3	56.0	*	6
7	*	36	2.1	7.5	*	115	6.6	37.9	*	72	4.1	16.4	*	108	6.2	54.9	*	66	3.8	10.1	*	120	6.9	62.9	*	7
8	*	36	2.1	9.5	*	102	5.8	43.7	*	81	4.6	21.1	*	139	7.9	62.8	*	65	3.7	13.8	*	124	7.1	70.0	*	8
9	*	37	2.1	11.7	*	92	5.3	49.0	*	88	5.0	26.1	*	135	7.7	70.5	*	75	4.3	18.1	*	163	9.3	79.3	*	9
10	*	51	2.9	14.6	*	78	4.5	53.5	*	68	3.9	30.0	*	110	6.3	76.8	*	87	5.0	23.1	*	123	7.0	86.3	*	10
11	*	59	3.4	17.9	*	193	11.0	64.5	*	93	5.3	35.3	*	141	8.1	84.9	*	100	5.7	28.8	*	80	4.6	90.9	*	11
12	*	83	4.7	22.7	*	112	6.4	70.9	*	79	4.5	39.8	*	104	5.9	90.8	*	76	4.3	33.1	*	74	4.2	95.1	*	12
13	*	110	6.3	29.0	*	103	5.9	76.8	*	81	4.6	44.4	*	61	3.5	94.3	*	196	11.2	44.3	*	37	2.1	97.2	*	13
14	*	163	9.3	38.3	*	97	5.5	82.3	*	131	7.5	51.9	*	62	3.5	97.8	*	172	9.8	54.1	*	47	2.7	99.9	*	14
15	*	199	11.4	49.6	*	138	7.9	90.2	*	164	9.4	61.3	*	28	1.6	99.4	*	159	9.1	63.2	*	2	0.1	100.0	*	15
16	*	106	6.1	55.7	*	82	4.7	94.9	*	176	10.1	71.3	*	9	0.5	99.9	*	115	6.6	69.8	*	0	0.0	100.0	*	16
17	*	144	8.2	63.9	*	44	2.5	97.4	*	134	7.7	79.0	*	1	0.1	100.0	*	174	9.9	79.7	*	0	0.0	100.0	*	17
18	*	170	9.7	73.6	*	28	1.6	99.0	*	207	11.8	90.8	*	0	0.0	100.0	*	145	8.3	88.0	*	0	0.0	100.0	*	18
19	*	213	12.2	85.8	*	15	0.9	99.8	*	130	7.4	98.2	*	0	0.0	100.0	*	99	5.7	93.7	*	0	0.0	100.0	*	19
20	*	155	8.9	94.6	*	3	0.2	100.0	*	18	1.0	99.3	*	0	0.0	100.0	*	39	2.2	95.9	*	0	0.0	100.0	*	20
21	*	66	3.8	98.4	*	0	0.0	100.0	*	13	0.7	100.0	*	0	0.0	100.0	*	25	1.4	97.3	*	0	0.0	100.0	*	21
22	*	26	1.5	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23	1.3	98.6	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.4	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.0 DMC = 24.4 DC = 206.7 ISI = 4.0 ADMC = 55.5 FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1751

MAXIMUM VALUES

FFMC = 96.0 DMC = 118.0 DC = 493.0 ISI = 33.4 ADMC = 124.0 FWI = 50.0

\*\*\*TOTALS FOR STATION 284 FORT VERMILLION CDA LONG. 11603 LAT. 5823

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	11	0.6	0.6	*	10	0.6	0.6	*	1	0.1	0.1	*	42	2.3	2.3	*	1	0.1	0.1	*	211	11.7	11.7	*	1
2	*	2	0.1	0.7	*	46	2.6	3.1	*	13	0.7	0.8	*	166	9.2	11.6	*	3	0.2	0.2	*	190	10.6	22.3	*	2
3	*	6	0.3	1.1	*	56	3.1	6.2	*	17	0.9	1.7	*	209	11.6	23.2	*	0	0.0	0.2	*	112	6.2	28.5	*	3
4	*	8	0.4	1.5	*	88	4.9	11.1	*	23	1.3	3.0	*	131	7.3	30.5	*	8	0.4	0.7	*	93	5.2	33.7	*	4
5	*	8	0.4	1.9	*	72	4.0	15.1	*	37	2.1	5.1	*	137	7.6	38.1	*	20	1.1	1.8	*	88	4.9	38.6	*	5
6	*	17	0.9	2.9	*	92	5.1	20.2	*	34	1.9	6.9	*	117	6.5	44.6	*	36	2.0	3.8	*	168	9.3	47.9	*	6
7	*	14	0.8	3.7	*	83	4.6	24.8	*	101	5.6	12.6	*	96	5.3	49.9	*	34	1.9	5.7	*	120	6.7	54.6	*	7
8	*	32	1.8	5.4	*	86	4.8	29.6	*	81	4.5	17.1	*	182	10.1	60.0	*	43	2.4	8.1	*	119	6.6	61.2	*	8
9	*	37	2.1	7.5	*	85	4.7	34.4	*	68	3.8	20.8	*	143	7.9	68.0	*	39	2.2	10.2	*	199	11.1	72.3	*	9
10	*	41	2.3	9.8	*	86	4.8	39.1	*	77	4.3	25.1	*	127	7.1	75.0	*	63	3.5	13.7	*	139	7.7	80.0	*	10
11	*	74	4.1	13.9	*	164	9.1	48.2	*	65	3.6	28.7	*	194	10.8	85.8	*	59	3.3	17.0	*	124	6.9	86.9	*	11
12	*	86	4.8	18.7	*	129	7.2	55.4	*	48	2.7	31.4	*	108	6.0	91.8	*	61	3.4	20.4	*	80	4.4	91.3	*	12
13	*	84	4.7	23.3	*	123	6.8	62.3	*	67	3.7	35.1	*	69	3.8	95.7	*	167	9.3	29.7	*	60	3.3	94.7	*	13
14	*	132	7.3	30.7	*	123	6.8	69.1	*	74	4.1	39.2	*	55	3.1	98.7	*	159	8.8	38.5	*	73	4.1	98.7	*	14
15	*	211	11.7	42.4	*	134	7.4	76.5	*	97	5.4	44.6	*	13	0.7	99.4	*	145	8.1	46.6	*	20	1.1	99.8	*	15
16	*	129	7.2	49.6	*	99	5.5	82.0	*	73	4.1	48.7	*	8	0.4	99.9	*	126	7.0	53.6	*	2	0.1	99.9	*	16
17	*	160	8.9	58.5	*	91	5.1	87.1	*	104	5.8	54.5	*	2	0.1	100.0	*	164	9.1	62.7	*	1	0.1	100.0	*	17
18	*	195	10.8	69.3	*	74	4.1	91.2	*	220	12.2	66.7	*	0	0.0	100.0	*	180	10.0	72.7	*	0	0.0	100.0	*	18
19	*	197	11.0	80.3	*	103	5.7	96.9	*	171	9.5	76.2	*	0	0.0	100.0	*	120	6.7	79.4	*	0	0.0	100.0	*	19
20	*	178	9.9	90.2	*	42	2.3	99.3	*	119	6.6	82.8	*	0	0.0	100.0	*	84	4.7	84.0	*	0	0.0	100.0	*	20
21	*	141	7.8	98.0	*	11	0.6	99.9	*	125	6.9	89.8	*	0	0.0	100.0	*	68	3.8	87.8	*	0	0.0	100.0	*	21
22	*	29	1.6	99.6	*	2	0.1	100.0	*	94	5.2	95.0	*	0	0.0	100.0	*	61	3.4	91.2	*	0	0.0	100.0	*	22
23	*	7	0.4	100.0	*	0	0.0	100.0	*	88	4.9	99.9	*	0	0.0	100.0	*	99	5.5	96.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	51	2.8	99.6	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.4	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.1      DMC = 35.9      DC = 284.0      ISI = 4.2      ADMC = 75.1      FWI = 10.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1799

MAXIMUM VALUES

FFMC = 95.0      DMC = 176.0      DC = 710.0      ISI = 34.8      ADMC = 175.0      FWI = 65.0

\*\*\*TOTALS FOR STATION 275 GOODFARE CDA EPF LONG. 11946 LAT. 5516

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	CLASS							
1	*	4	0.2	0.2	*	32	1.9	1.9	*	33	1.9	1.9	*	62	3.6	3.6	*	10	0.6	0.6	*	237	13.9	13.9	*	1
2	*	9	0.5	0.8	*	48	2.8	4.7	*	42	2.5	4.4	*	162	9.5	13.1	*	16	0.9	1.5	*	193	11.3	25.2	*	2
3	*	11	0.6	1.4	*	78	4.6	9.3	*	54	3.2	7.6	*	160	9.4	22.5	*	9	0.5	2.1	*	82	4.8	30.0	*	3
4	*	17	1.0	2.4	*	74	4.3	13.6	*	68	4.0	11.5	*	118	6.9	29.4	*	10	0.6	2.6	*	95	5.6	35.6	*	4
5	*	15	0.9	3.3	*	115	6.7	20.3	*	51	3.0	14.5	*	100	5.9	35.3	*	38	2.2	4.9	*	85	5.0	40.6	*	5
6	*	16	0.9	4.2	*	114	6.7	27.0	*	61	3.6	18.1	*	109	6.4	41.7	*	43	2.5	7.4	*	143	8.4	48.9	*	6
7	*	18	1.1	5.3	*	106	6.2	33.2	*	119	7.0	25.1	*	89	5.2	46.9	*	45	2.6	10.0	*	120	7.0	56.0	*	7
8	*	39	2.3	7.6	*	107	6.3	39.5	*	88	5.2	30.2	*	160	9.4	56.3	*	63	3.7	13.7	*	118	6.9	62.9	*	8
9	*	47	2.8	10.3	*	88	5.2	44.7	*	89	5.2	35.5	*	126	7.4	63.7	*	71	4.2	17.9	*	170	10.0	72.9	*	9
10	*	44	2.6	12.9	*	82	4.8	49.5	*	68	4.0	39.4	*	96	5.6	69.3	*	68	4.0	21.9	*	132	7.7	80.6	*	10
11	*	46	2.7	15.6	*	169	9.9	59.4	*	65	3.8	43.3	*	153	9.0	78.3	*	83	4.9	26.7	*	95	5.6	86.2	*	11
12	*	73	4.3	19.9	*	149	8.7	68.1	*	72	4.2	47.5	*	128	7.5	85.8	*	74	4.3	31.1	*	71	4.2	90.3	*	12
13	*	86	5.0	24.9	*	137	8.0	76.1	*	93	5.5	52.9	*	68	4.0	89.7	*	174	10.2	41.3	*	53	3.1	93.4	*	13
14	*	122	7.2	32.1	*	97	5.7	81.8	*	112	6.6	59.5	*	68	4.0	93.7	*	157	9.2	50.5	*	70	4.1	97.5	*	14
15	*	208	12.2	44.3	*	133	7.8	89.6	*	75	4.4	63.9	*	46	2.7	96.4	*	129	7.6	58.0	*	19	1.1	98.7	*	15
16	*	123	7.2	51.5	*	68	4.0	93.6	*	63	3.7	67.6	*	41	2.4	98.8	*	132	7.7	65.8	*	16	0.9	99.6	*	16
17	*	129	7.6	59.0	*	39	2.3	95.9	*	44	2.6	70.2	*	8	0.5	99.3	*	219	12.8	78.6	*	2	0.1	99.7	*	17
18	*	163	9.6	68.6	*	28	1.6	97.5	*	153	9.0	79.1	*	2	0.1	99.4	*	139	8.1	86.8	*	3	0.2	99.9	*	18
19	*	204	12.0	80.5	*	31	1.8	99.4	*	137	8.0	87.2	*	5	0.3	99.7	*	79	4.6	91.4	*	1	0.1	99.9	*	19
20	*	187	11.0	91.5	*	10	0.6	99.9	*	121	7.1	94.3	*	4	0.2	99.9	*	58	3.4	94.8	*	0	0.0	99.9	*	20
21	*	118	6.9	98.4	*	1	0.1	100.0	*	55	3.2	97.5	*	1	0.1	100.0	*	23	1.3	96.1	*	1	0.1	100.0	*	21
22	*	27	1.6	100.0	*	0	0.0	100.0	*	43	2.5	100.0	*	0	0.0	100.0	*	20	1.2	97.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	30	1.8	99.1	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	0.9	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.0      DMC = 26.3      DC = 209.6      ISI = 5.5      ADMC = 58.5      FWI = 10.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1706

MAXIMUM VALUES

FFMC = 93.0      DMC = 141.0      DC = 548.0      ISI = 78.3      ADMC = 148.0      FWI = 101.0

\*\*\*TOTALS FOR STATION 271 GRANDE PRAIRIE A LONG. 11853 LAT. 5511

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	5	0.3	0.3	*	29	1.6	1.6	*	29	1.6	1.6	*	65	3.7	3.7	*	7	0.4	0.4	*	246	13.9	13.9	*	1
2	*	9	0.5	0.8	*	42	2.4	4.0	*	41	2.3	3.9	*	174	9.8	13.5	*	14	0.8	1.2	*	184	10.4	24.2	*	2
3	*	15	0.8	1.6	*	63	3.5	7.5	*	64	3.6	7.5	*	178	10.0	23.5	*	11	0.6	1.8	*	95	5.3	29.6	*	3
4	*	10	0.6	2.2	*	96	5.4	13.0	*	62	3.5	11.0	*	126	7.1	30.6	*	7	0.4	2.2	*	93	5.2	34.8	*	4
5	*	19	1.1	3.3	*	97	5.5	18.4	*	61	3.4	14.5	*	112	6.3	36.9	*	36	2.0	4.2	*	76	4.3	39.1	*	5
6	*	15	0.8	4.1	*	108	6.1	24.5	*	52	2.9	17.4	*	78	4.4	41.3	*	35	2.0	6.2	*	149	8.4	47.5	*	6
7	*	24	1.4	5.5	*	111	6.3	30.7	*	94	5.3	22.7	*	89	5.0	46.3	*	51	2.9	9.1	*	127	7.2	54.6	*	7
8	*	40	2.3	7.7	*	114	6.4	37.2	*	90	5.1	27.8	*	153	8.6	54.9	*	57	3.2	12.3	*	104	5.9	60.5	*	8
9	*	44	2.5	10.2	*	88	5.0	42.1	*	70	3.9	31.7	*	137	7.7	62.6	*	56	3.2	15.4	*	159	11.2	71.7	*	9
10	*	50	2.8	13.0	*	66	3.7	45.8	*	67	3.8	35.5	*	103	5.8	68.4	*	88	5.0	20.4	*	124	7.0	78.7	*	10
11	*	58	3.3	16.3	*	156	8.8	54.6	*	61	3.4	38.9	*	165	9.3	77.7	*	77	4.3	24.7	*	109	6.1	84.8	*	11
12	*	70	3.9	20.2	*	161	9.1	63.7	*	69	3.9	42.8	*	117	6.6	84.3	*	82	4.6	29.3	*	74	4.2	89.0	*	12
13	*	108	6.1	26.3	*	146	8.2	71.9	*	78	4.4	47.2	*	88	5.0	89.2	*	172	9.7	39.0	*	60	3.4	92.3	*	13
14	*	111	6.3	32.5	*	91	5.1	77.0	*	133	7.5	54.7	*	70	3.9	93.2	*	153	8.6	47.6	*	74	4.2	96.5	*	14
15	*	222	12.5	45.0	*	151	8.5	85.5	*	134	7.5	62.2	*	37	2.1	95.3	*	106	6.0	53.6	*	38	2.1	98.6	*	15
16	*	107	6.0	51.1	*	120	6.8	92.3	*	105	5.9	68.1	*	58	3.3	98.5	*	118	6.6	60.2	*	16	0.9	99.5	*	16
17	*	151	8.5	59.6	*	63	3.5	95.8	*	91	5.1	73.3	*	11	0.6	99.2	*	227	12.8	73.0	*	4	0.2	99.8	*	17
18	*	155	8.7	68.3	*	26	1.5	97.3	*	148	8.3	81.6	*	7	0.4	99.5	*	179	10.1	83.1	*	2	0.1	99.9	*	18
19	*	212	11.9	80.2	*	28	1.6	98.9	*	73	4.1	85.7	*	2	0.1	99.7	*	89	5.0	88.1	*	1	0.1	99.9	*	19
20	*	198	11.1	91.4	*	12	0.7	99.5	*	61	3.4	89.1	*	3	0.2	99.8	*	75	4.2	92.3	*	0	0.0	99.9	*	20
21	*	126	7.1	98.5	*	8	0.5	100.0	*	129	7.3	96.4	*	2	0.1	99.9	*	67	3.8	96.1	*	1	0.1	100.0	*	21
22	*	27	1.5	100.0	*	0	0.0	100.0	*	64	3.6	100.0	*	1	0.1	100.0	*	27	1.5	97.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	28	1.6	99.2	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	99.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.8 DMC = 28.6 DC = 218.7 ISI = 5.8 ADMC = 62.2 FWI = 11.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1776

MAXIMUM VALUES

FFMC = 94.0 DMC = 170.0 DC = 577.0 ISI = 83.5 ADMC = 170.0 FWI = 108.0

\*\*\*TOTALS FOR STATION 267 HIGH PRAIRIE LONG. 11630 LAT. 5526

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	18	1.0	1.0	*	50	2.7	2.7	*	2	0.1	0.1	*	66	3.6	3.6	*	10	0.5	0.5	*	304	16.7	16.7	*	1
2	*	7	0.4	1.4	*	77	4.2	7.0	*	38	2.1	2.2	*	192	10.5	14.1	*	17	0.9	1.5	*	234	12.8	29.5	*	2
3	*	8	0.4	1.8	*	115	6.3	13.3	*	55	3.0	5.2	*	220	12.1	26.2	*	13	0.7	2.2	*	106	5.8	35.3	*	3
4	*	10	0.5	2.4	*	109	6.0	19.2	*	60	3.3	8.5	*	142	7.8	34.0	*	22	1.2	3.4	*	88	4.8	40.1	*	4
5	*	17	0.9	3.3	*	102	5.6	24.8	*	48	2.6	11.1	*	148	8.1	42.1	*	44	2.4	5.8	*	102	5.6	45.7	*	5
6	*	20	1.1	4.4	*	109	6.0	30.8	*	51	2.8	13.9	*	128	7.0	49.1	*	44	2.4	8.2	*	182	10.0	55.7	*	6
7	*	28	1.5	5.9	*	100	5.5	36.3	*	87	4.8	18.7	*	117	6.4	55.5	*	69	3.8	12.0	*	139	7.6	63.3	*	7
8	*	40	2.2	8.1	*	90	4.9	41.2	*	94	5.2	23.8	*	195	10.7	66.2	*	94	5.2	17.2	*	139	7.6	70.9	*	8
9	*	37	2.0	10.1	*	95	5.2	46.4	*	81	4.4	28.3	*	142	7.8	74.0	*	76	4.2	21.3	*	207	11.3	82.3	*	9
10	*	68	3.7	13.9	*	102	5.6	52.0	*	86	4.7	33.0	*	128	7.0	81.0	*	77	4.2	25.5	*	145	7.9	90.2	*	10
11	*	73	4.0	17.9	*	209	11.5	63.5	*	84	4.6	37.6	*	159	8.7	89.7	*	80	4.4	29.9	*	85	4.7	94.9	*	11
12	*	94	5.2	23.0	*	133	7.3	70.8	*	81	4.4	42.1	*	87	4.8	94.5	*	66	3.6	33.6	*	44	2.4	97.3	*	12
13	*	103	5.6	28.7	*	131	7.2	78.0	*	78	4.3	46.3	*	43	2.4	96.9	*	154	8.4	42.0	*	19	1.0	98.4	*	13
14	*	163	8.9	37.6	*	96	5.3	83.2	*	118	6.5	52.8	*	32	1.8	98.6	*	160	8.8	50.8	*	20	1.1	99.5	*	14
15	*	242	13.3	50.9	*	155	8.5	91.7	*	123	6.7	59.5	*	14	0.8	99.4	*	160	8.8	59.5	*	7	0.4	99.8	*	15
16	*	162	8.9	59.8	*	79	4.3	96.1	*	101	5.5	65.1	*	9	0.5	99.9	*	148	8.1	67.7	*	3	0.2	100.0	*	16
17	*	176	9.6	69.4	*	46	2.5	98.6	*	81	4.4	69.5	*	1	0.1	99.9	*	213	11.7	79.3	*	0	0.0	100.0	*	17
18	*	227	12.4	81.9	*	18	1.0	99.6	*	180	9.9	79.4	*	1	0.1	100.0	*	154	8.4	87.8	*	0	0.0	100.0	*	18
19	*	176	9.6	91.5	*	8	0.4	100.0	*	211	11.6	91.0	*	0	0.0	100.0	*	91	5.0	92.8	*	0	0.0	100.0	*	19
20	*	114	6.3	97.8	*	0	0.0	100.0	*	62	3.4	94.4	*	0	0.0	100.0	*	54	3.0	95.7	*	0	0.0	100.0	*	20
21	*	38	2.1	99.8	*	0	0.0	100.0	*	40	2.2	96.5	*	0	0.0	100.0	*	28	1.5	97.3	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	46	2.5	99.1	*	0	0.0	100.0	*	23	1.3	98.5	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	17	0.9	100.0	*	0	0.0	100.0	*	22	1.2	99.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.8      DMC = 23.8      DC = 223.6      ISI = 3.7      ADMC = 56.0      FWI = 7.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1824

MAXIMUM VALUES

FFMC = 94.0      DMC = 101.0      DC = 683.0      ISI = 42.6      ADMC = 140.0      FWI = 56.0

\*\*\*TOTALS FOR STATION 299 JASPER LONG, 11804 LAT, 5253

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	6	0.3	0.3	*	17	0.9	0.9	*	17	0.9	0.9	*	37	2.0	2.0	*	2	0.1	0.1	*	243	12.9	12.9	*	1
2	*	7	0.4	0.7	*	46	2.4	3.4	*	31	1.6	2.6	*	190	10.1	12.1	*	9	0.5	0.6	*	245	13.0	26.0	*	2
3	*	3	0.2	0.9	*	86	4.6	7.9	*	54	2.9	5.4	*	242	12.9	24.9	*	5	0.3	0.9	*	118	6.3	32.2	*	3
4	*	3	0.2	1.0	*	100	5.3	13.2	*	55	2.9	8.4	*	182	9.7	34.6	*	11	0.6	1.4	*	122	6.5	38.7	*	4
5	*	18	1.0	2.0	*	124	6.6	19.8	*	50	2.7	11.0	*	136	7.2	41.9	*	32	1.7	3.1	*	106	5.6	44.4	*	5
6	*	9	0.5	2.4	*	118	6.3	26.1	*	51	2.7	13.7	*	118	6.3	48.1	*	47	2.5	5.6	*	152	8.1	52.4	*	6
7	*	14	0.7	3.2	*	98	5.2	31.3	*	78	4.1	17.9	*	107	5.7	53.8	*	43	2.3	7.9	*	146	7.8	60.2	*	7
8	*	35	1.9	5.1	*	91	4.8	36.2	*	57	3.0	20.9	*	180	9.6	63.4	*	76	4.0	12.0	*	128	6.8	67.0	*	8
9	*	56	3.0	8.0	*	90	4.8	41.0	*	50	2.7	23.6	*	151	8.0	71.4	*	69	3.7	15.6	*	212	11.3	78.3	*	9
10	*	56	3.0	11.0	*	82	4.4	45.3	*	53	2.8	26.4	*	119	6.3	77.8	*	71	3.8	19.4	*	153	8.1	86.4	*	10
11	*	80	4.3	15.3	*	191	10.2	55.5	*	59	3.1	29.5	*	173	9.2	87.0	*	82	4.4	23.8	*	99	5.3	91.7	*	11
12	*	116	6.2	21.4	*	161	8.6	64.0	*	60	3.2	32.7	*	111	5.9	92.9	*	81	4.3	28.1	*	62	3.3	95.0	*	12
13	*	105	5.6	27.0	*	152	8.1	72.1	*	48	2.6	35.3	*	56	3.0	95.9	*	169	9.0	37.1	*	39	2.1	97.1	*	13
14	*	172	9.1	36.2	*	136	7.2	79.4	*	57	3.0	38.3	*	40	2.1	98.0	*	124	6.6	43.7	*	38	2.0	99.1	*	14
15	*	239	12.7	48.9	*	155	8.2	87.6	*	49	2.6	40.9	*	24	1.3	99.3	*	133	7.1	50.7	*	14	0.7	99.8	*	15
16	*	124	6.6	55.5	*	89	4.7	92.3	*	57	3.0	43.9	*	10	0.5	99.8	*	141	7.5	58.2	*	1	0.1	99.9	*	16
17	*	172	9.1	64.6	*	65	3.5	95.8	*	87	4.6	48.6	*	3	0.2	99.9	*	220	11.7	69.9	*	2	0.1	100.0	*	17
18	*	155	8.2	72.9	*	37	2.0	97.8	*	345	18.4	66.9	*	0	0.0	99.9	*	193	10.3	80.2	*	0	0.0	100.0	*	18
19	*	192	10.2	83.1	*	33	1.8	99.5	*	213	11.3	78.2	*	1	0.1	100.0	*	159	8.5	88.7	*	0	0.0	100.0	*	19
20	*	180	9.6	92.7	*	9	0.5	100.0	*	144	7.7	85.9	*	0	0.0	100.0	*	77	4.1	92.8	*	0	0.0	100.0	*	20
21	*	98	5.2	97.9	*	0	0.0	100.0	*	149	7.9	93.8	*	0	0.0	100.0	*	59	3.1	95.9	*	0	0.0	100.0	*	21
22	*	39	2.1	99.9	*	0	0.0	100.0	*	114	6.1	99.9	*	0	0.0	100.0	*	28	1.5	97.4	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	36	1.9	99.3	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.5	99.8	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.8      DMC = 27.7      DC = 272.1      ISI = 4.0      ADMC = 63.8      FWI = 8.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1880

MAXIMUM VALUES

FFMC = 95.0      DMC = 134.0      DC = 601.0      ISI = 56.5      ADMC = 159.0      FWI = 69.0

\*\*\*TOTALS FOR STATION 280 KEG RIVER LONG, 11752 LAT, 5747

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	15	0.8	0.8	*	37	2.0	2.0	*	33	1.8	1.8	*	60	3.3	3.3	*	14	0.8	0.8	*	256	13.9	13.9	*	1
2	*	8	0.4	1.2	*	48	2.6	4.6	*	44	2.4	4.2	*	188	10.2	13.5	*	9	0.5	1.2	*	189	10.3	24.2	*	2
3	*	6	0.3	1.6	*	60	3.3	7.9	*	46	2.5	6.7	*	205	11.1	24.6	*	7	0.4	1.6	*	98	5.3	29.5	*	3
4	*	15	0.8	2.4	*	66	3.6	11.5	*	40	2.2	8.8	*	153	8.3	32.9	*	17	0.9	2.6	*	98	5.3	34.8	*	4
5	*	8	0.4	2.8	*	67	3.6	15.1	*	59	3.2	12.1	*	111	6.0	38.9	*	29	1.6	4.1	*	94	5.1	39.9	*	5
6	*	17	0.9	3.7	*	78	4.2	19.3	*	53	2.9	14.9	*	97	5.3	44.2	*	46	2.5	6.6	*	177	9.6	49.5	*	6
7	*	27	1.5	5.2	*	76	4.1	23.5	*	108	5.9	20.8	*	103	5.6	49.8	*	43	2.3	9.0	*	121	6.6	56.1	*	7
8	*	33	1.8	7.0	*	97	5.3	28.7	*	114	6.2	27.0	*	158	8.6	58.4	*	55	3.0	11.9	*	113	6.1	62.2	*	8
9	*	40	2.2	9.2	*	95	5.2	33.9	*	88	4.8	31.8	*	171	9.3	67.6	*	48	2.6	14.5	*	191	10.4	72.6	*	9
10	*	46	2.5	11.7	*	79	4.3	38.2	*	75	4.1	35.8	*	118	6.4	74.0	*	54	2.9	17.5	*	178	9.7	82.2	*	10
11	*	70	3.8	15.5	*	169	9.2	47.3	*	69	3.7	39.6	*	179	9.7	83.8	*	54	2.9	20.4	*	99	5.4	87.6	*	11
12	*	81	4.4	19.9	*	152	8.3	55.6	*	79	4.3	43.9	*	104	5.6	89.4	*	40	2.2	22.6	*	67	3.6	91.3	*	12
13	*	96	5.2	25.1	*	155	8.4	64.0	*	60	3.3	47.1	*	75	4.1	93.5	*	156	8.5	31.1	*	59	3.2	94.5	*	13
14	*	143	7.8	32.8	*	149	8.1	72.1	*	78	4.2	51.4	*	70	3.8	97.3	*	150	8.1	39.2	*	67	3.6	98.1	*	14
15	*	174	9.4	42.3	*	152	8.3	80.3	*	89	4.8	56.2	*	26	1.4	98.7	*	137	7.4	46.6	*	25	1.4	99.5	*	15
16	*	106	5.8	48.0	*	135	7.3	87.7	*	78	4.2	60.4	*	23	1.2	99.9	*	127	6.9	53.5	*	8	0.4	99.9	*	16
17	*	151	8.2	56.2	*	77	4.2	91.9	*	69	3.7	64.2	*	1	0.1	100.0	*	192	10.4	64.0	*	1	0.1	99.9	*	17
18	*	192	10.4	66.7	*	57	3.1	95.0	*	123	6.7	70.8	*	0	0.0	100.0	*	208	11.3	75.2	*	1	0.1	100.0	*	18
19	*	222	12.1	78.7	*	72	3.9	98.9	*	86	4.7	75.5	*	0	0.0	100.0	*	139	7.5	82.8	*	0	0.0	100.0	*	19
20	*	201	10.9	89.6	*	21	1.1	100.0	*	97	5.3	80.8	*	0	0.0	100.0	*	84	4.6	87.4	*	0	0.0	100.0	*	20
21	*	134	7.3	96.9	*	0	0.0	100.0	*	150	8.1	98.9	*	0	0.0	100.0	*	76	4.1	91.5	*	0	0.0	100.0	*	21
22	*	53	2.9	99.8	*	0	0.0	100.0	*	173	9.4	98.3	*	0	0.0	100.0	*	55	3.0	94.5	*	0	0.0	100.0	*	22
23	*	4	0.2	100.0	*	0	0.0	100.0	*	31	1.7	100.0	*	0	0.0	100.0	*	59	3.2	97.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	30	1.6	99.3	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.7	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.4      DMC = 32.7      DC = 249.3      ISI = 4.4      ADMC = 70.7      FWI = 10.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1842

MAXIMUM VALUES

FFMC = 96.0      DMC = 136.0      DC = 686.0      ISI = 39.8      ADMC = 171.0      FWI = 71.0



\*\*\*TOTALS FOR STATION 256 LAC LABICHE A LONG. 11201 LAT. 5446

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	14	0.8	0.8	*	46	2.6	2.6	*	15	0.9	0.9	*	95	5.4	5.4	*	10	0.6	0.6	*	291	16.5	16.5	*	1
2	*	9	0.5	1.3	*	73	4.1	6.8	*	26	1.5	2.3	*	155	8.8	14.2	*	14	0.8	1.4	*	218	12.4	28.9	*	2
3	*	14	0.8	2.1	*	92	5.2	12.0	*	33	1.9	4.2	*	198	11.2	25.4	*	8	0.5	1.8	*	98	5.6	34.5	*	3
4	*	18	1.0	3.1	*	105	6.0	17.9	*	49	2.8	7.0	*	164	9.3	34.8	*	23	1.3	3.1	*	57	5.5	40.0	*	4
5	*	32	1.8	4.9	*	109	6.2	24.1	*	56	3.2	10.2	*	115	6.5	41.3	*	47	2.7	5.8	*	82	4.7	44.6	*	5
6	*	18	1.0	6.0	*	109	6.2	30.3	*	49	2.8	12.9	*	110	6.2	47.5	*	47	2.7	8.5	*	180	10.2	54.9	*	6
7	*	35	2.0	8.0	*	123	7.0	37.3	*	85	4.8	17.8	*	115	6.5	54.1	*	53	3.0	11.5	*	142	8.1	62.9	*	7
8	*	31	1.8	9.7	*	109	6.2	43.5	*	88	5.0	22.8	*	194	11.0	65.1	*	74	4.2	15.7	*	141	8.0	70.9	*	8
9	*	39	2.2	11.9	*	89	5.1	48.6	*	102	5.8	28.6	*	149	8.5	73.5	*	88	5.0	20.7	*	192	10.9	81.8	*	9
10	*	41	2.3	14.3	*	72	4.1	52.6	*	121	6.9	35.4	*	114	6.5	80.0	*	83	4.7	25.4	*	125	7.1	88.9	*	10
11	*	46	2.6	16.9	*	184	10.4	63.1	*	135	7.7	43.1	*	149	8.5	88.5	*	75	4.3	29.6	*	84	4.8	93.7	*	11
12	*	86	4.9	21.7	*	134	7.6	70.7	*	116	6.6	49.7	*	72	4.1	92.6	*	80	4.5	34.2	*	45	2.6	96.3	*	12
13	*	104	5.9	27.7	*	108	6.1	76.8	*	98	5.6	55.3	*	60	3.4	96.0	*	192	10.9	45.1	*	33	1.9	98.1	*	13
14	*	134	7.6	35.3	*	89	5.1	81.9	*	89	5.1	60.3	*	35	2.0	98.0	*	155	8.8	53.9	*	21	1.2	99.3	*	14
15	*	222	12.6	47.9	*	132	7.5	89.4	*	105	6.0	66.3	*	22	1.2	99.2	*	122	6.9	60.8	*	5	0.5	99.8	*	15
16	*	115	6.5	54.4	*	87	4.9	94.3	*	131	7.4	73.7	*	11	0.6	99.8	*	123	7.0	67.8	*	3	0.2	100.0	*	16
17	*	167	9.5	63.9	*	58	3.3	97.6	*	124	7.0	80.7	*	2	0.1	99.9	*	182	10.3	78.1	*	C	0.0	100.0	*	17
18	*	221	12.5	76.4	*	28	1.6	99.2	*	150	8.5	89.3	*	1	0.1	100.0	*	136	7.7	85.9	*	C	0.0	100.0	*	18
19	*	214	12.2	88.6	*	14	0.8	100.0	*	75	4.3	93.5	*	0	0.0	100.0	*	106	6.0	91.9	*	C	0.0	100.0	*	19
20	*	130	7.4	96.0	*	C	0.0	100.0	*	56	3.2	96.7	*	0	0.0	100.0	*	83	4.7	96.6	*	C	0.0	100.0	*	20
21	*	59	3.4	99.3	*	C	0.0	100.0	*	32	1.8	98.5	*	0	0.0	100.0	*	38	2.2	98.8	*	C	0.0	100.0	*	21
22	*	10	0.6	99.9	*	C	0.0	100.0	*	26	1.5	100.0	*	0	0.0	100.0	*	14	0.8	99.5	*	C	0.0	100.0	*	22
23	*	2	0.1	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	8	0.5	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	C	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

287

AVERAGE VALUES

FFMC = 74.1      DMC = 24.5      DC = 199.2      ISI = 3.9      ADMC = 55.3      FWI = 7.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1761

MAXIMUM VALUES

FFMC = 95.0      LMC = 95.0      DC = 551.0      ISI = 44.3      ADMC = 115.0      FWI = 59.0

\*\*\*TOTALS FOR STATION 297 MOON LAKE LONG, 11459 LAT, 5328

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS				
1	*	9	0.5	0.5	*	26	1.4	1.4	*	26	1.4	1.4	*	52	2.8	2.8	*	9	0.5	0.5	*	268	14.4	14.4	*	1
2	*	7	0.4	0.9	*	53	2.8	4.2	*	27	1.5	2.8	*	174	9.3	12.1	*	7	0.4	0.9	*	229	12.3	26.7	*	2
3	*	8	0.4	1.3	*	72	3.9	8.1	*	43	2.3	5.2	*	225	12.1	24.2	*	7	0.4	1.2	*	102	5.5	32.2	*	3
4	*	10	0.5	1.8	*	90	4.8	12.9	*	46	2.5	7.6	*	165	8.9	33.1	*	12	0.6	1.9	*	96	5.2	37.3	*	4
5	*	13	0.7	2.5	*	114	6.1	19.1	*	47	2.5	10.2	*	107	5.7	38.8	*	29	1.6	3.4	*	88	4.7	42.1	*	5
6	*	19	1.0	3.5	*	116	6.2	25.3	*	53	2.8	13.0	*	113	6.1	44.9	*	43	2.3	5.7	*	156	8.4	50.4	*	6
7	*	21	1.1	4.7	*	124	6.7	32.0	*	132	7.1	20.1	*	96	5.2	50.1	*	42	2.3	8.0	*	159	8.5	59.0	*	7
8	*	36	1.9	6.6	*	123	6.6	38.6	*	85	4.6	24.7	*	170	9.1	59.2	*	60	3.2	11.2	*	141	7.6	66.5	*	8
9	*	51	2.7	9.3	*	106	5.7	44.3	*	95	5.1	29.8	*	131	7.0	66.2	*	74	4.0	15.2	*	211	11.3	77.9	*	9
10	*	50	2.7	12.0	*	105	5.6	49.9	*	93	5.0	34.7	*	143	7.7	73.9	*	83	4.5	19.7	*	154	8.3	86.1	*	10
11	*	62	3.3	15.4	*	248	13.3	63.2	*	114	6.1	40.9	*	188	10.1	84.0	*	80	4.3	24.0	*	110	5.9	92.1	*	11
12	*	91	4.9	20.2	*	196	10.5	73.7	*	146	7.8	48.7	*	108	5.8	89.8	*	82	4.4	28.4	*	56	3.0	95.1	*	12
13	*	117	6.3	26.5	*	145	7.8	81.5	*	131	7.0	55.7	*	59	3.2	93.0	*	224	12.0	40.4	*	39	2.1	97.2	*	13
14	*	143	7.7	34.2	*	95	5.1	86.6	*	167	9.0	64.7	*	64	3.4	96.4	*	198	10.6	51.0	*	38	2.0	99.2	*	14
15	*	186	10.0	44.2	*	120	6.4	93.1	*	127	6.8	71.5	*	30	1.6	98.0	*	182	9.8	60.8	*	11	0.6	99.8	*	15
16	*	123	6.6	50.8	*	68	3.7	96.7	*	136	7.3	78.8	*	28	1.5	99.5	*	177	9.5	70.3	*	2	0.1	99.9	*	16
17	*	139	7.5	58.3	*	26	1.4	98.1	*	87	4.7	83.5	*	6	0.3	99.8	*	245	13.2	83.5	*	2	0.1	100.0	*	17
18	*	181	9.7	68.0	*	13	0.7	98.8	*	110	5.9	89.4	*	2	0.1	99.9	*	147	7.9	91.4	*	0	0.0	100.0	*	18
19	*	222	11.9	79.9	*	15	0.8	99.6	*	118	6.3	95.8	*	1	0.1	100.0	*	82	4.4	95.8	*	0	0.0	100.0	*	19
20	*	228	12.2	92.2	*	7	0.4	100.0	*	56	3.0	98.8	*	0	0.0	100.0	*	49	2.6	98.4	*	0	0.0	100.0	*	20
21	*	119	6.4	98.5	*	0	0.0	100.0	*	23	1.2	100.0	*	0	0.0	100.0	*	11	0.6	99.0	*	0	0.0	100.0	*	21
22	*	24	1.3	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.3	99.3	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.7	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.1      DMC = 24.1      DC = 190.6      ISI = 4.6      ADMC = 55.1      FWI = 8.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1862

MAXIMUM VALUES

FFMC = 95.0      DMC = 118.0      DC = 484.0      ISI = 55.1      ADMC = 118.0      FWI = 64.0

\*\*\*TOTALS FOR STATION 288 MUŞKEG LO LONG, 11054 LAT. 5708

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	21	1.2	1.2	*	55	3.3	3.3	*	15	0.9	0.9	*	102	6.1	6.1	*	13	0.8	0.8	*	355	21.1	21.1	*	1
2	*	11	0.7	1.9	*	86	5.1	8.4	*	30	1.8	2.7	*	198	11.8	17.8	*	23	1.4	2.1	*	217	12.9	34.0	*	2
3	*	16	1.0	2.9	*	107	6.4	14.7	*	50	3.0	5.6	*	206	12.2	30.1	*	3	0.2	2.3	*	97	5.8	39.8	*	3
4	*	29	1.7	4.6	*	131	7.8	22.5	*	50	3.0	8.6	*	150	8.9	39.0	*	22	1.3	3.6	*	94	5.6	45.4	*	4
5	*	18	1.1	5.6	*	120	7.1	29.7	*	49	2.9	11.5	*	100	5.9	44.9	*	51	3.0	6.7	*	86	5.1	50.5	*	5
6	*	26	1.5	7.2	*	125	7.4	37.1	*	57	3.4	14.9	*	93	5.5	50.5	*	60	3.6	10.2	*	136	8.1	58.6	*	6
7	*	31	1.8	9.0	*	103	6.1	43.2	*	89	5.3	20.2	*	103	6.1	56.6	*	83	4.9	15.2	*	117	7.0	65.5	*	7
8	*	35	2.1	11.1	*	95	5.6	48.9	*	98	5.8	26.0	*	125	7.4	64.0	*	73	4.3	19.5	*	120	7.1	72.7	*	8
9	*	48	2.9	14.0	*	82	4.9	53.7	*	112	6.7	32.7	*	126	7.5	71.5	*	84	5.0	24.5	*	148	8.8	81.5	*	9
10	*	45	2.7	16.6	*	74	4.4	58.1	*	98	5.8	38.5	*	109	6.5	78.0	*	93	5.5	30.0	*	115	6.8	88.3	*	10
11	*	62	3.7	20.3	*	175	10.4	68.5	*	141	8.4	46.9	*	138	8.2	86.2	*	89	5.3	35.3	*	74	4.4	92.7	*	11
12	*	73	4.3	24.7	*	104	6.2	74.7	*	150	8.9	55.8	*	90	5.4	91.6	*	90	5.4	40.7	*	54	3.2	95.9	*	12
13	*	118	7.0	31.7	*	93	5.5	80.3	*	111	6.6	62.4	*	55	3.3	94.8	*	186	11.1	51.7	*	28	1.7	97.6	*	13
14	*	139	8.3	40.0	*	81	4.8	85.1	*	144	8.6	71.0	*	59	3.5	98.3	*	166	9.9	61.6	*	39	2.3	99.9	*	14
15	*	193	11.5	51.4	*	114	6.8	91.9	*	139	8.3	79.3	*	21	1.2	99.6	*	138	8.2	69.8	*	2	0.1	100.0	*	15
16	*	99	5.9	57.3	*	59	3.5	95.4	*	95	5.6	84.9	*	6	0.4	99.9	*	88	5.2	75.0	*	0	0.0	100.0	*	16
17	*	134	8.0	65.3	*	34	2.0	97.4	*	89	5.3	90.2	*	1	0.1	100.0	*	148	8.8	83.8	*	0	0.0	100.0	*	17
18	*	170	10.1	75.4	*	23	1.4	98.8	*	103	6.1	96.3	*	0	0.0	100.0	*	108	6.4	90.2	*	0	0.0	100.0	*	18
19	*	197	11.7	87.1	*	19	1.1	99.9	*	41	2.4	98.8	*	0	0.0	100.0	*	67	4.0	94.2	*	0	0.0	100.0	*	19
20	*	137	8.1	95.2	*	2	0.1	100.0	*	8	0.5	99.2	*	0	0.0	100.0	*	33	2.0	96.2	*	0	0.0	100.0	*	20
21	*	56	3.3	98.6	*	0	0.0	100.0	*	13	0.8	100.0	*	0	0.0	100.0	*	22	1.3	97.5	*	0	0.0	100.0	*	21
22	*	22	1.3	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20	1.2	98.7	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

289

AVERAGE VALUES

FFMC = 72.6      DMC = 22.5      DC = 171.5      ISI = 3.8      ADMC = 50.5      FWI = 7.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1682

MAXIMUM VALUES

FFMC = 96.0      DMC = 118.0      DC = 493.0      ISI = 33.4      ADMC = 124.0      FWI = 50.0

\*\*\*TOTALS FOR STATION 259 NEWBROOK

LONG. 11257 LAT. 5419

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.		CUM. PCNT.							
1	*	24	1.3	1.3	*	36	2.0	2.0	*	19	1.0	1.0	*	82	4.5	4.5	*	4	0.2	0.2	*	299	16.5	16.5	*	1
2	*	6	0.3	1.7	*	61	3.4	5.3	*	29	1.6	2.6	*	176	9.7	14.2	*	16	0.9	1.1	*	215	11.9	28.3	*	2
3	*	14	0.8	2.4	*	94	5.2	10.5	*	31	1.7	4.4	*	187	10.3	24.5	*	8	0.4	1.5	*	86	4.7	33.1	*	3
4	*	15	0.8	3.3	*	98	5.4	15.9	*	34	1.9	6.2	*	178	9.8	34.3	*	19	1.0	2.6	*	110	6.1	39.1	*	4
5	*	14	0.8	4.0	*	117	6.4	22.4	*	54	3.0	9.2	*	120	6.6	41.0	*	38	2.1	4.7	*	90	5.0	44.1	*	5
6	*	18	1.0	5.0	*	115	6.3	28.7	*	64	3.5	12.7	*	135	7.4	48.4	*	43	2.4	7.1	*	204	11.2	55.3	*	6
7	*	31	1.7	6.7	*	102	5.6	34.3	*	110	6.1	18.8	*	87	4.8	53.2	*	52	2.9	9.9	*	148	8.2	63.5	*	7
8	*	36	2.0	8.7	*	118	6.5	40.8	*	91	5.0	23.8	*	219	12.1	65.3	*	68	3.7	13.7	*	137	7.6	71.1	*	8
9	*	45	2.5	11.2	*	106	5.8	46.7	*	96	5.3	29.1	*	163	9.0	74.3	*	86	4.7	18.4	*	204	11.2	82.3	*	9
10	*	39	2.1	13.3	*	104	5.7	52.4	*	97	5.3	34.5	*	114	6.3	80.5	*	74	4.1	22.5	*	123	6.8	89.1	*	10
11	*	62	3.4	16.8	*	190	10.5	62.9	*	140	7.7	42.2	*	139	7.7	88.2	*	85	4.7	27.2	*	97	5.3	94.4	*	11
12	*	88	4.9	21.6	*	153	8.4	71.3	*	102	5.6	47.8	*	81	4.5	92.7	*	101	5.6	32.7	*	35	1.9	96.4	*	12
13	*	101	5.6	27.2	*	134	7.4	78.7	*	68	3.7	51.5	*	50	2.8	95.4	*	186	10.3	43.0	*	29	1.6	98.0	*	13
14	*	143	7.9	35.1	*	117	6.4	85.2	*	108	6.0	57.5	*	41	2.3	97.7	*	194	10.7	53.7	*	22	1.2	99.2	*	14
15	*	242	13.3	48.4	*	154	8.5	93.7	*	120	6.6	64.1	*	23	1.3	99.0	*	151	8.3	62.0	*	10	0.6	99.7	*	15
16	*	157	8.7	57.1	*	49	2.7	96.4	*	138	7.6	71.7	*	12	0.7	99.6	*	112	6.2	68.2	*	4	0.2	99.9	*	16
17	*	156	8.6	65.7	*	26	1.4	97.8	*	106	5.8	77.6	*	5	0.3	99.9	*	192	10.6	78.8	*	0	0.0	99.9	*	17
18	*	227	12.5	78.2	*	25	1.4	99.2	*	87	4.8	82.4	*	1	0.1	99.9	*	167	9.2	88.0	*	1	0.1	100.0	*	18
19	*	214	11.8	90.0	*	15	0.8	100.0	*	144	7.9	90.3	*	1	0.1	100.0	*	115	6.3	94.3	*	0	0.0	100.0	*	19
20	*	116	6.4	96.4	*	0	0.0	100.0	*	101	5.6	95.9	*	0	0.0	100.0	*	48	2.6	97.0	*	0	0.0	100.0	*	20
21	*	55	3.0	99.4	*	0	0.0	100.0	*	48	2.6	98.5	*	0	0.0	100.0	*	23	1.3	98.2	*	0	0.0	100.0	*	21
22	*	10	0.6	99.9	*	0	0.0	100.0	*	27	1.5	100.0	*	0	0.0	100.0	*	16	0.9	99.1	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	0.9	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.2      DMC = 23.9      DC = 208.8      ISI = 3.9      ADMC = 55.4      FWI = 7.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1814

MAXIMUM VALUES

FFMC = 95.0      DMC = 94.0      DC = 535.0      ISI = 54.0      ADMC = 123.0      FWI = 75.0

\*\*\*TOTALS FOR STATION 298 NORDEGG RS LONG. 11605 LAT. 5229

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS				
1	*	39	2.3	2.3	*	73	4.3	4.3	*	33	2.0	2.0	*	109	6.5	6.5	*	24	1.4	1.4	*	377	22.5	22.5	*	1
2	*	16	1.0	3.3	*	86	5.1	9.5	*	49	2.9	4.9	*	198	11.8	18.3	*	22	1.3	2.7	*	230	13.7	36.2	*	2
3	*	17	1.0	4.3	*	104	6.2	15.7	*	72	4.3	9.2	*	220	13.1	31.4	*	17	1.0	3.8	*	81	4.8	41.0	*	3
4	*	16	1.0	5.2	*	114	6.8	22.5	*	89	5.3	14.5	*	138	8.2	39.6	*	28	1.7	5.4	*	76	4.5	45.5	*	4
5	*	15	0.9	6.1	*	96	5.7	28.2	*	102	6.1	20.5	*	79	4.7	44.3	*	61	3.6	9.1	*	81	4.8	50.3	*	5
6	*	19	1.1	7.3	*	118	7.0	35.2	*	74	4.4	25.0	*	100	6.0	50.3	*	62	3.7	12.7	*	141	8.4	58.7	*	6
7	*	31	1.8	9.1	*	115	6.8	42.0	*	162	9.6	34.6	*	87	5.2	55.4	*	85	5.1	17.8	*	124	7.4	66.1	*	7
8	*	44	2.6	11.7	*	104	6.2	48.2	*	146	8.7	43.3	*	159	9.5	64.9	*	72	4.3	22.1	*	117	7.0	73.1	*	8
9	*	51	3.0	14.8	*	92	5.5	53.7	*	105	6.3	49.6	*	127	7.6	72.5	*	93	5.5	27.6	*	178	10.6	83.7	*	9
10	*	58	3.5	18.2	*	96	5.7	59.4	*	119	7.1	56.6	*	109	6.5	79.0	*	84	5.0	32.6	*	128	7.6	91.3	*	10
11	*	72	4.3	22.5	*	199	11.9	71.3	*	90	5.4	62.0	*	139	8.3	87.3	*	68	4.1	36.7	*	69	4.1	95.4	*	11
12	*	78	4.6	27.2	*	162	9.6	80.9	*	83	4.9	66.9	*	75	4.5	91.7	*	85	5.1	41.8	*	31	1.8	97.3	*	12
13	*	94	5.6	32.8	*	122	7.3	88.2	*	83	4.9	71.9	*	55	3.3	95.0	*	188	11.2	52.9	*	26	1.5	98.8	*	13
14	*	118	7.0	39.8	*	78	4.6	92.9	*	73	4.3	76.2	*	38	2.3	97.3	*	182	10.8	63.8	*	15	0.9	99.7	*	14
15	*	165	9.8	49.6	*	64	3.8	96.7	*	63	3.8	80.0	*	27	1.6	98.9	*	141	8.4	72.2	*	3	0.2	99.9	*	15
16	*	117	7.0	56.6	*	32	1.9	98.6	*	34	2.0	82.0	*	13	0.8	99.6	*	121	7.2	79.4	*	2	0.1	100.0	*	16
17	*	128	7.6	64.2	*	10	0.6	99.2	*	39	2.3	84.3	*	3	0.2	99.8	*	175	10.4	89.8	*	0	0.0	100.0	*	17
18	*	168	10.0	74.2	*	12	0.7	99.9	*	134	8.0	92.3	*	2	0.1	99.9	*	94	5.6	95.4	*	0	0.0	100.0	*	18
19	*	183	10.9	85.1	*	2	0.1	100.0	*	117	7.0	99.3	*	1	0.1	100.0	*	38	2.3	97.7	*	0	0.0	100.0	*	19
20	*	169	10.1	95.2	*	0	0.0	100.0	*	12	0.7	100.0	*	0	0.0	100.0	*	23	1.4	99.0	*	0	0.0	100.0	*	20
21	*	69	4.1	99.3	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	99.6	*	0	0.0	100.0	*	21
22	*	11	0.7	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.1      DMC = 19.8      DC = 150.2      ISI = 3.9      ADMC = 45.9      FWI = 7.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1679

MAXIMUM VALUES

FFMC = 95.0      DMC = 83.0      DC = 418.0      ISI = 51.7      ADMC = 100.0      FWI = 53.0

\*\*\*TOTALS FOR STATION 274 NOSE MTN, LO LONG, 11935 LAT, 5433

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	36	2.2	2.2	*	106	6.6	6.6	*	68	4.2	4.2	*	103	6.4	6.4	*	29	1.8	1.8	*	376	23.4	23.4	*	1
2	*	9	0.6	2.8	*	117	7.3	13.9	*	73	4.5	8.8	*	202	12.6	19.0	*	43	2.7	4.5	*	171	10.6	34.0	*	2
3	*	12	0.7	3.5	*	102	6.3	20.2	*	95	5.9	14.7	*	177	11.0	30.0	*	23	1.4	5.9	*	91	5.7	39.7	*	3
4	*	17	1.1	4.6	*	78	4.9	25.1	*	95	5.9	20.6	*	115	7.2	37.1	*	41	2.5	8.5	*	76	4.7	44.4	*	4
5	*	23	1.4	6.0	*	85	5.3	30.3	*	106	6.6	27.2	*	92	5.7	42.8	*	91	5.7	14.1	*	70	4.4	48.8	*	5
6	*	19	1.2	7.2	*	102	6.3	36.7	*	91	5.7	32.8	*	80	5.0	47.8	*	78	4.9	19.0	*	114	7.1	55.8	*	6
7	*	29	1.8	9.0	*	98	6.1	42.8	*	157	9.8	42.6	*	85	5.3	53.1	*	67	4.2	23.1	*	108	6.7	62.6	*	7
8	*	40	2.5	11.5	*	86	5.3	48.1	*	127	7.9	50.5	*	107	6.7	59.8	*	65	4.0	27.2	*	98	6.1	68.7	*	8
9	*	53	3.3	14.8	*	70	4.4	52.5	*	90	5.6	56.1	*	118	7.3	67.1	*	64	4.0	31.2	*	156	9.7	78.4	*	9
10	*	52	3.2	18.0	*	59	3.7	56.2	*	93	5.8	61.9	*	76	4.7	71.8	*	72	4.5	35.6	*	107	6.7	85.0	*	10
11	*	77	4.8	22.8	*	136	8.5	64.6	*	72	4.5	66.4	*	140	8.7	80.5	*	74	4.6	40.2	*	65	4.0	89.1	*	11
12	*	64	4.0	26.8	*	117	7.3	71.9	*	58	3.6	70.0	*	111	6.9	87.4	*	78	4.9	45.1	*	70	4.4	93.4	*	12
13	*	90	5.6	32.4	*	98	6.1	78.0	*	48	3.0	72.9	*	56	3.5	90.9	*	144	9.0	54.0	*	32	2.0	95.4	*	13
14	*	112	7.0	39.4	*	64	4.0	82.0	*	87	5.4	78.4	*	75	4.7	95.6	*	129	8.0	62.1	*	46	2.9	98.3	*	14
15	*	172	10.7	50.1	*	127	7.9	89.9	*	88	5.5	83.8	*	20	1.2	96.8	*	92	5.7	67.8	*	18	1.1	99.4	*	15
16	*	96	6.0	56.0	*	90	5.6	95.5	*	42	2.6	86.4	*	34	2.1	98.9	*	80	5.0	72.8	*	6	0.4	99.8	*	16
17	*	116	7.2	63.2	*	40	2.5	97.9	*	50	3.1	89.6	*	9	0.6	99.5	*	138	8.6	81.3	*	2	0.1	99.9	*	17
18	*	137	8.5	71.8	*	16	1.0	98.9	*	71	4.4	94.0	*	4	0.2	99.8	*	104	6.5	87.8	*	1	0.1	99.9	*	18
19	*	156	9.7	81.5	*	17	1.1	100.0	*	26	1.6	95.6	*	3	0.2	99.9	*	66	4.1	91.9	*	0	0.0	99.9	*	19
20	*	165	10.3	91.7	*	0	0.0	100.0	*	39	2.4	98.0	*	1	0.1	100.0	*	59	3.7	95.6	*	1	0.1	100.0	*	20
21	*	109	6.8	98.5	*	0	0.0	100.0	*	32	2.0	100.0	*	0	0.0	100.0	*	41	2.5	98.1	*	0	0.0	100.0	*	21
22	*	24	1.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	17	1.1	99.2	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.8	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.5      DMC = 23.0      DC = 137.0      ISI = 4.9      ADMC = 49.1      FWI = 8.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1608

MAXIMUM VALUES

FFMC = 93.0      DMC = 95.0      DC = 484.0      ISI = 66.6      ADMC = 115.0      FWI = 94.0

\*\*\*TOTALS FOR STATION 278 NOTIKEWIN LU LONG. 11835 LAT. 5652

CLASS	FFMC			CMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	19	1.0	1.0	*	31	1.6	1.6	*	22	1.2	1.2	*	85	4.5	4.5	*	7	0.4	0.4	*	288	15.2	15.2	*	1
2	*	8	0.4	1.4	*	52	2.7	4.4	*	40	2.1	3.3	*	186	9.8	14.3	*	9	0.5	0.8	*	190	10.0	25.2	*	2
3	*	11	0.6	2.0	*	56	2.9	7.3	*	64	3.4	6.6	*	168	8.8	23.1	*	11	0.6	1.4	*	90	4.7	29.9	*	3
4	*	15	0.8	2.8	*	93	4.9	12.2	*	61	3.2	9.8	*	136	7.2	30.3	*	19	1.0	2.4	*	95	5.0	34.9	*	4
5	*	27	1.4	4.2	*	116	6.1	18.3	*	64	3.4	13.2	*	112	5.9	36.2	*	30	1.6	4.0	*	83	4.4	39.3	*	5
6	*	14	0.7	4.9	*	127	6.7	25.0	*	51	2.7	15.9	*	121	6.4	42.5	*	46	2.4	6.4	*	193	10.2	49.4	*	6
7	*	29	1.5	6.5	*	115	6.1	31.1	*	96	5.1	20.9	*	106	5.6	48.1	*	47	2.5	8.9	*	150	7.9	57.3	*	7
8	*	40	2.1	8.6	*	94	4.9	36.0	*	95	5.0	25.9	*	160	8.4	56.5	*	59	3.1	12.0	*	130	6.8	64.2	*	8
9	*	47	2.5	11.1	*	96	5.1	41.1	*	94	4.9	30.9	*	170	8.9	65.5	*	62	3.3	15.3	*	219	11.5	75.7	*	9
10	*	59	3.1	14.2	*	103	5.4	46.5	*	107	5.6	36.5	*	143	7.5	73.0	*	80	4.2	19.5	*	169	8.9	84.6	*	10
11	*	50	2.6	16.8	*	224	11.8	58.3	*	77	4.1	40.6	*	171	9.0	82.0	*	83	4.4	23.8	*	93	4.9	89.5	*	11
12	*	69	3.6	20.4	*	181	9.5	67.8	*	75	3.9	44.5	*	137	7.2	89.2	*	72	3.8	27.6	*	68	3.6	93.1	*	12
13	*	93	4.9	25.3	*	147	7.7	75.5	*	92	4.8	49.4	*	68	3.6	92.8	*	199	10.5	38.1	*	58	3.1	96.1	*	13
14	*	129	6.8	32.1	*	128	6.7	82.3	*	105	5.5	54.9	*	75	3.9	96.7	*	188	9.9	48.0	*	47	2.5	98.6	*	14
15	*	208	10.9	43.1	*	153	8.1	90.3	*	103	5.4	60.3	*	34	1.8	98.5	*	177	9.3	57.3	*	20	1.1	99.6	*	15
16	*	139	7.3	50.4	*	67	3.5	93.8	*	94	4.9	65.3	*	24	1.3	99.8	*	146	7.7	65.0	*	5	0.3	99.9	*	16
17	*	178	9.4	59.7	*	38	2.0	95.8	*	78	4.1	69.4	*	3	0.2	99.9	*	239	12.6	77.6	*	2	0.1	100.0	*	17
18	*	254	13.4	73.1	*	28	1.5	97.3	*	230	12.1	81.5	*	1	0.1	100.0	*	186	9.8	87.4	*	0	0.0	100.0	*	18
19	*	198	10.4	83.5	*	38	2.0	99.3	*	199	10.5	91.9	*	0	0.0	100.0	*	96	5.1	92.4	*	0	0.0	100.0	*	19
20	*	205	10.8	94.3	*	12	0.6	99.9	*	71	3.7	95.7	*	0	0.0	100.0	*	43	2.3	94.7	*	0	0.0	100.0	*	20
21	*	94	4.9	99.3	*	1	0.1	100.0	*	55	2.9	98.6	*	0	0.0	100.0	*	22	1.2	95.8	*	0	0.0	100.0	*	21
22	*	14	0.7	100.0	*	0	0.0	100.0	*	27	1.4	100.0	*	0	0.0	100.0	*	19	1.0	96.8	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	37	1.9	98.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.7	99.5	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.3      CMC = 26.8      DC = 213.4      ISI = 4.7      ADMC = 59.9      FWI = 9.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1900

MAXIMUM VALUES

FFMC = 94.0      CMC = 141.0      DC = 577.0      ISI = 43.0      ADMC = 175.0      FWI = 61.0

\*\*\*TOTALS FOR STATION 27C PASS CREEK LO LONG, 11650 LAT. 5414

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF									
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	20	1.2	1.2	*	115	6.8	6.8	*	73	4.3	4.3	*	107	6.4	6.4	*	22	1.3	1.3	*	463	27.5	27.5	*	1
2	*	12	0.7	1.9	*	135	8.0	14.9	*	58	3.4	7.8	*	230	13.7	20.0	*	40	2.4	3.7	*	247	14.7	42.2	*	2
3	*	19	1.1	3.0	*	157	9.3	24.2	*	89	5.3	13.1	*	259	15.4	35.4	*	23	1.4	5.1	*	107	6.4	48.5	*	3
4	*	21	1.2	4.3	*	161	9.6	33.7	*	83	4.9	18.0	*	176	10.5	45.9	*	59	3.5	8.6	*	101	6.0	54.5	*	4
5	*	22	1.3	5.6	*	123	7.3	41.1	*	79	4.7	22.7	*	119	7.1	52.9	*	82	4.9	13.4	*	89	5.3	59.8	*	5
6	*	29	1.7	7.3	*	126	7.5	48.5	*	77	4.6	27.3	*	77	4.6	57.5	*	98	5.8	19.3	*	139	8.3	68.1	*	6
7	*	27	1.6	8.9	*	106	6.3	54.8	*	132	7.8	35.1	*	77	4.6	62.1	*	113	6.7	26.0	*	104	6.2	74.3	*	7
8	*	47	2.8	11.7	*	95	5.6	60.5	*	147	8.7	43.9	*	145	8.6	70.7	*	108	6.4	32.4	*	109	6.5	80.7	*	8
9	*	54	3.2	14.9	*	81	4.8	65.3	*	160	9.5	53.4	*	108	6.4	77.1	*	100	5.9	38.3	*	115	6.8	87.6	*	9
10	*	77	4.6	19.5	*	73	4.3	69.6	*	140	8.3	61.7	*	93	5.5	82.6	*	76	4.5	42.8	*	103	6.1	93.7	*	10
11	*	61	3.6	23.1	*	140	8.3	78.0	*	111	6.6	68.3	*	118	7.0	89.7	*	101	6.0	48.8	*	57	3.4	97.1	*	11
12	*	122	7.2	30.4	*	119	7.1	85.0	*	58	3.4	71.7	*	73	4.3	94.0	*	88	5.2	54.1	*	30	1.8	98.9	*	12
13	*	119	7.1	37.4	*	79	4.7	89.7	*	42	2.5	74.2	*	50	3.0	97.0	*	192	11.4	65.5	*	14	0.8	99.7	*	13
14	*	138	8.2	45.6	*	56	3.2	93.0	*	63	3.7	78.0	*	35	2.1	99.0	*	144	8.6	74.0	*	5	0.3	100.0	*	14
15	*	191	11.3	57.0	*	79	4.7	97.7	*	49	2.9	80.9	*	12	0.7	99.8	*	109	6.5	80.5	*	0	0.0	100.0	*	15
16	*	100	5.9	62.9	*	26	1.5	99.3	*	57	3.4	84.3	*	3	0.2	99.9	*	86	5.1	85.6	*	0	0.0	100.0	*	16
17	*	128	7.6	70.5	*	11	0.7	99.9	*	44	2.6	86.9	*	1	0.1	100.0	*	124	7.4	93.0	*	0	0.0	100.0	*	17
18	*	130	7.7	78.3	*	1	0.1	100.0	*	168	10.0	96.9	*	0	0.0	100.0	*	62	3.7	96.7	*	0	0.0	100.0	*	18
19	*	145	8.6	86.9	*	0	0.0	100.0	*	52	3.1	99.9	*	0	0.0	100.0	*	40	2.4	99.0	*	0	0.0	100.0	*	19
20	*	122	7.2	94.1	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	13	0.8	99.8	*	0	0.0	100.0	*	20
21	*	81	4.8	98.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	21
22	*	18	1.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.0      DMC = 16.7      DC = 138.8      ISI = 3.2      ADMC = 38.8      FWI = 5.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1683

MAXIMUM VALUES

FFMC = 94.0      DMC = 72.0      DC = 403.0      ISI = 34.4      ADMC = 84.0      FWI = 39.0



\*\*\*TOTALS FOR STATION 268 PEACE RIVER A LONG, 11726 LAT, 5614

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	11	0.6	0.6	*	44	2.4	2.4	*	18	1.0	1.0	*	56	3.1	3.1	*	9	0.5	0.5	*	255	14.0	14.0	*	1
2	*	7	0.4	1.0	*	75	4.1	6.6	*	41	2.3	3.3	*	158	8.7	11.8	*	10	0.6	1.0	*	221	12.2	26.2	*	2
3	*	6	0.3	1.3	*	90	5.0	11.5	*	41	2.3	5.5	*	211	11.6	23.4	*	11	0.6	1.7	*	122	6.7	32.9	*	3
4	*	10	0.6	1.9	*	103	5.7	17.2	*	40	2.2	7.7	*	178	9.8	33.2	*	29	1.6	3.3	*	112	6.2	39.1	*	4
5	*	16	0.9	2.8	*	114	6.3	23.5	*	29	1.6	9.3	*	158	8.7	41.9	*	39	2.1	5.4	*	112	6.2	45.3	*	5
6	*	16	0.9	3.6	*	112	6.2	29.6	*	34	1.9	11.2	*	129	7.1	49.0	*	50	2.8	8.2	*	171	9.4	54.7	*	6
7	*	22	1.2	4.8	*	93	5.1	34.8	*	73	4.0	15.2	*	124	6.8	55.9	*	55	3.0	11.2	*	145	8.0	62.7	*	7
8	*	33	1.8	6.7	*	99	5.5	40.2	*	77	4.2	19.4	*	198	10.9	66.8	*	60	3.3	14.5	*	136	7.5	70.2	*	8
9	*	45	2.5	9.1	*	100	5.5	45.7	*	89	4.9	24.4	*	163	9.0	75.8	*	68	3.7	18.2	*	195	10.7	80.9	*	9
10	*	43	2.4	11.5	*	82	4.5	50.2	*	82	4.5	28.9	*	119	6.6	82.3	*	66	3.6	21.9	*	147	8.1	89.0	*	10
11	*	77	4.2	15.8	*	181	10.0	60.2	*	99	5.5	34.3	*	120	6.6	88.9	*	76	4.2	26.1	*	97	5.3	94.4	*	11
12	*	92	5.1	20.8	*	151	8.3	68.5	*	85	4.7	39.0	*	91	5.0	93.9	*	70	3.9	29.9	*	42	2.3	96.7	*	12
13	*	109	6.0	26.8	*	110	6.1	74.6	*	56	3.1	42.1	*	51	2.8	96.7	*	179	9.9	39.8	*	25	1.4	98.1	*	13
14	*	157	8.7	35.5	*	87	4.8	79.4	*	69	3.8	45.9	*	37	2.0	98.8	*	155	8.5	48.3	*	28	1.5	99.6	*	14
15	*	277	15.3	50.7	*	116	6.4	85.8	*	115	6.3	52.2	*	12	0.7	99.4	*	150	8.3	56.6	*	7	0.4	100.0	*	15
16	*	182	10.0	60.8	*	119	6.6	92.3	*	96	5.3	57.5	*	9	0.5	99.9	*	127	7.0	63.6	*	0	0.0	100.0	*	16
17	*	183	10.1	70.9	*	75	4.1	96.5	*	69	3.8	61.3	*	1	0.1	100.0	*	198	10.9	74.5	*	0	0.0	100.0	*	17
18	*	243	13.4	84.2	*	46	2.5	99.0	*	136	7.5	68.8	*	0	0.0	100.0	*	146	8.0	82.5	*	0	0.0	100.0	*	18
19	*	159	8.8	93.0	*	18	1.0	100.0	*	146	8.0	76.9	*	0	0.0	100.0	*	105	5.8	88.3	*	0	0.0	100.0	*	19
20	*	95	5.2	98.2	*	0	0.0	100.0	*	187	10.3	87.2	*	0	0.0	100.0	*	79	4.4	92.7	*	0	0.0	100.0	*	20
21	*	28	1.5	99.8	*	0	0.0	100.0	*	142	7.8	95.0	*	0	0.0	100.0	*	69	3.8	96.5	*	0	0.0	100.0	*	21
22	*	4	0.2	100.0	*	0	0.0	100.0	*	91	5.0	100.0	*	0	0.0	100.0	*	38	2.1	98.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	26	1.4	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.5      DMC = 26.1      DC = 254.0      ISI = 3.7      ADMC = 60.2      FWI = 8.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1315

MAXIMUM VALUES

FFMC = 93.0      DMC = 89.0      DC = 562.0      ISI = 34.4      ADMC = 120.0      FWI = 48.0

\*\*\*TOTALS FOR STATION 303 PEKSKO

LONG, 11425 LAT, 5022

FFMC				DMC				DC				ISI				ADMC				FWI			
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS		
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.		
1	*	37	2.2	2.2	*	74	4.3	4.3	*	77	4.5	4.5	*	94	5.5	5.5	*	30	1.8	1.8	*	1	
2	*	11	0.6	2.8	*	67	3.9	8.2	*	68	4.0	8.5	*	75	4.4	9.9	*	23	1.3	3.1	*	2	
3	*	14	0.8	3.6	*	97	5.7	13.9	*	59	3.4	11.9	*	96	5.6	15.5	*	24	1.4	4.5	*	3	
4	*	12	0.7	4.3	*	108	6.3	20.2	*	70	4.1	16.0	*	101	5.9	21.4	*	28	1.6	6.1	*	4	
5	*	16	0.9	5.3	*	112	6.5	26.7	*	76	4.4	20.4	*	62	3.6	25.0	*	59	3.4	9.6	*	5	
6	*	9	0.5	5.8	*	94	5.5	32.2	*	86	5.0	25.4	*	67	3.9	28.9	*	52	3.0	12.6	*	6	
7	*	16	0.9	6.7	*	63	3.7	35.9	*	113	6.6	32.0	*	73	4.3	33.1	*	56	3.3	15.9	*	7	
8	*	33	1.9	8.6	*	83	4.8	40.7	*	106	6.2	38.2	*	115	6.7	39.8	*	72	4.2	20.1	*	8	
9	*	35	2.0	10.7	*	82	4.8	45.5	*	101	5.9	44.1	*	109	6.4	46.2	*	67	3.9	24.0	*	9	
10	*	38	2.2	12.9	*	77	4.5	50.0	*	91	5.3	49.4	*	90	5.3	51.5	*	89	5.2	29.2	*	10	
11	*	55	3.2	16.1	*	185	10.8	60.8	*	83	4.8	54.3	*	191	11.1	62.6	*	79	4.6	33.8	*	11	
12	*	61	3.6	19.7	*	134	7.8	68.6	*	76	4.4	58.7	*	126	7.4	70.0	*	68	4.0	37.7	*	12	
13	*	81	4.7	24.4	*	121	7.1	75.7	*	83	4.8	63.5	*	108	6.3	76.3	*	143	8.3	46.1	*	13	
14	*	101	5.9	30.3	*	88	5.1	80.8	*	103	6.0	69.5	*	125	7.3	83.5	*	149	8.7	54.8	*	14	
15	*	141	8.2	38.5	*	123	7.2	88.0	*	111	6.5	76.0	*	76	4.4	88.0	*	132	7.7	62.5	*	15	
16	*	92	5.4	43.9	*	96	5.6	93.6	*	89	5.2	81.2	*	97	5.7	93.6	*	113	6.6	69.1	*	16	
17	*	145	8.5	52.3	*	54	3.2	96.7	*	93	5.4	86.6	*	36	2.1	95.7	*	164	9.6	78.6	*	17	
18	*	199	11.6	63.9	*	25	1.5	98.2	*	105	6.1	92.8	*	33	1.9	97.7	*	107	6.2	84.9	*	18	
19	*	263	15.3	79.3	*	28	1.6	99.8	*	33	1.9	94.7	*	13	0.8	98.4	*	85	5.0	89.8	*	19	
20	*	219	12.8	92.1	*	3	0.2	100.0	*	18	1.1	95.7	*	5	0.3	98.7	*	47	2.7	92.6	*	20	
21	*	124	7.2	99.3	*	0	0.0	100.0	*	10	0.6	96.3	*	3	0.2	98.9	*	47	2.7	95.3	*	21	
22	*	12	0.7	100.0	*	0	0.0	100.0	*	47	2.7	99.1	*	8	0.5	99.4	*	30	1.8	97.1	*	22	
23	*	0	0.0	100.0	*	0	0.0	100.0	*	16	0.9	100.0	*	6	0.3	99.7	*	44	2.6	99.6	*	23	
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	99.9	*	6	0.4	100.0	*	24	
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	25	

AVERAGE VALUES

FFMC = 75.9      DMC = 25.4      DC = 168.1      ISI = 10.4      ADMC = 55.8      FWI = 15.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1714

MAXIMUM VALUES

FFMC = 94.0      DMC = 115.0      DC = 623.0      ISI = ~~220.3~~ <sup>125.8</sup>      ADMC = 135.0      FWI = ~~199.0~~ <sup>124.0</sup>

\*\*\*TOTALS FOR STATION 262

PELICAN MTN, LO

LONG. 11334

LAT. 5537

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	24	1.6	1.6	*	124	8.1	8.1	*	55	3.6	3.6	*	104	6.8	6.8	*	38	2.5	2.5	*	437	28.5	28.5	*	1
2	*	15	1.0	2.5	*	142	9.3	17.4	*	73	4.8	8.4	*	230	15.0	21.8	*	53	3.5	5.9	*	258	16.9	45.4	*	2
3	*	12	0.8	3.3	*	142	9.3	26.6	*	80	5.2	13.6	*	237	15.5	37.3	*	22	1.4	7.4	*	119	7.8	53.2	*	3
4	*	20	1.3	4.6	*	160	10.5	37.1	*	74	4.8	18.4	*	180	11.8	49.1	*	42	2.7	10.1	*	124	8.1	61.3	*	4
5	*	25	1.6	6.3	*	124	8.1	45.2	*	74	4.8	23.3	*	117	7.6	56.7	*	91	5.9	16.1	*	93	6.1	67.3	*	5
6	*	23	1.5	7.8	*	122	8.0	53.2	*	79	5.2	28.4	*	109	7.1	63.8	*	85	5.6	21.6	*	137	8.9	76.3	*	6
7	*	33	2.2	9.9	*	111	7.3	60.4	*	132	8.6	37.0	*	102	6.7	70.5	*	89	5.8	27.4	*	103	6.7	83.0	*	7
8	*	46	3.0	12.9	*	93	6.1	66.5	*	125	8.2	45.2	*	152	9.9	80.4	*	116	7.6	35.0	*	77	5.0	88.0	*	8
9	*	58	3.8	16.7	*	80	5.2	71.7	*	108	7.1	52.3	*	99	6.5	86.9	*	108	7.1	42.1	*	97	6.3	94.4	*	9
10	*	77	5.0	21.8	*	74	4.8	76.6	*	77	5.0	57.3	*	60	3.9	90.8	*	105	6.9	48.9	*	48	3.1	97.5	*	10
11	*	70	4.6	26.3	*	122	8.0	84.5	*	89	5.8	63.1	*	75	4.9	95.7	*	75	4.9	53.8	*	15	1.0	98.5	*	11
12	*	92	6.0	32.3	*	82	5.4	89.9	*	105	6.9	70.0	*	33	2.2	97.8	*	81	5.3	59.1	*	10	0.7	99.2	*	12
13	*	99	6.5	38.8	*	35	2.3	92.2	*	93	6.1	76.0	*	13	0.8	98.7	*	179	11.7	70.8	*	7	0.5	99.6	*	13
14	*	167	10.9	49.7	*	25	1.6	93.8	*	117	7.6	83.7	*	11	0.7	99.4	*	138	9.0	79.8	*	6	0.4	100.0	*	14
15	*	237	15.5	65.2	*	34	2.2	96.0	*	107	7.0	90.7	*	7	0.5	99.9	*	80	5.2	85.0	*	0	0.0	100.0	*	15
16	*	135	8.8	74.0	*	30	2.0	98.0	*	34	2.2	92.9	*	2	0.1	100.0	*	45	2.9	88.0	*	0	0.0	100.0	*	16
17	*	149	9.7	83.7	*	22	1.4	99.4	*	19	1.2	94.1	*	0	0.0	100.0	*	84	5.5	93.5	*	0	0.0	100.0	*	17
18	*	125	8.2	91.9	*	7	0.5	99.9	*	42	2.7	96.9	*	0	0.0	100.0	*	33	2.2	95.6	*	0	0.0	100.0	*	18
19	*	87	5.7	97.6	*	2	0.1	100.0	*	23	1.5	98.4	*	0	0.0	100.0	*	18	1.2	96.8	*	0	0.0	100.0	*	19
20	*	32	2.1	99.7	*	0	0.0	100.0	*	22	1.4	99.8	*	0	0.0	100.0	*	22	1.4	98.2	*	0	0.0	100.0	*	20
21	*	5	0.3	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	17	1.1	99.3	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	99.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 68.5      DMC = 15.4      DC = 132.1      ISI = 2.5      ADMC = 36.9      FWI = 4.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1531

MAXIMUM VALUES

FFMC = 92.0      DMC = 83.0      DC = 460.0      ISI = 26.4      ADMC = 114.0      FWI = 40.0

\*\*\*TOTALS FOR STATION 300 PENHOLD A LONG. 11354 LAT. 5211

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	4	0.2	0.2	*	25	1.3	1.3	*	19	1.0	1.0	*	71	3.7	3.7	*	5	0.3	0.3	*	280	14.6	14.6	*	1
2	*	7	0.4	0.6	*	59	3.1	4.4	*	33	1.7	2.7	*	168	8.8	12.5	*	9	0.5	0.7	*	178	9.3	24.0	*	2
3	*	16	0.8	1.4	*	79	4.1	8.5	*	66	3.5	6.2	*	180	9.4	21.9	*	8	0.4	1.2	*	72	3.8	27.7	*	3
4	*	17	0.9	2.3	*	88	4.6	13.1	*	49	2.6	8.7	*	122	6.4	28.3	*	16	0.8	2.0	*	87	4.6	32.3	*	4
5	*	19	1.0	3.3	*	115	6.0	19.1	*	50	2.6	11.3	*	103	5.4	33.7	*	37	1.9	3.9	*	76	4.0	36.2	*	5
6	*	24	1.3	4.6	*	109	5.7	24.8	*	48	2.5	13.9	*	87	4.6	38.2	*	45	2.4	6.3	*	146	7.6	43.9	*	6
7	*	35	1.8	6.4	*	101	5.3	30.1	*	88	4.6	18.5	*	91	4.8	43.0	*	47	2.5	8.7	*	146	7.6	51.5	*	7
8	*	30	1.6	7.9	*	111	5.8	35.9	*	117	6.1	24.6	*	157	8.2	51.2	*	73	3.8	12.6	*	152	7.9	59.5	*	8
9	*	42	2.2	10.1	*	92	4.8	40.7	*	101	5.3	29.9	*	158	8.3	59.5	*	70	3.7	16.2	*	245	12.8	72.3	*	9
10	*	49	2.6	12.7	*	85	4.4	45.2	*	114	6.0	35.8	*	164	8.6	68.0	*	71	3.7	19.9	*	187	9.8	82.1	*	10
11	*	66	3.5	16.2	*	212	11.1	56.3	*	114	6.0	41.8	*	212	11.1	79.1	*	83	4.3	24.3	*	132	6.9	89.0	*	11
12	*	96	5.0	21.2	*	180	9.4	65.7	*	119	6.2	48.0	*	143	7.5	86.6	*	77	4.0	28.3	*	74	3.9	92.8	*	12
13	*	87	4.6	25.7	*	176	9.2	74.9	*	107	5.6	53.6	*	84	4.4	91.0	*	190	9.9	38.2	*	50	2.6	95.4	*	13
14	*	91	4.8	30.5	*	146	7.6	82.5	*	164	8.6	62.2	*	89	4.7	95.7	*	184	9.6	47.9	*	64	3.3	98.8	*	14
15	*	160	8.4	38.9	*	193	10.1	92.6	*	129	6.7	68.9	*	48	2.5	98.2	*	148	7.7	55.6	*	15	0.8	99.6	*	15
16	*	119	6.2	45.1	*	74	3.9	96.5	*	125	6.5	75.5	*	27	1.4	99.6	*	153	8.0	63.6	*	5	0.3	99.8	*	16
17	*	146	7.6	52.7	*	35	1.8	98.3	*	113	5.9	81.4	*	4	0.2	99.8	*	241	12.6	76.2	*	3	0.2	100.0	*	17
18	*	227	11.9	64.6	*	17	0.9	99.2	*	218	11.4	92.8	*	3	0.2	99.9	*	214	11.2	87.4	*	0	0.0	100.0	*	18
19	*	246	12.9	77.5	*	15	0.8	100.0	*	123	6.4	99.2	*	0	0.0	99.9	*	152	7.9	95.3	*	0	0.0	100.0	*	19
20	*	250	13.1	90.5	*	0	0.0	100.0	*	15	0.8	100.0	*	1	0.1	100.0	*	58	3.0	98.4	*	0	0.0	100.0	*	20
21	*	146	7.6	98.2	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.8	99.2	*	0	0.0	100.0	*	21
22	*	33	1.7	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.4	99.6	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.4	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.5      DMC = 25.7      DC = 189.7      ISI = 5.2      ADMC = 57.5      FWI = 10.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1912

MAXIMUM VALUES

FFMC = 95.0      DMC = 106.0      DC = 444.0      ISI = 60.5      ADMC = 119.0      FWI = 68.0

\*\*\*TOTALS FOR STATION 304 PINCHER CREEK LONG, 11357 LAT, 4930

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	21	1.1	1.1	*	19	1.0	1.0	*	57	3.0	3.0	*	83	4.3	4.3	*	15	0.8	0.8	*	213	11.1	11.1	*	1
2	*	11	0.6	1.7	*	39	2.0	3.0	*	71	3.7	6.7	*	115	6.0	10.3	*	7	0.4	1.1	*	122	6.4	17.5	*	2
3	*	11	0.6	2.2	*	51	2.7	5.7	*	62	3.2	9.9	*	120	6.3	16.6	*	10	0.5	1.7	*	51	2.7	20.1	*	3
4	*	14	0.7	3.0	*	87	4.5	10.2	*	57	3.0	12.9	*	84	4.4	20.9	*	13	0.7	2.3	*	52	2.7	22.8	*	4
5	*	19	1.0	4.0	*	67	3.5	13.7	*	64	3.3	16.2	*	79	4.1	25.1	*	30	1.6	3.9	*	51	2.7	25.5	*	5
6	*	21	1.1	5.1	*	65	3.4	17.1	*	53	2.8	19.0	*	60	3.1	28.2	*	47	2.4	6.4	*	91	4.7	30.2	*	6
7	*	20	1.0	6.1	*	66	3.4	20.5	*	97	5.1	24.0	*	69	3.6	31.8	*	57	3.0	9.3	*	104	5.4	35.6	*	7
8	*	23	1.2	7.3	*	65	3.4	23.9	*	101	5.3	29.3	*	112	5.8	37.6	*	45	2.3	11.7	*	57	5.1	40.7	*	8
9	*	26	1.4	8.7	*	63	3.3	27.2	*	93	4.8	34.1	*	121	6.3	43.9	*	48	2.5	14.2	*	172	9.0	49.7	*	9
10	*	29	1.5	10.2	*	62	3.2	30.4	*	79	4.1	38.2	*	107	5.6	49.5	*	49	2.6	16.7	*	180	9.4	59.0	*	10
11	*	43	2.2	12.4	*	142	7.4	37.8	*	73	3.8	42.1	*	244	12.7	62.2	*	42	2.2	18.9	*	131	6.8	65.9	*	11
12	*	51	2.7	15.1	*	144	7.5	45.3	*	57	3.0	45.0	*	148	7.7	69.9	*	55	2.9	21.8	*	143	7.5	73.3	*	12
13	*	57	3.0	18.0	*	115	6.0	51.3	*	45	2.3	47.4	*	97	5.1	75.0	*	115	6.0	27.8	*	87	4.5	77.9	*	13
14	*	81	4.2	22.3	*	118	6.1	57.5	*	55	2.9	50.2	*	140	7.3	82.3	*	111	5.8	33.6	*	200	10.4	88.3	*	14
15	*	144	7.5	29.8	*	228	11.9	69.4	*	56	2.9	53.2	*	127	6.6	88.9	*	98	5.1	38.7	*	98	5.1	93.4	*	15
16	*	66	3.4	33.2	*	177	9.2	78.6	*	72	3.8	56.9	*	106	5.5	94.4	*	98	5.1	43.8	*	46	2.4	95.8	*	16
17	*	106	5.5	38.7	*	116	6.0	84.6	*	84	4.4	61.3	*	39	2.0	96.5	*	215	11.2	55.0	*	34	1.8	97.6	*	17
18	*	161	8.4	47.1	*	77	4.0	88.6	*	187	9.7	71.0	*	30	1.6	98.0	*	166	8.7	63.6	*	17	0.9	98.4	*	18
19	*	226	11.8	58.9	*	135	7.0	95.7	*	196	10.2	81.2	*	17	0.9	98.9	*	168	8.8	72.4	*	13	0.7	99.1	*	19
20	*	312	16.3	75.1	*	59	3.1	98.7	*	110	5.7	87.0	*	8	0.4	99.3	*	150	7.8	80.2	*	7	0.4	99.5	*	20
21	*	303	15.8	90.9	*	19	1.0	99.7	*	111	5.8	92.8	*	3	0.2	99.5	*	96	5.0	85.2	*	6	0.3	99.8	*	21
22	*	153	8.0	98.9	*	5	0.3	100.0	*	102	5.3	98.1	*	6	0.3	99.8	*	70	3.6	88.8	*	4	0.2	100.0	*	22
23	*	21	1.1	100.0	*	0	0.0	100.0	*	37	1.9	100.0	*	3	0.2	99.9	*	93	4.8	93.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	57	3.0	96.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.2	100.0	*	64	3.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 79.9      DMC = 41.4      DC = 238.6      ISI = 9.8      ADMC = 49.5      FWI = 18.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1919

MAXIMUM VALUES

FFMC = 96.0      DMC = 179.0      DC = 697.0      ISI = 149.4      ADMC = 198.0      FWI = 147.0

\*\*\*TOTALS FOR STATION 281 RED EARTH LO LONG, 11507 LAT, 5640

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS	
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS
1	7	0.4	0.4	57	3.6	3.6	11	0.7	0.7	73	4.6	4.6	6	0.4	0.4	363	22.7	22.7	1
2	12	0.8	1.2	99	6.2	9.8	17	1.1	1.8	225	14.1	18.6	18	1.1	1.5	263	16.4	39.1	2
3	12	0.8	1.9	139	8.7	18.4	28	1.8	3.5	219	13.7	32.3	5	0.3	1.8	128	8.0	47.1	3
4	19	1.2	3.1	121	7.6	26.0	41	2.6	6.1	201	12.6	44.9	34	2.1	3.9	107	6.7	53.8	4
5	19	1.2	4.3	111	6.9	32.9	44	2.8	8.8	158	9.9	54.8	63	3.9	7.9	95	5.9	59.8	5
6	14	0.9	5.2	124	7.8	40.7	37	2.3	11.1	122	7.6	62.4	60	3.8	11.6	162	10.1	69.9	6
7	28	1.8	6.9	115	7.2	47.9	56	3.5	14.6	111	6.9	69.3	77	4.8	16.4	125	7.8	77.7	7
8	50	3.1	10.1	105	6.6	54.4	90	5.6	20.3	162	10.1	79.4	86	5.4	21.8	104	6.5	84.2	8
9	59	3.7	13.8	87	5.4	59.9	93	5.8	26.1	114	7.1	86.6	77	4.8	26.6	136	8.5	92.7	9
10	59	3.7	17.4	83	5.2	65.1	87	5.4	31.5	72	4.5	91.1	84	5.3	31.9	73	4.6	97.3	10
11	74	4.6	22.1	167	10.4	75.5	107	6.7	38.2	74	4.6	95.7	90	5.6	37.5	22	1.4	98.6	11
12	106	6.6	28.7	139	8.7	84.2	104	6.5	44.7	43	2.7	98.4	79	4.9	42.4	9	0.6	99.2	12
13	112	7.0	35.7	82	5.1	89.3	85	5.3	50.0	6	0.4	98.8	194	12.1	54.6	6	0.4	99.6	13
14	165	10.3	46.0	54	3.4	92.7	107	6.7	56.7	13	0.8	99.6	140	8.8	63.3	6	0.4	99.9	14
15	245	15.3	61.3	64	4.0	96.7	112	7.0	63.7	3	0.2	99.8	142	8.9	72.2	1	0.1	100.0	15
16	151	9.4	70.8	31	1.9	98.6	73	4.6	68.3	4	0.3	100.0	124	7.8	79.9	0	0.0	100.0	16
17	163	10.2	80.9	14	0.9	99.5	96	6.0	74.3	0	0.0	100.0	148	9.3	89.2	0	0.0	100.0	17
18	156	9.8	90.7	5	0.3	99.8	186	11.6	85.9	0	0.0	100.0	87	5.4	94.6	0	0.0	100.0	18
19	100	6.3	96.9	3	0.2	100.0	128	8.0	93.9	0	0.0	100.0	32	2.0	96.6	0	0.0	100.0	19
20	42	2.6	99.6	0	0.0	100.0	54	3.4	97.3	0	0.0	100.0	24	1.5	98.1	0	0.0	100.0	20
21	7	0.4	100.0	0	0.0	100.0	32	2.0	99.3	0	0.0	100.0	15	0.9	99.1	0	0.0	100.0	21
22	0	0.0	100.0	0	0.0	100.0	12	0.8	100.0	0	0.0	100.0	6	0.4	99.4	0	0.0	100.0	22
23	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	9	0.6	100.0	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 70.7      DMC = 18.5      DC = 211.6      ISI = 2.6      ADMC = 46.7      FWI = 5.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1600

MAXIMUM VALUES

FFMC = 92.0      DMC = 88.0      DC = 562.0      ISI = 24.2      ADMC = 120.0      FWI = 42.0

\*\*\*TOTALS FOR STATION 292 RICHARDSON LO LONG, 11058 LAT, 5758

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	10	0.6	0.6	*	12	0.7	0.7	*	1	0.1	0.1	*	69	4.1	4.1	*	1	0.1	0.1	*	260	15.6	15.6	*	1
2	*	7	0.4	1.0	*	53	3.2	3.9	*	23	1.4	1.4	*	171	10.2	14.4	*	5	0.3	0.4	*	224	13.4	29.0	*	2
3	*	10	0.6	1.6	*	81	4.8	8.7	*	36	2.2	3.6	*	188	11.3	25.6	*	1	0.1	0.4	*	87	5.2	34.2	*	3
4	*	18	1.1	2.7	*	111	6.6	15.4	*	50	3.0	6.6	*	155	9.3	34.9	*	9	0.5	1.0	*	85	5.1	39.3	*	4
5	*	18	1.1	3.8	*	118	7.1	22.4	*	34	2.0	8.6	*	91	5.4	40.3	*	33	2.0	2.9	*	80	4.8	44.0	*	5
6	*	19	1.1	4.9	*	103	6.2	28.6	*	34	2.0	10.7	*	109	6.5	46.9	*	34	2.0	5.0	*	155	9.3	53.3	*	6
7	*	34	2.0	6.9	*	99	5.9	34.5	*	70	4.2	14.8	*	106	6.3	53.2	*	57	3.4	8.4	*	124	8.0	61.3	*	7
8	*	24	1.4	8.4	*	102	6.1	40.6	*	85	5.1	19.9	*	154	9.2	62.4	*	70	4.2	12.6	*	110	6.6	67.9	*	8
9	*	37	2.2	10.6	*	81	4.8	45.5	*	70	4.2	24.1	*	124	7.4	69.8	*	81	4.8	17.4	*	167	10.0	77.9	*	9
10	*	41	2.5	13.0	*	62	3.7	49.2	*	79	4.7	28.8	*	102	6.1	75.9	*	71	4.2	21.7	*	135	8.1	86.0	*	10
11	*	63	3.8	16.8	*	185	11.1	60.3	*	102	6.1	34.9	*	149	8.9	84.9	*	89	5.3	27.0	*	99	5.9	91.9	*	11
12	*	75	4.5	21.3	*	129	7.7	68.0	*	111	6.6	41.6	*	102	6.1	91.0	*	62	3.7	30.7	*	55	3.3	95.2	*	12
13	*	94	5.6	26.9	*	118	7.1	75.0	*	120	7.2	48.8	*	61	3.7	94.6	*	164	9.8	40.5	*	35	2.1	97.3	*	13
14	*	139	8.3	35.2	*	100	6.0	81.0	*	140	8.4	57.2	*	53	3.2	97.8	*	156	9.3	49.9	*	38	2.3	99.6	*	14
15	*	201	12.0	47.3	*	145	8.7	89.7	*	138	8.3	65.4	*	26	1.6	99.3	*	143	8.6	58.4	*	7	0.4	100.0	*	15
16	*	115	6.9	54.2	*	89	5.3	95.0	*	143	8.6	74.0	*	10	0.6	99.9	*	124	7.4	65.8	*	0	0.0	100.0	*	16
17	*	155	9.3	63.4	*	36	2.2	97.2	*	118	7.1	81.0	*	1	0.1	100.0	*	203	12.1	78.0	*	0	0.0	100.0	*	17
18	*	178	10.7	74.1	*	21	1.3	98.4	*	134	8.0	89.0	*	0	0.0	100.0	*	140	8.4	86.4	*	0	0.0	100.0	*	18
19	*	179	10.7	84.8	*	22	1.3	99.8	*	102	6.1	95.2	*	0	0.0	100.0	*	102	6.1	92.5	*	0	0.0	100.0	*	19
20	*	155	9.3	94.1	*	4	0.2	100.0	*	61	3.7	98.8	*	0	0.0	100.0	*	54	3.2	95.7	*	0	0.0	100.0	*	20
21	*	75	4.5	98.6	*	0	0.0	100.0	*	20	1.2	100.0	*	0	0.0	100.0	*	32	1.9	97.6	*	0	0.0	100.0	*	21
22	*	21	1.3	99.8	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20	1.2	98.8	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20	1.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.8      DMC = 25.7      DC = 206.2      ISI = 4.1      ADMC = 57.9      FWI = 8.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1671

MAXIMUM VALUES

FFMC = 96.0      DMC = 119.0      DC = 493.0      ISI = 33.4      ADMC = 119.0      FWI = 45.0

\*\*\*TOTALS FOR STATION 296 ROCKY MTN, HOUSE LONG, 11455 LAT, 5223

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS									
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.										
1	*	27	1.5	1.5	*	52	3.0	3.0	*	39	2.2	2.2	*	114	6.5	6.5	*	21	1.2	1.2	*	353	20.0	20.0	*	1
2	*	18	1.0	2.6	*	78	4.4	7.4	*	40	2.3	4.5	*	178	10.1	16.6	*	14	0.8	2.0	*	188	10.7	30.7	*	2
3	*	20	1.1	3.7	*	84	4.8	12.2	*	44	2.5	7.0	*	194	11.0	27.6	*	12	0.7	2.7	*	82	4.7	35.4	*	3
4	*	13	0.7	4.4	*	118	6.7	18.9	*	56	3.2	10.2	*	122	6.9	34.5	*	24	1.4	4.0	*	57	5.5	40.9	*	4
5	*	25	1.4	5.8	*	83	4.7	23.6	*	79	4.5	14.7	*	104	5.9	40.4	*	44	2.5	6.5	*	80	4.5	45.4	*	5
6	*	30	1.7	7.6	*	114	6.5	30.0	*	82	4.7	19.3	*	86	4.9	45.3	*	56	3.2	9.7	*	133	7.6	53.0	*	6
7	*	27	1.5	9.1	*	127	7.2	37.3	*	168	9.5	28.8	*	90	5.1	50.4	*	63	3.6	13.3	*	129	7.3	60.3	*	7
8	*	38	2.2	11.2	*	117	6.6	43.9	*	116	6.6	35.4	*	161	9.1	59.6	*	54	3.1	16.4	*	132	7.5	67.8	*	8
9	*	39	2.2	13.5	*	109	6.2	50.1	*	97	5.5	40.9	*	137	7.8	67.3	*	85	4.8	21.2	*	223	12.7	80.5	*	9
10	*	56	3.2	16.6	*	109	6.2	56.3	*	106	6.0	47.0	*	128	7.3	74.6	*	81	4.6	25.8	*	140	8.0	88.4	*	10
11	*	63	3.6	20.2	*	235	13.3	69.6	*	117	6.6	53.6	*	157	8.9	83.5	*	73	4.1	29.9	*	71	4.0	92.4	*	11
12	*	95	5.4	25.6	*	163	9.3	78.9	*	138	7.8	61.4	*	101	5.7	89.3	*	96	5.5	35.4	*	58	3.3	95.7	*	12
13	*	77	4.4	30.0	*	131	7.4	86.3	*	101	5.7	67.2	*	59	3.4	92.6	*	234	13.3	48.7	*	32	1.8	97.6	*	13
14	*	117	6.6	36.6	*	86	4.9	91.2	*	102	5.8	73.0	*	59	3.4	96.0	*	217	12.3	61.0	*	38	2.2	99.7	*	14
15	*	169	9.6	46.2	*	94	5.3	96.5	*	117	6.6	79.6	*	29	1.6	97.6	*	160	9.1	70.1	*	2	0.1	99.8	*	15
16	*	94	5.3	51.6	*	29	1.6	98.2	*	72	4.1	83.7	*	31	1.8	99.4	*	132	7.5	77.6	*	1	0.1	99.9	*	16
17	*	129	7.3	58.9	*	11	0.6	98.8	*	51	2.9	86.6	*	6	0.3	99.7	*	201	11.4	89.0	*	1	0.1	99.9	*	17
18	*	186	10.6	69.4	*	8	0.5	99.3	*	128	7.3	93.9	*	3	0.2	99.9	*	116	6.6	95.6	*	1	0.1	100.0	*	18
19	*	232	13.2	82.6	*	13	0.7	100.0	*	88	5.0	98.9	*	1	0.1	99.9	*	39	2.2	97.8	*	0	0.0	100.0	*	19
20	*	193	11.0	93.6	*	0	0.0	100.0	*	18	1.0	99.9	*	1	0.1	100.0	*	14	0.8	98.6	*	0	0.0	100.0	*	20
21	*	96	5.5	99.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	12	0.7	99.3	*	0	0.0	100.0	*	21
22	*	16	0.9	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	99.8	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

302

AVERAGE VALUES

FFMC = 73.4      DMC = 21.2      DC = 161.5      ISI = 4.6      ADMC = 48.8      FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1761

MAXIMUM VALUES

FFMC = 95.0      DMC = 105.0      DC = 456.0      ISI = 70.0      ADMC = 107.0      FWI = 76.0



\*\*\*TOTALS FOR STATION 257 ROUND HILL LO LONG. 11159 LAT. 5518

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	17	1.0	1.0	*	58	3.3	3.3	*	33	1.9	1.9	*	75	4.3	4.3	*	14	0.8	0.8	*	306	17.6	17.6	*	1
2	*	7	0.4	1.4	*	94	5.4	8.8	*	29	1.7	3.6	*	171	9.8	14.2	*	21	1.2	2.0	*	261	15.0	32.6	*	2
3	*	15	0.9	2.2	*	104	6.0	14.7	*	45	2.6	6.2	*	230	13.2	27.4	*	14	0.8	2.8	*	121	7.0	39.6	*	3
4	*	11	0.6	2.9	*	108	6.2	21.0	*	54	3.1	9.3	*	197	11.3	38.7	*	29	1.7	4.5	*	110	6.3	45.9	*	4
5	*	18	1.0	3.9	*	106	6.1	27.1	*	70	4.0	13.3	*	136	7.8	46.6	*	57	3.3	7.8	*	100	5.8	51.7	*	5
6	*	18	1.0	5.0	*	92	5.3	32.4	*	69	4.0	17.3	*	120	6.9	53.5	*	59	3.4	11.2	*	172	9.9	61.6	*	6
7	*	35	2.0	7.0	*	126	7.3	39.6	*	141	8.1	25.4	*	115	6.6	60.1	*	61	3.5	14.7	*	132	7.6	69.2	*	7
8	*	33	1.9	8.9	*	123	7.1	46.7	*	158	9.1	34.5	*	169	9.7	69.8	*	82	4.7	19.4	*	133	7.7	76.9	*	8
9	*	47	2.7	11.6	*	103	5.9	52.6	*	143	8.2	42.7	*	131	7.5	77.4	*	81	4.7	24.1	*	155	8.9	85.8	*	9
10	*	39	2.2	13.8	*	84	4.8	57.5	*	116	6.7	49.4	*	92	5.3	82.7	*	83	4.8	28.8	*	100	5.8	91.5	*	10
11	*	52	3.0	16.8	*	198	11.4	68.9	*	107	6.2	55.6	*	139	8.0	90.7	*	71	4.1	32.9	*	67	3.9	95.4	*	11
12	*	109	6.3	23.1	*	125	7.2	76.1	*	100	5.8	61.3	*	52	3.0	93.7	*	81	4.7	37.6	*	25	1.4	96.8	*	12
13	*	117	6.7	29.8	*	111	6.4	82.4	*	57	3.3	64.6	*	45	2.6	96.3	*	196	11.3	48.9	*	26	1.5	98.3	*	13
14	*	163	9.4	39.2	*	96	5.5	88.0	*	82	4.7	69.3	*	31	1.8	98.0	*	181	10.4	59.3	*	22	1.3	99.6	*	14
15	*	229	13.2	52.4	*	124	7.1	95.1	*	103	5.9	75.2	*	24	1.4	99.4	*	159	9.2	68.5	*	4	0.2	99.8	*	15
16	*	131	7.5	59.9	*	50	2.9	98.0	*	94	5.4	80.7	*	7	0.4	99.8	*	124	7.1	75.6	*	2	0.1	99.9	*	16
17	*	170	9.8	69.7	*	20	1.2	99.1	*	73	4.2	84.9	*	2	0.1	99.9	*	170	9.8	85.4	*	1	0.1	100.0	*	17
18	*	198	11.4	81.1	*	11	0.6	99.8	*	92	5.3	90.2	*	1	0.1	100.0	*	114	6.6	91.9	*	0	0.0	100.0	*	18
19	*	171	9.8	91.0	*	4	0.2	100.0	*	61	3.5	93.7	*	0	0.0	100.0	*	65	3.7	95.7	*	0	0.0	100.0	*	19
20	*	95	5.5	96.4	*	0	0.0	100.0	*	48	2.8	96.4	*	0	0.0	100.0	*	40	2.3	98.0	*	0	0.0	100.0	*	20
21	*	50	2.9	99.3	*	0	0.0	100.0	*	25	1.4	97.9	*	0	0.0	100.0	*	21	1.2	99.2	*	0	0.0	100.0	*	21
22	*	10	0.6	99.9	*	0	0.0	100.0	*	37	2.1	100.0	*	0	0.0	100.0	*	6	0.3	99.5	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.4      DMC = 21.4      DC = 173.7      ISI = 3.5      ADMC = 49.7      FWI = 6.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1737

MAXIMUM VALUES

FFMC = 95.0      DMC = 95.0      DC = 568.0      ISI = 44.3      ADMC = 114.0      FWI = 65.0

\*\*\*TOTALS FOR STATION 290 SEAFORTH LO LONG, 11321 LAT. 5714

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	26	1.5	1.5	*	87	5.2	5.2	*	9	0.5	0.5	*	116	6.9	6.9	*	15	0.9	0.9	*	413	24.5	24.5	*	1
2	*	20	1.2	2.7	*	93	5.5	10.7	*	26	1.5	2.1	*	234	13.9	20.8	*	37	2.2	3.1	*	209	12.4	36.9	*	2
3	*	16	0.9	3.7	*	113	6.7	17.4	*	42	2.5	4.6	*	219	13.0	33.8	*	2	0.1	3.2	*	93	5.5	42.4	*	3
4	*	23	1.4	5.0	*	131	7.8	25.2	*	48	2.8	7.4	*	140	8.3	42.1	*	40	2.4	5.6	*	89	5.3	47.7	*	4
5	*	22	1.3	6.4	*	111	6.6	31.8	*	44	2.6	10.0	*	109	6.5	48.5	*	47	2.8	8.4	*	79	4.7	52.4	*	5
6	*	28	1.7	8.0	*	103	6.1	37.9	*	41	2.4	12.5	*	76	4.5	53.1	*	63	3.7	12.1	*	145	8.6	61.0	*	6
7	*	47	2.8	10.8	*	110	6.5	44.4	*	81	4.8	17.3	*	99	5.9	58.9	*	83	4.9	17.0	*	99	5.9	66.9	*	7
8	*	37	2.2	13.0	*	87	5.2	49.6	*	92	5.5	22.7	*	143	8.5	67.4	*	75	4.5	21.5	*	112	6.6	73.5	*	8
9	*	50	3.0	16.0	*	89	5.3	54.8	*	107	6.4	29.1	*	137	8.1	75.5	*	101	6.0	27.5	*	154	9.1	82.7	*	9
10	*	48	2.8	18.8	*	73	4.3	59.2	*	112	6.6	35.7	*	98	5.8	81.4	*	78	4.6	32.1	*	99	5.9	88.5	*	10
11	*	59	3.5	22.3	*	165	9.8	69.0	*	146	8.7	44.4	*	122	7.2	88.6	*	82	4.9	37.0	*	76	4.5	93.1	*	11
12	*	87	5.2	27.5	*	103	6.1	75.1	*	125	7.4	51.8	*	74	4.4	93.0	*	80	4.7	41.7	*	46	2.7	95.8	*	12
13	*	116	6.9	34.4	*	74	4.4	79.5	*	119	7.1	58.9	*	48	2.8	95.8	*	172	10.2	51.9	*	39	2.3	98.1	*	13
14	*	148	8.8	43.1	*	64	3.8	83.3	*	167	9.9	68.8	*	57	3.4	99.2	*	158	9.4	61.3	*	25	1.5	99.6	*	14
15	*	188	11.2	54.3	*	97	5.8	89.0	*	141	8.4	77.2	*	9	0.5	99.8	*	115	6.8	68.1	*	7	0.4	100.0	*	15
16	*	97	5.8	60.1	*	61	3.6	92.6	*	109	6.5	83.6	*	3	0.2	99.9	*	88	5.2	73.4	*	0	0.0	100.0	*	16
17	*	120	7.1	67.2	*	43	2.6	95.2	*	80	4.7	88.4	*	1	0.1	100.0	*	133	7.9	81.2	*	0	0.0	100.0	*	17
18	*	176	10.4	77.6	*	32	1.9	97.1	*	61	3.6	92.0	*	0	0.0	100.0	*	98	5.8	87.1	*	0	0.0	100.0	*	18
19	*	186	11.0	88.7	*	35	2.1	99.2	*	25	1.5	93.5	*	0	0.0	100.0	*	69	4.1	91.2	*	0	0.0	100.0	*	19
20	*	122	7.2	95.9	*	14	0.8	100.0	*	16	0.9	94.4	*	0	0.0	100.0	*	42	2.5	93.6	*	0	0.0	100.0	*	20
21	*	54	3.2	99.1	*	0	0.0	100.0	*	28	1.7	96.1	*	0	0.0	100.0	*	31	1.8	95.5	*	0	0.0	100.0	*	21
22	*	13	0.8	99.9	*	0	0.0	100.0	*	66	3.9	100.0	*	0	0.0	100.0	*	27	1.6	97.1	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	36	2.1	99.2	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	99.8	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.2      DMC = 23.5      DC = 189.1      ISI = 3.5      ADMC = 52.6      FWI = 7.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1685

MAXIMUM VALUES

FFMC = 96.0      DMC = 122.0      DC = 582.0      ISI = 31.9      ADMC = 159.0      FWI = 49.0

\*\*\*TOTALS FOR STATION 273 SIMONETTE LO LONG. 11825 LAT. 5414

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CLASS						
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.							
1	*	25	1.6	1.6	*	97	6.1	6.1	*	48	3.0	3.0	*	83	5.2	5.2	*	34	2.1	2.1	*	377	23.5	23.5	*	1
2	*	5	0.3	1.9	*	107	6.7	12.7	*	58	3.6	6.6	*	201	12.6	17.7	*	29	1.8	3.9	*	184	11.5	35.0	*	2
3	*	8	0.5	2.4	*	140	8.7	21.5	*	84	5.2	11.9	*	170	10.6	28.4	*	21	1.3	5.2	*	81	5.1	40.1	*	3
4	*	19	1.2	3.6	*	138	8.6	30.1	*	100	6.2	18.1	*	136	8.5	36.9	*	38	2.4	7.6	*	97	6.1	46.2	*	4
5	*	17	1.1	4.6	*	108	6.7	36.9	*	87	5.4	23.5	*	106	6.6	43.5	*	72	4.5	12.1	*	74	4.6	50.8	*	5
6	*	24	1.5	6.1	*	120	7.5	44.3	*	98	6.1	29.7	*	77	4.8	48.3	*	79	4.9	17.1	*	133	8.3	59.1	*	6
7	*	32	2.0	8.1	*	107	6.7	51.0	*	136	8.5	38.2	*	87	5.4	53.7	*	98	6.1	23.2	*	104	6.5	65.6	*	7
8	*	34	2.1	10.2	*	83	5.2	56.2	*	147	9.2	47.3	*	113	7.1	60.8	*	100	6.2	29.4	*	100	6.2	71.8	*	8
9	*	59	3.7	13.9	*	67	4.2	60.4	*	147	9.2	56.5	*	120	7.5	68.3	*	101	6.3	35.7	*	139	8.7	80.5	*	9
10	*	53	3.3	17.2	*	66	4.1	64.5	*	123	7.7	64.2	*	81	5.1	73.3	*	84	5.2	41.0	*	59	6.2	86.7	*	10
11	*	73	4.6	21.8	*	144	9.0	73.5	*	101	6.3	70.5	*	127	7.9	81.3	*	86	5.4	46.3	*	82	5.1	91.8	*	11
12	*	73	4.6	26.4	*	102	6.4	79.9	*	98	6.1	76.6	*	113	7.1	88.3	*	78	4.9	51.2	*	43	2.7	94.5	*	12
13	*	104	6.5	32.9	*	79	4.9	84.8	*	62	3.9	80.5	*	50	3.1	91.4	*	184	11.5	62.7	*	35	2.2	96.7	*	13
14	*	111	6.9	39.8	*	67	4.2	89.0	*	62	3.9	84.4	*	54	3.4	94.8	*	124	7.7	70.5	*	31	1.9	98.6	*	14
15	*	188	11.7	51.5	*	93	5.8	94.8	*	79	4.9	89.3	*	38	2.4	97.2	*	99	6.2	76.6	*	12	0.7	99.4	*	15
16	*	95	5.9	57.5	*	47	2.9	97.8	*	56	3.5	92.8	*	29	1.8	99.0	*	65	4.1	80.7	*	7	0.4	99.8	*	16
17	*	107	6.7	64.1	*	27	1.7	99.4	*	15	0.9	93.8	*	7	0.4	99.4	*	115	7.2	87.9	*	1	0.1	99.9	*	17
18	*	134	8.4	72.5	*	9	0.6	100.0	*	60	3.7	97.5	*	5	0.3	99.8	*	90	5.6	93.5	*	1	0.1	99.9	*	18
19	*	150	9.4	81.9	*	0	0.0	100.0	*	39	2.4	99.9	*	1	0.1	99.8	*	65	4.1	97.6	*	1	0.1	100.0	*	19
20	*	175	10.9	92.8	*	0	0.0	100.0	*	1	0.1	100.0	*	2	0.1	99.9	*	29	1.8	99.4	*	0	0.0	100.0	*	20
21	*	94	5.9	98.7	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	21
22	*	21	1.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.9      DMC = 19.0      DC = 124.7      ISI = 4.8      ADMC = 42.0      FWI = 8.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1601

MAXIMUM VALUES

FFMC = 93.0      DMC = 77.0      DC = 403.0      ISI = 71.0      ADMC = 88.0      FWI = 88.0

\*\*\*TOTALS FOR STATION 272 SNUFF MTN. LO LONG, 11732 LAT, 5441

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS				
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS			
1	*	21	1.3	1.3	*	82	5.0	5.0	*	49	3.0	3.0	*	92	5.6	5.6	*	307	18.8	18.8	*	1
2	*	10	0.6	1.9	*	70	4.3	9.3	*	69	4.2	7.2	*	162	9.9	15.5	*	28	1.7	3.5	*	2
3	*	13	0.8	2.7	*	98	6.0	15.3	*	69	4.2	11.4	*	165	10.1	25.6	*	20	1.2	4.8	*	3
4	*	21	1.3	4.0	*	108	6.6	21.9	*	60	3.7	15.1	*	115	7.0	32.6	*	26	1.6	6.4	*	4
5	*	23	1.4	5.4	*	139	8.5	30.4	*	65	4.0	19.1	*	113	6.9	39.5	*	53	3.2	9.6	*	5
6	*	17	1.0	6.4	*	103	6.3	36.7	*	87	5.3	24.4	*	86	5.3	44.8	*	54	3.3	12.9	*	6
7	*	22	1.3	7.8	*	102	6.2	42.9	*	130	7.9	32.3	*	85	5.2	50.0	*	68	4.2	17.1	*	7
8	*	31	1.9	9.7	*	93	5.7	48.6	*	108	6.6	38.9	*	147	9.0	59.0	*	77	4.7	21.8	*	8
9	*	45	2.8	12.4	*	58	3.5	52.1	*	98	6.0	44.9	*	122	7.5	66.4	*	86	5.3	27.0	*	9
10	*	53	3.2	15.6	*	67	4.1	56.2	*	82	5.0	49.9	*	93	5.7	72.1	*	77	4.7	31.7	*	10
11	*	65	4.0	19.6	*	164	10.0	66.3	*	76	4.6	54.6	*	142	8.7	80.8	*	88	5.4	37.1	*	11
12	*	60	3.7	23.3	*	131	8.0	74.3	*	64	3.9	58.5	*	116	7.1	87.9	*	74	4.5	41.6	*	12
13	*	92	5.6	28.9	*	99	6.1	80.3	*	81	5.0	63.4	*	50	3.1	91.0	*	168	10.3	51.9	*	13
14	*	111	6.8	35.7	*	56	3.4	83.7	*	87	5.3	68.8	*	54	3.3	94.3	*	134	8.2	60.1	*	14
15	*	202	12.3	48.0	*	89	5.4	89.2	*	66	4.0	72.8	*	46	2.8	97.1	*	119	7.3	67.4	*	15
16	*	118	7.2	55.3	*	55	3.4	92.5	*	79	4.8	77.6	*	34	2.1	99.1	*	108	6.6	74.0	*	16
17	*	120	7.3	62.6	*	36	2.2	94.7	*	57	3.5	81.1	*	6	0.4	99.5	*	146	8.9	82.9	*	17
18	*	158	9.7	72.2	*	45	2.8	97.5	*	105	6.4	87.5	*	1	0.1	99.6	*	75	4.6	87.5	*	18
19	*	187	11.4	83.7	*	41	2.5	100.0	*	71	4.3	91.9	*	4	0.2	99.8	*	59	3.6	91.1	*	19
20	*	146	8.9	92.6	*	0	0.0	100.0	*	44	2.7	94.6	*	2	0.1	99.9	*	27	1.7	92.7	*	20
21	*	98	6.0	98.6	*	0	0.0	100.0	*	58	3.5	98.1	*	1	0.1	100.0	*	29	1.8	94.5	*	21
22	*	23	1.4	100.0	*	0	0.0	100.0	*	29	1.8	99.9	*	0	0.0	100.0	*	36	2.2	96.7	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	50	3.1	99.8	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

306

AVERAGE VALUES

FFMC = 73.8      DMC = 23.8      DC = 174.8      ISI = 5.0      ADMC = 52.7      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1636

MAXIMUM VALUES

FFMC = 93.0      DMC = 107.0      DC = 608.0      ISI = 75.8      ADMC = 130.0      FWI = 110.0

\*\*\*TOTALS FOR STATION 264 TEEPEE LO LONG. 11407 LAT. 5628

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS					
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.					
1	*	9	0.6	0.6	*	80	5.0	5.0	*	16	1.0	1.0	*	90	5.6	5.6	*	5	0.3	0.3	*	410	25.4	25.4	*	1
2	*	5	0.3	0.9	*	125	7.8	12.7	*	25	1.6	2.5	*	233	14.5	20.0	*	28	1.7	2.0	*	258	16.0	41.4	*	2
3	*	20	1.2	2.1	*	132	8.2	20.9	*	30	1.9	4.4	*	232	14.4	34.4	*	9	0.6	2.6	*	128	7.9	49.4	*	3
4	*	15	0.9	3.0	*	158	9.8	30.7	*	39	2.4	6.8	*	187	11.6	46.0	*	51	3.2	5.8	*	114	7.1	56.5	*	4
5	*	30	1.9	4.9	*	143	8.9	39.6	*	42	2.6	9.4	*	157	9.7	55.8	*	66	4.1	9.9	*	93	5.8	62.2	*	5
6	*	23	1.4	6.3	*	122	7.6	47.1	*	47	2.9	12.3	*	123	7.6	63.4	*	73	4.5	14.4	*	162	10.0	72.3	*	6
7	*	32	2.0	8.3	*	110	6.8	54.0	*	83	5.1	17.5	*	104	6.5	69.9	*	76	4.7	19.1	*	122	7.6	79.8	*	7
8	*	49	3.0	11.4	*	95	5.9	59.9	*	101	6.3	23.8	*	159	9.9	79.7	*	98	6.1	25.2	*	106	6.6	86.4	*	8
9	*	55	3.4	14.8	*	84	5.2	65.1	*	107	6.6	30.4	*	111	6.9	86.6	*	102	6.3	31.5	*	115	7.1	93.5	*	9
10	*	71	4.4	19.2	*	75	4.7	69.7	*	90	5.6	36.0	*	74	4.6	91.2	*	118	7.3	38.8	*	51	3.2	96.7	*	10
11	*	74	4.6	23.8	*	146	9.1	78.8	*	147	9.1	45.1	*	77	4.8	96.0	*	103	6.4	45.2	*	28	1.7	98.4	*	11
12	*	120	7.4	31.2	*	117	7.3	86.0	*	124	7.7	52.8	*	30	1.9	97.8	*	72	4.5	49.7	*	10	0.6	99.1	*	12
13	*	96	6.0	37.2	*	51	3.2	89.2	*	122	7.6	60.4	*	10	0.6	98.4	*	180	11.2	60.9	*	6	0.4	99.4	*	13
14	*	175	10.9	48.0	*	48	3.0	92.2	*	103	6.4	66.7	*	19	1.2	99.6	*	139	8.6	69.5	*	6	0.4	99.8	*	14
15	*	256	15.9	63.9	*	68	4.2	96.4	*	111	6.9	73.6	*	3	0.2	99.8	*	103	6.4	75.9	*	3	0.2	100.0	*	15
16	*	144	8.9	72.8	*	35	2.2	98.6	*	92	5.7	79.3	*	2	0.1	99.9	*	109	6.8	82.6	*	0	0.0	100.0	*	16
17	*	174	10.8	83.6	*	14	0.9	99.4	*	82	5.1	84.4	*	1	0.1	100.0	*	117	7.3	89.9	*	0	0.0	100.0	*	17
18	*	128	7.9	91.6	*	6	0.4	99.8	*	106	6.6	91.0	*	0	0.0	100.0	*	71	4.4	94.3	*	0	0.0	100.0	*	18
19	*	98	6.1	97.6	*	3	0.2	100.0	*	70	4.3	95.3	*	0	0.0	100.0	*	44	2.7	97.0	*	0	0.0	100.0	*	19
20	*	31	1.9	99.6	*	0	0.0	100.0	*	31	1.9	97.3	*	0	0.0	100.0	*	21	1.3	98.3	*	0	0.0	100.0	*	20
21	*	7	0.4	100.0	*	0	0.0	100.0	*	32	2.0	99.3	*	0	0.0	100.0	*	12	0.7	99.1	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.7	100.0	*	0	0.0	100.0	*	6	0.4	99.4	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

307

AVERAGE VALUES

FFMC = 69.8      DMC = 17.3      DC = 187.6      ISI = 2.6      ADMC = 43.4      FWI = 4.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1612

MAXIMUM VALUES

FFMC = 92.0      DMC = 88.0      DC = 562.0      ISI = 33.8      ADMC = 120.0      FWI = 44.0

\*\*\*TOTALS FOR STATION 293 TROUT MTN. LO LONG. 11425 LAT. 5648

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	15	1.0	1.0	*	97	6.4	6.4	*	19	1.2	1.2	*	103	6.7	6.7	*	22	1.4	1.4	*	440	28.8	28.8	*	1
2	*	11	0.7	1.7	*	117	7.7	14.0	*	31	2.0	3.3	*	245	16.1	22.8	*	37	2.4	3.9	*	238	15.6	44.4	*	2
3	*	20	1.3	3.0	*	140	9.2	23.2	*	37	2.4	5.7	*	212	13.9	36.7	*	9	0.6	4.5	*	122	8.0	52.4	*	3
4	*	18	1.2	4.2	*	157	10.3	33.5	*	45	2.9	8.7	*	170	11.1	47.8	*	39	2.6	7.0	*	110	7.2	59.6	*	4
5	*	33	2.2	6.4	*	129	8.5	41.9	*	59	3.9	12.5	*	142	9.3	57.1	*	65	4.3	11.3	*	79	5.2	64.8	*	5
6	*	28	1.8	8.2	*	121	7.9	49.9	*	49	3.2	15.7	*	117	7.7	64.8	*	86	5.6	16.9	*	136	8.9	73.7	*	6
7	*	37	2.4	10.6	*	110	7.2	57.1	*	64	4.2	19.9	*	103	6.7	71.6	*	79	5.2	22.1	*	116	7.6	81.3	*	7
8	*	42	2.8	13.4	*	90	5.9	63.0	*	81	5.3	25.2	*	154	10.1	81.7	*	103	6.7	28.8	*	86	5.6	87.0	*	8
9	*	70	4.6	18.0	*	74	4.8	67.8	*	95	6.2	31.5	*	103	6.7	88.4	*	114	7.5	36.3	*	112	7.3	94.3	*	9
10	*	54	3.5	21.5	*	69	4.5	72.3	*	119	7.8	39.3	*	65	4.3	92.7	*	94	6.2	42.5	*	48	3.1	97.4	*	10
11	*	69	4.5	26.0	*	113	7.4	79.8	*	159	10.4	49.7	*	62	4.1	96.7	*	91	6.0	48.4	*	21	1.4	98.8	*	11
12	*	98	6.4	32.4	*	95	6.2	86.0	*	110	7.2	56.9	*	26	1.7	98.4	*	66	4.3	52.8	*	7	0.5	99.3	*	12
13	*	106	6.9	39.4	*	52	3.4	89.4	*	104	6.8	63.7	*	6	0.4	98.8	*	163	10.7	63.4	*	5	0.3	99.6	*	13
14	*	158	10.4	49.7	*	45	2.9	92.3	*	91	6.0	69.7	*	14	0.9	99.7	*	140	9.2	72.6	*	6	0.4	100.0	*	14
15	*	213	14.0	63.7	*	60	3.9	96.3	*	68	4.5	74.1	*	2	0.1	99.9	*	106	6.9	79.6	*	0	0.0	100.0	*	15
16	*	137	9.0	72.7	*	27	1.8	98.0	*	74	4.8	79.0	*	2	0.1	100.0	*	85	5.6	85.1	*	0	0.0	100.0	*	16
17	*	152	10.0	82.6	*	16	1.0	99.1	*	60	3.9	82.9	*	0	0.0	100.0	*	85	5.6	90.7	*	0	0.0	100.0	*	17
18	*	141	9.2	91.9	*	9	0.6	99.7	*	114	7.5	90.4	*	0	0.0	100.0	*	53	3.5	94.2	*	0	0.0	100.0	*	18
19	*	83	5.4	97.3	*	5	0.3	100.0	*	72	4.7	95.1	*	0	0.0	100.0	*	33	2.2	96.3	*	0	0.0	100.0	*	19
20	*	36	2.4	99.7	*	0	0.0	100.0	*	31	2.0	97.1	*	0	0.0	100.0	*	22	1.4	97.8	*	0	0.0	100.0	*	20
21	*	5	0.3	100.0	*	0	0.0	100.0	*	32	2.1	99.2	*	0	0.0	100.0	*	19	1.2	99.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.8	100.0	*	0	0.0	100.0	*	6	0.4	99.4	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 68.6      DMC = 16.8      DC = 182.5      ISI = 2.4      ADMC = 41.4      FWI = 4.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1526

MAXIMUM VALUES

FFMC = 92.0      DMC = 88.0      DC = 562.0      ISI = 22.0      ADMC = 120.0      FWI = 40.0

\*\*\*TOTALS FOR STATION 249 VEGREVILLE CDA LONG, 11202 LAT, 5329

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	12	0.6	0.6	*	29	1.5	1.5	*	9	0.5	0.5	*	48	2.6	2.6	*	2	0.1	0.1	*	230	12.3	12.3	*	1
2	*	4	0.2	0.9	*	48	2.6	4.1	*	25	1.3	1.8	*	147	7.9	10.4	*	8	0.4	0.5	*	179	9.6	21.9	*	2
3	*	8	0.4	1.3	*	54	2.9	7.0	*	28	1.5	3.3	*	175	9.4	19.8	*	5	0.3	0.8	*	102	5.5	27.3	*	3
4	*	10	0.5	1.8	*	86	4.6	11.6	*	44	2.4	5.7	*	152	8.1	27.9	*	18	1.0	1.8	*	82	4.4	31.7	*	4
5	*	10	0.5	2.4	*	68	3.6	15.2	*	53	2.8	8.5	*	132	7.1	35.0	*	27	1.4	3.2	*	77	4.1	35.8	*	5
6	*	18	1.0	3.3	*	82	4.4	19.6	*	73	3.9	12.4	*	101	5.4	40.4	*	34	1.8	5.0	*	163	8.7	44.5	*	6
7	*	19	1.0	4.3	*	106	5.7	25.3	*	104	5.6	18.0	*	92	4.9	45.3	*	32	1.7	6.7	*	162	8.7	53.2	*	7
8	*	28	1.5	5.8	*	112	6.0	31.3	*	84	4.5	22.4	*	190	10.2	55.4	*	54	2.9	9.6	*	122	6.5	59.7	*	8
9	*	37	2.0	7.8	*	104	5.6	36.8	*	80	4.3	26.7	*	164	8.8	64.2	*	60	3.2	12.8	*	221	11.8	71.5	*	9
10	*	41	2.2	10.0	*	96	5.1	42.0	*	80	4.3	31.0	*	121	6.5	70.7	*	73	3.9	16.7	*	171	9.1	80.7	*	10
11	*	76	4.1	14.1	*	213	11.4	53.3	*	77	4.1	35.1	*	194	10.4	81.0	*	71	3.8	20.5	*	129	6.9	87.5	*	11
12	*	67	3.6	17.6	*	160	8.6	61.9	*	113	6.0	41.2	*	148	7.9	88.9	*	62	3.3	23.8	*	96	5.1	92.7	*	12
13	*	99	5.3	22.9	*	142	7.6	69.5	*	128	6.8	48.0	*	70	3.7	92.7	*	208	11.1	35.0	*	57	3.0	95.7	*	13
14	*	142	7.6	30.5	*	108	5.8	75.3	*	136	7.3	55.3	*	75	4.0	96.7	*	181	9.7	44.6	*	62	3.3	99.0	*	14
15	*	219	11.7	42.2	*	182	9.7	85.0	*	123	6.6	61.8	*	30	1.6	98.3	*	142	7.6	52.2	*	13	0.7	99.7	*	15
16	*	117	6.3	48.5	*	112	6.0	91.0	*	95	5.1	66.9	*	31	1.7	99.9	*	135	7.2	59.4	*	4	0.2	99.9	*	16
17	*	154	8.2	56.7	*	68	3.6	94.6	*	100	5.3	72.3	*	1	0.1	100.0	*	213	11.4	70.8	*	1	0.1	100.0	*	17
18	*	192	10.3	67.0	*	39	2.1	96.7	*	210	11.2	83.5	*	0	0.0	100.0	*	165	8.8	79.6	*	0	0.0	100.0	*	18
19	*	219	11.7	78.7	*	50	2.7	99.4	*	192	10.3	93.7	*	0	0.0	100.0	*	134	7.2	86.8	*	0	0.0	100.0	*	19
20	*	249	13.3	92.0	*	12	0.6	100.0	*	89	4.8	98.5	*	0	0.0	100.0	*	102	5.5	92.3	*	0	0.0	100.0	*	20
21	*	110	5.9	97.9	*	0	0.0	100.0	*	28	1.5	100.0	*	0	0.0	100.0	*	67	3.6	95.8	*	0	0.0	100.0	*	21
22	*	34	1.8	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	35	1.9	97.7	*	0	0.0	100.0	*	22
23	*	6	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	39	2.1	99.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.2      DMC = 29.8      DC = 214.3      ISI = 4.8      ADMC = 64.6      FWI = 10.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1871

MAXIMUM VALUES

FFMC = 96.0      DMC = 132.0      DC = 499.0      ISI = 36.5      ADMC = 132.0      FWI = 65.0

\*\*\*TOTALS FOR STATION 248 VERMILLION A LONG, 11050 LAT, 5321

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	3	0.2	0.2	*	13	0.7	0.7	*	9	0.5	0.5	*	46	2.4	2.4	*	2	0.1	0.1	*	201	10.5	10.5	*	1
2	*	6	0.3	0.5	*	43	2.2	2.9	*	30	1.6	2.0	*	140	7.3	9.7	*	4	0.2	0.3	*	174	9.1	19.6	*	2
3	*	12	0.6	1.1	*	60	3.1	6.1	*	41	2.1	4.2	*	168	8.8	18.5	*	4	0.2	0.5	*	94	4.9	24.5	*	3
4	*	13	0.7	1.8	*	69	3.6	9.7	*	52	2.7	6.9	*	116	6.1	24.5	*	9	0.5	1.0	*	77	4.0	28.5	*	4
5	*	10	0.5	2.3	*	85	4.4	14.1	*	56	2.9	9.8	*	143	7.5	32.0	*	29	1.5	2.5	*	76	4.0	32.5	*	5
6	*	17	0.9	3.2	*	88	4.6	18.7	*	58	3.0	12.8	*	83	4.3	36.3	*	28	1.5	4.0	*	161	8.4	40.9	*	6
7	*	19	1.0	4.2	*	92	4.8	23.5	*	97	5.1	17.9	*	106	5.5	41.9	*	43	2.2	6.2	*	148	7.7	48.6	*	7
8	*	26	1.4	5.5	*	92	4.8	28.3	*	70	3.7	21.6	*	200	10.4	52.3	*	55	2.9	9.1	*	132	6.9	55.5	*	8
9	*	29	1.5	7.0	*	101	5.3	33.6	*	75	3.9	25.5	*	157	8.2	60.5	*	52	2.7	11.8	*	251	13.1	68.6	*	9
10	*	54	2.8	9.9	*	79	4.1	37.7	*	80	4.2	29.6	*	114	5.9	66.4	*	70	3.7	15.4	*	186	9.7	78.3	*	10
11	*	60	3.1	13.0	*	231	12.1	49.7	*	92	4.8	34.4	*	229	12.0	78.4	*	69	3.6	19.1	*	147	7.7	86.0	*	11
12	*	58	3.0	16.0	*	173	9.0	58.8	*	77	4.0	38.5	*	173	9.0	87.4	*	65	3.4	22.4	*	99	5.2	91.1	*	12
13	*	93	4.9	20.9	*	158	8.2	67.0	*	95	5.0	43.4	*	69	3.6	91.0	*	180	9.4	31.8	*	68	3.5	94.7	*	13
14	*	122	6.4	27.2	*	116	6.1	73.1	*	120	6.3	49.7	*	101	5.3	96.3	*	162	8.5	40.3	*	73	3.8	98.5	*	14
15	*	204	10.6	37.9	*	178	9.3	82.4	*	86	4.5	54.2	*	39	2.0	98.3	*	135	7.0	47.3	*	25	1.3	99.8	*	15
16	*	109	5.7	43.6	*	153	8.0	90.3	*	98	5.1	59.3	*	31	1.6	99.9	*	147	7.7	55.0	*	4	0.2	100.0	*	16
17	*	167	8.7	52.3	*	95	5.0	95.3	*	130	6.8	66.1	*	1	0.1	100.0	*	231	12.1	67.1	*	0	0.0	100.0	*	17
18	*	212	11.1	63.4	*	48	2.5	97.8	*	220	11.5	77.6	*	0	0.0	100.0	*	209	10.9	78.0	*	0	0.0	100.0	*	18
19	*	241	12.6	75.9	*	42	2.2	100.0	*	220	11.5	89.0	*	0	0.0	100.0	*	129	6.7	84.7	*	0	0.0	100.0	*	19
20	*	267	13.9	89.9	*	0	0.0	100.0	*	130	6.8	95.8	*	0	0.0	100.0	*	123	6.4	91.1	*	0	0.0	100.0	*	20
21	*	153	8.0	97.9	*	0	0.0	100.0	*	58	3.0	98.9	*	0	0.0	100.0	*	72	3.8	94.9	*	0	0.0	100.0	*	21
22	*	32	1.7	99.5	*	0	0.0	100.0	*	22	1.1	100.0	*	0	0.0	100.0	*	47	2.5	97.3	*	0	0.0	100.0	*	22
23	*	9	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	43	2.2	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 78.2      DMC = 30.8      DC = 231.3      ISI = 5.2      ADMC = 67.7      FWI = 11.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1916

MAXIMUM VALUES

FFMC = 96.0      DMC = 110.0      DC = 582.0      ISI = 37.3      ADMC = 139.0      FWI = 60.0



\*\*\*TOTALS FOR STATION 265 WAGNER LONG. 11459 LAT. 5521

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	8	0.5	0.5	*	82	5.1	5.1	*	10	0.6	0.6	*	92	5.7	5.7	*	7	0.4	0.4	*	381	23.5	23.5	*	1
2	*	6	0.4	0.9	*	101	6.2	11.3	*	20	1.2	1.9	*	220	13.6	19.3	*	32	2.0	2.4	*	255	15.8	39.3	*	2
3	*	21	1.3	2.2	*	132	8.2	19.5	*	42	2.6	4.4	*	218	13.5	32.8	*	11	0.7	3.1	*	116	7.2	46.5	*	3
4	*	13	0.8	3.0	*	143	8.8	28.3	*	43	2.7	7.1	*	167	10.3	43.1	*	36	2.2	5.3	*	107	6.6	53.1	*	4
5	*	35	2.2	5.1	*	133	8.2	36.5	*	58	3.6	10.7	*	157	9.7	52.8	*	64	4.0	9.3	*	92	5.7	58.8	*	5
6	*	20	1.2	6.4	*	121	7.5	44.0	*	56	3.5	14.2	*	126	7.8	60.6	*	62	3.8	13.1	*	167	10.3	69.1	*	6
7	*	31	1.9	8.3	*	103	6.4	50.4	*	107	6.6	20.8	*	96	5.9	66.5	*	79	4.9	18.0	*	130	8.0	77.1	*	7
8	*	46	2.8	11.1	*	106	6.6	56.9	*	125	7.7	28.5	*	165	10.2	76.7	*	88	5.4	23.4	*	119	7.4	84.5	*	8
9	*	60	3.7	14.8	*	98	6.1	63.0	*	96	5.9	34.4	*	133	8.2	84.9	*	107	6.6	30.0	*	128	7.9	92.4	*	9
10	*	61	3.8	18.6	*	78	4.8	67.8	*	89	5.5	39.9	*	59	3.6	88.6	*	110	6.8	36.8	*	65	4.0	96.4	*	10
11	*	68	4.2	22.8	*	152	9.4	77.2	*	134	8.3	48.2	*	108	6.7	95.2	*	85	5.3	42.1	*	23	1.4	97.8	*	11
12	*	93	5.7	28.6	*	133	8.2	85.4	*	127	7.8	56.1	*	31	1.9	97.2	*	78	4.8	46.9	*	18	1.1	98.9	*	12
13	*	110	6.8	35.4	*	94	5.8	91.2	*	112	6.9	63.0	*	19	1.2	98.3	*	169	10.4	57.4	*	6	0.4	99.3	*	13
14	*	158	9.8	45.1	*	52	3.2	94.4	*	100	6.2	69.2	*	14	0.9	99.2	*	163	10.1	67.4	*	9	0.6	99.9	*	14
15	*	249	15.4	60.5	*	50	3.1	97.5	*	83	5.1	74.3	*	10	0.6	99.8	*	126	7.8	75.2	*	2	0.1	100.0	*	15
16	*	165	10.2	70.7	*	23	1.4	98.9	*	80	4.9	79.2	*	2	0.1	99.9	*	111	6.9	82.1	*	C	0.0	100.0	*	16
17	*	171	10.6	81.3	*	10	0.6	99.6	*	81	5.0	84.2	*	1	0.1	100.0	*	154	9.5	91.6	*	C	0.0	100.0	*	17
18	*	158	9.8	91.0	*	4	0.2	99.8	*	111	6.9	91.1	*	0	0.0	100.0	*	71	4.4	96.0	*	C	0.0	100.0	*	18
19	*	96	5.9	97.0	*	3	0.2	100.0	*	69	4.3	95.4	*	0	0.0	100.0	*	22	1.4	97.3	*	C	0.0	100.0	*	19
20	*	42	2.6	99.6	*	0	0.0	100.0	*	31	1.9	97.3	*	0	0.0	100.0	*	17	1.1	98.4	*	C	0.0	100.0	*	20
21	*	7	0.4	100.0	*	C	0.0	100.0	*	32	2.0	99.3	*	0	0.0	100.0	*	11	0.7	99.1	*	C	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.7	100.0	*	C	0.0	100.0	*	6	0.4	99.4	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	100.0	*	C	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	C	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.5      DMC = 17.5      DC = 181.6      ISI = 2.8      ADMC = 44.1      FWI = 5.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1618

MAXIMUM VALUES

FFMC = 92.0      DMC = 88.0      DC = 562.0      ISI = 35.3      ADMC = 120.0      FWI = 42.0

\*\*\*TOTALS FOR STATION 283 WATT MTN. LO LONG, 11734 LAT, 5839

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	CLASS							
1	*	24	1.5	1.5	*	59	3.6	3.6	*	26	1.6	1.6	*	102	6.3	6.3	*	10	0.6	0.6	*	378	23.3	23.3	*	1
2	*	9	0.6	2.0	*	91	5.6	9.3	*	38	2.3	4.0	*	223	13.8	20.1	*	16	1.0	1.6	*	196	12.1	35.4	*	2
3	*	15	0.9	3.0	*	99	6.1	15.4	*	38	2.3	6.3	*	206	12.7	32.8	*	4	0.2	1.9	*	82	5.1	40.5	*	3
4	*	13	0.8	3.8	*	122	7.5	22.9	*	58	3.6	9.9	*	135	8.3	41.1	*	35	2.2	4.0	*	65	5.9	46.4	*	4
5	*	30	1.9	5.6	*	84	5.2	28.1	*	49	3.0	12.9	*	116	7.2	48.3	*	59	3.6	7.7	*	77	4.8	51.1	*	5
6	*	32	2.0	7.6	*	74	4.6	32.7	*	52	3.2	16.1	*	79	4.9	53.1	*	70	4.3	12.0	*	119	7.3	58.5	*	6
7	*	33	2.0	9.6	*	84	5.2	37.8	*	92	5.7	21.8	*	81	5.0	58.1	*	59	3.6	15.6	*	116	7.2	65.6	*	7
8	*	41	2.5	12.2	*	81	5.0	42.8	*	74	4.6	26.4	*	135	8.3	66.5	*	79	4.9	20.5	*	87	5.4	71.0	*	8
9	*	49	3.0	15.2	*	91	5.6	48.5	*	90	5.6	31.9	*	115	7.1	73.6	*	84	5.2	25.7	*	164	10.1	81.1	*	9
10	*	52	3.2	18.4	*	59	3.6	52.1	*	151	9.3	41.2	*	83	5.1	78.7	*	59	3.6	29.3	*	104	6.4	87.5	*	10
11	*	61	3.8	22.2	*	130	8.0	60.1	*	119	7.3	48.6	*	131	8.1	86.8	*	64	4.0	33.3	*	79	4.9	92.4	*	11
12	*	80	4.9	27.1	*	118	7.3	67.4	*	69	4.3	52.8	*	86	5.3	92.1	*	61	3.8	37.0	*	57	3.5	95.9	*	12
13	*	92	5.7	32.8	*	114	7.0	74.4	*	80	4.9	57.8	*	45	2.8	94.9	*	144	8.9	45.9	*	27	1.7	97.6	*	13
14	*	138	8.5	41.3	*	107	6.6	81.0	*	125	7.7	65.5	*	49	3.0	97.9	*	124	7.7	53.6	*	28	1.7	99.3	*	14
15	*	178	11.0	52.3	*	150	9.3	90.3	*	151	9.3	74.8	*	15	0.9	98.8	*	114	7.0	60.6	*	7	0.4	99.8	*	15
16	*	104	6.4	58.7	*	108	6.7	97.0	*	88	5.4	80.2	*	16	1.0	99.8	*	105	6.5	67.1	*	4	0.2	100.0	*	16
17	*	115	7.1	65.8	*	24	1.5	98.5	*	66	4.1	84.3	*	3	0.2	100.0	*	192	11.9	79.0	*	0	0.0	100.0	*	17
18	*	138	8.5	74.3	*	20	1.2	99.7	*	71	4.4	88.7	*	0	0.0	100.0	*	158	9.8	88.7	*	0	0.0	100.0	*	18
19	*	148	9.1	83.5	*	5	0.3	100.0	*	108	6.7	95.4	*	0	0.0	100.0	*	81	5.0	93.7	*	0	0.0	100.0	*	19
20	*	157	9.7	93.1	*	0	0.0	100.0	*	62	3.8	99.2	*	0	0.0	100.0	*	56	3.5	97.2	*	0	0.0	100.0	*	20
21	*	93	5.7	98.9	*	0	0.0	100.0	*	8	0.5	99.7	*	0	0.0	100.0	*	36	2.2	99.4	*	0	0.0	100.0	*	21
22	*	17	1.0	99.9	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	5	0.3	99.7	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

312

AVERAGE VALUES

FFMC = 72.1      DMC = 24.1      DC = 183.0      ISI = 3.8      ADMC = 53.2      FWI = 7.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1620

MAXIMUM VALUES

FFMC = 95.0      DMC = 86.0      DC = 524.0      ISI = 37.4      ADMC = 109.0      FWI = 60.0

\*\*\*TOTALS FOR STATION 251 WETASKIWIN LONG. 11320 LAT. 5228

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	16	0.9	0.9	*	21	1.1	1.1	*	17	0.9	0.9	*	56	3.0	3.0	*	6	0.3	0.3	*	242	13.0	13.0	*	1
2	*	10	0.5	1.4	*	41	2.2	3.3	*	21	1.1	2.0	*	152	8.2	11.2	*	4	0.2	0.5	*	210	11.3	24.2	*	2
3	*	7	0.4	1.8	*	94	5.0	8.4	*	37	2.0	4.0	*	190	10.2	21.4	*	3	0.2	0.7	*	78	4.2	28.4	*	3
4	*	4	0.2	2.0	*	99	5.3	13.7	*	37	2.0	6.0	*	138	7.4	28.8	*	12	0.6	1.3	*	85	4.6	33.0	*	4
5	*	15	0.8	2.8	*	109	5.8	19.5	*	55	3.0	9.0	*	105	5.6	34.4	*	26	1.4	2.7	*	80	4.3	37.3	*	5
6	*	12	0.6	3.4	*	116	6.2	25.8	*	82	4.4	13.4	*	101	5.4	39.8	*	41	2.2	4.9	*	177	9.5	46.8	*	6
7	*	25	1.3	4.8	*	117	6.3	32.0	*	102	5.5	18.8	*	90	4.8	44.6	*	49	2.6	7.6	*	131	7.0	53.8	*	7
8	*	30	1.6	6.4	*	119	6.4	38.4	*	82	4.4	23.2	*	155	8.3	53.0	*	59	3.2	10.7	*	148	7.9	61.7	*	8
9	*	42	2.3	8.6	*	99	5.3	43.7	*	82	4.4	27.6	*	162	8.7	61.6	*	69	3.7	14.4	*	239	12.8	74.6	*	9
10	*	47	2.5	11.2	*	108	5.8	49.5	*	73	3.9	31.5	*	159	8.5	70.2	*	94	5.0	19.5	*	162	8.7	83.3	*	10
11	*	52	2.8	13.9	*	222	11.9	61.4	*	93	5.0	36.5	*	201	10.8	81.0	*	88	4.7	24.2	*	117	6.3	89.5	*	11
12	*	86	4.6	18.6	*	183	9.8	71.2	*	93	5.0	41.5	*	128	6.9	87.8	*	89	4.8	29.0	*	72	3.9	93.4	*	12
13	*	94	5.0	23.6	*	132	7.1	78.3	*	89	4.8	46.3	*	72	3.9	91.7	*	237	12.7	41.7	*	49	2.6	96.0	*	13
14	*	145	7.8	31.4	*	105	5.6	84.0	*	158	8.5	54.8	*	82	4.4	96.1	*	183	9.8	51.5	*	55	3.0	99.0	*	14
15	*	188	10.1	41.5	*	153	8.2	92.2	*	210	11.3	66.0	*	39	2.1	98.2	*	157	8.4	59.9	*	13	0.7	99.7	*	15
16	*	90	4.8	46.3	*	85	4.6	96.7	*	216	11.6	77.6	*	29	1.6	99.7	*	125	6.7	66.6	*	5	0.3	99.9	*	16
17	*	155	8.3	54.6	*	39	2.1	98.8	*	108	5.8	83.4	*	4	0.2	99.9	*	233	12.5	79.1	*	0	0.0	99.9	*	17
18	*	204	10.9	65.6	*	15	0.8	99.6	*	171	9.2	92.6	*	0	0.0	99.9	*	186	10.0	89.1	*	0	0.0	99.9	*	18
19	*	252	13.5	79.1	*	7	0.4	100.0	*	94	5.0	97.6	*	1	0.1	100.0	*	115	6.2	95.3	*	1	0.1	100.0	*	19
20	*	232	12.4	91.5	*	0	0.0	100.0	*	25	1.3	99.0	*	0	0.0	100.0	*	52	2.8	98.1	*	0	0.0	100.0	*	20
21	*	114	6.1	97.6	*	0	0.0	100.0	*	11	0.6	99.6	*	0	0.0	100.0	*	23	1.2	99.3	*	0	0.0	100.0	*	21
22	*	42	2.3	99.9	*	0	0.0	100.0	*	8	0.4	100.0	*	0	0.0	100.0	*	10	0.5	99.8	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.9      DMC = 24.5      DC = 199.1      ISI = 5.0      ADMC = 56.2      FWI = 9.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1864

MAXIMUM VALUES

FFMC = 95.0      DMC = 98.0      DC = 539.0      ISI = 55.6      ADMC = 107.0      FWI = 85.0

\*\*\*TOTALS FOR STATION 269      WHITECOURT      LONG, 11540      LAT, 5408

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	18	1.0	1.0	*	77	4.3	4.3	*	43	2.4	2.4	*	105	5.9	5.9	*	17	1.0	1.0	*	407	22.9	22.9	*	1
2	*	15	0.8	1.9	*	100	5.6	10.0	*	37	2.1	4.5	*	227	12.8	18.7	*	32	1.8	2.8	*	236	13.3	36.2	*	2
3	*	17	1.0	2.8	*	126	7.1	17.1	*	57	3.2	7.7	*	233	13.1	31.8	*	17	1.0	3.7	*	109	6.1	42.3	*	3
4	*	20	1.1	3.9	*	129	7.3	24.3	*	59	3.3	11.0	*	173	9.7	41.5	*	27	1.5	5.2	*	113	6.4	48.7	*	4
5	*	22	1.2	5.2	*	100	5.6	29.9	*	54	3.0	14.1	*	127	7.1	48.7	*	57	3.2	8.4	*	75	4.2	52.9	*	5
6	*	34	1.9	7.1	*	109	6.1	36.1	*	70	3.9	18.0	*	111	6.2	54.9	*	78	4.4	12.8	*	163	9.2	62.1	*	6
7	*	33	1.9	8.9	*	110	6.2	42.3	*	124	7.0	25.0	*	81	4.6	59.5	*	82	4.6	17.4	*	128	7.2	69.3	*	7
8	*	40	2.3	11.2	*	121	6.8	49.1	*	143	8.0	33.0	*	157	8.8	68.3	*	81	4.6	22.0	*	115	6.5	75.7	*	8
9	*	55	3.1	14.3	*	94	5.3	54.4	*	114	6.4	39.4	*	117	6.6	74.9	*	77	4.3	26.3	*	176	9.9	85.6	*	9
10	*	47	2.6	16.9	*	85	4.8	59.1	*	114	6.4	45.9	*	110	6.2	81.1	*	91	5.1	31.5	*	120	6.8	92.4	*	10
11	*	71	4.0	20.9	*	172	9.7	68.8	*	110	6.2	52.1	*	144	8.1	89.2	*	66	3.7	35.2	*	59	3.3	95.7	*	11
12	*	100	5.6	26.6	*	205	11.5	80.4	*	125	7.0	59.1	*	80	4.5	93.7	*	77	4.3	39.5	*	47	2.6	98.4	*	12
13	*	99	5.6	32.1	*	141	7.9	88.3	*	111	6.2	65.3	*	58	3.3	97.0	*	199	11.2	50.7	*	19	1.1	99.4	*	13
14	*	158	8.9	41.0	*	72	4.1	92.3	*	136	7.7	73.0	*	39	2.2	99.2	*	188	10.6	61.3	*	7	0.4	99.8	*	14
15	*	210	11.8	52.8	*	76	4.3	96.6	*	134	7.5	80.5	*	7	0.4	99.5	*	157	8.8	70.1	*	3	0.2	100.0	*	15
16	*	113	6.4	59.2	*	25	1.4	98.0	*	108	6.1	86.6	*	7	0.4	99.9	*	123	6.9	77.0	*	0	0.0	100.0	*	16
17	*	138	7.8	67.0	*	16	0.9	98.9	*	48	2.7	89.3	*	1	0.1	100.0	*	245	13.8	90.8	*	0	0.0	100.0	*	17
18	*	147	8.3	75.2	*	14	0.8	99.7	*	63	3.5	92.9	*	0	0.0	100.0	*	103	5.8	96.6	*	0	0.0	100.0	*	18
19	*	182	10.2	85.5	*	5	0.3	100.0	*	61	3.4	96.3	*	0	0.0	100.0	*	15	0.8	97.5	*	0	0.0	100.0	*	19
20	*	140	7.9	93.4	*	0	0.0	100.0	*	22	1.2	97.5	*	0	0.0	100.0	*	15	0.8	98.3	*	0	0.0	100.0	*	20
21	*	96	5.4	98.8	*	0	0.0	100.0	*	39	2.2	99.7	*	0	0.0	100.0	*	6	0.3	98.6	*	0	0.0	100.0	*	21
22	*	22	1.2	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	9	0.5	99.2	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.8	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.4      DMC = 20.0      DC = 165.8      ISI = 3.4      ADMC = 47.3      FWI = 6.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1777

MAXIMUM VALUES

FFMC = 94.0      DMC = 87.0      DC = 530.0      ISI = 32.4      ADMC = 123.0      FWI = 42.0

\*\*\*TOTALS FOR STATION 266 WHITEFISH LO LONG, 11528 LAT, 5611

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	9	0.6	0.6	*	103	6.5	6.5	*	40	2.5	2.5	*	85	5.3	5.3	*	22	1.4	1.4	*	375	23.5	23.5	*	1
2	*	8	0.5	1.1	*	122	7.6	14.1	*	38	2.4	4.9	*	218	13.7	19.0	*	40	2.5	3.9	*	260	16.3	39.8	*	2
3	*	12	0.8	1.8	*	125	7.8	21.9	*	36	2.3	7.1	*	224	14.0	33.0	*	13	0.8	4.7	*	109	6.8	46.6	*	3
4	*	18	1.1	2.9	*	116	7.3	29.2	*	49	3.1	10.2	*	173	10.8	43.9	*	50	3.1	7.8	*	91	5.7	52.4	*	4
5	*	29	1.8	4.8	*	110	6.9	36.1	*	52	3.3	13.5	*	154	9.7	53.5	*	66	4.1	12.0	*	97	6.1	58.4	*	5
6	*	29	1.8	6.6	*	87	5.5	41.6	*	28	1.8	15.2	*	122	7.6	61.2	*	68	4.3	16.2	*	167	10.5	68.9	*	6
7	*	32	2.0	8.6	*	98	6.1	47.7	*	64	4.0	19.2	*	97	6.1	67.3	*	64	4.0	20.3	*	134	8.4	77.3	*	7
8	*	41	2.6	11.2	*	92	5.8	53.5	*	101	6.3	25.6	*	162	10.2	77.4	*	82	5.1	25.4	*	103	6.5	83.8	*	8
9	*	45	2.8	14.0	*	92	5.8	59.2	*	107	6.7	32.3	*	113	7.1	84.5	*	72	4.5	29.9	*	134	8.4	92.2	*	9
10	*	75	4.7	18.7	*	98	6.1	65.4	*	88	5.5	37.8	*	74	4.6	89.2	*	81	5.1	35.0	*	68	4.3	96.4	*	10
11	*	69	4.3	23.0	*	196	12.3	77.7	*	119	7.5	45.3	*	99	6.2	95.4	*	79	5.0	39.9	*	28	1.8	98.2	*	11
12	*	94	5.9	28.9	*	117	7.3	85.0	*	102	6.4	51.7	*	32	2.0	97.4	*	58	3.6	43.6	*	14	0.9	99.1	*	12
13	*	119	7.5	36.4	*	65	4.1	89.1	*	87	5.5	57.1	*	19	1.2	98.6	*	162	10.2	53.7	*	6	0.4	99.4	*	13
14	*	151	9.5	45.8	*	48	3.0	92.1	*	125	7.8	65.0	*	11	0.7	99.2	*	170	10.7	64.4	*	9	0.6	100.0	*	14
15	*	242	15.2	61.0	*	73	4.6	96.7	*	97	6.1	71.0	*	8	0.5	99.7	*	152	9.5	73.9	*	0	0.0	100.0	*	15
16	*	148	9.3	70.3	*	33	2.1	98.7	*	99	6.2	77.2	*	3	0.2	99.9	*	126	7.9	81.8	*	0	0.0	100.0	*	16
17	*	178	11.2	81.4	*	8	0.5	99.2	*	92	5.8	83.0	*	1	0.1	100.0	*	146	9.2	91.0	*	0	0.0	100.0	*	17
18	*	157	9.8	91.3	*	6	0.4	99.6	*	134	8.4	91.4	*	0	0.0	100.0	*	73	4.6	95.5	*	0	0.0	100.0	*	18
19	*	99	6.2	97.5	*	6	0.4	100.0	*	80	5.0	96.4	*	0	0.0	100.0	*	18	1.1	96.7	*	0	0.0	100.0	*	19
20	*	32	2.0	99.5	*	0	0.0	100.0	*	24	1.5	97.9	*	0	0.0	100.0	*	24	1.5	98.2	*	0	0.0	100.0	*	20
21	*	8	0.5	100.0	*	0	0.0	100.0	*	19	1.2	99.1	*	0	0.0	100.0	*	12	0.8	98.9	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.9	100.0	*	0	0.0	100.0	*	4	0.3	99.2	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	11	0.7	99.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

315

AVERAGE VALUES

FFMC = 70.4      DMC = 18.1      DC = 186.5      ISI = 2.7      ADMC = 44.9      FWI = 5.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1595

MAXIMUM VALUES

FFMC = 92.0      DMC = 88.0      DC = 570.0      ISI = 35.3      ADMC = 127.0      FWI = 40.0

\*\*\*TOTALS FOR STATION 255 WINEFRED LONG. 11012 LAT. 5520

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.								
1	*	9	0.5	0.5	*	54	3.2	3.2	*	29	1.7	1.7	*	47	2.8	2.8	*	14	0.8	0.8	*	281	16.8	16.8	*	1
2	*	6	0.4	0.9	*	68	4.1	7.3	*	33	2.0	3.7	*	185	11.1	13.9	*	19	1.1	2.0	*	226	13.5	30.4	*	2
3	*	9	0.5	1.4	*	81	4.9	12.2	*	46	2.8	6.5	*	206	12.3	26.2	*	8	0.5	2.5	*	88	5.3	35.6	*	3
4	*	8	0.5	1.9	*	96	5.7	17.9	*	71	4.3	10.7	*	140	8.4	34.6	*	36	2.2	4.6	*	82	4.9	40.5	*	4
5	*	10	0.6	2.5	*	112	6.7	24.6	*	85	5.1	15.8	*	112	6.7	41.3	*	32	1.9	6.5	*	96	5.7	46.3	*	5
6	*	15	0.9	3.4	*	108	6.5	31.1	*	77	4.6	20.4	*	92	5.5	46.8	*	56	3.4	9.9	*	145	8.7	55.0	*	6
7	*	32	1.9	5.3	*	95	5.7	36.8	*	121	7.2	27.7	*	83	5.0	51.8	*	74	4.4	14.3	*	136	8.1	63.1	*	7
8	*	51	3.1	8.4	*	102	6.1	42.9	*	101	6.0	33.7	*	196	11.7	63.5	*	65	3.9	18.2	*	122	7.3	70.4	*	8
9	*	39	2.3	10.7	*	107	6.4	49.3	*	84	5.0	38.7	*	120	7.2	70.7	*	69	4.1	22.3	*	189	11.3	81.7	*	9
10	*	50	3.0	13.7	*	81	4.9	54.1	*	101	6.0	44.8	*	110	6.6	77.3	*	82	4.9	27.2	*	124	7.4	89.2	*	10
11	*	65	3.9	17.6	*	183	11.0	65.1	*	112	6.7	51.5	*	159	9.5	86.8	*	82	4.9	32.2	*	68	4.1	93.2	*	11
12	*	74	4.4	22.0	*	173	10.4	75.4	*	96	5.7	57.2	*	69	4.1	91.0	*	69	4.1	36.3	*	50	3.0	96.2	*	12
13	*	113	6.8	28.8	*	118	7.1	82.5	*	87	5.2	62.5	*	58	3.5	94.4	*	174	10.4	46.7	*	14	0.8	97.1	*	13
14	*	130	7.8	36.6	*	87	5.2	87.7	*	115	6.9	69.3	*	48	2.9	97.3	*	163	9.8	56.5	*	36	2.2	99.2	*	14
15	*	193	11.6	48.1	*	95	5.7	93.4	*	97	5.8	75.1	*	26	1.6	98.9	*	143	8.6	65.0	*	11	0.7	99.9	*	15
16	*	103	6.2	54.3	*	65	3.9	97.3	*	92	5.5	80.7	*	17	1.0	99.9	*	127	7.6	72.6	*	2	0.1	100.0	*	16
17	*	143	8.6	62.9	*	20	1.2	98.5	*	77	4.6	85.3	*	2	0.1	100.0	*	211	12.6	85.3	*	0	0.0	100.0	*	17
18	*	159	9.5	72.4	*	6	0.4	98.9	*	114	6.8	92.1	*	0	0.0	100.0	*	129	7.7	93.0	*	0	0.0	100.0	*	18
19	*	190	11.4	83.8	*	5	0.3	99.2	*	52	3.1	95.2	*	0	0.0	100.0	*	44	2.6	95.6	*	0	0.0	100.0	*	19
20	*	160	9.6	93.4	*	10	0.6	99.8	*	47	2.8	98.0	*	0	0.0	100.0	*	32	1.9	97.5	*	0	0.0	100.0	*	20
21	*	89	5.3	98.7	*	4	0.2	100.0	*	22	1.3	99.3	*	0	0.0	100.0	*	24	1.4	99.0	*	0	0.0	100.0	*	21
22	*	18	1.1	99.8	*	0	0.0	100.0	*	11	0.7	100.0	*	0	0.0	100.0	*	1	0.1	99.0	*	0	0.0	100.0	*	22
23	*	4	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	99.5	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	99.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.9      DMC = 22.9      DC = 172.5      ISI = 4.1      ADCM = 51.4      FWI = 8.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1670

MAXIMUM VALUES

FFMC = 95.0      DMC = 155.0      DC = 513.0      ISI = 36.8      ADCM = 155.0      FWI = 54.0

\*\*\*TOTALS FOR STATION 282

ZAMA LO

LONG. 11910

LAT, 5835

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	19	1.2	1.2	*	51	3.1	3.1	*	26	1.6	1.6	*	112	6.8	6.8	*	12	0.7	0.7	*	394	24.0	24.0	*	1
2	*	12	0.7	1.9	*	81	4.9	8.0	*	39	2.4	4.0	*	250	15.2	22.0	*	22	1.3	2.1	*	172	10.5	34.4	*	2
3	*	19	1.2	3.0	*	97	5.9	13.9	*	37	2.3	6.2	*	190	11.6	33.6	*	4	0.2	2.3	*	97	5.9	40.3	*	3
4	*	20	1.2	4.3	*	85	5.2	19.1	*	44	2.7	8.9	*	121	7.4	40.9	*	18	1.1	3.4	*	70	4.3	44.6	*	4
5	*	27	1.6	5.9	*	84	5.1	24.2	*	40	2.4	11.3	*	97	5.9	46.8	*	54	3.3	6.7	*	58	3.5	48.1	*	5
6	*	39	2.4	8.3	*	84	5.1	29.3	*	46	2.8	14.1	*	75	4.6	51.4	*	74	4.5	11.2	*	131	8.0	56.1	*	6
7	*	37	2.3	10.5	*	84	5.1	34.4	*	133	8.1	22.2	*	77	4.7	56.1	*	50	3.0	14.2	*	109	6.6	62.7	*	7
8	*	60	3.6	14.2	*	77	4.7	39.1	*	118	7.2	29.4	*	128	7.8	63.9	*	68	4.1	18.4	*	120	7.3	70.0	*	8
9	*	54	3.3	17.5	*	78	4.7	43.9	*	124	7.5	36.9	*	138	8.4	72.3	*	65	4.0	22.3	*	169	10.3	80.3	*	9
10	*	42	2.6	20.0	*	68	4.1	48.0	*	84	5.1	42.0	*	97	5.9	78.2	*	58	3.5	25.9	*	101	6.1	86.4	*	10
11	*	55	3.3	23.4	*	176	10.7	58.7	*	86	5.2	47.3	*	134	8.2	86.3	*	63	3.8	29.7	*	95	5.8	92.2	*	11
12	*	73	4.4	27.8	*	125	7.6	66.3	*	82	5.0	52.3	*	95	5.8	92.1	*	56	3.4	33.1	*	49	3.0	95.2	*	12
13	*	89	5.4	33.2	*	97	5.9	72.2	*	85	5.2	57.4	*	43	2.6	94.7	*	150	9.1	42.2	*	32	1.9	97.1	*	13
14	*	133	8.1	41.3	*	115	7.0	79.2	*	97	5.9	63.3	*	45	2.7	97.4	*	132	8.0	50.2	*	38	2.3	99.5	*	14
15	*	136	8.3	49.6	*	152	9.2	88.4	*	107	6.5	69.8	*	25	1.5	99.0	*	136	8.3	58.5	*	5	0.3	99.8	*	15
16	*	96	5.8	55.4	*	105	6.4	94.8	*	74	4.5	74.3	*	15	0.9	99.9	*	128	7.8	66.3	*	3	0.2	99.9	*	16
17	*	117	7.1	62.5	*	48	2.9	97.7	*	83	5.0	79.4	*	2	0.1	100.0	*	141	8.6	74.9	*	1	0.1	100.0	*	17
18	*	129	7.8	70.4	*	18	1.1	98.8	*	155	9.4	88.8	*	0	0.0	100.0	*	139	8.5	83.3	*	0	0.0	100.0	*	18
19	*	158	9.6	80.0	*	17	1.0	99.9	*	44	2.7	91.5	*	0	0.0	100.0	*	125	7.6	90.9	*	0	0.0	100.0	*	19
20	*	191	11.6	91.6	*	2	0.1	100.0	*	42	2.6	94.0	*	0	0.0	100.0	*	75	4.6	95.5	*	0	0.0	100.0	*	20
21	*	123	7.5	99.1	*	0	0.0	100.0	*	58	3.5	97.6	*	0	0.0	100.0	*	51	3.1	98.6	*	0	0.0	100.0	*	21
22	*	14	0.9	99.9	*	0	0.0	100.0	*	40	2.4	100.0	*	0	0.0	100.0	*	10	0.6	99.2	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.8	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.1      DMC = 25.9      DC = 193.5      ISI = 3.9      ADMC = 56.7      FWI = 8.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1644

MAXIMUM VALUES

FFMC = 95.0      DMC = 111.0      DC = 568.0      ISI = 32.2      ADMC = 121.0      FWI = 61.0

FINAL TOTALS FOR THE YUKON AND NORTHWEST TERRITORIES

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	* 1923	3.7	3.7	* 1463	2.8	2.8	* 198	0.4	0.4	* 4457	8.6	8.6	* 530	1.0	1.0	* 11129	21.4	21.4	* 1
2	* 464	0.9	4.6	* 1503	2.9	5.7	* 412	0.8	1.2	* 6346	12.2	20.7	* 376	0.7	1.7	* 6833	13.1	34.5	* 2
3	* 475	0.9	5.5	* 2460	4.7	10.4	* 697	1.3	2.5	* 7143	13.7	34.5	* 82	0.2	1.9	* 3185	6.1	40.6	* 3
4	* 616	1.2	6.7	* 2746	5.3	15.7	* 876	1.7	4.2	* 4972	9.5	44.0	* 554	1.1	3.0	* 2895	5.6	46.2	* 4
5	* 677	1.3	8.0	* 2876	5.5	21.2	* 920	1.8	6.0	* 3698	7.1	51.1	* 864	1.7	4.6	* 2500	4.8	51.0	* 5
6	* 807	1.5	9.5	* 2844	5.5	26.7	* 937	1.8	7.8	* 3179	6.1	57.2	* 1004	1.9	6.5	* 4308	8.3	59.2	* 6
7	* 1008	1.9	11.5	* 2679	5.1	31.8	* 2130	4.1	11.8	* 2499	4.8	62.0	* 1382	2.7	9.2	* 3638	7.0	66.2	* 7
8	* 1165	2.2	13.7	* 2538	4.9	36.7	* 2218	4.3	16.1	* 4424	8.5	70.5	* 1753	3.4	12.6	* 3149	6.0	72.3	* 8
9	* 1483	2.8	16.6	* 2359	4.5	41.2	* 2134	4.1	20.2	* 3806	7.3	77.8	* 1741	3.3	15.9	* 4948	9.5	81.8	* 9
10	* 1803	3.5	20.0	* 2180	4.2	45.4	* 2047	3.9	24.1	* 2978	5.7	83.5	* 1933	3.7	19.6	* 3397	6.5	88.3	* 10
11	* 2215	4.3	24.3	* 4859	9.3	54.7	* 2098	4.0	28.2	* 3989	7.7	91.2	* 1941	3.7	23.4	* 2386	4.6	92.9	* 11
12	* 2849	5.5	29.7	* 4374	8.4	63.1	* 2120	4.1	32.2	* 2139	4.1	95.3	* 1978	3.8	27.2	* 1598	3.1	96.0	* 12
13	* 3543	6.8	36.5	* 3475	6.7	69.8	* 2176	4.2	36.4	* 1173	2.3	97.6	* 4740	9.1	36.3	* 980	1.9	97.8	* 13
14	* 4656	8.9	45.5	* 2976	5.7	75.5	* 2751	5.3	41.7	* 893	1.7	99.3	* 4386	8.4	44.7	* 884	1.7	99.5	* 14
15	* 6036	11.6	57.1	* 4392	8.4	84.0	* 2806	5.4	47.1	* 248	0.5	99.8	* 3956	7.6	52.3	* 193	0.4	99.9	* 15
16	* 3144	6.0	63.1	* 2983	5.7	89.7	* 2641	5.1	52.2	* 115	0.2	100.0	* 3623	7.0	59.2	* 37	0.1	100.0	* 16
17	* 3818	7.3	70.4	* 1965	3.8	93.5	* 2841	5.5	57.6	* 12	0.0	100.0	* 5984	11.5	70.7	* 6	0.0	100.0	* 17
18	* 4488	8.6	79.1	* 1215	2.3	95.8	* 6014	11.5	69.2	* 1	0.0	100.0	* 4626	8.9	79.6	* 4	0.0	100.0	* 18
19	* 4890	9.4	88.5	* 1658	3.2	99.0	* 5610	10.8	79.9	* 0	0.0	100.0	* 3215	6.2	85.8	* 1	0.0	100.0	* 19
20	* 3573	6.9	95.3	* 396	0.8	99.7	* 4170	8.0	87.9	* 0	0.0	100.0	* 2377	4.6	90.3	* 1	0.0	100.0	* 20
21	* 1874	3.6	98.9	* 107	0.2	100.0	* 3057	5.9	93.8	* 0	0.0	100.0	* 1587	3.0	93.4	* 0	0.0	100.0	* 21
22	* 493	0.9	99.9	* 10	0.0	100.0	* 2683	5.2	99.0	* 0	0.0	100.0	* 1161	2.2	95.6	* 0	0.0	100.0	* 22
23	* 70	0.1	100.0	* 14	0.0	100.0	* 526	1.0	100.0	* 0	0.0	100.0	* 1545	3.0	98.6	* 0	0.0	100.0	* 23
24	* 2	0.0	100.0	* 0	0.0	100.0	* 10	0.0	100.0	* 0	0.0	100.0	* 537	1.0	99.6	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 197	0.4	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 69.8      DMC = 29.5      DC = 267.8      ISI = 3.2      ADMC = 65.3      FWI = 7.5

THE TOTAL NUMBER OF OBSERVATIONS IS 52072

MAXIMUM VALUES

FFMC = 97.0      DMC = 243.0      DC = 725.0      ISI = 42.7      ADMC = 242.0      FWI = 92.0



\*\*\*TOTALS FOR REGION 36

EASTERN TERRITORIES

FFMC				DMC				DC				ISI				ADMC				FWI						
CLASS	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	* CLASS				
1	*	3	0.2	0.2	*	13	1.0	1.0	*	0	0.0	0.0	*	11	0.9	0.9	*	0	0.0	0.0	*	147	11.8	11.8	*	1
2	*	7	0.6	0.8	*	27	2.2	3.2	*	1	0.1	0.1	*	129	10.4	11.3	*	0	0.0	0.0	*	159	12.8	24.6	*	2
3	*	8	0.6	1.4	*	79	6.4	9.6	*	4	0.3	0.4	*	170	13.7	24.9	*	9	0.7	0.7	*	122	9.8	34.4	*	3
4	*	16	1.3	2.7	*	84	6.8	16.3	*	15	1.2	1.6	*	150	12.1	37.0	*	5	0.4	1.1	*	91	7.3	41.8	*	4
5	*	17	1.4	4.1	*	88	7.1	23.4	*	20	1.6	3.2	*	132	10.6	47.6	*	10	0.8	1.9	*	89	7.2	48.9	*	5
6	*	31	2.5	6.6	*	84	6.8	30.2	*	25	2.0	5.2	*	97	7.8	55.4	*	26	2.1	4.0	*	156	12.6	61.5	*	6
7	*	39	3.1	9.7	*	78	6.3	36.4	*	53	4.3	9.5	*	83	6.7	62.1	*	32	2.6	6.6	*	128	10.3	71.8	*	7
8	*	53	4.3	14.0	*	65	5.2	41.7	*	51	4.1	13.6	*	152	12.2	74.3	*	60	4.8	11.4	*	85	6.8	78.6	*	8
9	*	50	4.0	18.0	*	75	6.0	47.7	*	48	3.9	17.5	*	100	8.0	82.4	*	56	4.5	15.9	*	125	10.1	88.7	*	9
10	*	103	8.3	26.3	*	74	6.0	53.7	*	47	3.8	21.2	*	68	5.5	87.9	*	57	4.6	20.5	*	89	7.2	95.8	*	10
11	*	131	10.5	36.8	*	177	14.2	67.9	*	49	3.9	25.2	*	89	7.2	95.0	*	63	5.1	25.6	*	28	2.3	98.1	*	11
12	*	114	9.2	46.0	*	132	10.6	78.5	*	62	5.0	30.2	*	40	3.2	98.2	*	50	4.0	29.6	*	16	1.3	99.4	*	12
13	*	166	13.4	59.4	*	76	6.1	84.6	*	46	3.7	33.9	*	12	1.0	99.2	*	187	15.0	44.7	*	4	0.3	99.7	*	13
14	*	134	10.8	70.2	*	50	4.0	88.7	*	75	6.0	39.9	*	8	0.6	99.8	*	113	9.1	53.7	*	4	0.3	100.0	*	14
15	*	145	11.7	81.8	*	83	6.7	95.3	*	70	5.6	45.5	*	2	0.2	100.0	*	117	9.4	63.2	*	0	0.0	100.0	*	15
16	*	58	4.7	86.5	*	30	2.4	97.7	*	91	7.3	52.9	*	0	0.0	100.0	*	116	8.8	72.0	*	0	0.0	100.0	*	16
17	*	56	4.5	91.0	*	9	0.7	98.5	*	129	10.4	63.2	*	0	0.0	100.0	*	164	13.2	85.2	*	0	0.0	100.0	*	17
18	*	58	4.7	95.7	*	10	0.8	99.3	*	231	18.6	81.8	*	0	0.0	100.0	*	102	8.2	93.4	*	0	0.0	100.0	*	18
19	*	43	3.5	99.1	*	9	0.7	100.0	*	197	15.8	97.7	*	0	0.0	100.0	*	46	3.7	97.1	*	0	0.0	100.0	*	19
20	*	11	0.9	100.0	*	0	0.0	100.0	*	29	2.3	100.0	*	0	0.0	100.0	*	12	1.0	98.1	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	1.0	99.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.5	99.5	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.5	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 64.4      DMC = 22.2      DC = 244.4      ISI = 3.0      ADCM = 53.7      FWI = 6.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1243

MAXIMUM VALUES

FFMC = 90.0      DMC = 91.0      DC = 431.0      ISI = 18.8      ADCM = 110.0      FWI = 37.0

319

\*\*\*TOTALS FOR REGION 37

GREAT BEAR LAKE

FFMC					DMC					DC					ISI					ADMC					FWI				
CLASS	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.	NO. OF OBS.	PCNT.	CUM. PCNT.					
1	*	13	1.2	1.2	*	25	2.3	2.3	*	0	0.0	0.0	*	16	1.5	1.5	*	6	0.5	0.5	*	166	15.1	15.1	*	1			
2	*	6	0.5	1.7	*	25	2.3	4.6	*	0	0.0	0.0	*	156	14.2	15.7	*	2	0.2	0.7	*	183	16.7	31.8	*	2			
3	*	9	0.8	2.6	*	73	6.6	11.2	*	0	0.0	0.0	*	209	19.0	34.7	*	11	1.0	1.7	*	124	11.3	43.1	*	3			
4	*	19	1.7	4.3	*	93	8.5	19.7	*	0	0.0	0.0	*	176	16.0	50.7	*	5	0.5	2.2	*	101	9.2	52.3	*	4			
5	*	19	1.7	6.0	*	98	8.9	28.6	*	0	0.0	0.0	*	126	11.5	62.2	*	9	0.8	3.0	*	79	7.2	59.5	*	5			
6	*	36	3.3	9.3	*	63	5.7	34.3	*	1	0.1	0.1	*	100	9.1	71.3	*	18	1.6	4.6	*	128	11.7	71.1	*	6			
7	*	62	5.6	14.9	*	64	5.8	40.2	*	4	0.4	0.5	*	78	7.1	78.4	*	34	3.1	7.7	*	108	9.8	81.0	*	7			
8	*	63	5.7	20.7	*	77	7.0	47.2	*	4	0.4	0.8	*	91	8.3	86.7	*	47	4.3	12.0	*	75	6.8	87.8	*	8			
9	*	98	8.9	29.6	*	60	5.5	52.6	*	8	0.7	1.5	*	70	6.4	93.1	*	54	4.9	16.9	*	96	8.7	96.5	*	9			
10	*	114	10.4	40.0	*	54	4.9	57.6	*	33	3.0	4.6	*	38	3.5	96.5	*	73	6.6	23.6	*	26	2.4	98.9	*	10			
11	*	115	10.5	50.5	*	116	10.6	68.1	*	28	2.6	7.1	*	32	2.9	99.5	*	56	5.1	28.7	*	10	0.9	99.8	*	11			
12	*	114	10.4	60.8	*	97	8.8	77.0	*	35	3.2	10.3	*	5	0.5	99.9	*	47	4.3	33.0	*	1	0.1	99.9	*	12			
13	*	117	10.7	71.5	*	83	7.6	84.5	*	54	4.9	15.2	*	1	0.1	100.0	*	93	8.5	41.4	*	1	0.1	100.0	*	13			
14	*	111	10.1	81.6	*	64	5.8	90.3	*	63	5.7	20.9	*	0	0.0	100.0	*	119	10.8	52.3	*	0	0.0	100.0	*	14			
15	*	98	8.9	90.5	*	79	7.2	97.5	*	59	5.4	26.3	*	0	0.0	100.0	*	112	10.2	62.5	*	0	0.0	100.0	*	15			
16	*	37	3.4	93.9	*	9	0.8	98.4	*	113	10.3	36.6	*	0	0.0	100.0	*	87	7.9	70.4	*	0	0.0	100.0	*	16			
17	*	38	3.5	97.4	*	11	1.0	99.4	*	102	9.4	46.0	*	0	0.0	100.0	*	153	13.9	84.3	*	0	0.0	100.0	*	17			
18	*	21	1.9	99.3	*	7	0.6	100.0	*	220	20.0	66.0	*	0	0.0	100.0	*	118	10.7	95.1	*	0	0.0	100.0	*	18			
19	*	8	0.7	100.0	*	0	0.0	100.0	*	234	21.3	87.3	*	0	0.0	100.0	*	32	2.9	98.0	*	0	0.0	100.0	*	19			
20	*	0	0.0	100.0	*	0	0.0	100.0	*	90	8.2	95.5	*	0	0.0	100.0	*	10	0.9	98.9	*	0	0.0	100.0	*	20			
21	*	0	0.0	100.0	*	0	0.0	100.0	*	49	4.5	100.0	*	0	0.0	100.0	*	7	0.6	99.5	*	0	0.0	100.0	*	21			
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.5	100.0	*	0	0.0	100.0	*	22			
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23			
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24			
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25			

AVERAGE VALUES

FFMC = 58.8 DMC = 20.9 DC = 303.8 ISI = 2.0 ADCMC = 52.9 FWI = 4.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1098

H

MAXIMUM VALUES

FFMC = 88.0 DMC = 80.0 DC = 478.0 ISI = 10.5 ADCMC = 95.0 FWI = 28.0

\*\*\*TOTALS FOR REGION 38

GREAT SLAVE LAKE

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	6	0.4	0.4	*	1	0.1	0.1	*	1	0.1	0.1	*	0	0.0	0.0	*	105	6.9	6.9	*	1
2	*	0	0.0	0.0	*	15	1.0	1.4	*	3	0.2	0.3	*	116	7.6	7.7	*	0	0.0	0.0	*	161	10.5	17.4	*	2
3	*	2	0.1	0.1	*	48	3.1	4.5	*	10	0.7	0.9	*	165	10.8	18.5	*	0	0.0	0.0	*	105	6.9	24.3	*	3
4	*	6	0.4	0.5	*	54	3.5	8.0	*	16	1.0	2.0	*	165	10.8	29.3	*	6	0.4	0.4	*	97	6.3	30.6	*	4
5	*	11	0.7	1.2	*	65	4.3	12.3	*	22	1.4	3.4	*	126	8.2	37.5	*	4	0.3	0.7	*	83	5.4	36.1	*	5
6	*	22	1.4	2.7	*	102	6.7	19.0	*	28	1.8	5.2	*	108	7.1	44.6	*	12	0.8	1.4	*	153	10.0	46.1	*	6
7	*	36	2.4	5.0	*	80	5.2	24.2	*	56	3.7	8.9	*	96	6.3	50.9	*	22	1.4	2.9	*	135	8.8	54.9	*	7
8	*	46	3.0	8.0	*	75	4.9	29.1	*	45	2.9	11.8	*	186	12.2	63.0	*	44	2.9	5.8	*	128	8.4	63.3	*	8
9	*	58	3.8	11.8	*	60	3.9	33.0	*	41	2.7	14.5	*	142	9.3	72.3	*	40	2.6	8.4	*	167	10.9	74.2	*	9
10	*	63	4.1	16.0	*	52	3.4	36.5	*	52	3.4	17.9	*	124	8.1	80.4	*	43	2.8	11.2	*	152	9.9	84.2	*	10
11	*	91	6.0	21.9	*	80	5.2	41.7	*	52	3.4	21.3	*	149	9.8	90.2	*	69	4.5	15.7	*	101	6.6	90.8	*	11
12	*	94	6.2	28.1	*	115	7.5	48.2	*	51	3.3	24.7	*	85	5.6	95.7	*	74	4.8	20.5	*	76	5.0	95.7	*	12
13	*	157	10.3	38.4	*	90	5.9	55.1	*	51	3.3	28.0	*	39	2.6	98.3	*	134	8.8	29.3	*	32	2.1	97.8	*	13
14	*	156	10.2	48.6	*	126	8.2	63.4	*	61	4.0	32.0	*	19	1.2	99.5	*	98	6.4	35.7	*	28	1.8	99.7	*	14
15	*	201	13.2	61.7	*	229	15.0	78.3	*	56	3.7	35.7	*	7	0.5	100.0	*	82	5.4	41.1	*	5	0.3	100.0	*	15
16	*	89	5.8	67.5	*	138	9.0	87.4	*	48	3.1	38.8	*	0	0.0	100.0	*	75	4.9	46.0	*	0	0.0	100.0	*	16
17	*	110	7.2	74.7	*	68	4.5	91.8	*	47	3.1	41.9	*	0	0.0	100.0	*	177	11.6	57.6	*	0	0.0	100.0	*	17
18	*	141	9.2	84.0	*	47	3.1	94.9	*	173	11.3	53.2	*	0	0.0	100.0	*	180	11.8	69.4	*	0	0.0	100.0	*	18
19	*	149	9.8	93.7	*	76	5.0	99.9	*	368	24.1	77.3	*	0	0.0	100.0	*	183	12.0	81.3	*	0	0.0	100.0	*	19
20	*	86	5.6	99.3	*	2	0.1	100.0	*	134	8.8	86.1	*	0	0.0	100.0	*	99	6.5	87.8	*	0	0.0	100.0	*	20
21	*	10	0.7	100.0	*	0	0.0	100.0	*	107	7.0	93.1	*	0	0.0	100.0	*	63	4.1	92.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	106	6.9	100.0	*	0	0.0	100.0	*	38	2.5	94.4	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	79	5.2	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.9      DMC = 34.8      DC = 301.8      ISI = 3.7      ADMC = 74.9      FWI = 9.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1528

MAXIMUM VALUES

FFMC = 92.0      DMC = 117.0      DC = 556.0      ISI = 19.6      ADMC = 130.0      FWI = 49.0

\*\*\*TOTALS FOR REGION 39

MACKENZIE RIVER-SOUTH

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1 *	2	0.1	0.1	5	0.3	0.3	1	0.1	0.1	8	0.5	0.5	0	0.0	0.0	133	8.5	8.5	1
2 *	5	0.3	0.4	37	2.4	2.7	14	0.9	1.0	136	8.7	9.2	0	0.0	0.0	159	10.2	18.7	2
3 *	11	0.7	1.2	33	2.1	4.8	32	2.1	3.0	177	11.3	20.6	2	0.1	0.1	127	8.1	26.9	3
4 *	18	1.2	2.3	73	4.7	9.5	20	1.3	4.3	184	11.8	32.4	3	0.2	0.3	137	8.8	35.6	4
5 *	25	1.6	3.9	64	4.1	13.6	18	1.2	5.4	157	10.1	42.4	23	1.5	1.8	98	6.3	41.9	5
6 *	35	2.2	6.2	75	4.8	18.4	25	1.6	7.1	139	8.9	51.3	38	2.4	4.2	211	13.5	55.4	6
7 *	38	2.4	8.6	87	5.6	24.0	62	4.0	11.0	122	7.8	59.2	25	1.6	5.8	164	10.5	66.0	7
8 *	29	1.9	10.4	74	4.7	28.7	57	3.7	14.7	195	12.5	71.7	17	1.1	6.9	129	8.3	74.2	8
9 *	42	2.7	13.1	87	5.6	34.3	62	4.0	18.7	135	8.7	80.3	47	3.0	9.9	190	12.2	86.4	9
10 *	45	2.9	16.0	87	5.6	39.9	48	3.1	21.7	109	7.0	87.3	39	2.5	12.4	110	7.1	93.5	10
11 *	76	4.9	20.9	198	12.7	52.6	50	3.2	24.9	111	7.1	94.4	39	2.5	14.9	62	4.0	97.4	11
12 *	88	5.6	26.5	185	11.9	64.4	65	4.2	29.1	51	3.3	97.7	55	3.5	18.5	25	1.6	99.0	12
13 *	156	10.0	36.5	132	8.5	72.9	58	3.7	32.8	22	1.4	99.1	153	9.8	28.3	9	0.6	99.6	13
14 *	196	12.6	49.1	115	7.4	80.3	69	4.4	37.2	11	0.7	99.8	168	10.8	39.0	6	0.4	100.0	14
15 *	239	15.3	64.4	201	12.9	93.1	109	7.0	44.2	2	0.1	99.9	174	11.2	50.2	0	0.0	100.0	15
16 *	120	7.7	72.1	64	4.1	97.2	116	7.4	51.7	1	0.1	100.0	137	8.8	59.0	0	0.0	100.0	16
17 *	112	7.2	79.3	24	1.5	98.8	104	6.7	58.3	0	0.0	100.0	250	16.0	75.0	0	0.0	100.0	17
18 *	141	9.0	88.3	10	0.6	99.4	254	16.3	74.6	0	0.0	100.0	157	10.1	85.1	0	0.0	100.0	18
19 *	100	6.4	94.7	9	0.6	100.0	204	13.1	87.7	0	0.0	100.0	141	9.0	94.1	0	0.0	100.0	19
20 *	64	4.1	98.8	0	0.0	100.0	144	9.2	96.9	0	0.0	100.0	63	4.0	98.1	0	0.0	100.0	20
21 *	17	1.1	99.9	0	0.0	100.0	48	3.1	100.0	0	0.0	100.0	23	1.5	99.6	0	0.0	100.0	21
22 *	1	0.1	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	6	0.4	100.0	0	0.0	100.0	22
23 *	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	23
24 *	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	24
25 *	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 70.8      DMC = 27.1      DC = 256.2      ISI = 3.2      ADMC = 62.2      FWI = 7.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1560

MAXIMUM VALUES

FFMC = 93.0      DMC = 89.0      DC = 486.0      ISI = 20.9      ADMC = 99.0      FWI = 39.0

\*\*\*TOTALS FOR REGION 40

MACKENZIE RIVER-NORTH

			FFMC			DMC			DC			ISI			ADMC			FWI					
CLASS	NO.OF		CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS	
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.		
1	*	23	1.8	1.8	*	12	0.9	0.9	*	0	0.0	0.0	*	46	3.6	3.6	*	0	0.0	0.0	*	1	
2	*	19	1.5	3.3	*	30	2.3	3.3	*	0	0.0	0.0	*	275	21.4	24.9	*	1	0.1	0.1	*	2	
3	*	18	1.4	4.7	*	51	4.0	7.2	*	2	0.2	0.2	*	212	16.5	41.4	*	4	0.3	0.4	*	3	
4	*	43	3.3	8.0	*	71	5.5	12.7	*	7	0.5	0.7	*	161	12.5	53.9	*	3	0.2	0.6	*	4	
5	*	43	3.3	11.3	*	75	5.8	18.6	*	16	1.2	1.9	*	122	9.5	63.4	*	14	1.1	1.7	*	5	
6	*	46	3.6	14.9	*	74	5.7	24.3	*	17	1.3	3.3	*	114	8.9	72.3	*	17	1.3	3.0	*	6	
7	*	70	5.4	20.4	*	68	5.3	29.6	*	43	3.3	6.6	*	73	5.7	77.9	*	32	2.5	5.5	*	7	
8	*	66	5.1	25.5	*	80	6.2	35.8	*	46	3.6	10.2	*	104	8.1	86.0	*	32	2.5	8.0	*	8	
9	*	67	5.2	30.7	*	74	5.7	41.6	*	45	3.5	13.7	*	54	4.2	90.2	*	46	3.6	11.6	*	9	
10	*	111	8.6	39.3	*	73	5.7	47.2	*	42	3.3	16.9	*	42	3.3	93.5	*	56	4.4	15.9	*	10	
11	*	123	9.6	48.9	*	126	9.8	57.0	*	40	3.1	20.0	*	48	3.7	97.2	*	56	4.4	20.3	*	11	
12	*	127	9.9	58.7	*	144	11.2	68.2	*	44	3.4	23.5	*	19	1.5	98.7	*	46	3.6	23.9	*	12	
13	*	150	11.7	70.4	*	139	10.8	79.0	*	48	3.7	27.2	*	6	0.5	99.1	*	149	11.6	35.4	*	13	
14	*	108	8.4	78.8	*	86	6.7	85.7	*	49	3.8	31.0	*	7	0.5	99.7	*	137	10.6	46.1	*	14	
15	*	127	9.9	88.7	*	131	10.2	95.9	*	72	5.6	36.6	*	3	0.2	99.9	*	120	9.3	55.4	*	15	
16	*	42	3.3	91.9	*	35	2.7	98.6	*	61	4.7	41.3	*	1	0.1	100.0	*	119	9.2	64.6	*	16	
17	*	45	3.5	95.4	*	10	0.8	99.4	*	88	6.8	48.2	*	0	0.0	100.0	*	151	11.7	76.4	*	17	
18	*	30	2.3	97.7	*	5	0.4	99.8	*	286	22.2	70.4	*	0	0.0	100.0	*	176	13.7	90.1	*	18	
19	*	16	1.2	99.0	*	3	0.2	100.0	*	158	12.3	82.7	*	0	0.0	100.0	*	79	6.1	96.2	*	19	
20	*	8	0.6	99.6	*	0	0.0	100.0	*	125	9.7	92.4	*	0	0.0	100.0	*	41	3.2	99.4	*	20	
21	*	5	0.4	100.0	*	0	0.0	100.0	*	55	4.3	96.7	*	0	0.0	100.0	*	8	0.6	100.0	*	21	
22	*	0	0.0	100.0	*	0	0.0	100.0	*	43	3.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23	
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	

AVERAGE VALUES

FFMC = 57.8      DMC = 24.4      DC = 284.2      ISI = 2.1      ADMC = 58.2      FWI = 4.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1237

MAXIMUM VALUES

FFMC = 92.0      DMC = 88.0      DC = 534.0      ISI = 21.3      ADMC = 90.0      FWI = 37.0

\*\*\*TOTALS FOR REGION 41

EASTERN YUKON

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	0	0.0	0.0	*	12	0.8	0.8	*	8	0.5	0.5	*	14	0.9	0.9	*	150	9.8	9.8	*	1				
2	*	4	0.3	0.3	*	22	1.4	2.2	*	6	0.4	0.9	*	156	10.2	11.1	*	3	0.2	0.3	*	150	9.8	19.5	*	2
3	*	5	0.3	0.6	*	29	1.9	4.1	*	18	1.2	2.1	*	161	10.5	21.5	*	3	0.2	0.5	*	106	6.9	26.4	*	3
4	*	4	0.3	0.8	*	57	3.7	7.8	*	34	2.2	4.3	*	146	9.5	31.1	*	3	0.2	0.7	*	93	6.1	32.5	*	4
5	*	17	1.1	2.0	*	65	4.2	12.0	*	32	2.1	6.4	*	140	9.1	40.2	*	17	1.1	1.8	*	93	6.1	38.5	*	5
6	*	21	1.4	3.3	*	61	4.0	16.0	*	28	1.8	8.2	*	123	8.0	48.2	*	14	0.9	2.7	*	174	11.3	49.9	*	6
7	*	29	1.9	5.2	*	83	5.4	21.4	*	60	3.9	12.1	*	100	6.5	54.7	*	16	1.0	3.8	*	138	9.0	58.9	*	7
8	*	24	1.6	6.8	*	77	5.0	26.4	*	47	3.1	15.2	*	180	11.7	66.4	*	28	1.8	5.6	*	138	9.0	67.8	*	8
9	*	54	3.5	10.3	*	75	4.9	31.3	*	40	2.6	17.8	*	161	10.5	76.9	*	49	3.2	8.8	*	187	12.2	80.0	*	9
10	*	74	4.8	15.1	*	78	5.1	36.4	*	67	4.4	22.1	*	126	8.2	85.1	*	55	3.6	12.4	*	136	8.9	88.9	*	10
11	*	79	5.1	20.2	*	155	10.1	46.5	*	68	4.4	26.6	*	145	9.4	94.5	*	50	3.3	15.6	*	74	4.8	93.7	*	11
12	*	80	5.2	25.5	*	133	8.7	55.1	*	56	3.6	30.2	*	54	3.5	98.0	*	56	3.6	19.3	*	54	3.5	97.2	*	12
13	*	112	7.3	32.7	*	124	8.1	63.2	*	43	2.8	33.0	*	20	1.3	99.3	*	132	8.6	27.9	*	25	1.6	98.8	*	13
14	*	132	8.7	41.4	*	122	7.9	71.2	*	90	5.9	38.9	*	6	0.4	99.7	*	117	7.6	35.5	*	15	1.0	99.8	*	14
15	*	210	14.3	55.7	*	147	9.6	80.7	*	67	4.4	43.2	*	2	0.1	99.9	*	113	7.4	42.8	*	3	0.2	100.0	*	15
16	*	95	6.2	61.8	*	95	6.2	86.9	*	60	3.9	47.1	*	2	0.1	100.0	*	117	7.6	50.5	*	0	0.0	100.0	*	16
17	*	118	7.7	69.5	*	61	4.0	90.9	*	72	4.7	51.8	*	0	0.0	100.0	*	239	15.6	66.0	*	0	0.0	100.0	*	17
18	*	127	8.3	77.8	*	45	2.9	93.8	*	196	12.8	64.6	*	0	0.0	100.0	*	163	10.6	76.6	*	0	0.0	100.0	*	18
19	*	156	10.2	88.0	*	88	5.7	99.5	*	193	12.6	77.1	*	0	0.0	100.0	*	100	6.5	83.1	*	0	0.0	100.0	*	19
20	*	123	8.0	96.0	*	7	0.5	100.0	*	144	9.4	86.5	*	0	0.0	100.0	*	52	3.4	86.5	*	0	0.0	100.0	*	20
21	*	56	3.6	99.6	*	0	0.0	100.0	*	111	7.2	93.7	*	0	0.0	100.0	*	51	3.3	89.8	*	0	0.0	100.0	*	21
22	*	6	0.4	100.0	*	0	0.0	100.0	*	96	6.3	100.0	*	0	0.0	100.0	*	49	3.2	93.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	85	5.5	98.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.6      DMC = 33.7      DC = 278.7      ISI = 3.3      ADMC = 73.6      FWI = 8.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1536

MAXIMUM VALUES

FFMC = 94.0      DMC = 121.0      DC = 585.0      ISI = 21.8      ADMC = 147.0      FWI = 49.0

\*\*\*TOTALS FOR REGION 42

WESTERN YUKON

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF CRS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	4	0.2	0.2	*	1	0.1	0.1	*	2	0.1	0.1	*	9	0.5	0.5	*	0	0.0	0.0	*	121	6.9	6.9	*	1
2	*	9	0.5	0.7	*	5	0.3	0.3	*	4	0.2	0.3	*	148	8.4	8.9	*	1	0.1	0.1	*	132	7.5	14.4	*	2
3	*	16	0.9	1.6	*	36	2.0	2.4	*	8	0.5	0.8	*	174	9.9	18.8	*	1	0.1	0.1	*	135	7.7	22.0	*	3
4	*	11	0.6	2.3	*	37	2.1	4.5	*	21	1.2	2.0	*	182	10.3	29.1	*	0	0.0	0.1	*	118	6.7	28.7	*	4
5	*	18	1.0	3.3	*	39	2.2	6.7	*	26	1.5	3.5	*	148	8.4	37.5	*	2	0.1	0.2	*	100	5.7	34.4	*	5
6	*	20	1.1	4.4	*	88	5.0	11.7	*	23	1.3	4.8	*	160	9.1	46.6	*	4	0.2	0.5	*	209	11.9	46.2	*	6
7	*	22	1.2	5.7	*	90	5.1	16.8	*	55	3.1	7.9	*	138	7.8	54.4	*	19	1.1	1.5	*	150	10.8	57.0	*	7
8	*	22	1.2	6.9	*	73	4.1	20.9	*	54	3.1	10.9	*	211	12.0	66.4	*	25	1.4	2.9	*	153	8.7	65.7	*	8
9	*	52	2.9	9.9	*	48	2.7	23.7	*	54	3.1	14.0	*	178	10.1	76.5	*	22	1.2	4.2	*	238	13.5	79.2	*	9
10	*	66	3.7	13.6	*	77	4.4	28.0	*	57	3.2	17.2	*	107	6.1	82.5	*	40	2.3	6.5	*	150	8.5	87.7	*	10
11	*	83	4.7	18.3	*	191	10.8	38.9	*	50	2.8	20.1	*	166	9.4	91.9	*	27	1.5	8.0	*	109	6.2	93.9	*	11
12	*	109	6.2	24.5	*	220	12.5	51.3	*	58	3.3	23.4	*	88	5.0	96.9	*	44	2.5	10.5	*	62	3.5	97.4	*	12
13	*	149	8.5	33.0	*	163	9.2	60.6	*	56	3.2	26.5	*	25	1.4	98.4	*	161	9.1	19.6	*	27	1.5	98.9	*	13
14	*	196	11.1	44.1	*	153	8.7	69.3	*	61	3.5	30.0	*	24	1.4	99.7	*	127	7.2	26.8	*	16	0.9	99.8	*	14
15	*	258	14.6	58.7	*	239	13.6	82.8	*	69	3.9	33.9	*	2	0.1	99.8	*	149	8.5	35.3	*	2	0.1	99.9	*	15
16	*	118	6.7	65.4	*	130	7.4	90.2	*	62	3.5	37.4	*	3	0.2	100.0	*	156	8.8	44.1	*	1	0.1	100.0	*	16
17	*	137	7.8	73.2	*	101	5.7	95.9	*	60	3.4	40.8	*	0	0.0	100.0	*	313	17.8	61.9	*	0	0.0	100.0	*	17
18	*	137	7.8	80.9	*	43	2.4	98.4	*	175	9.9	50.8	*	0	0.0	100.0	*	232	13.2	75.0	*	0	0.0	100.0	*	18
19	*	129	7.3	88.3	*	29	1.6	100.0	*	349	19.8	70.6	*	0	0.0	100.0	*	165	9.4	84.4	*	0	0.0	100.0	*	19
20	*	107	6.1	94.3	*	0	0.0	100.0	*	375	21.3	91.8	*	0	0.0	100.0	*	148	8.4	92.8	*	0	0.0	100.0	*	20
21	*	65	3.7	98.0	*	0	0.0	100.0	*	116	6.6	98.4	*	0	0.0	100.0	*	81	4.6	97.4	*	0	0.0	100.0	*	21
22	*	32	1.8	99.8	*	0	0.0	100.0	*	28	1.6	100.0	*	0	0.0	100.0	*	26	1.5	98.9	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	1.0	99.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.1      DMC = 33.5      DC = 302.7      ISI = 3.5      ADMC = 73.8      FWI = 9.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1763

MAXIMUM VALUES

FFMC = 96.0      DMC = 104.0      DC = 545.0      ISI = 21.8      ADMC = 130.0      FWI = 51.0

\*\*\*TOTALS FOR STATION 349 AISHIHIK A LONG, 13729 LAT. 6139

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	35	2.2	2.2	*	7	0.4	0.4	*	1	0.1	0.1	*	101	6.2	6.2	*	0	0.0	0.0	*	292	18.0	18.0	*	1
2	*	9	0.6	2.7	*	19	1.2	1.6	*	4	0.2	0.3	*	207	12.8	19.0	*	2	0.1	0.1	*	209	12.9	30.9	*	2
3	*	12	0.7	3.5	*	66	4.1	5.7	*	8	0.5	0.8	*	205	12.6	31.6	*	1	0.1	0.2	*	89	5.5	36.4	*	3
4	*	20	1.2	4.7	*	70	4.3	10.0	*	11	0.7	1.5	*	172	10.6	42.3	*	5	0.3	0.5	*	109	6.7	43.1	*	4
5	*	17	1.0	5.7	*	73	4.5	14.5	*	18	1.1	2.6	*	114	7.0	49.3	*	7	0.4	0.9	*	92	5.7	48.8	*	5
6	*	25	1.5	7.3	*	63	3.9	18.4	*	31	1.9	4.5	*	124	7.6	56.9	*	13	0.8	1.7	*	166	10.2	59.0	*	6
7	*	27	1.7	8.9	*	83	5.1	23.5	*	60	3.7	8.2	*	95	5.9	62.8	*	28	1.7	3.5	*	143	8.8	67.9	*	7
8	*	30	1.9	10.8	*	110	6.8	30.3	*	57	3.5	11.7	*	181	11.2	74.0	*	51	3.1	6.6	*	125	7.7	75.6	*	8
9	*	38	2.3	13.1	*	118	7.3	37.6	*	42	2.6	14.3	*	146	9.0	83.0	*	40	2.5	9.1	*	186	11.5	87.0	*	9
10	*	55	3.4	16.5	*	92	5.7	43.2	*	49	3.0	17.3	*	69	4.3	87.2	*	56	3.5	12.5	*	106	6.5	93.6	*	10
11	*	71	4.4	20.9	*	211	13.0	56.3	*	77	4.8	22.1	*	130	8.0	95.2	*	53	3.3	15.8	*	53	3.3	96.9	*	11
12	*	91	5.6	26.5	*	182	11.2	67.5	*	68	4.2	26.3	*	38	2.3	97.6	*	62	3.8	19.6	*	31	1.9	98.8	*	12
13	*	95	5.9	32.4	*	120	7.4	74.9	*	47	2.9	29.2	*	21	1.3	98.9	*	127	7.8	27.5	*	10	0.6	99.4	*	13
14	*	152	9.4	41.8	*	89	5.5	80.4	*	64	3.9	33.1	*	14	0.9	99.8	*	185	11.4	38.9	*	7	0.4	99.8	*	14
15	*	235	14.5	56.3	*	184	11.4	91.7	*	69	4.3	37.4	*	2	0.1	99.9	*	171	10.5	49.4	*	3	0.2	100.0	*	15
16	*	133	8.2	64.5	*	83	5.1	96.9	*	68	4.2	41.6	*	2	0.1	100.0	*	138	8.5	57.9	*	0	0.0	100.0	*	16
17	*	157	9.7	74.2	*	31	1.9	98.8	*	80	4.9	46.5	*	0	0.0	100.0	*	267	16.5	74.4	*	0	0.0	100.0	*	17
18	*	147	9.1	83.2	*	13	0.8	99.6	*	202	12.5	59.0	*	0	0.0	100.0	*	159	9.8	84.2	*	0	0.0	100.0	*	18
19	*	149	9.2	92.4	*	7	0.4	100.0	*	222	13.7	72.7	*	0	0.0	100.0	*	113	7.0	91.2	*	0	0.0	100.0	*	19
20	*	70	4.3	96.7	*	0	0.0	100.0	*	222	13.7	86.4	*	0	0.0	100.0	*	82	5.1	96.2	*	0	0.0	100.0	*	20
21	*	43	2.7	99.4	*	0	0.0	100.0	*	179	11.0	97.4	*	0	0.0	100.0	*	38	2.3	98.6	*	0	0.0	100.0	*	21
22	*	10	0.6	100.0	*	0	0.0	100.0	*	42	2.6	100.0	*	0	0.0	100.0	*	10	0.6	99.2	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.8	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.5      DMC = 26.5      DC = 294.4      ISI = 2.9      ADCM = 63.9      FWI = 6.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1621

MAXIMUM VALUES

FFMC = 94.0      DMC = 90.0      DC = 540.0      ISI = 23.4      ADCM = 123.0      FWI = 49.0



\*\*\*TOTALS FOR STATION 321 CONTWOYTO LAKE LONG. 11022 LAT. 6529

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	99	9.7	9.7	*	176	17.2	17.2	*	6	0.6	0.6	*	205	20.1	20.1	*	75	7.3	7.3	*	422	41.3	41.3	*	1
2	*	23	2.3	11.9	*	74	7.2	24.5	*	14	1.4	2.0	*	151	14.8	34.8	*	66	6.5	13.8	*	149	14.6	55.9	*	2
3	*	21	2.1	14.0	*	90	8.8	33.3	*	15	1.5	3.4	*	136	13.3	48.1	*	4	0.4	14.2	*	68	6.7	62.5	*	3
4	*	27	2.6	16.6	*	82	8.0	41.3	*	22	2.2	5.6	*	103	10.1	58.2	*	36	3.5	17.7	*	51	5.0	67.5	*	4
5	*	19	1.9	18.5	*	85	8.3	49.6	*	23	2.3	7.8	*	74	7.2	65.5	*	48	4.7	22.4	*	42	4.1	71.6	*	5
6	*	34	3.3	21.8	*	60	5.9	55.5	*	25	2.4	10.3	*	55	5.4	70.8	*	37	3.6	26.0	*	76	7.4	79.1	*	6
7	*	33	3.2	25.0	*	97	9.5	65.0	*	40	3.9	14.2	*	35	3.4	74.3	*	52	5.1	31.1	*	51	5.0	84.1	*	7
8	*	40	3.9	29.0	*	93	9.1	74.1	*	44	4.3	18.5	*	71	6.9	81.2	*	63	6.2	37.3	*	37	3.6	87.7	*	8
9	*	43	4.2	33.2	*	40	3.9	78.0	*	51	5.0	23.5	*	68	6.7	87.9	*	51	5.0	42.3	*	55	5.4	93.1	*	9
10	*	40	3.9	37.1	*	34	3.3	81.3	*	59	5.8	29.3	*	37	3.6	91.5	*	44	4.3	46.6	*	34	3.3	96.4	*	10
11	*	47	4.6	41.7	*	58	5.7	87.0	*	56	5.5	34.7	*	49	4.8	96.3	*	69	6.8	53.3	*	10	1.0	97.4	*	11
12	*	65	6.4	48.0	*	28	2.7	89.7	*	56	5.5	40.2	*	18	1.8	98.0	*	42	4.1	57.4	*	7	0.7	98.0	*	12
13	*	75	7.3	55.4	*	21	2.1	91.8	*	68	6.7	46.9	*	8	0.8	98.8	*	131	12.8	70.3	*	9	0.9	98.9	*	13
14	*	107	10.5	65.9	*	13	1.3	93.1	*	130	12.7	59.6	*	6	0.6	99.4	*	116	11.4	81.6	*	8	0.8	99.7	*	14
15	*	106	10.4	76.2	*	26	2.5	95.6	*	99	9.7	69.3	*	5	0.5	99.9	*	48	4.7	86.3	*	2	0.2	99.9	*	15
16	*	51	5.0	81.2	*	10	1.0	96.6	*	77	7.5	76.8	*	1	0.1	100.0	*	32	3.1	89.4	*	1	0.1	100.0	*	16
17	*	51	5.0	86.2	*	5	0.5	97.1	*	54	5.3	82.1	*	0	0.0	100.0	*	36	3.5	93.0	*	0	0.0	100.0	*	17
18	*	74	7.2	93.4	*	4	0.4	97.5	*	122	11.9	94.0	*	0	0.0	100.0	*	14	1.4	94.3	*	0	0.0	100.0	*	18
19	*	41	4.0	97.5	*	15	1.5	98.9	*	48	4.7	98.7	*	0	0.0	100.0	*	14	1.4	95.7	*	0	0.0	100.0	*	19
20	*	20	2.0	99.4	*	11	1.1	100.0	*	13	1.3	100.0	*	0	0.0	100.0	*	12	1.2	96.9	*	0	0.0	100.0	*	20
21	*	5	0.5	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.6	97.5	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.4	97.8	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	1.3	99.1	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.9	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 58.0      DMC = 15.2      DC = 200.0      ISI = 2.1      ADMC = 37.1      FWI = 4.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1022

MAXIMUM VALUES

FFMC = 93.0      DMC = 137.0      DC = 429.0      ISI = 22.2      ADMC = 146.0      FWI = 58.0

\*\*\*TOTALS FOR STATION 345 DAWSON LONG. 13926 LAT. 6404

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	39	2.4	2.4	*	7	0.4	0.4	*	1	0.1	0.1	*	79	4.8	4.8	*	0	0.0	0.0	*	286	17.3	17.3	*	1
2	*	7	0.4	2.8	*	12	0.7	1.1	*	9	0.5	0.6	*	211	12.7	17.5	*	0	0.0	0.0	*	229	13.8	31.1	*	2
3	*	6	0.4	3.1	*	82	5.0	6.1	*	19	1.1	1.8	*	264	16.0	33.5	*	0	0.0	0.0	*	100	6.0	37.2	*	3
4	*	8	0.5	3.6	*	64	3.9	10.0	*	21	1.3	3.0	*	138	8.3	41.8	*	7	0.4	0.4	*	83	5.0	42.2	*	4
5	*	13	0.8	4.4	*	56	3.4	13.4	*	25	1.5	4.5	*	99	6.0	47.8	*	9	0.5	1.0	*	77	4.7	46.8	*	5
6	*	15	0.9	5.3	*	97	5.9	19.2	*	21	1.3	5.8	*	89	5.4	53.2	*	9	0.5	1.5	*	143	8.6	55.5	*	6
7	*	23	1.4	6.7	*	94	5.7	24.9	*	56	3.4	9.2	*	77	4.7	57.8	*	47	2.8	4.4	*	112	6.8	62.2	*	7
8	*	14	0.8	7.6	*	99	6.0	30.9	*	67	4.0	13.2	*	164	9.9	67.7	*	48	2.9	7.3	*	118	7.1	69.4	*	8
9	*	37	2.2	9.8	*	75	4.5	35.4	*	45	2.7	16.0	*	125	7.6	75.3	*	45	2.7	10.0	*	158	9.5	78.9	*	9
10	*	52	3.1	12.9	*	78	4.7	40.1	*	46	2.8	18.7	*	116	7.0	82.3	*	50	3.0	13.0	*	124	7.5	86.4	*	10
11	*	64	3.9	16.8	*	193	11.7	51.8	*	51	3.1	21.8	*	154	9.3	91.6	*	33	2.0	15.0	*	87	5.3	91.7	*	11
12	*	98	5.9	22.7	*	162	9.8	61.6	*	66	4.0	25.8	*	79	4.8	96.4	*	59	3.6	18.5	*	70	4.2	95.9	*	12
13	*	110	6.6	29.4	*	148	8.9	70.5	*	58	3.5	29.3	*	33	2.0	98.4	*	143	8.6	27.2	*	40	2.4	98.3	*	13
14	*	135	8.2	37.5	*	95	5.7	76.3	*	101	6.1	35.4	*	20	1.2	99.6	*	192	11.6	38.8	*	25	1.5	99.8	*	14
15	*	163	9.8	47.4	*	131	7.9	84.2	*	144	8.7	44.1	*	6	0.4	99.9	*	156	9.4	48.2	*	3	0.2	100.0	*	15
16	*	94	5.7	53.1	*	64	3.9	88.0	*	116	7.0	51.1	*	1	0.1	100.0	*	148	8.9	57.2	*	0	0.0	100.0	*	16
17	*	112	6.8	59.8	*	42	2.5	90.6	*	107	6.5	57.6	*	0	0.0	100.0	*	234	14.1	71.3	*	0	0.0	100.0	*	17
18	*	132	8.0	67.8	*	44	2.7	93.2	*	184	11.1	68.7	*	0	0.0	100.0	*	143	8.6	79.9	*	0	0.0	100.0	*	18
19	*	156	9.4	77.2	*	74	4.5	97.7	*	149	9.0	77.7	*	0	0.0	100.0	*	89	5.4	85.3	*	0	0.0	100.0	*	19
20	*	169	10.2	87.4	*	30	1.8	99.5	*	184	11.1	88.8	*	0	0.0	100.0	*	57	3.4	88.8	*	0	0.0	100.0	*	20
21	*	138	8.3	95.8	*	8	0.5	100.0	*	88	5.3	94.1	*	0	0.0	100.0	*	47	2.8	91.6	*	0	0.0	100.0	*	21
22	*	58	3.5	99.3	*	0	0.0	100.0	*	97	5.9	100.0	*	0	0.0	100.0	*	38	2.3	93.9	*	0	0.0	100.0	*	22
23	*	10	0.6	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	67	4.0	97.9	*	0	0.0	100.0	*	23
24	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19	1.1	99.1	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.9	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.8 DMC = 32.1 DC = 278.0 ISI = 3.3 ADMC = 70.3 FWI = 8.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1655

MAXIMUM VALUES

FFMC = 97.0 DMC = 157.0 DC = 597.0 ISI = 23.0 ADMC = 171.0 FWI = 47.0

\*\*\*TOTALS FOR STATION 317 ENNADAI LONG. 10055 LAT. 6108

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF	CUM.		NO.OF	CUM.		NO.OF	CUM.		NO.OF	CUM.		NO.OF	CUM.		NO.OF	CUM.									
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.								
1	*	65	5.7	5.7	*	79	7.0	7.0	*	3	0.3	0.3	*	141	12.4	12.4	*	20	1.8	1.8	*	351	30.9	30.9	*	1
2	*	15	1.3	7.0	*	89	7.8	14.8	*	10	0.9	1.1	*	143	12.6	25.0	*	34	3.0	4.8	*	180	15.9	46.8	*	2
3	*	13	1.1	8.2	*	132	11.6	26.4	*	42	3.7	4.8	*	156	13.7	38.8	*	3	0.3	5.0	*	74	6.5	53.3	*	3
4	*	22	1.9	10.1	*	153	13.5	39.9	*	38	3.3	8.2	*	125	11.0	49.8	*	23	2.0	7.0	*	99	8.7	62.0	*	4
5	*	17	1.5	11.6	*	111	9.8	49.7	*	39	3.4	11.6	*	113	10.0	59.7	*	59	5.2	12.2	*	65	5.7	67.8	*	5
6	*	14	1.2	12.9	*	81	7.1	56.8	*	30	2.6	14.3	*	84	7.4	67.1	*	55	4.8	17.1	*	115	10.1	77.9	*	6
7	*	31	2.7	15.6	*	95	8.4	65.2	*	60	5.3	19.6	*	72	6.3	73.5	*	69	6.1	23.2	*	75	6.6	84.5	*	7
8	*	48	4.2	19.8	*	58	5.1	70.3	*	73	6.4	26.0	*	94	8.3	81.8	*	95	8.4	31.5	*	50	4.4	88.9	*	8
9	*	44	3.9	23.7	*	46	4.1	74.4	*	72	6.3	32.3	*	58	5.1	86.9	*	84	7.4	38.9	*	62	5.5	94.4	*	9
10	*	52	4.6	28.3	*	40	3.5	77.9	*	75	6.6	38.9	*	42	3.7	90.6	*	116	10.2	49.2	*	30	2.6	97.0	*	10
11	*	48	4.2	32.5	*	86	7.6	85.5	*	84	7.4	46.3	*	52	4.6	95.2	*	72	6.3	55.5	*	18	1.6	98.6	*	11
12	*	85	7.5	40.0	*	80	7.0	92.5	*	84	7.4	53.7	*	17	1.5	96.7	*	55	4.8	60.4	*	11	1.0	99.6	*	12
13	*	90	7.9	47.9	*	30	2.6	95.2	*	62	5.5	59.2	*	18	1.6	98.2	*	119	10.5	70.8	*	3	0.3	99.8	*	13
14	*	144	12.7	60.6	*	20	1.8	96.9	*	82	7.2	66.4	*	15	1.3	99.6	*	76	6.7	77.5	*	2	0.2	100.0	*	14
15	*	146	12.9	73.5	*	29	2.6	99.5	*	84	7.4	73.8	*	3	0.3	99.8	*	63	5.6	83.1	*	0	0.0	100.0	*	15
16	*	83	7.3	80.8	*	3	0.3	99.7	*	66	5.8	79.6	*	2	0.2	100.0	*	51	4.5	87.6	*	0	0.0	100.0	*	16
17	*	77	6.8	87.6	*	3	0.3	100.0	*	36	3.2	82.8	*	0	0.0	100.0	*	78	6.9	94.4	*	0	0.0	100.0	*	17
18	*	64	5.6	93.2	*	0	0.0	100.0	*	112	9.9	92.7	*	0	0.0	100.0	*	40	3.5	98.0	*	0	0.0	100.0	*	18
19	*	51	4.5	97.7	*	0	0.0	100.0	*	71	6.3	98.9	*	0	0.0	100.0	*	18	1.6	99.6	*	0	0.0	100.0	*	19
20	*	20	1.8	99.5	*	0	0.0	100.0	*	12	1.1	100.0	*	0	0.0	100.0	*	5	0.4	100.0	*	0	0.0	100.0	*	20
21	*	6	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 63.4      DMC = 13.8      DC = 181.3      ISI = 2.4      ADMC = 36.7      FWI = 4.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1135

MAXIMUM VALUES

FFMC = 92.0      DMC = 67.0      DC = 444.0      ISI = 29.0      ADMC = 75.0      FWI = 34.0

\*\*\*TOTALS FOR STATION 335 FORT GOOD HOPE LONG. 12839 LAT, 6615

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS					
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.					
1	*	31	2.2	2.2	*	23	1.6	1.6	*	1	0.1	0.1	*	114	7.9	7.9	*	2	0.1	0.1	*	302	21.0	21.0	*	1
2	*	12	0.8	3.0	*	31	2.2	3.8	*	2	0.1	0.2	*	175	12.2	20.1	*	8	0.6	0.7	*	190	13.2	34.2	*	2
3	*	15	1.0	4.0	*	43	3.0	6.8	*	11	0.8	1.0	*	209	14.5	34.7	*	0	0.0	0.7	*	86	6.0	40.2	*	3
4	*	18	1.3	5.3	*	103	7.2	13.9	*	18	1.3	2.2	*	118	8.2	42.9	*	13	0.9	1.6	*	89	6.2	46.4	*	4
5	*	21	1.5	6.8	*	70	4.9	18.8	*	11	0.8	3.0	*	133	9.3	52.1	*	13	0.9	2.5	*	71	4.9	51.4	*	5
6	*	37	2.6	9.3	*	93	6.5	25.3	*	10	0.7	3.7	*	90	6.3	58.4	*	22	1.5	4.0	*	107	7.4	58.8	*	6
7	*	23	1.6	10.9	*	90	6.3	31.5	*	38	2.6	6.3	*	69	4.8	63.2	*	24	1.7	5.7	*	118	8.2	67.0	*	7
8	*	28	1.9	12.9	*	62	4.3	35.8	*	53	3.7	10.0	*	164	11.4	74.6	*	42	2.9	8.6	*	106	7.4	74.4	*	8
9	*	39	2.7	15.6	*	68	4.7	40.6	*	68	4.7	14.8	*	101	7.0	81.6	*	38	2.6	11.3	*	145	10.1	84.5	*	9
10	*	58	4.0	19.6	*	66	4.6	45.2	*	60	4.2	18.9	*	65	4.5	86.2	*	79	5.5	16.8	*	89	6.2	90.7	*	10
11	*	60	4.2	23.8	*	163	11.3	56.5	*	46	3.2	22.1	*	103	7.2	93.3	*	45	3.1	19.9	*	63	4.4	95.1	*	11
12	*	70	4.9	28.7	*	107	7.4	64.0	*	52	3.6	25.7	*	40	2.8	96.1	*	52	3.6	23.5	*	42	2.9	98.0	*	12
13	*	103	7.2	35.8	*	116	8.1	72.0	*	51	3.5	29.3	*	28	1.9	98.1	*	142	9.9	33.4	*	9	0.6	98.6	*	13
14	*	105	7.3	43.1	*	102	7.1	79.1	*	64	4.5	33.8	*	16	1.1	99.2	*	122	8.5	41.9	*	18	1.3	99.9	*	14
15	*	203	14.1	57.3	*	135	9.4	88.5	*	92	6.4	40.2	*	9	0.6	99.8	*	125	8.7	50.6	*	2	0.1	100.0	*	15
16	*	86	6.0	63.3	*	62	4.3	92.8	*	84	5.8	46.0	*	3	0.2	100.0	*	143	10.0	60.5	*	0	0.0	100.0	*	16
17	*	119	8.3	71.5	*	51	3.5	96.4	*	84	5.8	51.8	*	0	0.0	100.0	*	188	13.1	73.6	*	0	0.0	100.0	*	17
18	*	151	10.5	82.0	*	25	1.7	98.1	*	185	12.9	64.7	*	0	0.0	100.0	*	126	8.8	82.4	*	0	0.0	100.0	*	18
19	*	125	8.7	90.7	*	25	1.7	99.9	*	131	9.1	73.8	*	0	0.0	100.0	*	110	7.7	90.0	*	0	0.0	100.0	*	19
20	*	87	6.1	96.8	*	2	0.1	100.0	*	156	10.9	84.7	*	0	0.0	100.0	*	52	3.6	93.7	*	0	0.0	100.0	*	20
21	*	42	2.9	99.7	*	0	0.0	100.0	*	138	9.6	94.3	*	0	0.0	100.0	*	37	2.6	96.2	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	82	5.7	100.0	*	0	0.0	100.0	*	28	1.9	98.2	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	26	1.8	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

1  
330

AVERAGE VALUES

FFMC = 70.4 DMC = 27.4 DC = 290.7 ISI = 3.0 ADMC = 63.6 FWI = 6.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1437

MAXIMUM VALUES

FFMC = 94.0 DMC = 113.0 DC = 569.0 ISI = 26.2 ADMC = 124.0 FWI = 47.0

\*\*\*TOTALS FOR STATION 336 FORT MCPHERSON LONG. 13457 LAT. 6726

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	* 116	8.0	8.0 *	33	2.3	2.3 *	16	1.1	1.1 *	228	15.6	15.6 *	11	0.8	0.8 *	452	31.0	31.0 *	1
2	* 24	1.6	9.6 *	48	3.3	5.6 *	9	0.6	1.7 *	212	14.6	30.2 *	5	0.3	1.1 *	183	12.6	43.6 *	2
3	* 25	1.7	11.3 *	56	3.8	9.4 *	23	1.6	3.3 *	245	16.8	47.0 *	14	1.0	2.1 *	93	6.4	50.0 *	3
4	* 32	2.2	13.5 *	89	6.1	15.5 *	33	2.3	5.6 *	160	11.0	58.0 *	6	0.4	2.5 *	102	7.0	57.0 *	4
5	* 23	1.6	15.1 *	128	8.8	24.3 *	27	1.9	7.4 *	110	7.5	65.5 *	16	1.1	3.6 *	85	5.8	62.8 *	5
6	* 27	1.9	17.0 *	91	6.2	30.5 *	32	2.2	9.6 *	108	7.4	73.0 *	39	2.7	6.2 *	119	8.2	71.0 *	6
7	* 42	2.9	19.8 *	62	4.3	34.8 *	64	4.4	14.0 *	86	5.9	78.9 *	39	2.7	8.9 *	98	6.7	77.7 *	7
8	* 34	2.3	22.2 *	68	4.7	39.5 *	52	3.6	17.6 *	96	6.6	85.4 *	44	3.0	11.9 *	90	6.2	83.9 *	8
9	* 37	2.5	24.7 *	52	3.6	43.0 *	54	3.7	21.3 *	65	4.5	89.9 *	71	4.9	16.8 *	110	7.5	91.4 *	9
10	* 52	3.6	28.3 *	53	3.6	46.7 *	43	3.0	24.2 *	45	3.1	93.0 *	63	4.3	21.1 *	51	3.5	94.9 *	10
11	* 50	3.4	31.7 *	118	8.1	54.8 *	46	3.2	27.4 *	58	4.0	97.0 *	89	6.1	27.2 *	34	2.3	97.3 *	11
12	* 85	5.8	37.5 *	130	8.9	63.7 *	44	3.0	30.4 *	21	1.4	98.4 *	48	3.3	30.5 *	14	1.0	98.2 *	12
13	* 116	8.0	45.5 *	83	5.7	69.4 *	61	4.2	34.6 *	13	0.9	99.3 *	106	7.3	37.8 *	15	1.0	99.2 *	13
14	* 159	10.9	56.4 *	106	7.3	76.7 *	57	3.9	38.5 *	8	0.5	99.9 *	117	8.0	45.8 *	7	0.5	99.7 *	14
15	* 190	13.0	69.5 *	139	9.5	86.2 *	48	3.3	41.8 *	0	0.0	99.9 *	102	7.0	52.8 *	4	0.3	100.0 *	15
16	* 97	6.7	76.1 *	70	4.8	91.0 *	64	4.4	46.2 *	2	0.1	100.0 *	76	5.2	58.1 *	0	0.0	100.0 *	16
17	* 96	6.6	82.7 *	34	2.3	93.3 *	70	4.8	51.0 *	0	0.0	100.0 *	130	8.9	67.0 *	0	0.0	100.0 *	17
18	* 86	5.9	88.6 *	23	1.6	94.9 *	155	10.6	61.6 *	0	0.0	100.0 *	117	8.0	75.0 *	0	0.0	100.0 *	18
19	* 87	6.0	94.6 *	53	3.6	98.6 *	163	11.2	72.8 *	0	0.0	100.0 *	124	8.5	83.5 *	0	0.0	100.0 *	19
20	* 49	3.4	97.9 *	21	1.4	100.0 *	121	8.3	81.1 *	0	0.0	100.0 *	101	6.9	90.5 *	0	0.0	100.0 *	20
21	* 24	1.6	99.6 *	0	0.0	100.0 *	113	7.8	88.9 *	0	0.0	100.0 *	38	2.6	93.1 *	0	0.0	100.0 *	21
22	* 6	0.4	100.0 *	0	0.0	100.0 *	162	11.1	100.0 *	0	0.0	100.0 *	30	2.1	95.1 *	0	0.0	100.0 *	22
23	* 0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	46	3.2	98.3 *	0	0.0	100.0 *	23
24	* 0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	25	1.7	100.0 *	0	0.0	100.0 *	24
25	* 0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	25

AVERAGE VALUES

FFMC = 63.0 DMC = 28.9 DC = 286.5 ISI = 2.0 ADCM = 66.1 FWI = 5.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1457

MAXIMUM VALUES

FFMC = 94.0 DMC = 127.0 DC = 595.0 ISI = 21.9 ADCM = 145.0 FWI = 49.0

\*\*\*TOTALS FOR STATION 320 FORT RELIANCE LONG. 10906 LAT, 6243

FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.		CUM. PCNT.							
1	*	14	1.1	1.1	*	20	1.5	1.5	*	4	0.3	0.3	*	63	4.9	4.9	*	8	0.6	0.6	*	209	16.1	16.1	*	1
2	*	8	0.6	1.7	*	29	2.2	3.8	*	4	0.3	0.6	*	144	11.1	16.0	*	3	0.2	0.8	*	183	14.1	30.3	*	2
3	*	11	0.8	2.5	*	66	5.1	8.9	*	6	0.5	1.1	*	165	12.7	28.7	*	1	0.1	0.9	*	74	5.7	36.0	*	3
4	*	11	0.8	3.4	*	58	4.5	13.4	*	16	1.2	2.3	*	141	10.9	39.6	*	8	0.6	1.5	*	98	7.6	43.6	*	4
5	*	12	0.9	4.3	*	79	6.1	19.5	*	20	1.5	3.9	*	112	8.6	48.3	*	11	0.8	2.4	*	83	6.4	50.0	*	5
6	*	18	1.4	5.7	*	53	4.1	23.6	*	29	2.2	6.1	*	88	6.8	55.1	*	23	1.8	4.2	*	113	8.7	58.7	*	6
7	*	25	1.9	7.6	*	86	6.6	30.2	*	59	4.6	10.7	*	89	6.9	61.9	*	38	2.9	7.1	*	93	7.2	65.9	*	7
8	*	30	2.3	10.0	*	60	4.6	34.8	*	64	4.9	15.6	*	109	8.4	70.3	*	41	3.2	10.3	*	89	6.9	72.7	*	8
9	*	50	3.9	13.8	*	59	4.6	39.4	*	53	4.1	19.7	*	91	7.0	77.4	*	40	3.1	13.4	*	132	10.2	82.9	*	9
10	*	47	3.6	17.5	*	46	3.6	42.9	*	50	3.9	23.6	*	78	6.0	83.4	*	36	2.8	16.1	*	82	6.3	89.3	*	10
11	*	63	4.9	22.3	*	172	13.3	56.2	*	47	3.6	27.2	*	104	8.0	91.4	*	74	5.7	21.9	*	66	5.1	94.4	*	11
12	*	81	6.3	28.6	*	142	11.0	67.2	*	46	3.6	30.7	*	41	3.2	94.6	*	43	3.3	25.2	*	35	2.7	97.1	*	12
13	*	99	7.6	36.2	*	89	6.9	74.1	*	44	3.4	34.1	*	44	3.4	98.0	*	138	10.7	35.8	*	21	1.6	98.7	*	13
14	*	136	10.5	46.7	*	99	7.6	81.7	*	74	5.7	39.8	*	18	1.4	99.4	*	121	9.3	45.2	*	15	1.2	99.8	*	14
15	*	194	15.0	61.7	*	101	7.8	89.5	*	71	5.5	45.3	*	4	0.3	99.7	*	102	7.9	53.1	*	2	0.2	100.0	*	15
16	*	100	7.7	69.4	*	45	3.5	93.0	*	73	5.6	51.0	*	4	0.3	100.0	*	85	6.6	59.6	*	0	0.0	100.0	*	16
17	*	126	9.7	79.2	*	39	3.0	96.0	*	98	7.6	58.5	*	0	0.0	100.0	*	179	13.8	73.4	*	0	0.0	100.0	*	17
18	*	131	10.1	89.3	*	25	1.9	97.9	*	173	13.4	71.9	*	0	0.0	100.0	*	113	8.7	82.2	*	0	0.0	100.0	*	18
19	*	90	6.9	96.2	*	27	2.1	100.0	*	147	11.4	83.2	*	0	0.0	100.0	*	96	7.4	89.6	*	0	0.0	100.0	*	19
20	*	45	3.5	99.7	*	0	0.0	100.0	*	79	6.1	89.3	*	0	0.0	100.0	*	45	3.5	93.1	*	0	0.0	100.0	*	20
21	*	3	0.2	99.9	*	0	0.0	100.0	*	83	6.4	95.8	*	0	0.0	100.0	*	38	2.9	96.0	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	55	4.2	100.0	*	0	0.0	100.0	*	30	2.3	98.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.7	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.6      DMC = 27.1      DC = 264.9      ISI = 3.3      ADCM = 63.0      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1295

MAXIMUM VALUES

FFMC = 93.0      DMC = 99.0      DC = 566.0      ISI = 26.4      ADCM = 113.0      FWI = 45.0

\*\*\*TOTALS FOR STATION 327 FORT RESOLUTION A LONG. 11341 LAT. 6110

CLASS	NO.OF OBS.	FFMC PCNT.	CUM. PCNT.	NO.OF OBS.	DMC PCNT.	CUM. PCNT.	NO.OF OBS.	DC PCNT.	CUM. PCNT.	NO.OF OBS.	ISI PCNT.	CUM. PCNT.	NO.OF OBS.	ADMC PCNT.	CUM. PCNT.	NO.OF OBS.	FWI PCNT.	CUM. PCNT.	CLASS							
1	*	16	1.1	1.1	*	34	2.4	2.4	*	2	0.1	0.1	*	76	5.3	5.3	*	5	0.3	0.3	*	232	16.1	16.1	*	1
2	*	8	0.6	1.7	*	33	2.3	4.6	*	11	0.8	0.9	*	152	10.5	15.8	*	12	0.8	1.2	*	170	11.8	27.9	*	2
3	*	8	0.6	2.2	*	63	4.4	9.0	*	16	1.1	2.0	*	173	12.0	27.8	*	1	0.1	1.2	*	76	5.3	33.1	*	3
4	*	23	1.6	3.8	*	48	3.3	12.3	*	21	1.5	3.5	*	143	9.9	37.7	*	18	1.2	2.5	*	66	4.6	37.7	*	4
5	*	15	1.0	4.9	*	61	4.2	16.6	*	17	1.2	4.6	*	104	7.2	44.9	*	18	1.2	3.7	*	85	5.9	43.6	*	5
6	*	11	0.8	5.6	*	63	4.4	20.9	*	19	1.3	6.0	*	105	7.3	52.2	*	31	2.1	5.9	*	138	9.6	53.2	*	6
7	*	23	1.6	7.2	*	83	5.8	26.7	*	51	3.5	9.5	*	109	7.6	59.8	*	33	2.3	8.2	*	108	7.5	60.7	*	7
8	*	30	2.1	9.3	*	57	4.0	30.7	*	73	5.1	14.6	*	137	9.5	69.3	*	35	2.4	10.6	*	89	6.2	66.9	*	8
9	*	44	3.1	12.3	*	54	3.7	34.4	*	61	4.2	18.8	*	111	7.7	77.0	*	27	1.9	12.5	*	175	12.1	79.0	*	9
10	*	49	3.4	15.7	*	50	3.5	37.9	*	44	3.1	21.8	*	76	5.3	82.2	*	34	2.4	14.8	*	120	8.3	87.3	*	10
11	*	59	4.1	19.8	*	159	11.0	48.9	*	40	2.8	24.6	*	119	8.3	90.5	*	49	3.4	18.2	*	75	5.2	92.5	*	11
12	*	73	5.1	24.9	*	119	8.3	57.1	*	41	2.8	27.5	*	64	4.4	94.9	*	32	2.2	20.5	*	46	3.2	95.7	*	12
13	*	114	7.9	32.8	*	101	7.0	64.1	*	37	2.6	30.0	*	34	2.4	97.3	*	128	8.9	29.3	*	22	1.5	97.2	*	13
14	*	128	8.9	41.7	*	90	6.2	70.4	*	57	4.0	34.0	*	31	2.1	99.4	*	131	9.1	38.4	*	27	1.9	99.1	*	14
15	*	197	13.7	55.3	*	106	7.4	77.7	*	65	4.5	38.5	*	6	0.4	99.9	*	106	7.4	45.8	*	12	0.8	99.9	*	15
16	*	108	7.5	62.8	*	87	6.0	83.8	*	82	5.7	44.2	*	2	0.1	100.0	*	86	6.0	51.7	*	1	0.1	100.0	*	16
17	*	135	9.4	72.2	*	73	5.1	88.8	*	81	5.6	49.8	*	0	0.0	100.0	*	179	12.4	64.1	*	0	0.0	100.0	*	17
18	*	140	9.7	81.9	*	49	3.4	92.2	*	174	12.1	61.9	*	0	0.0	100.0	*	140	9.7	73.9	*	0	0.0	100.0	*	18
19	*	146	10.1	92.0	*	87	6.0	98.3	*	172	11.9	73.8	*	0	0.0	100.0	*	111	7.7	81.6	*	0	0.0	100.0	*	19
20	*	95	6.6	98.6	*	20	1.4	99.7	*	204	14.1	87.9	*	0	0.0	100.0	*	74	5.1	86.7	*	0	0.0	100.0	*	20
21	*	19	1.3	99.9	*	5	0.3	100.0	*	112	7.8	95.7	*	0	0.0	100.0	*	46	3.2	89.9	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	54	3.7	99.4	*	0	0.0	100.0	*	36	2.5	92.4	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.6	100.0	*	0	0.0	100.0	*	74	5.1	97.5	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	26	1.8	99.3	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.7	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.3      DMC = 34.2      DC = 286.9      ISI = 3.4      ADCMC = 72.9      FWI = 8.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1442

MAXIMUM VALUES

FFMC = 93.0      DMC = 148.0      DC = 622.0      ISI = 27.2      ADCMC = 171.0      FWI = 52.0

\*\*\*TOTALS FOR STATION 347 FORT SELKIRK LONG. 13722 LAT. 6249

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	28	1.5	1.5	*	1	0.1	0.1	*	3	0.2	0.2	*	60	3.3	3.3	*	0	0.0	0.0	*	186	10.2	10.2	*	1
2	*	4	0.2	1.8	*	9	0.5	0.5	*	8	0.4	0.6	*	175	9.6	12.9	*	1	0.1	0.1	*	209	11.4	21.6	*	2
3	*	4	0.2	2.0	*	33	1.8	2.4	*	19	1.0	1.6	*	288	15.8	28.6	*	1	0.1	0.1	*	117	6.4	28.0	*	3
4	*	7	0.4	2.4	*	29	1.6	3.9	*	33	1.8	3.5	*	148	8.1	36.7	*	1	0.1	0.2	*	113	6.2	34.2	*	4
5	*	11	0.6	3.0	*	50	2.7	6.7	*	25	1.4	4.8	*	122	6.7	43.4	*	3	0.2	0.3	*	77	4.2	38.4	*	5
6	*	16	0.9	3.8	*	51	2.8	9.5	*	23	1.3	6.1	*	117	6.4	49.8	*	13	0.7	1.0	*	168	9.2	47.6	*	6
7	*	16	0.9	4.7	*	35	1.9	11.4	*	44	2.4	8.5	*	84	4.6	54.4	*	21	1.2	2.2	*	116	6.4	54.0	*	7
8	*	18	1.0	5.7	*	53	2.9	14.3	*	54	3.0	11.4	*	154	8.4	62.9	*	33	1.8	4.0	*	112	6.1	60.1	*	8
9	*	24	1.3	7.0	*	55	3.0	17.3	*	53	2.9	14.3	*	166	9.1	72.0	*	21	1.2	5.1	*	237	13.0	73.1	*	9
10	*	49	2.7	9.7	*	59	3.2	20.5	*	51	2.8	17.1	*	140	7.7	79.6	*	24	1.3	6.5	*	156	8.5	81.7	*	10
11	*	56	3.1	12.8	*	169	9.3	29.8	*	62	3.4	20.5	*	196	10.7	90.4	*	30	1.6	8.1	*	132	7.2	88.9	*	11
12	*	95	5.2	18.0	*	182	10.0	39.8	*	49	2.7	23.2	*	111	6.1	96.4	*	31	1.7	9.8	*	94	5.1	94.0	*	12
13	*	127	7.0	24.9	*	185	10.1	49.9	*	58	3.2	26.4	*	40	2.2	98.6	*	82	4.5	14.3	*	58	3.2	97.2	*	13
14	*	141	7.7	32.6	*	148	8.1	58.0	*	72	3.9	30.3	*	21	1.2	99.8	*	82	4.5	18.8	*	43	2.4	99.6	*	14
15	*	203	11.1	43.8	*	253	13.9	71.9	*	61	3.3	33.7	*	4	0.2	100.0	*	119	6.5	25.3	*	7	0.4	99.9	*	15
16	*	101	5.5	49.3	*	195	10.7	82.5	*	60	3.3	37.0	*	0	0.0	100.0	*	110	6.0	31.3	*	1	0.1	100.0	*	16
17	*	125	6.8	56.1	*	137	7.5	90.0	*	94	5.1	42.1	*	0	0.0	100.0	*	286	15.7	47.0	*	0	0.0	100.0	*	17
18	*	149	8.2	64.3	*	70	3.8	93.9	*	182	10.0	52.1	*	0	0.0	100.0	*	279	15.3	62.3	*	0	0.0	100.0	*	18
19	*	191	10.5	74.8	*	86	4.7	98.6	*	217	11.9	64.0	*	0	0.0	100.0	*	194	10.6	72.9	*	0	0.0	100.0	*	19
20	*	195	10.7	85.4	*	23	1.3	99.8	*	123	6.7	70.7	*	0	0.0	100.0	*	146	8.0	80.9	*	0	0.0	100.0	*	20
21	*	187	10.2	95.7	*	3	0.2	100.0	*	168	9.2	79.9	*	0	0.0	100.0	*	107	5.9	86.7	*	0	0.0	100.0	*	21
22	*	61	3.3	99.0	*	0	0.0	100.0	*	239	13.1	93.0	*	0	0.0	100.0	*	100	5.5	92.2	*	0	0.0	100.0	*	22
23	*	18	1.0	100.0	*	0	0.0	100.0	*	128	7.0	100.0	*	0	0.0	100.0	*	112	6.1	98.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	28	1.5	99.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.0      DMC = 40.3      DC = 335.5      ISI = 3.5      ADMC = 87.5      FWI = 9.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1826

MAXIMUM VALUES

FFMC = 96.0      DMC = 145.0      DC = 692.0      ISI = 20.0      ADMC = 152.0      FWI = 55.0



\*\*\*TOTALS FOR STATION 332 FORT SIMPSON A LONG. 12114 LAT. 6145

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	14	0.9	0.9	*	22	1.4	1.4	*	5	0.3	0.3	*	78	5.0	5.0	*	2	0.1	0.1	*	270	17.4	17.4	*	1
2	*	12	0.8	1.7	*	37	2.4	3.8	*	15	1.0	1.3	*	174	11.2	16.3	*	8	0.5	0.6	*	185	11.9	29.4	*	2
3	*	16	1.0	2.7	*	80	5.2	9.0	*	22	1.4	2.7	*	196	12.6	28.9	*	0	0.0	0.6	*	82	5.3	34.6	*	3
4	*	11	0.7	3.4	*	69	4.5	13.4	*	21	1.4	4.1	*	130	8.4	37.3	*	12	0.8	1.4	*	100	6.5	41.1	*	4
5	*	19	1.2	4.6	*	76	4.9	18.3	*	23	1.5	5.5	*	128	8.3	45.5	*	18	1.2	2.6	*	75	4.8	45.9	*	5
6	*	30	1.9	6.6	*	78	5.0	23.4	*	23	1.5	7.0	*	107	6.9	52.5	*	32	2.1	4.6	*	154	9.9	55.9	*	6
7	*	20	1.3	7.9	*	88	5.7	29.0	*	39	2.5	9.5	*	107	6.9	59.4	*	63	4.1	8.7	*	128	8.3	64.1	*	7
8	*	30	1.9	9.8	*	103	6.6	35.7	*	54	3.5	13.0	*	138	8.9	68.3	*	44	2.8	11.5	*	112	7.2	71.4	*	8
9	*	36	2.3	12.1	*	90	5.8	41.5	*	56	3.6	16.6	*	143	9.2	77.5	*	41	2.6	14.2	*	185	11.9	83.3	*	9
10	*	62	4.0	16.1	*	80	5.2	46.6	*	65	4.2	20.8	*	103	6.6	84.1	*	41	2.6	16.8	*	92	5.9	89.2	*	10
11	*	65	4.2	20.3	*	167	10.8	57.4	*	76	4.9	25.7	*	112	7.2	91.4	*	47	3.0	19.9	*	68	4.4	93.6	*	11
12	*	64	4.1	24.5	*	124	8.0	65.4	*	82	5.3	31.0	*	61	3.9	95.3	*	57	3.7	23.5	*	51	3.3	96.9	*	12
13	*	86	5.5	30.0	*	120	7.7	73.2	*	72	4.6	35.7	*	37	2.4	97.7	*	154	9.9	33.5	*	26	1.7	98.6	*	13
14	*	134	8.6	38.6	*	88	5.7	78.8	*	90	5.8	41.5	*	27	1.7	99.4	*	184	11.9	45.4	*	18	1.2	99.7	*	14
15	*	186	12.0	50.6	*	106	6.8	85.7	*	112	7.2	48.7	*	5	0.3	99.7	*	142	9.2	54.5	*	2	0.1	99.9	*	15
16	*	113	7.3	57.9	*	85	5.5	91.2	*	98	6.3	55.0	*	4	0.3	100.0	*	132	8.5	63.0	*	0	0.0	99.9	*	16
17	*	135	8.7	66.6	*	60	3.9	95.0	*	119	7.7	62.7	*	0	0.0	100.0	*	176	11.4	74.4	*	2	0.1	100.0	*	17
18	*	174	11.2	77.9	*	31	2.0	97.0	*	200	12.9	75.6	*	0	0.0	100.0	*	131	8.5	82.8	*	0	0.0	100.0	*	18
19	*	180	11.6	89.5	*	34	2.2	99.2	*	214	13.8	89.4	*	0	0.0	100.0	*	83	5.4	88.2	*	0	0.0	100.0	*	19
20	*	125	8.1	97.5	*	12	0.8	100.0	*	109	7.0	96.5	*	0	0.0	100.0	*	66	4.3	92.5	*	0	0.0	100.0	*	20
21	*	34	2.2	99.7	*	0	0.0	100.0	*	35	2.3	98.7	*	0	0.0	100.0	*	42	2.7	95.2	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	20	1.3	100.0	*	0	0.0	100.0	*	34	2.2	97.4	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	33	2.1	99.5	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.0      DMC = 28.2      DC = 251.2      ISI = 3.3      ADMC = 63.2      FWI = 7.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1550

MAXIMUM VALUES

FFMC = 94.0      DMC = 135.0      DC = 552.0      ISI = 27.8      ADMC = 135.0      FWI = 62.0

\*\*\*TOTALS FOR STATION 326 FORT SMITH A LONG, 11158 LAT, 6001

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	6	0.4	0.4	*	25	1.6	1.6	*	5	0.3	0.3	*	67	4.2	4.2	*	3	0.2	0.2	*	229	14.5	14.5	*	1
2	*	4	0.3	0.6	*	26	1.6	3.2	*	10	0.6	0.9	*	149	9.4	13.7	*	7	0.4	0.6	*	205	13.0	27.5	*	2
3	*	7	0.4	1.1	*	65	4.1	7.3	*	29	1.8	2.8	*	187	11.8	25.5	*	1	0.1	0.7	*	92	5.8	33.3	*	3
4	*	17	1.1	2.2	*	94	6.0	13.3	*	24	1.5	4.3	*	138	8.7	34.3	*	17	1.1	1.8	*	65	4.1	37.4	*	4
5	*	23	1.5	3.6	*	130	8.2	21.5	*	27	1.7	6.0	*	95	6.0	40.3	*	9	0.6	2.3	*	57	3.6	41.0	*	5
6	*	26	1.6	5.3	*	97	6.1	27.7	*	33	2.1	8.1	*	91	5.8	46.0	*	27	1.7	4.1	*	132	8.4	49.4	*	6
7	*	35	2.2	7.5	*	85	5.4	33.1	*	75	4.7	12.9	*	64	4.1	50.1	*	43	2.7	6.8	*	125	7.9	57.3	*	7
8	*	33	2.1	9.6	*	50	3.2	36.2	*	72	4.6	17.4	*	159	10.1	60.2	*	44	2.8	9.6	*	119	7.5	64.9	*	8
9	*	33	2.1	11.7	*	55	3.5	39.7	*	71	4.5	21.9	*	141	8.9	69.1	*	60	3.8	13.4	*	173	11.0	75.8	*	9
10	*	36	2.3	13.9	*	68	4.3	44.0	*	68	4.3	26.2	*	125	7.9	77.0	*	83	5.3	18.6	*	133	8.4	84.2	*	10
11	*	65	4.1	18.0	*	173	11.0	55.0	*	50	3.2	29.4	*	143	9.1	86.1	*	63	4.0	22.6	*	96	6.1	90.3	*	11
12	*	68	4.3	22.4	*	144	9.1	64.1	*	54	3.4	32.8	*	90	5.7	91.8	*	74	4.7	27.3	*	66	4.2	94.5	*	12
13	*	91	5.8	28.1	*	97	6.1	70.2	*	61	3.9	36.7	*	47	3.0	94.7	*	167	10.6	37.9	*	36	2.3	96.8	*	13
14	*	131	8.3	36.4	*	70	4.4	74.7	*	109	6.9	43.6	*	58	3.7	98.4	*	107	6.8	44.6	*	43	2.7	99.5	*	14
15	*	160	10.1	46.5	*	124	7.9	82.5	*	75	4.7	48.3	*	20	1.3	99.7	*	128	8.1	52.8	*	7	0.4	99.9	*	15
16	*	111	7.0	53.6	*	97	6.1	88.7	*	80	5.1	53.4	*	4	0.3	99.9	*	120	7.6	60.4	*	1	0.1	100.0	*	16
17	*	139	8.8	62.4	*	78	4.9	93.6	*	68	4.3	57.7	*	1	0.1	100.0	*	194	12.3	72.6	*	0	0.0	100.0	*	17
18	*	172	10.9	73.3	*	44	2.8	96.4	*	213	13.5	71.2	*	0	0.0	100.0	*	121	7.7	80.3	*	0	0.0	100.0	*	18
19	*	187	11.8	85.1	*	53	3.4	99.7	*	235	14.9	86.1	*	0	0.0	100.0	*	93	5.9	86.2	*	0	0.0	100.0	*	19
20	*	143	9.1	94.2	*	4	0.3	100.0	*	144	9.1	95.2	*	0	0.0	100.0	*	67	4.2	90.4	*	0	0.0	100.0	*	20
21	*	79	5.0	99.2	*	0	0.0	100.0	*	54	3.4	98.6	*	0	0.0	100.0	*	59	3.7	94.2	*	0	0.0	100.0	*	21
22	*	12	0.8	99.9	*	0	0.0	100.0	*	22	1.4	100.0	*	0	0.0	100.0	*	39	2.5	96.6	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	47	3.0	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.6      DMC = 29.5      DC = 252.7      ISI = 4.1      ADMC = 64.7      FWI = 9.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1579

MAXIMUM VALUES

FFMC = 95.0      DMC = 121.0      DC = 546.0      ISI = 33.3      ADMC = 132.0      FWI = 56.0

\*\*\*TOTALS FOR STATION 350 HAINES JUNCTION LONG, 13735 LAT. 6045

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.								
1	*	11	0.6	0.6	*	2	0.1	0.1	*	3	0.2	0.2	*	47	2.7	2.7	*	0	0.0	0.0	*	175	10.2	10.2	*	1
2	*	8	0.5	1.1	*	14	0.8	0.9	*	10	0.6	0.8	*	143	8.4	11.1	*	1	0.1	0.1	*	130	7.6	17.8	*	2
3	*	9	0.5	1.6	*	37	2.2	3.1	*	16	0.9	1.7	*	131	7.7	18.8	*	1	0.1	0.1	*	60	3.5	21.3	*	3
4	*	6	0.4	2.0	*	51	3.0	6.1	*	26	1.5	3.2	*	115	6.7	25.5	*	2	0.1	0.2	*	72	4.2	25.6	*	4
5	*	9	0.5	2.5	*	55	3.2	9.3	*	25	1.5	4.7	*	96	5.6	31.1	*	9	0.5	0.8	*	52	3.0	28.6	*	5
6	*	17	1.0	3.5	*	61	3.6	12.9	*	19	1.1	5.8	*	77	4.5	35.6	*	12	0.7	1.5	*	122	7.1	35.7	*	6
7	*	18	1.1	4.6	*	55	3.2	16.1	*	44	2.6	8.4	*	74	4.3	39.9	*	8	0.5	1.9	*	120	7.0	42.7	*	7
8	*	29	1.7	6.3	*	64	3.7	19.8	*	48	2.8	11.2	*	195	11.4	51.3	*	39	2.3	4.2	*	124	7.3	50.0	*	8
9	*	36	2.1	8.4	*	65	3.8	23.6	*	44	2.6	13.7	*	168	9.8	61.2	*	29	1.7	5.9	*	245	14.3	64.3	*	9
10	*	39	2.3	10.6	*	53	3.1	26.7	*	46	2.7	16.4	*	144	8.4	69.6	*	34	2.0	7.9	*	188	11.0	75.3	*	10
11	*	52	3.0	13.7	*	156	9.1	35.8	*	49	2.9	19.3	*	207	12.1	81.7	*	40	2.3	10.2	*	143	8.4	83.7	*	11
12	*	51	3.0	16.7	*	179	10.5	46.3	*	53	3.1	22.4	*	139	8.1	89.8	*	40	2.3	12.6	*	104	6.1	89.8	*	12
13	*	80	4.7	21.3	*	132	7.7	54.0	*	44	2.6	25.0	*	85	5.0	94.8	*	111	6.5	19.1	*	67	3.9	93.7	*	13
14	*	95	5.6	26.9	*	117	6.8	60.9	*	41	2.4	27.4	*	65	3.8	98.6	*	103	6.0	25.1	*	82	4.8	98.5	*	14
15	*	158	9.2	36.1	*	194	11.3	72.2	*	52	3.0	30.4	*	15	0.9	99.5	*	112	6.5	31.6	*	22	1.3	99.8	*	15
16	*	100	5.8	42.0	*	164	9.6	81.8	*	45	2.6	33.0	*	9	0.5	100.0	*	106	6.2	37.8	*	2	0.1	99.9	*	16
17	*	166	9.7	51.7	*	100	5.8	87.7	*	62	3.6	36.7	*	0	0.0	100.0	*	25	14.9	52.7	*	1	0.1	99.9	*	17
18	*	250	14.6	66.3	*	54	3.2	90.8	*	130	7.6	44.3	*	0	0.0	100.0	*	19	11.5	64.2	*	1	0.1	100.0	*	18
19	*	263	15.4	81.7	*	122	7.1	98.0	*	185	10.8	55.1	*	0	0.0	100.0	*	168	9.8	74.0	*	0	0.0	100.0	*	19
20	*	180	10.5	92.2	*	24	1.4	99.4	*	239	14.0	69.1	*	0	0.0	100.0	*	137	8.0	82.0	*	0	0.0	100.0	*	20
21	*	87	5.1	97.3	*	9	0.5	99.9	*	345	20.2	89.2	*	0	0.0	100.0	*	90	5.3	87.3	*	0	0.0	100.0	*	21
22	*	40	2.3	99.6	*	2	0.1	100.0	*	184	10.8	100.0	*	0	0.0	100.0	*	56	3.3	90.6	*	0	0.0	100.0	*	22
23	*	6	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	87	5.1	95.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	60	3.5	99.2	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.8	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.7      DMC = 39.7      DC = 336.4      ISI = 4.8      ADMC = 84.9      FWI = 12.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1710

MAXIMUM VALUES

FFMC = 95.0      DMC = 173.0      DC = 579.0      ISI = 28.8      ADMC = 172.0      FWI = 74.0

\*\*\*TOTALS FOR STATION 329 HAY RIVER A LONG, 11546 LAT. 6051

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS					
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.					
1	*	7	0.4	0.4	*	10	0.6	0.6	*	1	0.1	0.1	*	30	1.9	1.9	*	0	0.0	0.0	*	184	11.7	11.7	*	1
2	*	5	0.3	0.8	*	43	2.7	3.4	*	5	0.3	0.4	*	136	8.7	10.6	*	2	0.1	0.1	*	177	11.3	23.0	*	2
3	*	2	0.1	0.9	*	62	3.9	7.3	*	11	0.7	1.1	*	182	11.6	22.1	*	0	0.0	0.1	*	87	5.5	28.5	*	3
4	*	8	0.5	1.4	*	73	4.6	12.0	*	24	1.5	2.6	*	153	9.7	31.9	*	9	0.6	0.7	*	86	5.5	34.0	*	4
5	*	5	0.3	1.7	*	76	4.8	16.8	*	18	1.1	3.8	*	138	8.8	40.6	*	23	1.5	2.2	*	81	5.2	39.1	*	5
6	*	9	0.6	2.3	*	82	5.2	22.0	*	19	1.2	5.0	*	120	7.6	48.3	*	28	1.8	3.9	*	166	10.6	49.7	*	6
7	*	20	1.3	3.6	*	67	4.3	26.3	*	70	4.5	9.4	*	92	5.9	54.1	*	41	2.6	6.6	*	125	8.0	57.6	*	7
8	*	20	1.3	4.8	*	79	5.0	31.3	*	65	4.1	13.5	*	159	10.1	64.2	*	43	2.7	9.3	*	116	7.4	65.0	*	8
9	*	30	1.9	6.7	*	70	4.5	35.8	*	44	2.8	16.3	*	130	8.3	72.5	*	46	2.9	12.2	*	187	11.9	76.9	*	9
10	*	55	3.5	10.2	*	54	3.4	39.2	*	55	3.5	19.8	*	106	6.7	79.3	*	44	2.8	15.0	*	134	8.5	85.4	*	10
11	*	75	4.8	15.0	*	140	8.9	48.1	*	40	2.5	22.4	*	139	8.8	88.1	*	49	3.1	18.1	*	79	5.0	90.5	*	11
12	*	61	3.9	18.9	*	180	11.5	59.5	*	49	3.1	25.5	*	76	4.8	92.9	*	52	3.3	21.4	*	55	3.5	94.0	*	12
13	*	91	5.8	24.7	*	85	5.4	64.9	*	59	3.8	29.3	*	54	3.4	96.4	*	120	7.6	29.1	*	48	3.1	97.0	*	13
14	*	129	8.2	32.9	*	94	6.0	70.9	*	94	6.0	35.2	*	43	2.7	99.1	*	140	8.9	38.0	*	39	2.5	99.5	*	14
15	*	238	15.1	48.0	*	161	10.2	81.2	*	92	5.9	41.1	*	11	0.7	99.8	*	105	6.7	44.7	*	6	0.4	99.9	*	15
16	*	128	8.1	56.2	*	92	5.9	87.0	*	83	5.3	46.4	*	3	0.2	100.0	*	108	6.9	51.5	*	2	0.1	100.0	*	16
17	*	157	10.0	66.2	*	78	5.0	92.0	*	122	7.8	54.1	*	0	0.0	100.0	*	220	14.0	65.5	*	0	0.0	100.0	*	17
18	*	171	10.9	77.0	*	50	3.2	95.2	*	231	14.7	68.8	*	0	0.0	100.0	*	162	10.3	75.8	*	0	0.0	100.0	*	18
19	*	196	12.5	89.5	*	66	4.2	99.4	*	305	19.4	88.2	*	0	0.0	100.0	*	107	6.8	82.6	*	0	0.0	100.0	*	19
20	*	120	7.6	97.1	*	10	0.6	100.0	*	114	7.3	95.5	*	0	0.0	100.0	*	96	6.1	88.7	*	0	0.0	100.0	*	20
21	*	41	2.6	99.7	*	0	0.0	100.0	*	60	3.8	99.3	*	0	0.0	100.0	*	71	4.5	93.3	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	11	0.7	100.0	*	0	0.0	100.0	*	48	3.1	96.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	49	3.1	99.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

338

AVERAGE VALUES

FFMC = 75.9      DMC = 32.1      DC = 268.6      ISI = 3.8      ADCM = 70.5      FWI = 9.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1572

MAXIMUM VALUES

FFMC = 94.0      DMC = 130.0      DC = 520.0      ISI = 27.1      ADCM = 149.0      FWI = 60.0

\*\*\*TOTALS FOR STATION 337

INUVIK A

LONG. 13329

LAT. 6818

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	120	9.5	9.5	*	68	5.4	5.4	*	5	0.4	0.4	*	249	19.6	19.6	*	26	2.0	2.0	*	442	34.8	34.8	*	1
2	*	34	2.7	12.1	*	60	4.7	10.1	*	8	0.6	1.0	*	190	15.0	34.6	*	17	1.3	3.4	*	163	12.8	47.7	*	2
3	*	27	2.1	14.3	*	77	6.1	16.2	*	7	0.6	1.6	*	186	14.7	49.3	*	1	0.1	3.5	*	90	7.1	54.8	*	3
4	*	32	2.5	16.8	*	78	6.1	22.3	*	15	1.2	2.8	*	165	13.0	62.3	*	27	2.1	5.6	*	82	6.5	61.2	*	4
5	*	27	2.1	18.9	*	97	7.6	29.9	*	13	1.0	3.8	*	91	7.2	69.4	*	37	2.9	8.5	*	60	4.7	66.0	*	5
6	*	23	1.8	20.7	*	48	3.8	33.7	*	20	1.6	5.4	*	71	5.6	75.0	*	27	2.1	10.6	*	116	9.1	75.1	*	6
7	*	35	2.8	23.5	*	76	6.0	39.7	*	54	4.3	9.6	*	45	3.5	78.6	*	37	2.9	13.6	*	74	5.8	80.9	*	7
8	*	34	2.7	26.2	*	57	4.5	44.2	*	40	3.2	12.8	*	74	5.8	84.4	*	46	3.6	17.2	*	62	4.9	85.8	*	8
9	*	42	3.3	29.5	*	80	6.3	50.5	*	53	4.2	16.9	*	64	5.0	89.4	*	49	3.9	21.0	*	85	6.7	92.5	*	9
10	*	42	3.3	32.8	*	62	4.9	55.4	*	50	3.9	20.9	*	49	3.9	93.3	*	56	4.4	25.5	*	39	3.1	95.6	*	10
11	*	58	4.6	37.4	*	110	8.7	64.1	*	53	4.2	25.1	*	42	3.3	96.6	*	71	5.6	31.0	*	21	1.7	97.2	*	11
12	*	67	5.3	42.6	*	94	7.4	71.5	*	55	4.3	29.4	*	17	1.3	98.0	*	63	5.0	36.0	*	16	1.3	98.5	*	12
13	*	91	7.2	49.8	*	74	5.8	77.3	*	54	4.3	33.6	*	9	0.7	98.7	*	101	8.0	44.0	*	9	0.7	99.2	*	13
14	*	137	10.8	60.6	*	39	3.1	80.4	*	58	4.6	38.2	*	12	0.9	99.6	*	120	9.5	53.4	*	10	0.8	100.0	*	14
15	*	151	11.9	72.5	*	51	4.0	84.4	*	89	7.0	45.2	*	4	0.3	99.9	*	125	9.9	63.3	*	0	0.0	100.0	*	15
16	*	71	5.6	78.1	*	43	3.4	87.8	*	108	8.5	53.7	*	1	0.1	100.0	*	61	4.8	68.1	*	0	0.0	100.0	*	16
17	*	73	5.8	83.8	*	47	3.7	91.5	*	81	6.4	60.1	*	0	0.0	100.0	*	110	8.7	76.8	*	0	0.0	100.0	*	17
18	*	78	6.1	90.0	*	25	2.0	93.5	*	146	11.5	71.6	*	0	0.0	100.0	*	56	4.4	81.2	*	0	0.0	100.0	*	18
19	*	81	6.4	96.4	*	83	6.5	100.0	*	137	10.8	82.4	*	0	0.0	100.0	*	44	3.5	84.6	*	0	0.0	100.0	*	19
20	*	28	2.2	98.6	*	0	0.0	100.0	*	88	6.9	89.4	*	0	0.0	100.0	*	28	2.2	86.8	*	0	0.0	100.0	*	20
21	*	17	1.3	99.9	*	0	0.0	100.0	*	51	4.0	93.4	*	0	0.0	100.0	*	55	4.3	91.2	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	16	1.3	94.6	*	0	0.0	100.0	*	31	2.4	93.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	58	4.6	99.2	*	0	0.0	100.0	*	47	3.7	97.3	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.8	100.0	*	0	0.0	100.0	*	34	2.7	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

339

AVERAGE VALUES

FFMC = 60.0      DMC = 26.8      DC = 275.0      ISI = 2.0      ADMC = 61.3      FWI = 4.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1269

MAXIMUM VALUES

FFMC = 93.0      DMC = 109.0      DC = 725.0      ISI = 21.7      ADMC = 150.0      FWI = 38.0

\*\*\*TOTALS FOR STATION 346 MAYO A LONG. 13553 LAT. 6336

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	25	1.5	1.5	*	4	0.2	0.2	*	2	0.1	0.1	*	55	3.3	3.3	*	0	0.0	0.0	*	202	12.0	12.0	*	1
2	*	4	0.2	1.7	*	13	0.8	1.0	*	8	0.5	0.6	*	188	11.2	14.4	*	1	0.1	0.1	*	216	12.8	24.8	*	2
3	*	3	0.2	1.9	*	21	1.2	2.3	*	10	0.6	1.2	*	263	15.6	30.0	*	0	0.0	0.1	*	115	6.8	31.7	*	3
4	*	8	0.5	2.4	*	34	2.0	4.3	*	11	0.7	1.8	*	158	9.4	39.4	*	5	0.3	0.4	*	91	5.4	37.1	*	4
5	*	11	0.7	3.0	*	70	4.2	8.4	*	12	0.7	2.6	*	89	5.3	44.7	*	7	0.4	0.8	*	68	4.0	41.1	*	5
6	*	9	0.5	3.6	*	62	3.7	12.1	*	21	1.2	3.8	*	97	5.8	50.5	*	8	0.5	1.2	*	128	7.6	48.7	*	6
7	*	14	0.8	4.4	*	80	4.8	16.9	*	43	2.6	6.4	*	81	4.8	55.3	*	10	0.6	1.8	*	134	8.0	56.7	*	7
8	*	17	1.0	5.4	*	67	4.0	20.8	*	46	2.7	9.1	*	146	8.7	64.0	*	16	1.0	2.8	*	114	6.8	63.4	*	8
9	*	30	1.8	7.2	*	74	4.4	25.2	*	53	3.1	12.2	*	160	9.5	73.5	*	24	1.4	4.2	*	192	11.4	74.8	*	9
10	*	47	2.8	10.0	*	67	4.0	29.2	*	69	4.1	16.3	*	122	7.2	80.7	*	23	1.4	5.6	*	162	9.6	84.4	*	10
11	*	67	4.0	14.0	*	166	9.9	39.1	*	60	3.6	19.9	*	183	10.9	91.6	*	37	2.2	7.8	*	110	6.5	91.0	*	11
12	*	79	4.7	18.6	*	157	9.3	48.4	*	57	3.4	23.3	*	83	4.9	96.5	*	48	2.9	10.6	*	80	4.8	95.7	*	12
13	*	115	6.8	25.5	*	133	7.9	56.3	*	59	3.5	26.8	*	41	2.4	98.9	*	127	7.5	18.2	*	42	2.5	98.2	*	13
14	*	154	9.1	34.6	*	111	6.6	62.9	*	47	2.8	29.6	*	15	0.9	99.8	*	126	7.5	25.7	*	27	1.6	99.8	*	14
15	*	176	10.5	45.1	*	215	12.8	75.7	*	63	3.7	33.3	*	3	0.2	100.0	*	130	7.7	33.4	*	2	0.1	99.9	*	15
16	*	92	5.5	50.5	*	134	8.0	83.6	*	52	3.1	36.4	*	0	0.0	100.0	*	140	8.3	41.7	*	1	0.1	100.0	*	16
17	*	104	6.2	56.7	*	107	6.4	90.0	*	66	3.9	40.3	*	0	0.0	100.0	*	254	15.1	56.8	*	0	0.0	100.0	*	17
18	*	140	8.3	65.0	*	69	4.1	94.1	*	185	11.0	51.3	*	0	0.0	100.0	*	204	12.1	68.9	*	0	0.0	100.0	*	18
19	*	171	10.2	75.2	*	91	5.4	99.5	*	271	16.1	67.4	*	0	0.0	100.0	*	150	8.9	77.8	*	0	0.0	100.0	*	19
20	*	207	12.3	87.5	*	9	0.5	100.0	*	248	14.7	82.1	*	0	0.0	100.0	*	118	7.0	84.8	*	0	0.0	100.0	*	20
21	*	153	9.1	96.6	*	0	0.0	100.0	*	125	7.4	89.5	*	0	0.0	100.0	*	95	5.6	90.4	*	0	0.0	100.0	*	21
22	*	52	3.1	99.6	*	0	0.0	100.0	*	146	8.7	98.2	*	0	0.0	100.0	*	50	3.0	93.4	*	0	0.0	100.0	*	22
23	*	6	0.4	100.0	*	0	0.0	100.0	*	30	1.8	100.0	*	0	0.0	100.0	*	90	5.3	98.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20	1.2	99.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.7      DMC = 37.1      DC = 319.4      ISI = 3.4      ADMC = 80.9      FWI = 9.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1684

MAXIMUM VALUES

FFMC = 96.0      DMC = 118.0      DC = 659.0      ISI = 18.8      ADMC = 151.0      FWI = 54.0

\*\*\*TOTALS FOR STATION 340 NICHOLSON PENINSULA LONG. 12858 LAT, 6954

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	
1	* 408	37.1	37.1 *	132	12.0	12.0 *	0	0.0	0.0 *	582	53.0	53.0 *	80	7.3	7.3 *	751	68.3	68.3 *	1
2	* 40	3.6	40.8 *	76	6.9	18.9 *	1	0.1	0.1 *	176	16.0	69.0 *	23	2.1	9.4 *	118	10.7	79.1 *	2
3	* 44	4.0	44.8 *	109	9.9	28.8 *	7	0.6	0.7 *	129	11.7	80.7 *	0	0.0	9.4 *	53	4.8	83.9 *	3
4	* 39	3.5	48.3 *	65	5.9	34.8 *	12	1.1	1.8 *	71	6.5	87.2 *	29	2.6	12.0 *	32	2.9	86.8 *	4
5	* 37	3.4	51.7 *	76	6.9	41.7 *	19	1.7	3.5 *	34	3.1	90.3 *	49	4.5	16.5 *	24	2.2	89.0 *	5
6	* 28	2.5	54.2 *	100	9.1	50.8 *	21	1.9	5.5 *	21	1.9	92.2 *	27	2.5	18.9 *	33	3.0	92.0 *	6
7	* 30	2.7	57.0 *	73	6.6	57.4 *	52	4.7	10.2 *	20	1.8	94.0 *	41	3.7	22.7 *	37	3.4	95.4 *	7
8	* 44	4.0	61.0 *	31	2.8	60.2 *	53	4.8	15.0 *	25	2.3	96.3 *	92	8.4	31.0 *	14	1.3	96.6 *	8
9	* 45	4.1	65.1 *	42	3.8	64.1 *	47	4.3	19.3 *	21	1.9	98.2 *	37	3.4	34.4 *	22	2.0	98.6 *	9
10	* 52	4.7	69.8 *	44	4.0	68.1 *	33	3.0	22.3 *	4	0.4	98.5 *	75	6.8	41.2 *	7	0.6	99.3 *	10
11	* 36	3.3	73.1 *	65	5.9	74.0 *	37	3.4	25.7 *	8	0.7	99.3 *	58	5.3	46.5 *	3	0.3	99.5 *	11
12	* 52	4.7	77.8 *	130	11.8	85.8 *	55	5.0	30.7 *	3	0.3	99.5 *	41	3.7	50.2 *	2	0.2	99.7 *	12
13	* 56	5.1	82.9 *	26	2.4	88.2 *	57	5.2	35.9 *	1	0.1	99.6 *	104	9.5	59.7 *	2	0.2	99.9 *	13
14	* 58	5.3	88.2 *	30	2.7	90.9 *	78	7.1	42.9 *	2	0.2	99.8 *	99	9.0	68.7 *	1	0.1	100.0 *	14
15	* 62	5.6	93.8 *	21	1.9	92.8 *	94	8.6	51.5 *	2	0.2	100.0 *	43	3.9	72.6 *	0	0.0	100.0 *	15
16	* 18	1.6	95.5 *	23	2.1	94.9 *	66	6.0	57.5 *	0	0.0	100.0 *	42	3.8	76.4 *	0	0.0	100.0 *	16
17	* 21	1.9	97.4 *	15	1.4	96.3 *	73	6.6	64.1 *	0	0.0	100.0 *	131	11.9	88.4 *	0	0.0	100.0 *	17
18	* 17	1.5	98.9 *	6	0.5	96.8 *	65	5.9	70.1 *	0	0.0	100.0 *	39	3.5	91.9 *	0	0.0	100.0 *	18
19	* 8	0.7	99.6 *	0	0.0	96.8 *	94	8.6	78.6 *	0	0.0	100.0 *	16	1.5	93.4 *	0	0.0	100.0 *	19
20	* 4	0.4	100.0 *	0	0.0	96.8 *	33	3.0	81.6 *	0	0.0	100.0 *	26	2.4	95.7 *	0	0.0	100.0 *	20
21	* 0	0.0	100.0 *	35	3.2	100.0 *	74	6.7	88.4 *	0	0.0	100.0 *	8	0.7	96.5 *	0	0.0	100.0 *	21
22	* 0	0.0	100.0 *	0	0.0	100.0 *	128	11.6	100.0 *	0	0.0	100.0 *	0	0.0	96.5 *	0	0.0	100.0 *	22
23	* 0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	4	0.4	96.8 *	0	0.0	100.0 *	23
24	* 0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	3	0.3	97.1 *	0	0.0	100.0 *	24
25	* 0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	0	0.0	100.0 *	32	2.9	100.0 *	0	0.0	100.0 *	25

341

AVERAGE VALUES

FFMC = 34.7      DMC = 20.6      DC = 272.3      ISI = 0.7      ADMC = 46.6      FWI = 1.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1099

MAXIMUM VALUES

FFMC = 90.0      DMC = 165.0      DC = 569.0      ISI = 17.9      ADMC = 190.0      FWI = 31.0

\*\*\*TOTALS FOR STATION 334 NORMAN WELLS A LONG. 12648 LAT, 6517

		FFMC		DMC		DC		ISI		ADMC		FWI														
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS											
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.												
1	*	9	0.6	0.6	*	52	3.6	3.6	*	7	0.5	0.5	*	76	5.3	5.3	*	14	1.0	1.0	*	326	22.7	22.7	*	1
2	*	11	0.8	1.4	*	42	2.9	6.5	*	22	1.5	2.0	*	216	15.0	20.3	*	13	0.9	1.9	*	214	14.9	37.5	*	2
3	*	9	0.6	2.0	*	111	7.7	14.2	*	41	2.8	4.9	*	198	13.8	34.1	*	9	0.6	2.5	*	84	5.8	43.4	*	3
4	*	18	1.3	3.3	*	90	6.3	20.5	*	35	2.4	7.3	*	145	10.1	44.1	*	20	1.4	3.9	*	95	6.6	50.0	*	4
5	*	17	1.2	4.4	*	72	5.0	25.5	*	32	2.2	9.5	*	120	8.3	52.5	*	23	1.6	5.5	*	76	5.3	55.2	*	5
6	*	37	2.6	7.0	*	88	6.1	31.6	*	32	2.2	11.7	*	96	6.7	59.1	*	44	3.1	8.5	*	143	9.9	65.2	*	6
7	*	36	2.5	9.5	*	97	6.7	38.4	*	63	4.4	16.1	*	91	6.3	65.5	*	74	5.1	13.7	*	109	7.6	72.8	*	7
8	*	46	3.2	12.7	*	70	4.9	43.2	*	65	4.5	20.6	*	142	9.9	75.3	*	54	3.8	17.4	*	91	6.3	79.1	*	8
9	*	39	2.7	15.4	*	76	5.3	48.5	*	75	5.2	25.9	*	113	7.9	83.2	*	60	4.2	21.6	*	125	8.7	87.8	*	9
10	*	50	3.5	18.9	*	79	5.5	54.0	*	67	4.7	30.5	*	61	4.2	87.4	*	50	3.5	25.1	*	82	5.7	93.5	*	10
11	*	62	4.3	23.2	*	186	12.9	66.9	*	76	5.3	35.8	*	93	6.5	93.9	*	50	3.5	28.6	*	54	3.8	97.2	*	11
12	*	95	6.6	29.8	*	139	9.7	76.6	*	70	4.9	40.7	*	42	2.9	96.8	*	62	4.3	32.9	*	20	1.4	98.6	*	12
13	*	91	6.3	36.1	*	83	5.8	82.3	*	63	4.4	45.0	*	26	1.8	98.6	*	172	12.0	44.8	*	7	0.5	99.1	*	13
14	*	118	8.2	44.3	*	61	4.2	86.6	*	80	5.6	50.6	*	10	0.7	99.3	*	144	10.0	54.8	*	10	0.7	99.8	*	14
15	*	201	14.0	58.3	*	93	6.5	93.1	*	92	6.4	57.0	*	5	0.3	99.7	*	138	9.6	64.4	*	3	0.2	100.0	*	15
16	*	101	7.0	65.3	*	50	3.5	96.5	*	66	4.6	61.6	*	5	0.3	100.0	*	128	8.9	73.3	*	0	0.0	100.0	*	16
17	*	135	9.4	74.7	*	25	1.7	98.3	*	86	6.0	67.5	*	0	0.0	100.0	*	150	10.4	83.7	*	0	0.0	100.0	*	17
18	*	156	10.8	85.5	*	11	0.8	99.0	*	170	11.8	79.4	*	0	0.0	100.0	*	90	6.3	90.0	*	0	0.0	100.0	*	18
19	*	101	7.0	92.6	*	12	0.8	99.9	*	249	17.3	96.7	*	0	0.0	100.0	*	70	4.9	94.9	*	0	0.0	100.0	*	19
20	*	76	5.3	97.8	*	2	0.1	100.0	*	42	2.9	99.6	*	0	0.0	100.0	*	28	1.9	96.8	*	0	0.0	100.0	*	20
21	*	31	2.2	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	24	1.7	98.5	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.8	99.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.7	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.7      DMC = 22.6      DC = 221.0      ISI = 2.9      ADMC = 52.8      FWI = 6.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1439

MAXIMUM VALUES

FFMC = 92.0      DMC = 114.0      DC = 479.0      ISI = 24.4      ADMC = 115.0      FWI = 48.0



\*\*\*TOTALS FOR STATION 322 PORT RADIUM LONG, 11802 LAT, 6605

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	44	3.1	3.1	*	16	1.1	1.1	*	3	0.2	0.2	*	130	9.2	9.2	*	6	0.4	0.4	*	299	21.1	21.1	*	1
2	*	14	1.0	4.1	*	23	1.6	2.8	*	6	0.4	0.6	*	174	12.3	21.4	*	2	0.1	0.6	*	160	11.3	32.4	*	2
3	*	20	1.4	5.5	*	29	2.0	4.8	*	8	0.6	1.2	*	182	12.8	34.3	*	2	0.1	0.7	*	84	5.9	38.3	*	3
4	*	16	1.1	6.6	*	72	5.1	9.9	*	15	1.1	2.3	*	112	7.9	42.2	*	11	0.8	1.5	*	54	3.8	42.1	*	4
5	*	20	1.4	8.0	*	58	4.1	14.0	*	27	1.9	4.2	*	94	6.6	48.8	*	10	0.7	2.2	*	69	4.9	47.0	*	5
6	*	29	2.0	10.1	*	99	7.0	20.9	*	25	1.8	5.9	*	88	6.2	55.0	*	12	0.8	3.0	*	99	7.0	53.9	*	6
7	*	37	2.6	12.7	*	52	3.7	24.6	*	56	3.9	9.9	*	68	4.8	59.8	*	25	1.8	4.8	*	86	6.1	60.0	*	7
8	*	40	2.8	15.5	*	65	4.6	29.2	*	54	3.8	13.7	*	104	7.3	67.1	*	14	1.0	5.8	*	91	6.4	66.4	*	8
9	*	50	3.5	19.0	*	54	3.8	33.0	*	41	2.9	16.6	*	120	8.5	75.6	*	40	2.8	8.6	*	154	10.9	77.3	*	9
10	*	49	3.5	22.5	*	58	4.1	37.1	*	36	2.5	19.1	*	95	6.7	82.3	*	48	3.4	12.0	*	102	7.2	84.5	*	10
11	*	46	3.2	25.7	*	120	8.5	45.6	*	46	3.2	22.4	*	126	8.9	91.2	*	43	3.0	15.0	*	85	6.0	90.5	*	11
12	*	64	4.5	30.3	*	120	8.5	54.0	*	45	3.2	25.5	*	76	5.4	96.5	*	63	4.4	19.5	*	57	4.0	94.5	*	12
13	*	92	6.5	36.7	*	115	8.1	62.1	*	52	3.7	29.2	*	23	1.6	98.2	*	130	9.2	28.6	*	46	3.2	97.7	*	13
14	*	123	8.7	45.4	*	94	6.6	68.8	*	50	3.5	32.7	*	19	1.3	99.5	*	96	6.8	35.4	*	28	2.0	99.7	*	14
15	*	179	12.6	58.0	*	130	9.2	77.9	*	64	4.5	37.2	*	5	0.4	99.9	*	108	7.6	43.0	*	3	0.2	99.9	*	15
16	*	65	4.6	62.6	*	110	7.8	85.7	*	64	4.5	41.7	*	2	0.1	100.0	*	90	6.3	49.4	*	1	0.1	100.0	*	16
17	*	128	9.0	71.7	*	69	4.9	90.5	*	85	6.0	47.7	*	0	0.0	100.0	*	184	13.0	62.3	*	0	0.0	100.0	*	17
18	*	163	11.5	83.1	*	44	3.1	93.7	*	127	9.0	56.7	*	0	0.0	100.0	*	144	10.2	72.5	*	0	0.0	100.0	*	18
19	*	132	9.3	92.5	*	51	3.6	97.2	*	176	12.4	69.1	*	0	0.0	100.0	*	95	6.7	79.2	*	0	0.0	100.0	*	19
20	*	73	5.1	97.6	*	25	1.8	99.0	*	193	13.6	82.7	*	0	0.0	100.0	*	71	5.0	84.2	*	0	0.0	100.0	*	20
21	*	33	2.3	99.9	*	14	1.0	100.0	*	89	6.3	89.0	*	0	0.0	100.0	*	58	4.1	88.3	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	82	5.8	94.8	*	0	0.0	100.0	*	72	5.1	93.4	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	74	5.2	100.0	*	0	0.0	100.0	*	49	3.5	96.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23	1.6	98.4	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.6	100.0	*	0	0.0	100.0	*	25

343

AVERAGE VALUES

FFMC = 69.0      DMC = 34.9      DC = 308.5      ISI = 3.2      ADCM = 76.3      FWI = 8.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1418

MAXIMUM VALUES

FFMC = 93.0      DMC = 163.0      DC = 656.0      ISI = 26.8      ADCM = 192.0      FWI = 53.0

\*\*\*TOTALS FOR STATION 336 SHINGLE POINT LONG. 13713 LAT. 6857

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	139	13.4	13.4	*	88	8.5	8.5	*	9	0.9	0.9	*	239	23.1	23.1	*	22	2.1	2.1	*	463	44.7	44.7	*	1
2	*	23	2.2	15.7	*	104	10.0	18.6	*	11	1.1	1.9	*	213	20.6	43.7	*	18	1.7	3.9	*	170	16.4	61.2	*	2
3	*	23	2.2	17.9	*	65	6.3	24.8	*	12	1.2	3.1	*	182	17.6	61.3	*	3	0.3	4.2	*	62	6.0	67.1	*	3
4	*	18	1.7	19.6	*	97	9.4	34.2	*	19	1.8	4.9	*	120	11.6	72.9	*	46	4.4	8.6	*	67	6.5	73.6	*	4
5	*	28	2.7	22.3	*	57	5.5	39.7	*	17	1.6	6.6	*	77	7.4	80.3	*	55	5.3	13.9	*	49	4.7	78.4	*	5
6	*	27	2.6	24.9	*	54	5.2	44.9	*	22	2.1	8.7	*	46	4.4	84.7	*	59	5.7	19.6	*	84	8.1	86.5	*	6
7	*	46	4.4	29.4	*	46	4.4	49.4	*	63	6.1	14.8	*	25	2.4	87.1	*	51	4.9	24.5	*	41	4.0	90.4	*	7
8	*	30	2.9	32.3	*	37	3.6	52.9	*	39	3.8	18.6	*	41	4.0	91.1	*	37	3.6	28.1	*	27	2.6	93.0	*	8
9	*	45	4.3	36.6	*	55	5.3	58.3	*	37	3.6	22.1	*	37	3.6	94.7	*	52	5.0	33.1	*	31	3.0	96.0	*	9
10	*	49	4.7	41.4	*	47	4.5	62.8	*	41	4.0	26.1	*	20	1.9	96.6	*	64	6.2	39.3	*	24	2.3	98.4	*	10
11	*	53	5.1	46.5	*	72	7.0	69.8	*	48	4.6	30.7	*	20	1.9	98.6	*	31	3.0	42.3	*	7	0.7	99.0	*	11
12	*	71	6.9	53.3	*	45	4.3	74.1	*	59	5.7	36.4	*	9	0.9	99.4	*	28	2.7	45.0	*	6	0.6	99.6	*	12
13	*	102	9.9	63.2	*	56	5.4	79.5	*	67	6.5	42.9	*	1	0.1	99.5	*	86	8.3	53.3	*	3	0.3	99.9	*	13
14	*	93	9.0	72.2	*	45	4.3	83.9	*	71	6.9	49.8	*	3	0.3	99.8	*	78	7.5	60.9	*	1	0.1	100.0	*	14
15	*	117	11.3	83.5	*	66	6.4	90.2	*	59	5.7	55.5	*	2	0.2	100.0	*	79	7.6	68.5	*	0	0.0	100.0	*	15
16	*	46	4.4	87.9	*	27	2.6	92.9	*	61	5.9	61.4	*	0	0.0	100.0	*	58	5.6	74.1	*	0	0.0	100.0	*	16
17	*	41	4.0	91.9	*	21	2.0	94.9	*	65	6.3	67.6	*	0	0.0	100.0	*	68	6.6	80.7	*	0	0.0	100.0	*	17
18	*	38	3.7	95.6	*	31	3.0	97.9	*	144	13.9	81.5	*	0	0.0	100.0	*	70	6.8	87.4	*	0	0.0	100.0	*	18
19	*	26	2.5	98.1	*	13	1.3	99.1	*	99	9.6	91.1	*	0	0.0	100.0	*	38	3.7	91.1	*	0	0.0	100.0	*	19
20	*	17	1.6	99.7	*	9	0.9	100.0	*	65	6.3	97.4	*	0	0.0	100.0	*	22	2.1	93.2	*	0	0.0	100.0	*	20
21	*	3	0.3	100.0	*	0	0.0	100.0	*	13	1.3	98.6	*	0	0.0	100.0	*	12	1.2	94.4	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	14	1.4	100.0	*	0	0.0	100.0	*	13	1.3	95.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	41	4.0	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

344

AVERAGE VALUES

FFMC = 54.3      DMC = 22.0      DC = 231.3      ISI = 1.4      ADCM = 50.8      FWI = 2.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1035

MAXIMUM VALUES

FFMC = 91.0      DMC = 137.0      DC = 570.0      ISI = 19.6      ADCM = 138.0      FWI = 31.0

\*\*\*TOTALS FOR STATION 348 SNAG A LONG. 14024 LAT. 6222

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.		CUM. PCNT.							
1	*	41	2.6	2.6	*	5	0.3	0.3	*	4	0.3	0.3	*	93	5.8	5.8	*	0	0.0	0.0	*	321	20.2	20.2	*	1
2	*	14	0.9	3.5	*	27	1.7	2.0	*	12	0.8	1.0	*	200	12.6	18.4	*	2	0.1	0.1	*	216	13.6	33.8	*	2
3	*	4	0.3	3.7	*	84	5.3	7.3	*	24	1.5	2.5	*	227	14.3	32.7	*	0	0.0	0.1	*	103	6.5	40.2	*	3
4	*	17	1.1	4.8	*	98	6.2	13.5	*	40	2.5	5.0	*	159	10.0	42.7	*	3	0.2	0.3	*	73	4.6	44.8	*	4
5	*	16	1.0	5.8	*	101	6.3	19.8	*	41	2.6	7.6	*	86	5.4	48.1	*	18	1.1	1.4	*	78	4.9	49.7	*	5
6	*	9	0.6	6.3	*	107	6.7	26.5	*	32	2.0	9.6	*	93	5.8	53.9	*	26	1.6	3.1	*	120	7.5	57.3	*	6
7	*	23	1.4	7.8	*	95	6.0	32.5	*	88	5.5	15.1	*	82	5.2	59.1	*	48	3.0	6.1	*	131	8.2	65.5	*	7
8	*	30	1.9	9.7	*	97	6.1	38.6	*	83	5.2	20.4	*	120	7.5	66.6	*	67	4.2	10.3	*	114	7.2	72.7	*	8
9	*	40	2.5	12.2	*	84	5.3	43.9	*	97	6.1	26.5	*	125	7.9	74.5	*	72	4.5	14.8	*	176	11.1	83.7	*	9
10	*	46	2.9	15.1	*	101	6.3	50.2	*	88	5.5	32.0	*	109	6.9	81.3	*	66	4.1	19.0	*	121	7.6	91.3	*	10
11	*	73	4.6	19.7	*	182	11.4	61.7	*	103	6.5	38.5	*	135	8.5	89.8	*	60	3.8	22.8	*	63	4.0	95.3	*	11
12	*	88	5.5	25.2	*	137	8.6	70.3	*	102	6.4	44.9	*	91	5.7	95.5	*	93	5.8	28.6	*	40	2.5	97.8	*	12
13	*	107	6.7	31.9	*	126	7.9	78.2	*	115	7.2	52.1	*	41	2.6	98.1	*	192	12.1	40.7	*	25	1.6	99.4	*	13
14	*	116	7.3	39.2	*	107	6.7	84.9	*	151	9.5	61.6	*	26	1.6	99.7	*	171	10.7	51.4	*	9	0.6	99.9	*	14
15	*	158	9.9	49.2	*	131	8.2	93.1	*	82	5.2	66.8	*	1	0.1	99.8	*	148	9.3	60.7	*	1	0.1	100.0	*	15
16	*	99	6.2	55.4	*	70	4.4	97.5	*	90	5.7	72.4	*	3	0.2	100.0	*	108	6.8	67.5	*	0	0.0	100.0	*	16
17	*	103	6.5	61.8	*	23	1.4	99.0	*	106	6.7	79.1	*	0	0.0	100.0	*	202	12.7	80.2	*	0	0.0	100.0	*	17
18	*	146	9.2	71.0	*	11	0.7	99.7	*	161	10.1	89.2	*	0	0.0	100.0	*	174	10.9	91.1	*	0	0.0	100.0	*	18
19	*	148	9.3	80.3	*	5	0.3	100.0	*	107	6.7	95.9	*	0	0.0	100.0	*	83	5.2	96.4	*	0	0.0	100.0	*	19
20	*	168	10.6	90.9	*	0	0.0	100.0	*	43	2.7	98.6	*	0	0.0	100.0	*	39	2.5	98.8	*	0	0.0	100.0	*	20
21	*	97	6.1	97.0	*	0	0.0	100.0	*	15	0.9	99.6	*	0	0.0	100.0	*	10	0.6	99.4	*	0	0.0	100.0	*	21
22	*	39	2.5	99.4	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	6	0.4	99.8	*	0	0.0	100.0	*	22
23	*	9	0.6	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.3      DMC = 24.3      DC = 203.0      ISI = 3.3      ADMC = 55.7      FWI = 7.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1591

MAXIMUM VALUES

FFMC = 96.0      DMC = 106.0      DC = 538.0      ISI = 23.2      ADMC = 106.0      FWI = 41.0

\*\*\*TOTALS FOR STATION 330 SNARE RAPIDS LONG. 11600 LAT. 6330

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			* CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	24	1.7	1.7	*	9	0.6	0.6	*	3	0.2	0.2	*	78	5.5	5.5	*	1	0.1	0.1	*	203	14.4	14.4	*	1
2	*	7	0.5	2.2	*	23	1.6	2.3	*	3	0.2	0.4	*	124	8.8	14.3	*	1	0.1	0.1	*	131	9.3	23.7	*	2
3	*	7	0.5	2.7	*	35	2.5	4.8	*	12	0.9	1.3	*	168	11.9	26.3	*	0	0.0	0.1	*	74	5.3	29.0	*	3
4	*	14	1.0	3.7	*	44	3.1	7.9	*	13	0.9	2.2	*	106	7.5	33.8	*	8	0.6	0.7	*	56	4.0	33.0	*	4
5	*	18	1.3	5.0	*	62	4.4	12.3	*	15	1.1	3.3	*	84	6.0	39.8	*	13	0.9	1.6	*	54	3.8	36.8	*	5
6	*	20	1.4	6.4	*	72	5.1	17.4	*	19	1.3	4.6	*	75	5.3	45.1	*	13	0.9	2.6	*	97	6.9	43.7	*	6
7	*	19	1.3	7.7	*	56	4.0	21.4	*	41	2.9	7.5	*	54	3.8	48.9	*	18	1.3	3.8	*	90	6.4	50.1	*	7
8	*	23	1.6	9.4	*	55	3.9	25.3	*	51	3.6	11.2	*	133	9.4	58.4	*	36	2.6	6.4	*	75	5.3	55.4	*	8
9	*	37	2.6	12.0	*	44	3.1	28.4	*	41	2.9	14.1	*	109	7.7	66.1	*	22	1.6	8.0	*	160	11.4	66.8	*	9
10	*	50	3.6	15.6	*	34	2.4	30.8	*	42	3.0	17.0	*	103	7.3	73.4	*	37	2.6	10.6	*	139	9.9	76.6	*	10
11	*	51	3.6	19.2	*	88	6.3	37.1	*	40	2.8	19.9	*	176	12.5	85.9	*	41	2.9	13.5	*	109	7.7	84.4	*	11
12	*	64	4.5	23.7	*	80	5.7	42.8	*	47	3.3	23.2	*	87	6.2	92.1	*	38	2.7	16.2	*	88	6.3	90.6	*	12
13	*	81	5.8	29.5	*	77	5.5	48.2	*	45	3.2	26.4	*	69	4.9	97.0	*	116	8.2	24.4	*	64	4.5	95.2	*	13
14	*	108	7.7	37.1	*	96	6.8	55.0	*	63	4.5	30.9	*	30	2.1	99.1	*	74	5.3	29.7	*	52	3.7	98.9	*	14
15	*	159	11.3	48.4	*	172	12.2	67.3	*	55	3.9	34.8	*	11	0.8	99.9	*	68	4.8	34.5	*	14	1.0	99.9	*	15
16	*	74	5.3	53.7	*	114	8.1	75.4	*	51	3.6	38.4	*	1	0.1	100.0	*	73	5.2	39.7	*	2	0.1	100.0	*	16
17	*	122	8.7	62.4	*	139	9.9	85.2	*	52	3.7	42.1	*	0	0.0	100.0	*	173	12.3	52.0	*	0	0.0	100.0	*	17
18	*	146	10.4	72.7	*	83	5.9	91.1	*	126	8.9	51.1	*	0	0.0	100.0	*	121	8.6	60.6	*	0	0.0	100.0	*	18
19	*	178	12.6	85.4	*	99	7.0	98.2	*	181	12.9	63.9	*	0	0.0	100.0	*	103	7.3	67.9	*	0	0.0	100.0	*	19
20	*	152	10.8	96.2	*	23	1.6	99.8	*	173	12.3	76.2	*	0	0.0	100.0	*	105	7.5	75.4	*	0	0.0	100.0	*	20
21	*	50	3.6	99.7	*	3	0.2	100.0	*	120	8.5	84.7	*	0	0.0	100.0	*	89	6.3	81.7	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	155	11.0	95.7	*	0	0.0	100.0	*	66	4.7	86.4	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	60	4.3	100.0	*	0	0.0	100.0	*	143	10.2	96.5	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	41	2.9	99.4	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.6	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.7      DMC = 40.9      DC = 327.2      ISI = 4.1      ADMC = 87.5      FWI = 11.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1408

MAXIMUM VALUES

FFMC = 95.0      DMC = 148.0      DC = 665.0      ISI = 20.9      ADMC = 164.0      FWI = 53.0

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	4	0.3	0.3	*	8	0.5	0.5	*	7	0.4	0.4	*	54	3.4	3.4	*	0	0.0	0.0	*	207	13.2	13.2	*	1
2	*	6	0.4	0.6	*	30	1.9	2.4	*	16	1.0	1.5	*	154	9.8	13.2	*	4	0.3	0.3	*	169	10.7	23.9	*	2
3	*	6	0.4	1.0	*	61	3.9	6.3	*	23	1.5	2.9	*	206	13.1	26.3	*	2	0.1	0.4	*	96	6.1	30.0	*	3
4	*	12	0.8	1.8	*	47	3.0	9.3	*	36	2.3	5.2	*	144	9.1	35.5	*	6	0.4	0.8	*	76	4.8	34.8	*	4
5	*	19	1.2	3.0	*	46	2.9	12.2	*	32	2.0	7.2	*	121	7.7	43.1	*	13	0.8	1.6	*	78	5.0	39.8	*	5
6	*	18	1.1	4.1	*	68	4.3	16.5	*	27	1.7	9.0	*	94	6.0	49.1	*	28	1.8	3.4	*	139	8.8	48.6	*	6
7	*	19	1.2	5.3	*	64	4.1	20.6	*	50	3.2	12.1	*	107	6.8	55.9	*	36	2.3	5.7	*	120	7.6	56.2	*	7
8	*	28	1.8	7.1	*	72	4.6	25.2	*	53	3.4	15.5	*	150	9.5	65.4	*	44	2.8	8.4	*	121	7.7	63.9	*	8
9	*	31	2.0	9.1	*	44	2.8	28.0	*	54	3.4	18.9	*	147	9.3	74.8	*	40	2.5	11.0	*	190	12.1	76.0	*	9
10	*	45	2.9	11.9	*	63	4.0	32.0	*	51	3.2	22.2	*	123	7.8	82.6	*	36	2.3	13.3	*	137	8.7	84.7	*	10
11	*	62	3.9	15.9	*	113	7.2	39.1	*	43	2.7	24.9	*	153	9.7	92.3	*	38	2.4	15.7	*	97	6.2	90.9	*	11
12	*	65	4.1	20.0	*	134	8.5	47.6	*	56	3.6	28.5	*	58	3.7	96.0	*	43	2.7	18.4	*	68	4.3	95.2	*	12
13	*	90	5.7	25.7	*	123	7.8	55.5	*	54	3.4	31.9	*	37	2.4	98.3	*	107	6.8	25.2	*	32	2.0	97.2	*	13
14	*	144	9.1	34.9	*	117	7.4	62.9	*	65	4.1	36.0	*	20	1.3	99.6	*	102	6.5	31.7	*	31	2.0	99.2	*	14
15	*	193	12.3	47.1	*	202	12.8	75.7	*	55	3.5	39.5	*	5	0.3	99.9	*	79	5.0	36.7	*	8	0.5	99.7	*	15
16	*	119	7.6	54.7	*	117	7.4	83.2	*	69	4.4	43.9	*	1	0.1	100.0	*	105	6.7	43.4	*	4	0.3	99.9	*	16
17	*	151	9.6	64.3	*	79	5.0	88.2	*	72	4.6	48.5	*	0	0.0	100.0	*	188	11.9	55.3	*	0	0.0	99.9	*	17
18	*	172	10.9	75.2	*	38	2.4	90.6	*	181	11.5	60.0	*	0	0.0	100.0	*	209	13.3	68.6	*	0	0.0	99.9	*	18
19	*	169	10.7	86.0	*	76	4.8	95.4	*	129	8.2	68.2	*	0	0.0	100.0	*	131	8.3	76.9	*	0	0.0	99.9	*	19
20	*	144	9.1	95.1	*	41	2.6	98.0	*	72	4.6	72.7	*	0	0.0	100.0	*	117	7.4	84.4	*	1	0.1	100.0	*	20
21	*	63	4.0	99.1	*	9	0.6	98.6	*	135	8.6	81.3	*	0	0.0	100.0	*	50	3.2	87.5	*	0	0.0	100.0	*	21
22	*	13	0.8	99.9	*	8	0.5	99.1	*	294	18.7	100.0	*	0	0.0	100.0	*	47	3.0	90.5	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	14	0.9	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	60	3.8	94.3	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	47	3.0	97.3	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	42	2.7	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.4      DMC = 39.8      DC = 305.7      ISI = 3.4      ADMC = 80.6      FWI = 9.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1574

MAXIMUM VALUES

FFMC = 95.0      DMC = 243.0      DC = 599.0      ISI = 29.1      ADMC = 242.0      FWI = 92.0

\*\*\*TOTALS FOR STATION 339 TUCKTOYAKTUK LONG. 13300 LAT. 6927

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	272	23.3	23.3	*	113	9.7	9.7	*	15	1.3	1.3	*	421	36.1	36.1	*	86	7.4	7.4	*	656	56.3	56.3	*	1
2	*	38	3.3	26.6	*	82	7.0	16.7	*	10	0.9	2.1	*	250	21.5	57.6	*	4	0.3	7.7	*	177	15.2	71.5	*	2
3	*	28	2.4	29.0	*	100	8.6	25.3	*	6	0.5	2.7	*	167	14.3	71.9	*	1	0.1	7.8	*	75	6.4	77.9	*	3
4	*	42	3.6	32.6	*	72	6.2	31.5	*	12	1.0	3.7	*	104	8.9	80.9	*	23	2.0	9.8	*	58	5.0	82.9	*	4
5	*	30	2.6	35.2	*	113	9.7	41.2	*	18	1.5	5.2	*	70	6.0	86.9	*	61	5.2	15.0	*	39	3.3	86.3	*	5
6	*	30	2.6	37.8	*	88	7.6	48.8	*	16	1.4	6.6	*	42	3.6	90.5	*	20	1.7	16.7	*	57	4.9	91.2	*	6
7	*	42	3.6	41.4	*	59	5.1	53.8	*	37	3.2	9.8	*	27	2.3	92.8	*	71	6.1	22.8	*	42	3.6	94.8	*	7
8	*	47	4.0	45.4	*	49	4.2	58.0	*	44	3.8	13.6	*	44	3.8	96.6	*	34	2.9	25.8	*	30	2.6	97.3	*	8
9	*	50	4.3	49.7	*	52	4.5	62.5	*	35	3.0	16.6	*	18	1.5	98.1	*	51	4.4	30.1	*	23	2.0	99.3	*	9
10	*	64	5.5	55.2	*	37	3.2	65.7	*	48	4.1	20.7	*	7	0.6	98.7	*	39	3.3	33.5	*	4	0.3	99.7	*	10
11	*	58	5.0	60.2	*	98	8.4	74.1	*	49	4.2	24.9	*	8	0.7	99.4	*	67	5.8	39.2	*	0	0.0	99.7	*	11
12	*	86	7.4	67.6	*	88	7.6	81.6	*	47	4.0	28.9	*	4	0.3	99.7	*	75	6.4	45.7	*	4	0.3	100.0	*	12
13	*	80	6.9	74.4	*	75	6.4	88.1	*	55	4.7	33.6	*	0	0.0	99.7	*	124	10.6	56.3	*	0	0.0	100.0	*	13
14	*	88	7.6	82.0	*	51	4.4	92.4	*	64	5.5	39.1	*	2	0.2	99.9	*	82	7.0	63.3	*	0	0.0	100.0	*	14
15	*	97	8.3	90.3	*	31	2.7	95.1	*	89	7.6	46.8	*	1	0.1	100.0	*	74	6.4	69.7	*	0	0.0	100.0	*	15
16	*	44	3.8	94.1	*	45	3.9	99.0	*	67	5.8	52.5	*	0	0.0	100.0	*	89	7.6	77.3	*	0	0.0	100.0	*	16
17	*	34	2.9	97.0	*	12	1.0	100.0	*	70	6.0	58.5	*	0	0.0	100.0	*	124	10.6	88.0	*	0	0.0	100.0	*	17
18	*	22	1.9	98.9	*	0	0.0	100.0	*	150	12.9	71.4	*	0	0.0	100.0	*	77	6.6	94.6	*	0	0.0	100.0	*	18
19	*	10	0.9	99.7	*	0	0.0	100.0	*	93	8.0	79.4	*	0	0.0	100.0	*	21	1.8	96.4	*	0	0.0	100.0	*	19
20	*	3	0.3	100.0	*	0	0.0	100.0	*	106	9.1	88.5	*	0	0.0	100.0	*	10	0.9	97.3	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	109	9.4	97.9	*	0	0.0	100.0	*	19	1.6	98.9	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	25	2.1	100.0	*	0	0.0	100.0	*	7	0.6	99.5	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.5	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 44.8      DMC = 17.7      DC = 267.2      ISI = 0.9      ADMC = 45.7      FWI = 1.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1165

MAXIMUM VALUES

FFMC = 90.0      DMC = 67.0      DC = 541.0      ISI = 17.9      ADMC = 102.0      FWI = 24.0

\*\*\*TOTALS FOR STATION 342 WATSON LAKE A LONG. 12849 LAT. 6007

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS	
CLASS	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.		CUM. PCNT.
1	* 4	0.3	0.3	* 21	1.3	1.3	* 12	0.8	0.8	* 54	3.4	3.4	* 4	0.3	0.3	* 287	18.3	18.3	* 1
2	* 10	0.6	0.9	* 40	2.6	3.9	* 26	1.7	2.4	* 246	15.7	19.2	* 9	0.6	0.8	* 216	13.8	32.1	* 2
3	* 9	0.6	1.5	* 75	4.8	8.7	* 25	1.6	4.0	* 186	11.9	31.0	* 3	0.2	1.0	* 73	4.7	36.8	* 3
4	* 11	0.7	2.2	* 78	5.0	13.7	* 32	2.0	6.1	* 138	8.8	39.8	* 12	0.8	1.8	* 83	5.3	42.1	* 4
5	* 17	1.1	3.3	* 99	6.3	20.0	* 35	2.2	8.3	* 94	6.0	45.8	* 26	1.7	3.4	* 78	5.0	47.1	* 5
6	* 27	1.7	5.0	* 91	5.8	25.8	* 38	2.4	10.7	* 97	6.2	52.0	* 33	2.1	5.6	* 113	7.2	54.3	* 6
7	* 27	1.7	6.7	* 64	4.1	29.9	* 77	4.9	15.6	* 64	4.1	56.1	* 37	2.4	7.9	* 124	7.9	62.2	* 7
8	* 32	2.0	8.7	* 83	5.3	35.2	* 52	3.3	19.0	* 155	9.9	66.0	* 53	3.4	11.3	* 102	6.5	68.7	* 8
9	* 55	3.5	12.3	* 75	4.8	40.0	* 50	3.2	22.2	* 134	8.6	74.6	* 46	2.9	14.2	* 157	10.0	78.7	* 9
10	* 50	3.2	15.5	* 66	4.2	44.2	* 48	3.1	25.2	* 110	7.0	81.6	* 59	3.8	18.0	* 109	7.0	85.7	* 10
11	* 59	3.8	19.2	* 140	8.9	53.1	* 67	4.3	29.5	* 160	10.2	91.8	* 67	4.3	22.3	* 104	6.6	92.3	* 11
12	* 57	3.6	22.9	* 125	8.0	61.1	* 76	4.9	34.4	* 75	4.8	96.6	* 75	4.8	27.1	* 56	3.6	95.9	* 12
13	* 88	5.6	28.5	* 92	5.9	67.0	* 88	5.6	40.0	* 30	1.9	98.5	* 134	8.6	35.6	* 27	1.7	97.6	* 13
14	* 124	7.9	36.4	* 75	4.8	71.8	* 83	5.3	45.3	* 21	1.3	99.9	* 150	9.6	45.2	* 34	2.2	99.8	* 14
15	* 161	10.3	46.7	* 127	8.1	79.9	* 94	6.0	51.3	* 2	0.1	100.0	* 120	7.7	52.9	* 3	0.2	100.0	* 15
16	* 82	5.2	51.9	* 111	7.1	87.0	* 116	7.4	58.7	* 0	0.0	100.0	* 89	5.7	58.6	* 0	0.0	100.0	* 16
17	* 95	6.1	58.0	* 75	4.8	91.8	* 84	5.4	64.0	* 0	0.0	100.0	* 168	10.7	69.3	* 0	0.0	100.0	* 17
18	* 146	9.3	67.3	* 47	3.0	94.8	* 176	11.2	75.3	* 0	0.0	100.0	* 131	8.4	77.6	* 0	0.0	100.0	* 18
19	* 158	10.1	77.4	* 70	4.5	99.2	* 145	9.3	84.5	* 0	0.0	100.0	* 85	5.4	83.1	* 0	0.0	100.0	* 19
20	* 210	13.4	90.8	* 12	0.8	100.0	* 57	3.6	88.2	* 0	0.0	100.0	* 85	5.4	88.5	* 0	0.0	100.0	* 20
21	* 101	6.4	97.3	* 0	0.0	100.0	* 83	5.3	93.5	* 0	0.0	100.0	* 47	3.0	91.5	* 0	0.0	100.0	* 21
22	* 42	2.7	99.9	* 0	0.0	100.0	* 84	5.4	98.9	* 0	0.0	100.0	* 38	2.4	93.9	* 0	0.0	100.0	* 22
23	* 1	0.1	100.0	* 0	0.0	100.0	* 18	1.1	100.0	* 0	0.0	100.0	* 56	3.6	97.5	* 0	0.0	100.0	* 23
24	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 33	2.1	99.6	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 6	0.4	100.0	* 0	0.0	100.0	* 25

349

AVERAGE VALUES

FFMC = 75.0      DMC = 31.3      DC = 252.0      ISI = 3.3      ADMC = 67.8      FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1566

MAXIMUM VALUES

FFMC = 95.0      DMC = 129.0      DC = 638.0      ISI = 19.8      ADMC = 163.0      FWI = 45.0

\*\*\*TOTALS FOR STATION 344 WHITEHORSE A LONG. 13504 LAT. 6043

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.		CUM. PCNT.							
1	*	5	0.3	0.3	*	3	0.2	0.2	*	3	0.2	0.2	*	54	3.2	3.2	*	1	0.1	0.1	*	172	10.2	10.2	*	1
2	*	5	0.3	0.6	*	11	0.7	0.8	*	12	0.7	0.9	*	142	8.4	11.7	*	0	0.0	0.1	*	160	9.5	19.8	*	2
3	*	4	0.2	0.8	*	35	2.1	2.9	*	20	1.2	2.1	*	151	9.0	20.6	*	0	0.0	0.1	*	67	4.0	23.7	*	3
4	*	12	0.7	1.5	*	54	3.2	6.1	*	21	1.2	3.3	*	122	7.3	27.9	*	2	0.1	0.2	*	75	4.5	28.2	*	4
5	*	18	1.1	2.6	*	58	3.5	9.6	*	20	1.2	4.5	*	107	6.4	34.3	*	9	0.5	0.7	*	66	3.9	32.1	*	5
6	*	16	1.0	3.6	*	83	4.9	14.5	*	23	1.4	5.9	*	83	4.9	39.2	*	15	0.9	1.6	*	127	7.6	39.7	*	6
7	*	24	1.4	5.0	*	55	3.3	17.8	*	42	2.5	8.4	*	67	4.0	43.2	*	23	1.4	3.0	*	109	6.5	46.2	*	7
8	*	21	1.2	6.2	*	60	3.6	21.4	*	41	2.4	10.8	*	153	9.1	52.3	*	26	1.5	4.5	*	104	6.2	52.3	*	8
9	*	37	2.2	8.4	*	77	4.6	25.9	*	53	3.2	14.0	*	159	9.5	61.7	*	27	1.6	6.1	*	188	11.2	63.5	*	9
10	*	35	2.1	10.5	*	53	3.2	29.1	*	58	3.5	17.4	*	132	7.9	69.6	*	38	2.3	8.4	*	183	10.9	74.4	*	10
11	*	64	3.8	14.3	*	137	8.1	37.2	*	53	3.2	20.6	*	183	10.9	80.5	*	27	1.6	10.0	*	147	8.7	83.2	*	11
12	*	71	4.2	18.6	*	157	9.3	46.6	*	51	3.0	23.6	*	169	10.1	90.5	*	57	3.4	13.4	*	98	5.8	89.0	*	12
13	*	83	4.9	23.5	*	120	7.1	53.7	*	55	3.3	26.9	*	65	3.9	94.4	*	122	7.3	20.6	*	78	4.6	93.6	*	13
14	*	113	6.7	30.2	*	115	6.8	60.6	*	63	3.7	30.6	*	71	4.2	98.6	*	104	6.2	26.8	*	77	4.6	98.2	*	14
15	*	145	8.6	38.8	*	158	9.4	70.0	*	51	3.0	33.7	*	11	0.7	99.3	*	121	7.2	34.0	*	24	1.4	99.6	*	15
16	*	113	6.7	45.6	*	138	8.2	78.2	*	51	3.0	36.7	*	11	0.7	99.9	*	92	5.5	39.5	*	3	0.2	99.8	*	16
17	*	148	8.8	54.4	*	104	6.2	84.4	*	57	3.4	40.1	*	1	0.1	100.0	*	186	11.1	50.6	*	1	0.1	99.9	*	17
18	*	167	9.9	64.3	*	83	4.9	89.3	*	210	12.5	52.6	*	0	0.0	100.0	*	214	12.7	63.3	*	2	0.1	100.0	*	18
19	*	227	13.5	77.8	*	126	7.5	96.8	*	140	8.3	60.9	*	0	0.0	100.0	*	169	10.1	73.3	*	0	0.0	100.0	*	19
20	*	186	11.1	88.9	*	47	2.8	99.6	*	197	11.7	72.6	*	0	0.0	100.0	*	113	6.7	80.1	*	0	0.0	100.0	*	20
21	*	135	8.0	96.9	*	7	0.4	100.0	*	124	7.4	80.0	*	0	0.0	100.0	*	81	4.8	84.9	*	0	0.0	100.0	*	21
22	*	45	2.7	99.6	*	0	0.0	100.0	*	264	15.7	95.7	*	0	0.0	100.0	*	73	4.3	89.2	*	0	0.0	100.0	*	22
23	*	7	0.4	100.0	*	0	0.0	100.0	*	72	4.3	100.0	*	0	0.0	100.0	*	104	6.2	95.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	55	3.3	98.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 77.4      DMC = 40.8      DC = 333.7      ISI = 4.7      ADMC = 85.9      FWI = 12.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1681

MAXIMUM VALUES

FFMC = 95.0      DMC = 167.0      DC = 649.0      ISI = 31.0      ADMC = 175.0      FWI = 77.0



\*\*\*TOTALS FOR STATION 333

WRIGLEY A

LONG. 12325

LAT. 6312

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF		CUM.							
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.								
1	*	36	2.4	2.4	*	19	1.3	1.3	*	5	0.3	0.3	*	89	5.9	5.9	*	6	0.4	0.4	*	234	15.6	15.6	*	1
2	*	9	0.6	3.0	*	24	1.6	2.9	*	12	0.8	1.1	*	140	9.3	15.2	*	4	0.3	0.7	*	194	12.9	28.5	*	2
3	*	11	0.7	3.7	*	46	3.1	5.9	*	18	1.2	2.3	*	195	13.0	28.2	*	0	0.0	0.7	*	99	6.6	35.1	*	3
4	*	14	0.9	4.7	*	59	3.9	9.9	*	17	1.1	3.5	*	155	10.3	38.5	*	10	0.7	1.3	*	92	6.1	41.2	*	4
5	*	13	0.9	5.5	*	87	5.8	15.6	*	36	2.4	5.9	*	115	7.7	46.2	*	13	0.9	2.2	*	78	5.2	46.4	*	5
6	*	16	1.1	6.6	*	90	6.0	21.6	*	29	1.9	7.8	*	118	7.9	54.1	*	22	1.5	3.7	*	138	9.2	55.6	*	6
7	*	23	1.5	8.1	*	87	5.8	27.4	*	69	4.6	12.4	*	83	5.5	59.6	*	31	2.1	5.7	*	124	8.3	63.8	*	7
8	*	25	1.7	9.8	*	86	5.7	33.2	*	82	5.5	17.8	*	143	9.5	69.1	*	40	2.7	8.4	*	119	7.9	71.8	*	8
9	*	37	2.5	12.3	*	90	6.0	39.1	*	55	3.7	21.5	*	146	9.7	78.8	*	49	3.3	11.7	*	164	10.9	82.7	*	9
10	*	52	3.5	15.7	*	73	4.9	44.0	*	68	4.5	26.0	*	86	5.7	84.6	*	53	3.5	15.2	*	120	8.0	90.7	*	10
11	*	61	4.1	19.8	*	169	11.3	55.3	*	59	3.9	30.0	*	109	7.3	91.8	*	47	3.1	18.3	*	69	4.6	95.3	*	11
12	*	68	4.5	24.3	*	118	7.9	63.1	*	71	4.7	34.7	*	64	4.3	96.1	*	70	4.7	23.0	*	34	2.3	97.5	*	12
13	*	87	5.8	30.1	*	136	9.1	72.2	*	76	5.1	39.7	*	26	1.7	97.8	*	152	10.1	33.1	*	23	1.5	99.1	*	13
14	*	134	8.9	39.0	*	82	5.5	77.6	*	103	6.9	46.6	*	28	1.9	99.7	*	143	9.5	42.6	*	11	0.7	99.8	*	14
15	*	207	13.8	52.8	*	129	8.6	86.2	*	83	5.5	52.1	*	4	0.3	99.9	*	137	9.1	51.7	*	3	0.2	100.0	*	15
16	*	103	6.9	59.7	*	90	6.0	92.2	*	89	5.9	58.1	*	1	0.1	100.0	*	132	8.8	60.5	*	0	0.0	100.0	*	16
17	*	144	9.6	69.2	*	44	2.9	95.1	*	72	4.8	62.8	*	0	0.0	100.0	*	175	11.7	72.2	*	0	0.0	100.0	*	17
18	*	155	10.3	79.6	*	38	2.5	97.7	*	123	8.2	71.0	*	0	0.0	100.0	*	132	8.8	81.0	*	0	0.0	100.0	*	18
19	*	180	12.0	91.5	*	34	2.3	99.9	*	98	6.5	77.6	*	0	0.0	100.0	*	83	5.5	86.5	*	0	0.0	100.0	*	19
20	*	93	6.2	97.7	*	1	0.1	100.0	*	120	8.0	85.6	*	0	0.0	100.0	*	72	4.8	91.3	*	0	0.0	100.0	*	20
21	*	32	2.1	99.9	*	0	0.0	100.0	*	78	5.2	90.7	*	0	0.0	100.0	*	52	3.5	94.7	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	135	9.0	99.7	*	0	0.0	100.0	*	34	2.3	97.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	100.0	*	0	0.0	100.0	*	39	2.6	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.4      DMC = 28.6      DC = 262.3      ISI = 3.2      ADMC = 65.6      FWI = 7.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1502

MAXIMUM VALUES

FFMC = 93.0      DMC = 111.0      DC = 619.0      ISI = 21.6      ADMC = 137.0      FWI = 43.0

\*\*\*TOTALS FOR STATION 328 YELLOWKNIFE A LONG, 11427 LAT, 6228

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	15	1.0	1.0	*	28	1.9	1.9	*	2	0.1	0.1	*	66	4.5	4.5	*	9	0.6	0.6	*	225	15.4	15.4	*	1
2	*	8	0.5	1.6	*	35	2.4	4.3	*	6	0.4	0.5	*	159	10.9	15.4	*	5	0.3	1.0	*	161	11.0	26.4	*	2
3	*	15	1.0	2.6	*	35	2.4	6.7	*	14	1.0	1.5	*	167	11.4	26.8	*	2	0.1	1.1	*	74	5.1	31.5	*	3
4	*	14	1.0	3.6	*	69	4.7	11.4	*	20	1.4	2.9	*	116	7.9	34.8	*	13	0.9	2.0	*	66	4.5	36.0	*	4
5	*	4	0.3	3.8	*	54	3.7	15.1	*	22	1.5	4.4	*	93	6.4	41.2	*	19	1.3	3.3	*	63	4.3	40.3	*	5
6	*	28	1.9	5.8	*	79	5.4	20.5	*	28	1.9	6.3	*	89	6.1	47.3	*	20	1.4	4.7	*	101	6.9	47.3	*	6
7	*	26	1.8	7.5	*	79	5.4	26.0	*	55	3.8	10.1	*	65	4.5	51.7	*	20	1.4	6.0	*	98	6.7	54.0	*	7
8	*	37	2.5	10.1	*	64	4.4	30.3	*	48	3.3	13.4	*	141	9.7	61.4	*	21	1.4	7.5	*	95	6.5	60.5	*	8
9	*	44	3.0	13.1	*	44	3.0	33.4	*	39	2.7	16.0	*	117	8.0	69.4	*	53	3.6	11.1	*	181	12.4	72.9	*	9
10	*	50	3.4	16.5	*	43	2.9	36.3	*	46	3.2	19.2	*	117	8.0	77.4	*	34	2.3	13.4	*	128	8.8	81.6	*	10
11	*	53	3.6	20.1	*	102	7.0	43.3	*	51	3.5	22.7	*	145	9.9	87.3	*	37	2.5	16.0	*	91	6.2	87.9	*	11
12	*	62	4.2	24.4	*	108	7.4	50.7	*	50	3.4	26.1	*	96	6.6	93.9	*	43	2.9	18.9	*	69	4.7	92.6	*	12
13	*	84	5.8	30.1	*	108	7.4	58.1	*	48	3.3	29.4	*	49	3.4	97.3	*	150	10.3	29.2	*	56	3.8	96.4	*	13
14	*	133	9.1	39.2	*	108	7.4	65.5	*	51	3.5	32.9	*	31	2.1	99.4	*	109	7.5	36.6	*	40	2.7	99.2	*	14
15	*	170	11.6	50.9	*	148	10.1	75.6	*	69	4.7	37.6	*	5	0.3	99.7	*	81	5.5	42.2	*	9	0.6	99.8	*	15
16	*	84	5.8	56.6	*	111	7.6	83.2	*	87	6.0	43.6	*	3	0.2	99.9	*	71	4.9	47.1	*	3	0.2	100.0	*	16
17	*	138	9.5	66.1	*	66	4.5	87.7	*	107	7.3	50.9	*	1	0.1	100.0	*	168	11.5	58.6	*	0	0.0	100.0	*	17
18	*	189	12.9	79.0	*	53	3.6	91.4	*	167	11.4	62.3	*	0	0.0	100.0	*	159	10.9	69.5	*	0	0.0	100.0	*	18
19	*	170	11.6	90.7	*	76	5.2	96.6	*	121	8.3	70.6	*	0	0.0	100.0	*	109	7.5	76.9	*	0	0.0	100.0	*	19
20	*	97	6.6	97.3	*	36	2.5	99.0	*	179	12.3	82.9	*	0	0.0	100.0	*	75	5.1	82.1	*	0	0.0	100.0	*	20
21	*	37	2.5	99.9	*	14	1.0	100.0	*	94	6.4	89.3	*	0	0.0	100.0	*	61	4.2	86.2	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	82	5.6	94.9	*	0	0.0	100.0	*	78	5.3	91.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	74	5.1	100.0	*	0	0.0	100.0	*	68	4.7	96.2	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	33	2.3	98.5	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.5	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.0      DMC = 36.9      DC = 302.4      ISI = 3.8      ADMC = 78.4      FWI = 9.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1460

MAXIMUM VALUES

FFMC = 93.0      DMC = 163.0      DC = 656.0      ISI = 30.1      ADMC = 192.0      FWI = 56.0

FINAL TOTALS FOR THE PROVINCE OF BRITISH COLUMBIA

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS	
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS
1	* 2093	1.7	1.7	* 8991	7.2	7.2	* 4243	3.4	3.4	* 7444	6.0	6.0	* 3198	2.6	2.6	* 28428	22.8	22.8	* 1
2	* 888	0.7	2.4	* 6979	5.6	12.8	* 4276	3.4	6.8	* 16076	12.9	18.9	* 3006	2.4	5.0	* 15407	12.4	35.1	* 2
3	* 968	0.8	3.2	* 7133	5.7	18.5	* 4336	3.5	10.3	* 15351	12.3	31.2	* 1407	1.1	6.1	* 6793	5.4	40.6	* 3
4	* 1262	1.0	4.2	* 7071	5.7	24.2	* 4042	3.2	13.5	* 11125	8.9	40.1	* 2906	2.3	8.4	* 6191	5.0	45.6	* 4
5	* 1510	1.2	5.4	* 6674	5.4	29.5	* 3638	2.9	16.5	* 9262	7.4	47.5	* 4513	3.6	12.0	* 5470	4.4	49.9	* 5
6	* 1921	1.5	6.9	* 6144	4.9	34.5	* 3366	2.7	19.2	* 7284	5.8	53.3	* 4712	3.8	15.8	* 9611	7.7	57.6	* 6
7	* 2268	1.8	8.7	* 5676	4.6	39.0	* 6423	5.1	24.3	* 6229	5.0	58.3	* 4552	3.6	19.5	* 7835	6.3	63.9	* 7
8	* 3093	2.5	11.2	* 5153	4.1	43.1	* 5827	4.7	29.0	* 10502	8.4	66.8	* 4626	3.7	23.2	* 6486	5.2	69.1	* 8
9	* 3692	3.0	14.2	* 4783	3.8	47.0	* 5595	4.5	33.5	* 8850	7.1	73.9	* 4519	3.6	26.8	* 10264	8.2	77.3	* 9
10	* 4528	3.6	17.8	* 4385	3.5	50.5	* 5106	4.1	37.6	* 6643	5.3	79.2	* 4366	3.5	30.3	* 7604	6.1	83.4	* 10
11	* 5158	4.1	22.0	* 9433	7.6	58.1	* 4824	3.9	41.4	* 10029	8.0	87.2	* 4382	3.5	33.8	* 5797	4.6	88.1	* 11
12	* 5989	4.8	26.8	* 7946	6.4	64.4	* 4820	3.9	45.3	* 5840	4.7	91.9	* 4065	3.3	37.1	* 4316	3.5	91.5	* 12
13	* 7493	6.0	32.8	* 6721	5.4	69.8	* 4692	3.8	49.1	* 3654	2.9	94.8	* 9339	7.5	44.6	* 3113	2.5	94.0	* 13
14	* 10000	8.0	40.8	* 5520	4.4	74.2	* 5585	4.5	53.5	* 3416	2.7	97.6	* 8271	6.6	51.2	* 4153	3.3	97.4	* 14
15	* 14077	11.3	52.1	* 8528	6.8	81.1	* 5483	4.4	57.9	* 1405	1.1	98.7	* 7105	5.7	56.9	* 1794	1.4	98.8	* 15
16	* 7707	6.2	58.2	* 6415	5.1	86.2	* 5218	4.2	62.1	* 1139	0.9	99.6	* 6296	5.0	61.9	* 736	0.6	99.4	* 16
17	* 8958	7.2	65.4	* 4586	3.7	89.9	* 4831	3.9	66.0	* 280	0.2	99.8	* 10453	8.4	70.3	* 352	0.3	99.7	* 17
18	* 10263	8.2	73.7	* 3339	2.7	92.6	* 8957	7.2	73.2	* 84	0.1	99.9	* 8338	6.7	77.0	* 161	0.1	99.8	* 18
19	* 10922	8.8	82.4	* 5538	4.4	97.0	* 8165	6.5	79.7	* 43	0.0	99.9	* 5944	4.8	81.8	* 78	0.1	99.9	* 19
20	* 10273	8.2	90.6	* 2138	1.7	98.7	* 6762	5.4	85.1	* 27	0.0	100.0	* 4934	4.0	85.7	* 51	0.0	99.9	* 20
21	* 7443	6.0	96.6	* 826	0.7	99.4	* 5467	4.4	89.5	* 22	0.0	100.0	* 3886	3.1	88.8	* 60	0.0	100.0	* 21
22	* 3288	2.6	99.2	* 367	0.3	99.7	* 7016	5.6	95.1	* 24	0.0	100.0	* 3130	2.5	91.4	* 33	0.0	100.0	* 22
23	* 841	0.7	99.9	* 267	0.2	99.9	* 3935	3.2	98.3	* 5	0.0	100.0	* 5076	4.1	95.4	* 1	0.0	100.0	* 23
24	* 99	0.1	100.0	* 63	0.1	100.0	* 1578	1.3	99.6	* 0	0.0	100.0	* 2859	2.3	97.7	* 0	0.0	100.0	* 24
25	* 0	0.0	100.0	* 58	0.0	100.0	* 549	0.4	100.0	* 0	0.0	100.0	* 2851	2.3	100.0	* 0	0.0	100.0	* 25

AVERAGE VALUES

FFMC = 72.5      DMC = 30.6      DC = 241.4      ISI = 3.9      ADMC = 64.6      FWI = 10.4

THE TOTAL NUMBER OF OBSERVATIONS IS 124734

MAXIMUM VALUES

FFMC = 98.0      DMC = 436.0      DC = 990.0      ISI = 118.9      ADMC = 435.0      FWI = 153.0

\*\*\*TOTALS FOR REGION 43

NORTH WESTERN BRITISH COLUMBIA

FFMC				DMC				DC				ISI				ADMC				FWI						
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS					
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.						
1	*	0	0.0	0.0	*	5	0.3	0.3	*	1	0.1	0.1	*	3	0.2	0.2	*	0	0.0	0.0	*	94	6.1	6.1	*	1
2	*	0	0.0	0.0	*	23	1.5	1.8	*	9	0.6	0.6	*	99	6.4	6.6	*	0	0.0	0.0	*	147	9.5	15.6	*	2
3	*	1	0.1	0.1	*	47	3.0	4.8	*	13	0.8	1.5	*	188	12.1	18.7	*	0	0.0	0.0	*	130	8.4	24.0	*	3
4	*	8	0.5	0.6	*	50	3.2	8.1	*	22	1.4	2.9	*	168	10.8	29.6	*	8	0.5	0.5	*	123	7.9	31.9	*	4
5	*	9	0.6	1.2	*	55	3.6	11.6	*	43	2.8	5.7	*	163	10.5	40.1	*	11	0.7	1.2	*	116	7.5	39.4	*	5
6	*	16	1.0	2.2	*	82	5.3	16.9	*	30	1.9	7.6	*	117	7.6	47.6	*	11	0.7	1.9	*	190	12.3	51.6	*	6
7	*	19	1.2	3.4	*	91	5.9	22.8	*	69	4.5	12.1	*	111	7.2	54.8	*	30	1.9	3.9	*	153	9.9	61.5	*	7
8	*	39	2.5	5.9	*	86	5.6	28.3	*	54	3.5	15.6	*	185	11.9	66.8	*	37	2.4	6.3	*	136	8.8	70.3	*	8
9	*	43	2.8	8.7	*	95	6.1	34.5	*	58	3.7	19.3	*	165	10.7	77.4	*	44	2.8	9.1	*	206	13.3	83.6	*	9
10	*	84	5.4	14.1	*	95	6.1	40.6	*	53	3.4	22.7	*	126	8.1	85.5	*	48	3.1	12.2	*	115	7.4	91.0	*	10
11	*	100	6.5	20.6	*	205	13.2	53.8	*	62	4.0	26.7	*	112	7.2	92.8	*	57	3.7	15.9	*	65	4.2	95.2	*	11
12	*	111	7.2	27.8	*	136	8.8	62.6	*	59	3.8	30.5	*	55	3.6	96.3	*	56	3.6	19.5	*	38	2.5	97.7	*	12
13	*	157	10.1	37.9	*	144	9.3	71.9	*	61	3.9	34.5	*	34	2.2	98.5	*	153	9.9	29.4	*	16	1.0	98.7	*	13
14	*	157	10.1	48.0	*	119	7.7	79.6	*	69	4.5	38.9	*	16	1.0	99.5	*	171	11.0	40.4	*	15	1.0	99.7	*	14
15	*	212	13.7	61.7	*	135	8.7	88.3	*	86	5.6	44.5	*	6	0.4	99.9	*	167	10.8	51.2	*	4	0.3	99.9	*	15
16	*	118	7.6	69.3	*	75	4.8	93.2	*	84	5.4	49.9	*	1	0.1	100.0	*	157	10.1	61.3	*	1	0.1	100.0	*	16
17	*	103	6.6	76.0	*	35	2.3	95.4	*	99	6.4	56.3	*	0	0.0	100.0	*	203	13.1	74.4	*	0	0.0	100.0	*	17
18	*	116	7.5	83.5	*	31	2.0	97.4	*	178	11.5	67.8	*	0	0.0	100.0	*	139	9.0	83.4	*	0	0.0	100.0	*	18
19	*	109	7.0	90.5	*	39	2.5	99.9	*	206	13.3	81.1	*	0	0.0	100.0	*	91	5.9	89.3	*	0	0.0	100.0	*	19
20	*	90	5.8	96.3	*	1	0.1	100.0	*	219	14.1	95.2	*	0	0.0	100.0	*	70	4.5	93.8	*	0	0.0	100.0	*	20
21	*	39	2.5	98.8	*	0	0.0	100.0	*	73	4.7	99.9	*	0	0.0	100.0	*	26	1.7	95.5	*	0	0.0	100.0	*	21
22	*	18	1.2	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	37	2.4	97.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	33	2.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.6      DMC = 28.9      DC = 263.0      ISI = 3.5      ADMC = 64.9      FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1549

MAXIMUM VALUES

FFMC = 94.0      DMC = 114.0      DC = 502.0      ISI = 30.0      ADMC = 123.0      FWI = 51.0

\*\*\*TOTALS FOR REGION 44

NORTH EASTERN BRITISH COLUMBIA

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	4	0.2	0.2	*	24	1.4	1.4	*	16	1.0	1.0	*	31	1.9	1.9	*	10	0.6	0.6	*	258	15.6	15.6	*	1
2	*	5	0.3	0.5	*	75	4.5	6.0	*	31	1.9	2.8	*	243	14.7	16.5	*	4	0.2	0.8	*	198	11.9	27.5	*	2
3	*	9	0.5	1.1	*	55	3.3	9.3	*	39	2.4	5.2	*	192	11.6	28.1	*	8	0.5	1.3	*	126	7.6	35.1	*	3
4	*	19	1.1	2.2	*	87	5.2	14.5	*	26	1.6	6.8	*	177	10.7	38.8	*	18	1.1	2.4	*	114	6.9	42.0	*	4
5	*	45	2.7	4.9	*	115	6.9	21.5	*	38	2.3	9.0	*	117	7.1	45.8	*	40	2.4	4.8	*	106	6.4	48.4	*	5
6	*	29	1.7	6.7	*	112	6.8	28.2	*	48	2.9	11.9	*	105	6.3	52.2	*	40	2.4	7.2	*	160	9.7	58.0	*	6
7	*	53	3.2	9.9	*	99	6.0	34.2	*	87	5.2	17.2	*	102	6.2	58.3	*	45	2.7	10.0	*	120	7.2	65.3	*	7
8	*	58	3.5	13.4	*	83	5.0	39.2	*	111	6.7	23.9	*	139	8.4	66.7	*	62	3.7	13.7	*	118	7.1	72.4	*	8
9	*	70	4.2	17.6	*	85	5.1	44.3	*	80	4.8	28.7	*	123	7.4	74.1	*	71	4.3	18.0	*	181	10.9	83.3	*	9
10	*	67	4.0	21.7	*	63	3.8	48.1	*	112	6.8	35.5	*	114	6.9	81.0	*	73	4.4	22.4	*	116	7.0	90.3	*	10
11	*	74	4.5	26.1	*	149	9.0	57.1	*	80	4.8	40.3	*	155	9.3	90.3	*	78	4.7	27.1	*	72	4.3	94.6	*	11
12	*	107	6.5	32.6	*	195	11.8	68.9	*	76	4.6	44.9	*	78	4.7	95.1	*	77	4.6	31.7	*	46	2.8	97.4	*	12
13	*	127	7.7	40.2	*	131	7.9	76.8	*	105	6.3	51.2	*	28	1.7	96.7	*	159	9.6	41.3	*	25	1.5	98.9	*	13
14	*	147	8.9	49.1	*	102	6.2	82.9	*	118	7.1	58.3	*	35	2.1	98.9	*	155	9.3	50.7	*	14	0.8	99.8	*	14
15	*	184	11.1	60.2	*	138	8.3	91.3	*	111	6.7	65.0	*	13	0.8	99.6	*	125	7.5	58.2	*	4	0.2	100.0	*	15
16	*	99	6.0	66.2	*	100	6.0	97.3	*	75	4.5	69.5	*	6	0.4	100.0	*	122	7.4	65.6	*	0	0.0	100.0	*	16
17	*	101	6.1	72.3	*	32	1.9	99.2	*	69	4.2	73.7	*	0	0.0	100.0	*	217	13.1	78.6	*	0	0.0	100.0	*	17
18	*	123	7.4	79.7	*	11	0.7	99.9	*	160	9.7	83.4	*	0	0.0	100.0	*	142	8.6	87.2	*	0	0.0	100.0	*	18
19	*	133	8.0	87.7	*	2	0.1	100.0	*	147	8.9	92.2	*	0	0.0	100.0	*	96	5.8	93.0	*	0	0.0	100.0	*	19
20	*	149	9.0	96.7	*	0	0.0	100.0	*	83	5.0	97.2	*	0	0.0	100.0	*	61	3.7	96.7	*	0	0.0	100.0	*	20
21	*	47	2.8	99.5	*	0	0.0	100.0	*	44	2.7	99.9	*	0	0.0	100.0	*	28	1.7	98.4	*	0	0.0	100.0	*	21
22	*	8	0.5	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	22	1.3	99.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.1      DMC = 24.7      DC = 208.7      ISI = 3.5      ADMC = 56.6      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1658

MAXIMUM VALUES

FFMC = 94.0      DMC = 83.0      DC = 506.0      ISI = 23.3      ADMC = 111.0      FWI = 46.0

\*\*\*TOTALS FOR REGION 45

EASTERN BRITISH COLUMBIA

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS				
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS			
1	*	0	0.0	0.0	*	14	0.8	0.8	*	3	0.2	0.2	*	3	0.2	0.2	*	146	8.3	8.3	*	1
2	*	0	0.0	0.0	*	40	2.3	3.1	*	33	1.9	2.1	*	142	8.1	8.3	*	167	9.5	17.8	*	2
3	*	9	0.5	0.5	*	99	5.6	8.7	*	47	2.7	4.7	*	164	9.4	17.6	*	164	9.4	27.2	*	3
4	*	12	0.7	1.2	*	128	7.3	16.0	*	65	3.7	8.4	*	181	10.3	27.9	*	155	8.8	36.0	*	4
5	*	18	1.0	2.2	*	108	6.2	22.2	*	36	2.1	10.5	*	154	8.8	36.7	*	21	1.2	2.1	*	5
6	*	27	1.5	3.8	*	111	6.3	28.5	*	37	2.1	12.6	*	157	9.0	45.7	*	52	3.0	5.1	*	6
7	*	38	2.2	5.9	*	135	7.7	36.2	*	89	5.1	17.7	*	124	7.1	52.7	*	73	4.2	9.2	*	7
8	*	49	2.8	8.7	*	108	6.2	42.4	*	100	5.7	23.4	*	218	12.4	65.2	*	96	5.5	14.7	*	8
9	*	70	4.0	12.7	*	107	6.1	48.5	*	82	4.7	28.1	*	182	10.4	75.5	*	100	5.7	20.4	*	9
10	*	79	4.5	17.2	*	120	6.8	55.3	*	72	4.1	32.2	*	152	8.7	84.2	*	96	5.5	25.9	*	10
11	*	130	7.4	24.6	*	220	12.5	67.8	*	98	5.6	37.7	*	147	8.4	92.6	*	44	2.5	28.4	*	11
12	*	122	7.0	31.6	*	146	8.3	76.2	*	126	7.2	44.9	*	75	4.3	96.9	*	76	4.3	32.7	*	12
13	*	192	10.9	42.5	*	100	5.7	81.9	*	99	5.6	50.6	*	37	2.1	99.0	*	201	11.5	44.2	*	13
14	*	195	11.1	53.6	*	66	3.8	85.6	*	140	8.0	58.6	*	13	0.7	99.7	*	231	13.2	57.4	*	14
15	*	252	14.4	68.0	*	105	6.0	91.6	*	106	6.0	64.6	*	4	0.2	99.9	*	209	11.9	69.3	*	15
16	*	83	4.7	72.7	*	49	2.8	94.4	*	125	7.1	71.7	*	1	0.1	100.0	*	108	6.2	75.4	*	16
17	*	194	5.9	78.7	*	41	2.3	96.8	*	166	9.5	81.2	*	0	0.0	100.0	*	145	8.3	83.7	*	17
18	*	109	6.2	84.9	*	34	1.9	98.7	*	171	9.7	90.9	*	0	0.0	100.0	*	98	5.6	89.3	*	18
19	*	122	7.0	91.8	*	23	1.3	100.0	*	90	5.1	96.1	*	0	0.0	100.0	*	63	3.6	92.9	*	19
20	*	100	5.7	97.5	*	0	0.0	100.0	*	38	2.2	98.2	*	0	0.0	100.0	*	45	2.6	95.4	*	20
21	*	42	2.4	99.9	*	0	0.0	100.0	*	25	1.4	99.7	*	0	0.0	100.0	*	35	2.0	97.4	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	6	0.3	100.0	*	0	0.0	100.0	*	16	0.9	98.3	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	1.4	99.8	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 70.4      DMC = 23.7      DC = 200.5      ISI = 3.5      ADMC = 53.8      FWI = 7.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1754

MAXIMUM VALUES

FFMC = 93.0      DMC = 102.0      DC = 516.0      ISI = 20.2      ADMC = 131.0      FWI = 43.0

\*\*\*TOTALS FOR REGION 46

WESTERN BRITISH COLUMBIA

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	1	0.1	0.1	*	15	0.9	0.9	*	5	0.3	0.3	*	1	0.1	0.1	*	0	0.0	0.0	*	162	9.9	9.9	*	1
2	*	2	0.1	0.2	*	73	4.4	5.4	*	45	2.7	3.0	*	131	8.0	8.0	*	0	0.0	0.0	*	190	11.6	21.4	*	2
3	*	3	0.2	0.4	*	108	6.6	11.9	*	71	4.3	7.4	*	189	11.5	19.5	*	2	0.1	0.1	*	164	10.0	31.4	*	3
4	*	7	0.4	0.8	*	116	7.1	19.0	*	49	3.0	10.3	*	194	11.8	31.3	*	19	1.2	1.3	*	139	8.5	39.9	*	4
5	*	16	1.0	1.8	*	135	8.2	27.2	*	36	2.2	12.5	*	165	10.0	41.4	*	57	3.5	4.7	*	121	7.4	47.2	*	5
6	*	17	1.0	2.8	*	103	6.2	33.5	*	34	2.1	14.6	*	140	8.5	49.9	*	50	3.0	7.8	*	223	13.6	60.8	*	6
7	*	36	2.2	5.0	*	93	5.7	39.1	*	91	5.5	20.1	*	136	8.3	58.2	*	85	5.2	13.0	*	179	10.9	71.7	*	7
8	*	54	3.3	8.3	*	94	5.7	44.9	*	77	4.7	24.8	*	237	14.4	72.6	*	94	5.7	18.7	*	121	7.4	79.1	*	8
9	*	59	3.6	11.9	*	80	4.9	49.7	*	75	4.6	29.4	*	127	7.7	80.3	*	79	4.8	23.5	*	138	8.4	87.5	*	9
10	*	116	7.1	18.9	*	73	4.4	54.2	*	86	5.2	34.6	*	94	5.7	86.1	*	83	5.1	28.5	*	83	5.1	92.5	*	10
11	*	138	8.4	27.3	*	158	9.6	63.8	*	95	5.8	40.4	*	112	6.8	92.9	*	71	4.3	32.9	*	47	2.9	95.4	*	11
12	*	137	8.3	35.7	*	182	11.1	74.9	*	87	5.3	45.7	*	53	3.2	96.1	*	81	4.9	37.8	*	29	1.8	97.1	*	12
13	*	165	10.0	45.7	*	119	7.2	82.1	*	120	7.3	53.0	*	31	1.9	98.0	*	191	11.6	49.4	*	24	1.5	98.6	*	13
14	*	199	12.1	57.8	*	63	3.8	85.9	*	170	10.3	63.4	*	20	1.2	99.2	*	149	9.1	58.5	*	19	1.2	99.8	*	14
15	*	220	13.4	71.2	*	88	5.4	91.3	*	98	6.0	69.3	*	6	0.4	99.6	*	149	9.1	67.6	*	3	0.2	99.9	*	15
16	*	108	6.6	77.8	*	47	2.9	94.2	*	120	7.3	76.6	*	6	0.4	99.9	*	101	6.1	73.7	*	1	0.1	100.0	*	16
17	*	89	5.4	83.2	*	33	2.0	96.2	*	98	6.0	82.6	*	1	0.1	100.0	*	142	8.6	82.3	*	0	0.0	100.0	*	17
18	*	112	6.8	90.0	*	40	2.4	98.6	*	112	6.8	89.4	*	0	0.0	100.0	*	89	5.4	87.8	*	0	0.0	100.0	*	18
19	*	84	5.1	95.1	*	23	1.4	100.0	*	73	4.4	93.9	*	0	0.0	100.0	*	71	4.3	92.1	*	0	0.0	100.0	*	19
20	*	56	3.4	98.5	*	0	0.0	100.0	*	68	4.1	98.0	*	0	0.0	100.0	*	44	2.7	94.8	*	0	0.0	100.0	*	20
21	*	23	1.4	99.9	*	0	0.0	100.0	*	27	1.6	99.6	*	0	0.0	100.0	*	30	1.8	96.6	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	31	1.9	98.5	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	1.5	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.3      DMC = 23.6      DC = 194.5      ISI = 3.4      ADMC = 53.2      FWI = 7.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1643

MAXIMUM VALUES

FFMC = 93.0      DMC = 108.0      DC = 516.0      ISI = 30.5      ADMC = 117.0      FWI = 58.0

\*\*\*TOTALS FCR REGION 47

SOUTH WESTERN BRITISH COLUMBIA

		FFMC			DMC			DC			ISI			ADMC			FWI					
CLASS	NO.OF	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS		
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	
1	*	0	0.0	0.0	*	21	1.1	1.1	*	46	2.4	2.4	*	2	0.1	0.1	*	5	0.3	0.3	*	1
2	*	5	0.3	0.3	*	55	2.9	4.0	*	106	5.6	8.1	*	104	5.5	5.6	*	11	0.6	0.8	*	2
3	*	0	0.0	0.3	*	105	5.6	9.6	*	67	3.6	11.6	*	296	15.7	21.3	*	18	1.0	1.8	*	3
4	*	12	0.6	0.9	*	101	5.4	15.0	*	48	2.5	14.2	*	265	14.1	35.4	*	17	0.9	2.7	*	4
5	*	20	1.1	2.0	*	116	6.2	21.1	*	46	2.4	16.6	*	254	13.5	48.9	*	62	3.3	6.0	*	5
6	*	42	2.2	4.2	*	103	5.5	26.6	*	58	3.1	19.7	*	206	10.9	59.8	*	77	4.1	10.1	*	6
7	*	71	3.8	8.0	*	115	6.1	32.7	*	64	3.4	23.1	*	176	9.3	69.1	*	56	3.0	13.1	*	7
8	*	80	4.2	12.2	*	117	6.2	38.9	*	93	4.9	28.0	*	211	11.2	80.3	*	66	3.5	16.6	*	8
9	*	115	6.1	18.3	*	145	7.7	46.6	*	57	3.0	31.0	*	150	8.0	88.3	*	52	2.8	19.3	*	9
10	*	139	7.4	25.7	*	151	8.0	54.6	*	50	2.7	33.7	*	101	5.4	93.6	*	70	3.7	23.0	*	10
11	*	146	7.7	33.4	*	224	11.9	66.5	*	67	3.6	37.2	*	86	4.6	98.2	*	77	4.1	27.1	*	11
12	*	166	8.8	42.2	*	154	8.2	74.6	*	72	3.8	41.1	*	26	1.4	99.6	*	80	4.2	31.4	*	12
13	*	163	8.6	50.9	*	102	5.4	80.1	*	82	4.4	45.4	*	7	0.4	99.9	*	212	11.2	42.6	*	13
14	*	214	11.4	62.2	*	80	4.2	84.3	*	87	4.6	50.0	*	1	0.1	100.0	*	208	11.0	53.6	*	14
15	*	265	14.1	76.3	*	109	5.8	90.1	*	133	7.1	57.1	*	0	0.0	100.0	*	199	10.6	64.2	*	15
16	*	117	6.2	82.5	*	72	3.8	93.9	*	157	8.3	65.4	*	0	0.0	100.0	*	123	6.5	70.7	*	16
17	*	115	6.1	88.6	*	51	2.7	96.6	*	126	6.7	72.1	*	0	0.0	100.0	*	188	10.0	80.7	*	17
18	*	133	7.1	95.6	*	35	1.9	98.5	*	208	11.0	83.1	*	0	0.0	100.0	*	113	6.0	86.7	*	18
19	*	62	3.3	98.9	*	29	1.5	100.0	*	164	8.7	91.8	*	0	0.0	100.0	*	94	5.0	91.7	*	19
20	*	20	1.1	100.0	*	0	0.0	100.0	*	90	4.8	96.6	*	0	0.0	100.0	*	46	2.4	94.1	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	42	2.2	98.8	*	0	0.0	100.0	*	36	1.9	96.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.2	100.0	*	0	0.0	100.0	*	27	1.4	97.5	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	44	2.3	99.8	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 66.5      DMC = 24.5      DC = 212.5      ISI = 2.6      ADMC = 56.3      FWI = 6.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1885

MAXIMUM VALUES

FFMC = 90.0      DMC = 105.0      DC = 560.0      ISI = 12.7      ADMC = 134.0      FWI = 35.0



\*\*\*TOTALS FOR REGION 48

THE INTERIOR VALLEY

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	0	0.0	0.0	*	0	0.0	0.0	*	6	0.3	0.3	*	2	0.1	0.1	*	0	0.0	0.0	*	22	1.1	1.1	*	1
2	*	0	0.0	0.0	*	3	0.1	0.1	*	28	1.4	1.7	*	46	2.3	2.4	*	0	0.0	0.0	*	74	3.7	4.8	*	2
3	*	1	0.0	0.0	*	20	1.0	1.1	*	38	1.9	3.6	*	144	7.1	9.5	*	3	0.1	0.1	*	104	5.2	9.9	*	3
4	*	4	0.2	0.2	*	40	2.0	3.1	*	52	2.6	6.2	*	164	8.1	17.7	*	0	0.0	0.1	*	123	6.1	16.0	*	4
5	*	4	0.2	0.4	*	30	1.5	4.6	*	37	1.8	8.0	*	175	8.7	26.4	*	10	0.5	0.6	*	96	4.8	20.8	*	5
6	*	11	0.5	1.0	*	33	1.6	6.3	*	32	1.6	9.6	*	170	8.4	34.8	*	15	0.7	1.4	*	219	10.9	31.7	*	6
7	*	36	1.8	2.8	*	29	1.4	7.7	*	65	3.2	12.8	*	148	7.3	42.2	*	11	0.5	1.9	*	218	10.8	42.5	*	7
8	*	39	1.9	4.7	*	72	3.6	11.3	*	53	2.6	15.4	*	282	14.0	56.2	*	25	1.2	3.2	*	198	9.8	52.3	*	8
9	*	63	3.1	7.8	*	60	3.0	14.3	*	78	3.9	19.3	*	229	11.4	67.5	*	34	1.7	4.9	*	352	17.5	69.8	*	9
10	*	126	6.3	14.1	*	68	3.4	17.6	*	74	3.7	23.0	*	181	9.0	76.5	*	35	1.7	6.6	*	198	9.8	79.6	*	10
11	*	136	6.8	20.9	*	183	9.1	26.7	*	49	2.4	25.4	*	230	11.4	87.9	*	30	1.5	8.1	*	137	6.8	86.4	*	11
12	*	161	8.0	28.8	*	213	10.6	37.3	*	47	2.3	27.8	*	129	6.4	94.3	*	32	1.6	9.7	*	97	4.8	91.3	*	12
13	*	229	11.4	40.2	*	211	10.5	47.8	*	55	2.7	30.5	*	50	2.5	96.8	*	92	4.6	14.3	*	73	3.6	94.9	*	13
14	*	266	13.2	53.4	*	160	7.9	55.7	*	65	3.2	33.7	*	49	2.4	99.3	*	99	4.9	19.2	*	78	3.9	98.8	*	14
15	*	285	14.2	67.6	*	322	16.0	71.7	*	53	2.6	36.3	*	12	0.6	99.9	*	119	5.9	25.1	*	21	1.0	99.8	*	15
16	*	98	4.9	72.4	*	177	8.8	80.5	*	83	4.1	40.5	*	3	0.1	100.0	*	142	7.1	32.1	*	4	0.2	100.0	*	16
17	*	106	5.3	77.7	*	111	5.5	86.0	*	105	5.2	45.7	*	0	0.0	100.0	*	357	17.7	49.9	*	0	0.0	100.0	*	17
18	*	106	5.3	83.0	*	91	4.5	90.5	*	204	10.1	55.8	*	0	0.0	100.0	*	238	11.8	61.7	*	0	0.0	100.0	*	18
19	*	85	4.2	87.2	*	122	6.1	96.6	*	174	8.6	64.4	*	0	0.0	100.0	*	251	12.5	74.1	*	0	0.0	100.0	*	19
20	*	99	4.9	92.1	*	53	2.6	99.2	*	245	12.2	76.6	*	0	0.0	100.0	*	141	7.0	81.1	*	0	0.0	100.0	*	20
21	*	115	5.7	97.8	*	16	0.8	100.0	*	215	10.7	87.3	*	0	0.0	100.0	*	90	4.5	85.6	*	0	0.0	100.0	*	21
22	*	44	2.2	100.0	*	0	0.0	100.0	*	202	10.0	97.3	*	0	0.0	100.0	*	88	4.4	90.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	54	2.7	100.0	*	0	0.0	100.0	*	116	5.8	95.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	48	2.4	98.1	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	38	1.9	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.3      DMC = 43.2      DC = 308.9      ISI = 4.4      ADMC = 88.6      FWI = 12.2

THE TOTAL NUMBER OF OBSERVATIONS IS 2014

MAXIMUM VALUES

FFMC = 94.0      DMC = 160.0      DC = 684.0      ISI = 22.6      ADMC = 196.0      FWI = 55.0

359

\*\*\*TOTALS FOR REGION 49

SOUTH EASTERN BRITISH COLUMBIA

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	0	0.0	0.0	*	0	0.0	0.0	*	5	0.2	0.2	*	1	0.0	0.0	*	0	0.0	0.0	*	53	2.6	2.6	*	1
2	*	1	0.0	0.0	*	8	0.4	0.4	*	46	2.3	2.5	*	57	2.8	2.9	*	0	0.0	0.0	*	93	4.6	7.3	*	2
3	*	1	0.0	0.1	*	19	0.9	1.3	*	63	3.1	5.7	*	126	6.3	9.2	*	1	0.0	0.0	*	117	5.8	13.1	*	3
4	*	5	0.2	0.3	*	64	3.2	4.5	*	53	2.6	8.3	*	152	7.6	16.7	*	3	0.1	0.2	*	123	6.1	19.2	*	4
5	*	6	0.3	0.6	*	67	3.3	7.9	*	42	2.1	10.4	*	164	8.2	24.9	*	10	0.5	0.7	*	112	5.6	24.8	*	5
6	*	5	0.2	0.9	*	82	4.1	12.0	*	45	2.2	12.7	*	147	7.3	32.3	*	37	1.8	2.5	*	218	10.9	35.7	*	6
7	*	16	0.8	1.7	*	82	4.1	16.1	*	78	3.9	16.6	*	128	6.4	38.6	*	33	1.6	4.2	*	180	9.0	44.7	*	7
8	*	32	1.6	3.3	*	82	4.1	20.1	*	79	3.9	20.5	*	230	11.5	50.1	*	36	1.8	6.0	*	145	7.2	51.9	*	8
9	*	46	2.3	5.6	*	80	4.0	24.1	*	81	4.0	24.5	*	212	10.6	60.7	*	42	2.1	8.1	*	284	14.2	66.1	*	9
10	*	75	3.7	9.3	*	81	4.0	28.2	*	57	2.8	27.4	*	167	8.3	69.0	*	45	2.2	10.3	*	241	12.0	78.1	*	10
11	*	130	6.5	15.8	*	171	8.5	36.7	*	59	2.9	30.3	*	241	12.0	81.0	*	41	2.0	12.4	*	135	6.7	84.8	*	11
12	*	189	9.4	25.2	*	204	10.2	46.9	*	77	3.8	34.1	*	148	7.4	88.4	*	49	2.4	14.8	*	102	5.1	89.9	*	12
13	*	229	11.4	36.6	*	224	11.2	58.0	*	94	4.7	38.8	*	92	4.6	93.0	*	151	7.5	22.3	*	66	3.3	93.2	*	13
14	*	274	13.7	50.3	*	156	7.8	65.8	*	69	3.4	42.3	*	81	4.0	97.0	*	169	8.4	30.8	*	79	3.9	97.1	*	14
15	*	367	18.3	68.5	*	270	13.5	79.3	*	58	2.9	45.2	*	25	1.2	98.3	*	161	8.0	38.8	*	36	1.8	98.9	*	15
16	*	159	7.9	76.5	*	157	7.8	87.1	*	55	2.7	47.9	*	19	0.9	99.2	*	129	6.4	45.2	*	6	0.3	99.2	*	16
17	*	146	7.3	83.8	*	161	8.0	92.1	*	52	2.6	50.5	*	10	0.5	99.7	*	262	13.1	58.3	*	7	0.3	99.6	*	17
18	*	112	5.6	89.4	*	49	2.4	94.6	*	168	8.4	58.0	*	5	0.2	99.9	*	233	11.6	69.9	*	4	0.2	99.8	*	18
19	*	48	2.4	91.8	*	73	3.6	98.2	*	287	14.3	73.2	*	1	0.0	100.0	*	214	10.7	80.6	*	4	0.2	99.9	*	19
20	*	55	2.7	94.5	*	29	1.4	99.7	*	323	16.1	89.3	*	0	0.0	100.0	*	133	6.6	87.2	*	1	0.0	100.0	*	20
21	*	79	3.9	98.5	*	7	0.3	100.0	*	147	7.3	96.6	*	0	0.0	100.0	*	77	3.8	91.0	*	0	0.0	100.0	*	21
22	*	27	1.3	99.8	*	0	0.0	100.0	*	60	3.0	99.6	*	0	0.0	100.0	*	65	3.2	94.3	*	0	0.0	100.0	*	22
23	*	4	0.2	100.0	*	0	0.0	100.0	*	8	0.4	100.0	*	0	0.0	100.0	*	68	3.4	97.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	32	1.6	99.3	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.7	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.9      DMC = 36.5      DC = 270.4      ISI = 5.3      ADMC = 77.2      FWI = 12.8

THE TOTAL NUMBER OF OBSERVATIONS IS 2066

MAXIMUM VALUES

FFMC = 96.0      DMC = 152.0      DC = 613.0      ISI = 53.1      ADMC = 176.0      FWI = 96.0

\*\*\*TOTALS FOR STATION 398 ABBOTSFORD

LONG. 12222 LAT, 4901

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	3	0.2	0.2	*	118	6.5	6.5	*	148	8.1	8.1	*	72	3.9	3.9	*	39	2.1	2.1	*	434	23.8	23.8	*	1
2	*	3	0.2	0.3	*	137	7.5	14.0	*	139	7.6	15.7	*	229	12.6	16.5	*	51	2.8	4.9	*	250	13.7	37.5	*	2
3	*	11	0.6	0.9	*	138	7.6	21.6	*	89	4.9	20.6	*	223	12.2	28.7	*	30	1.6	6.6	*	117	6.4	43.9	*	3
4	*	16	0.9	1.8	*	150	8.2	29.8	*	75	4.1	24.7	*	164	9.0	37.7	*	57	3.1	9.7	*	93	5.1	49.0	*	4
5	*	29	1.6	3.4	*	135	7.4	37.2	*	54	3.0	27.7	*	152	8.3	46.1	*	100	5.5	15.2	*	78	4.3	53.3	*	5
6	*	24	1.3	4.7	*	105	5.8	43.0	*	50	2.7	30.4	*	115	6.3	52.4	*	109	6.0	21.2	*	162	8.9	62.2	*	6
7	*	38	2.1	6.8	*	94	5.2	48.1	*	57	3.1	33.6	*	104	5.7	58.1	*	94	5.2	26.3	*	123	6.7	69.0	*	7
8	*	41	2.2	9.1	*	88	4.8	52.9	*	54	3.0	36.5	*	226	12.4	70.5	*	80	4.4	30.7	*	97	5.3	74.3	*	8
9	*	66	3.6	12.7	*	85	4.7	57.6	*	55	3.0	39.6	*	166	9.1	79.6	*	84	4.6	35.3	*	150	8.2	82.5	*	9
10	*	83	4.6	17.2	*	77	4.2	61.8	*	61	3.3	42.9	*	106	5.8	85.4	*	85	4.7	40.0	*	109	6.0	88.5	*	10
11	*	90	4.9	22.2	*	134	7.4	69.2	*	72	3.9	46.8	*	130	7.1	92.5	*	76	4.2	44.2	*	70	3.8	92.3	*	11
12	*	87	4.8	26.9	*	110	6.0	75.2	*	82	4.5	51.3	*	41	2.2	94.8	*	64	3.5	47.7	*	51	2.8	95.1	*	12
13	*	97	5.3	32.3	*	83	4.6	79.8	*	68	3.7	55.1	*	42	2.3	97.1	*	119	6.5	54.2	*	35	1.9	97.0	*	13
14	*	132	7.2	39.5	*	65	3.6	83.3	*	75	4.1	59.2	*	25	1.4	98.5	*	118	6.5	60.7	*	35	1.9	99.0	*	14
15	*	198	10.9	50.4	*	83	4.6	87.9	*	74	4.1	63.2	*	15	0.8	99.3	*	107	5.9	66.5	*	16	0.9	99.8	*	15
16	*	129	7.1	57.4	*	64	3.5	91.4	*	60	3.3	66.5	*	10	0.5	99.8	*	93	5.1	71.6	*	1	0.1	99.9	*	16
17	*	196	10.8	68.2	*	36	2.0	93.4	*	79	4.3	70.9	*	3	0.2	100.0	*	129	7.1	78.7	*	1	0.1	99.9	*	17
18	*	228	12.5	80.7	*	26	1.4	94.8	*	176	9.7	80.5	*	0	0.0	100.0	*	106	5.8	84.5	*	0	0.0	99.9	*	18
19	*	167	9.2	89.9	*	59	3.2	98.0	*	164	9.0	89.5	*	0	0.0	100.0	*	62	3.4	87.9	*	1	0.1	100.0	*	19
20	*	117	6.4	96.3	*	29	1.6	99.6	*	88	4.8	94.3	*	0	0.0	100.0	*	46	2.5	90.5	*	0	0.0	100.0	*	20
21	*	41	2.2	98.5	*	7	0.4	100.0	*	41	2.2	96.6	*	0	0.0	100.0	*	45	2.5	92.9	*	0	0.0	100.0	*	21
22	*	22	1.2	99.7	*	0	0.0	100.0	*	48	2.6	99.2	*	0	0.0	100.0	*	28	1.5	94.5	*	0	0.0	100.0	*	22
23	*	5	0.3	100.0	*	0	0.0	100.0	*	13	0.7	99.9	*	0	0.0	100.0	*	45	2.5	96.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	32	1.8	98.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.1      DMC = 24.0      DC = 195.4      ISI = 3.4      ADMC = 53.3      FWI = 7.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1823

MAXIMUM VALUES

FFMC = 95.0      DMC = 159.0      DC = 702.0      ISI = 38.6      ADMC = 190.0      FWI = 86.0

\*\*\*TOTALS FOR STATION 376 AIXANSE LONG, 12901 LAT, 5514

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS	
CLASS	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.		CUM. PCNT.
1	9	0.6	0.6	113	7.1	7.1	52	3.3	3.3	70	4.4	4.4	20	1.3	1.3	371	23.3	23.3	1
2	5	0.3	0.9	107	6.7	13.8	53	3.3	6.6	217	13.6	18.0	42	2.6	3.9	226	14.2	37.5	2
3	13	0.8	1.7	103	6.5	20.3	55	3.5	10.0	188	11.8	29.8	20	1.3	5.1	101	6.3	43.8	3
4	13	0.8	2.5	116	7.3	27.5	35	2.2	12.2	165	10.4	40.2	58	3.6	8.8	87	5.5	49.2	4
5	20	1.3	3.8	110	6.9	34.4	41	2.6	14.8	138	8.7	48.8	65	4.1	12.9	75	4.7	54.0	5
6	31	1.9	5.7	90	5.6	40.1	33	2.1	16.9	119	7.5	56.3	56	3.5	16.4	140	8.8	62.7	6
7	38	2.4	8.1	80	5.0	45.1	73	4.6	21.5	82	5.1	61.4	80	5.0	21.4	112	7.0	69.8	7
8	39	2.4	10.5	83	5.2	50.3	67	4.2	25.7	144	9.0	70.5	57	3.6	25.0	90	5.6	75.4	8
9	61	3.8	14.4	69	4.3	54.6	70	4.4	30.1	94	5.9	76.3	80	5.0	30.0	126	7.9	83.3	9
10	64	4.0	18.4	64	4.0	58.7	60	3.8	33.8	85	5.3	81.7	70	4.4	34.4	84	5.3	88.6	10
11	101	6.3	24.7	121	7.6	66.2	93	5.8	39.6	110	6.9	88.6	65	4.1	38.5	57	3.6	92.2	11
12	78	4.9	29.6	111	7.0	73.2	111	7.0	46.6	66	4.1	92.7	63	4.0	42.4	38	2.4	94.5	12
13	103	6.5	36.1	88	5.5	78.7	79	5.0	51.6	45	2.8	95.5	145	9.1	51.5	29	1.8	96.4	13
14	121	7.6	43.7	85	5.3	84.1	105	6.6	58.2	39	2.4	98.0	136	8.5	60.0	38	2.4	98.7	14
15	170	10.7	54.3	90	5.6	89.7	115	7.2	65.4	12	0.8	98.7	118	7.4	67.4	13	0.8	99.6	15
16	110	6.9	61.2	56	3.5	93.2	107	6.7	72.1	14	0.9	99.6	95	6.0	73.4	4	0.3	99.8	16
17	129	8.1	69.3	41	2.6	95.8	79	5.0	77.0	3	0.2	99.8	123	7.7	81.1	2	0.1	99.9	17
18	152	9.5	78.9	20	1.3	97.1	123	7.7	84.8	1	0.1	99.9	86	5.4	86.5	0	0.0	99.9	18
19	150	9.4	88.3	32	2.0	99.1	84	5.3	90.0	2	0.1	100.0	50	3.1	89.6	1	0.1	100.0	19
20	102	6.4	94.7	10	0.6	99.7	76	4.8	94.8	0	0.0	100.0	41	2.6	92.2	0	0.0	100.0	20
21	68	4.3	98.9	5	0.3	100.0	41	2.6	97.4	0	0.0	100.0	32	2.0	94.2	0	0.0	100.0	21
22	17	1.1	100.0	0	0.0	100.0	38	2.4	99.7	0	0.0	100.0	36	2.3	96.5	0	0.0	100.0	22
23	0	0.0	100.0	0	0.0	100.0	4	0.3	100.0	0	0.0	100.0	35	2.2	98.7	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	14	0.9	99.6	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	7	0.4	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 71.8      DMC = 23.4      DC = 206.0      ISI = 3.6      ADMC = 52.8      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1594

MAXIMUM VALUES

FFMC = 94.0      DMC = 154.0      DC = 614.0      ISI = 52.1      ADMC = 175.0      FWI = 83.0

\*\*\*TOTALS FOR STATION 402 ALEXIS CREEK TAUTRI CR LONG, 12311 LAT, 5233

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	*							
1	*	63	3.6	3.6	*	64	3.7	3.7	*	20	1.2	1.2	*	140	8.1	8.1	*	10	0.6	0.6	*	483	27.8	27.8	*	1
2	*	17	1.0	4.6	*	117	6.7	10.4	*	43	2.5	3.6	*	286	16.5	24.5	*	20	1.2	1.7	*	279	16.1	43.9	*	2
3	*	12	0.7	5.3	*	134	7.7	18.1	*	49	2.8	6.4	*	247	14.2	38.7	*	9	0.5	2.2	*	111	6.4	50.3	*	3
4	*	18	1.0	6.3	*	136	7.8	26.0	*	54	3.1	9.6	*	184	10.6	49.3	*	41	2.4	4.6	*	103	5.9	56.2	*	4
5	*	18	1.0	7.4	*	138	7.9	33.9	*	53	3.1	12.6	*	146	8.4	57.7	*	58	3.3	7.9	*	88	5.1	61.3	*	5
6	*	29	1.7	9.0	*	126	7.3	41.2	*	59	3.4	16.0	*	105	6.0	63.8	*	95	5.5	13.4	*	141	8.1	69.4	*	6
7	*	30	1.7	10.8	*	115	6.6	47.8	*	126	7.3	23.3	*	96	5.5	69.3	*	84	4.8	18.2	*	110	6.3	75.7	*	7
8	*	54	3.1	13.9	*	104	6.0	53.8	*	99	5.7	29.0	*	137	7.9	77.2	*	89	5.1	23.4	*	78	4.5	80.2	*	8
9	*	64	3.7	17.6	*	81	4.7	58.4	*	68	3.9	32.9	*	93	5.4	82.6	*	75	4.3	27.7	*	106	6.1	86.3	*	9
10	*	68	3.9	21.5	*	57	3.3	61.7	*	65	3.7	36.6	*	59	3.4	86.0	*	100	5.8	33.4	*	65	3.7	90.0	*	10
11	*	73	4.2	25.7	*	140	8.1	69.8	*	64	3.7	40.3	*	109	6.3	92.2	*	106	6.1	39.6	*	51	2.9	93.0	*	11
12	*	83	4.8	30.5	*	85	4.9	74.7	*	69	4.0	44.3	*	61	3.5	95.7	*	85	4.9	44.4	*	50	2.9	95.9	*	12
13	*	132	7.6	38.1	*	84	4.8	79.5	*	72	4.1	48.4	*	35	2.0	97.8	*	185	10.7	55.1	*	25	1.4	97.3	*	13
14	*	158	9.1	47.2	*	55	3.2	82.7	*	113	6.5	54.9	*	21	1.2	99.0	*	129	7.4	62.5	*	35	2.0	99.3	*	14
15	*	210	12.1	59.2	*	78	4.5	87.2	*	125	7.2	62.1	*	15	0.9	99.8	*	84	4.8	67.4	*	9	0.5	99.8	*	15
16	*	128	7.4	66.6	*	71	4.1	91.2	*	120	6.9	69.0	*	3	0.2	100.0	*	71	4.1	71.4	*	2	0.1	99.9	*	16
17	*	119	6.9	73.5	*	55	3.2	94.4	*	93	5.4	74.4	*	0	0.0	100.0	*	123	7.1	78.5	*	1	0.1	100.0	*	17
18	*	120	6.9	80.4	*	43	2.5	96.9	*	143	8.2	82.6	*	0	0.0	100.0	*	112	6.4	85.0	*	0	0.0	100.0	*	18
19	*	104	6.0	86.4	*	44	2.5	99.4	*	147	8.5	91.1	*	0	0.0	100.0	*	57	3.3	88.3	*	0	0.0	100.0	*	19
20	*	114	6.6	92.9	*	10	0.6	100.0	*	39	2.2	93.3	*	0	0.0	100.0	*	50	2.9	91.1	*	0	0.0	100.0	*	20
21	*	85	4.9	97.8	*	0	0.0	100.0	*	46	2.6	96.0	*	0	0.0	100.0	*	49	2.8	94.0	*	0	0.0	100.0	*	21
22	*	36	2.1	99.9	*	0	0.0	100.0	*	50	2.9	98.8	*	0	0.0	100.0	*	42	2.4	96.4	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	20	1.2	100.0	*	0	0.0	100.0	*	45	2.6	99.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.8	99.8	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.4      DMC = 23.5      DC = 213.2      ISI = 2.8      ADMC = 54.1      FWI = 6.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1737

MAXIMUM VALUES

FFMC = 96.0      DMC = 133.0      DC = 644.0      ISI = 28.9      ADMC = 163.0      FWI = 61.0

\*\*\*TOTALS FOR STATION 366 ALEZA LAKE LONG, 12204 LAT, 5406-

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	*	CLASS						
1	*	9	0.5	0.5	*	73	4.3	4.3	*	23	1.4	1.4	*	70	4.1	4.1	*	3	0.2	0.2	*	400	23.7	23.7	*	1
2	*	10	0.6	1.1	*	107	6.3	10.7	*	52	3.1	4.4	*	240	14.2	18.4	*	36	2.1	2.3	*	232	13.7	37.4	*	2
3	*	10	0.6	1.7	*	117	6.9	17.6	*	80	4.7	9.2	*	228	13.5	31.9	*	7	0.4	2.7	*	107	6.3	43.8	*	3
4	*	12	0.7	2.4	*	131	7.8	25.4	*	87	5.2	14.3	*	148	8.8	40.6	*	40	2.4	5.1	*	94	5.6	49.3	*	4
5	*	12	0.7	3.1	*	119	7.0	32.4	*	69	4.1	18.4	*	108	6.4	47.0	*	75	4.4	9.5	*	63	3.7	53.1	*	5
6	*	27	1.6	4.7	*	117	6.9	39.3	*	59	3.5	21.9	*	97	5.7	52.8	*	78	4.6	14.2	*	139	8.2	61.3	*	6
7	*	29	1.7	6.5	*	111	6.6	45.9	*	119	7.0	29.0	*	68	4.0	56.8	*	84	5.0	19.1	*	99	5.9	67.2	*	7
8	*	40	2.4	8.8	*	83	4.9	50.8	*	100	5.9	34.9	*	136	8.1	64.9	*	96	5.7	24.8	*	92	5.5	72.6	*	8
9	*	57	3.4	12.2	*	85	5.0	55.9	*	119	7.0	41.9	*	124	7.3	72.2	*	116	6.9	31.7	*	132	7.8	80.5	*	9
10	*	85	5.0	17.2	*	74	4.4	60.2	*	83	4.9	46.9	*	110	6.5	78.7	*	86	5.1	36.8	*	108	6.4	86.8	*	10
11	*	70	4.1	21.4	*	133	7.9	68.1	*	114	6.8	53.6	*	155	9.2	87.9	*	77	4.6	41.4	*	58	3.4	90.3	*	11
12	*	96	5.7	27.1	*	103	6.1	74.2	*	103	6.1	59.7	*	100	5.9	93.8	*	75	4.4	45.8	*	62	3.7	94.0	*	12
13	*	102	6.0	33.1	*	83	4.9	79.1	*	99	5.9	65.6	*	51	3.0	96.9	*	152	9.0	54.8	*	43	2.5	96.5	*	13
14	*	119	7.0	40.2	*	60	3.6	82.7	*	77	4.6	70.1	*	42	2.5	99.3	*	127	7.5	62.3	*	47	2.8	99.3	*	14
15	*	168	10.0	50.1	*	80	4.7	87.4	*	77	4.6	74.7	*	6	0.4	99.7	*	110	6.5	68.8	*	11	0.7	99.9	*	15
16	*	91	5.4	55.5	*	60	3.6	91.0	*	87	5.2	79.9	*	5	0.3	100.0	*	77	4.6	73.4	*	1	0.1	100.0	*	16
17	*	82	4.9	60.4	*	37	2.2	93.2	*	51	3.0	82.9	*	0	0.0	100.0	*	136	8.1	81.5	*	0	0.0	100.0	*	17
18	*	140	8.3	68.7	*	31	1.8	95.0	*	117	6.9	89.8	*	0	0.0	100.0	*	85	5.0	86.5	*	0	0.0	100.0	*	18
19	*	154	9.1	77.8	*	49	2.9	97.9	*	72	4.3	94.1	*	0	0.0	100.0	*	52	3.1	89.6	*	0	0.0	100.0	*	19
20	*	172	10.2	88.0	*	24	1.4	99.3	*	27	1.6	95.7	*	0	0.0	100.0	*	40	2.4	91.9	*	0	0.0	100.0	*	20
21	*	159	9.4	97.4	*	11	0.7	100.0	*	32	1.9	97.6	*	0	0.0	100.0	*	25	1.5	93.4	*	0	0.0	100.0	*	21
22	*	44	2.6	100.0	*	0	0.0	100.0	*	29	1.7	99.3	*	0	0.0	100.0	*	27	1.6	95.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.7	100.0	*	0	0.0	100.0	*	39	2.3	97.3	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	29	1.7	99.1	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	0.9	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.9      DMC = 25.0      DC = 174.1      ISI = 3.6      ADMC = 53.2      FWI = 7.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1688

MAXIMUM VALUES

FFMC = 94.0      DMC = 158.0      DC = 662.0      ISI = 29.0      ADMC = 198.0      FWI = 56.0

364

\*\*\*TOTALS FOR STATION 399 ALTA LAKE LONG. 12259 LAT. 5007

		FFMC			DMC			DC			ISI			ADMC			FWI					
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS	
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	
1	*	77	4.5	4.5	*	156	9.1	9.1	*	86	5.0	5.0	*	216	12.6	12.6	*	58	3.4	3.4	*	1
2	*	31	1.8	6.3	*	143	8.4	17.5	*	89	5.2	10.2	*	254	14.8	27.5	*	58	3.4	6.8	*	2
3	*	33	1.9	8.2	*	137	8.0	25.5	*	84	4.9	15.1	*	237	13.8	41.3	*	28	1.6	8.4	*	3
4	*	32	1.9	10.1	*	132	7.7	33.2	*	53	3.1	18.2	*	142	8.3	49.6	*	45	2.6	11.0	*	4
5	*	26	1.5	11.6	*	118	6.9	40.1	*	36	2.1	20.3	*	127	7.4	57.0	*	93	5.4	16.5	*	5
6	*	30	1.8	13.4	*	96	5.6	45.7	*	29	1.7	22.0	*	96	5.6	62.6	*	97	5.7	22.1	*	6
7	*	51	3.0	16.4	*	89	5.2	50.9	*	71	4.1	26.2	*	84	4.9	67.5	*	88	5.1	27.3	*	7
8	*	49	2.9	19.2	*	71	4.1	55.0	*	74	4.3	30.5	*	143	8.4	75.9	*	79	4.6	31.9	*	8
9	*	49	2.9	22.1	*	70	4.1	59.1	*	75	4.4	34.9	*	123	7.2	83.1	*	59	3.4	35.3	*	9
10	*	61	3.6	25.6	*	51	3.0	62.1	*	58	3.4	38.3	*	86	5.0	88.1	*	72	4.2	39.5	*	10
11	*	79	4.6	30.3	*	116	6.8	68.9	*	55	3.2	41.5	*	106	6.2	94.3	*	66	3.9	43.4	*	11
12	*	88	5.1	35.4	*	105	6.1	75.0	*	60	3.5	45.0	*	45	2.6	96.9	*	57	3.3	46.7	*	12
13	*	93	5.4	40.8	*	78	4.6	79.6	*	71	4.1	49.1	*	27	1.6	98.5	*	130	7.6	54.3	*	13
14	*	136	7.9	48.8	*	63	3.7	83.2	*	95	5.5	54.7	*	16	0.9	99.4	*	110	6.4	60.7	*	14
15	*	169	9.9	58.6	*	89	5.2	88.4	*	74	4.3	59.0	*	9	0.5	99.9	*	83	4.8	65.6	*	15
16	*	131	7.7	66.3	*	65	3.8	92.2	*	62	3.6	62.6	*	1	0.1	100.0	*	77	4.5	70.1	*	16
17	*	138	8.1	74.4	*	56	3.3	95.5	*	74	4.3	66.9	*	0	0.0	100.0	*	142	8.3	78.4	*	17
18	*	139	8.1	82.5	*	18	1.1	96.6	*	175	10.2	77.2	*	0	0.0	100.0	*	101	5.9	84.3	*	18
19	*	125	7.3	89.8	*	43	2.5	99.1	*	130	7.6	84.8	*	0	0.0	100.0	*	65	3.8	88.1	*	19
20	*	112	6.5	96.3	*	16	0.9	100.0	*	93	5.4	90.2	*	0	0.0	100.0	*	52	3.0	91.1	*	20
21	*	51	3.0	99.3	*	0	0.0	100.0	*	84	4.9	95.1	*	0	0.0	100.0	*	48	2.8	93.9	*	21
22	*	12	0.7	100.0	*	0	0.0	100.0	*	74	4.3	99.4	*	0	0.0	100.0	*	31	1.8	95.7	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	34	2.0	97.7	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	33	1.9	99.6	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	25

AVERAGE VALUES

FFMC = 66.6      DMC = 22.4      DC = 219.4      ISI = 2.6      ADMC = 52.5      FWI = 6.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1712

MAXIMUM VALUES

FFMC = 94.0      DMC = 128.0      DC = 640.0      ISI = 25.3      ADMC = 164.0      FWI = 68.0

365

\*\*\*TOTALS FOR STATION 386 ANAHIM LAKE LONG, 12520 LAT, 5221

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	37	2.1	2.1	*	16	0.9	0.9	*	7	0.4	0.4	*	117	6.7	6.7	*	1	0.1	0.1	*	334	19.1	19.1	*	1
2	*	16	0.9	3.0	*	36	2.1	3.0	*	14	0.8	1.2	*	269	15.4	22.1	*	4	0.2	0.3	*	261	15.0	34.1	*	2
3	*	16	0.9	4.0	*	76	4.4	7.3	*	26	1.5	2.7	*	255	14.6	36.7	*	2	0.1	0.4	*	116	6.6	40.7	*	3
4	*	15	0.9	4.8	*	80	4.6	11.9	*	32	1.8	4.5	*	169	9.7	46.4	*	14	0.8	1.2	*	98	5.6	46.4	*	4
5	*	22	1.3	6.1	*	92	5.3	17.2	*	32	1.8	6.4	*	144	8.3	54.7	*	22	1.3	2.5	*	102	5.8	52.2	*	5
6	*	23	1.3	7.4	*	92	5.3	22.5	*	29	1.7	8.0	*	128	7.3	62.0	*	25	1.4	3.9	*	160	9.2	61.4	*	6
7	*	27	1.5	8.9	*	61	3.5	26.0	*	51	2.9	10.9	*	95	5.4	67.4	*	29	1.7	5.6	*	141	8.1	69.5	*	7
8	*	41	2.3	11.3	*	46	2.6	28.6	*	57	3.3	14.2	*	140	8.0	75.5	*	69	4.0	9.5	*	108	6.2	75.6	*	8
9	*	56	3.2	14.5	*	68	3.9	32.5	*	61	3.5	17.7	*	126	7.2	82.7	*	58	3.3	12.8	*	143	8.2	83.8	*	9
10	*	58	3.3	17.8	*	60	3.4	35.9	*	61	3.5	21.2	*	73	4.2	86.9	*	57	3.3	16.1	*	93	5.3	89.2	*	10
11	*	70	4.0	21.8	*	172	9.9	45.8	*	57	3.3	24.5	*	103	5.9	92.8	*	67	3.8	19.9	*	64	3.7	92.8	*	11
12	*	94	5.4	27.2	*	153	8.8	54.6	*	63	3.6	28.1	*	60	3.4	96.2	*	61	3.5	23.4	*	38	2.2	95.0	*	12
13	*	140	8.0	35.2	*	143	8.2	62.8	*	68	3.9	32.0	*	36	2.1	98.3	*	134	7.7	31.1	*	28	1.6	96.6	*	13
14	*	164	9.4	44.6	*	94	5.4	68.1	*	77	4.4	36.4	*	22	1.3	99.5	*	97	5.6	36.7	*	45	2.6	99.2	*	14
15	*	214	12.3	56.9	*	195	11.2	79.3	*	86	4.9	41.3	*	4	0.2	99.8	*	125	7.2	43.8	*	10	0.6	99.8	*	15
16	*	129	7.4	64.3	*	166	9.5	88.8	*	102	5.8	47.2	*	4	0.2	100.0	*	92	5.3	49.1	*	2	0.2	99.9	*	16
17	*	148	8.5	72.8	*	60	3.4	92.3	*	120	6.9	54.0	*	0	0.0	100.0	*	195	11.2	60.3	*	1	0.1	100.0	*	17
18	*	138	7.9	80.7	*	37	2.1	94.4	*	160	9.2	63.2	*	0	0.0	100.0	*	207	11.9	72.1	*	0	0.0	100.0	*	18
19	*	110	6.3	87.0	*	75	4.3	98.7	*	104	6.0	69.2	*	0	0.0	100.0	*	128	7.3	79.5	*	0	0.0	100.0	*	19
20	*	100	5.7	92.7	*	20	1.1	99.8	*	142	8.1	77.3	*	0	0.0	100.0	*	95	5.4	84.9	*	0	0.0	100.0	*	20
21	*	96	5.5	98.2	*	3	0.2	100.0	*	100	5.7	83.0	*	0	0.0	100.0	*	77	4.4	89.3	*	0	0.0	100.0	*	21
22	*	30	1.7	99.9	*	0	0.0	100.0	*	158	9.1	92.1	*	0	0.0	100.0	*	73	4.2	93.5	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	136	7.8	99.9	*	0	0.0	100.0	*	65	3.7	97.2	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	31	1.8	99.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	17	1.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.1      DMC = 33.4      DC = 306.0      ISI = 2.8      ADMC = 74.6      FWI = 7.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1745

MAXIMUM VALUES

FFMC = 95.0      DMC = 150.0      DC = 701.0      ISI = 26.7      ADMC = 186.0      FWI = 66.0



\*\*\*TOTALS FOR STATION 408 ASHCROFT

LONG. 12120 LAT. 5043

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	1	0.0	0.0	*	1	0.0	0.0	*	8	0.4	0.4	*	18	0.9	0.9	*	0	0.0	0.0	*	92	4.5	4.5	*	1
2	*	2	0.1	0.1	*	6	0.3	0.3	*	29	1.4	1.8	*	123	6.0	6.8	*	0	0.0	0.0	*	118	5.7	10.2	*	2
3	*	1	0.0	0.2	*	18	0.9	1.2	*	34	1.6	3.4	*	142	6.9	13.7	*	2	0.1	0.1	*	73	3.5	13.7	*	3
4	*	4	0.2	0.4	*	18	0.9	2.1	*	37	1.8	5.2	*	124	6.0	19.7	*	4	0.2	0.3	*	70	3.4	17.1	*	4
5	*	5	0.2	0.6	*	29	1.4	3.5	*	37	1.8	7.0	*	131	6.3	26.0	*	14	0.7	1.0	*	62	3.0	20.1	*	5
6	*	13	0.6	1.3	*	24	1.2	4.6	*	32	1.5	8.6	*	92	4.5	30.5	*	11	0.5	1.5	*	120	5.8	25.9	*	6
7	*	12	0.6	1.8	*	28	1.4	6.0	*	61	3.0	11.5	*	90	4.4	34.8	*	15	0.7	2.2	*	116	5.6	31.5	*	7
8	*	9	0.4	2.3	*	43	2.1	8.1	*	56	2.7	14.2	*	172	8.3	43.2	*	15	0.7	3.0	*	111	5.4	36.9	*	8
9	*	18	0.9	3.1	*	29	1.4	9.5	*	44	2.1	16.4	*	188	9.1	52.2	*	16	0.8	3.7	*	189	9.1	46.0	*	9
10	*	29	1.4	4.5	*	41	2.0	11.5	*	39	1.9	18.2	*	147	7.1	59.4	*	22	1.1	4.8	*	176	8.5	54.5	*	10
11	*	30	1.5	6.0	*	76	3.7	15.1	*	45	2.2	20.4	*	264	12.8	72.1	*	24	1.2	6.0	*	185	9.0	63.5	*	11
12	*	60	2.9	8.9	*	91	4.4	19.5	*	50	2.4	22.8	*	211	10.2	82.3	*	31	1.5	7.5	*	165	8.0	71.5	*	12
13	*	70	3.4	12.3	*	99	4.8	24.3	*	49	2.4	25.2	*	112	5.4	87.8	*	47	2.3	9.7	*	110	5.3	76.8	*	13
14	*	103	5.0	17.3	*	99	4.8	29.1	*	44	2.1	27.3	*	126	6.1	93.9	*	65	3.1	12.9	*	254	12.3	89.1	*	14
15	*	174	8.4	25.7	*	200	9.7	38.8	*	51	2.5	29.8	*	62	3.0	96.9	*	58	2.8	15.7	*	121	5.9	94.9	*	15
16	*	105	5.1	30.8	*	199	9.6	48.4	*	58	2.8	32.6	*	50	2.4	99.3	*	57	2.8	18.4	*	43	2.1	97.0	*	16
17	*	125	6.0	36.8	*	169	8.2	56.6	*	43	2.1	34.7	*	11	0.5	99.8	*	139	6.7	25.2	*	34	1.6	98.6	*	17
18	*	200	9.7	46.5	*	169	8.2	64.8	*	99	4.8	39.5	*	4	0.2	100.0	*	153	7.4	32.6	*	15	0.7	99.4	*	18
19	*	268	13.0	59.5	*	368	17.8	82.6	*	127	6.1	45.6	*	0	0.0	100.0	*	146	7.1	39.6	*	5	0.2	99.6	*	19
20	*	327	15.8	75.3	*	200	9.7	92.3	*	112	5.4	51.0	*	0	0.0	100.0	*	146	7.1	46.7	*	4	0.2	99.8	*	20
21	*	262	12.7	88.0	*	88	4.3	96.5	*	92	4.5	55.5	*	0	0.0	100.0	*	143	6.9	53.6	*	4	0.2	100.0	*	21
22	*	171	8.3	96.2	*	38	1.8	98.4	*	323	15.6	71.1	*	0	0.0	100.0	*	128	6.2	59.8	*	0	0.0	100.0	*	22
23	*	78	3.8	100.0	*	28	1.4	99.7	*	366	17.7	88.8	*	0	0.0	100.0	*	290	14.0	73.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	6	0.3	100.0	*	165	8.0	96.8	*	0	0.0	100.0	*	262	12.7	86.5	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	66	3.2	100.0	*	0	0.0	100.0	*	279	13.5	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 83.2      DMC = 70.3      DC = 418.6      ISI = 6.3      ADMC = 128.4      FWI = 19.9

THE TOTAL NUMBER OF OBSERVATIONS IS 2067

MAXIMUM VALUES

FFMC = 96.0      DMC = 278.0      DC = 979.0      ISI = 48.3      ADMC = 293.0      FWI = 112.0

\*\*\*TOTALS FOR STATION 371 BABINE LAKE LONG, 12637 LAT, 5519

		FFMC			DMC			DC			ISI			ADMC			FWI					
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS	
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	
1	*	28	1.8	1.8	*	54	3.4	3.4	*	10	0.6	0.6	*	99	6.2	6.2	*	4	0.3	0.3	*	1
2	*	17	1.1	2.8	*	78	4.9	8.3	*	16	1.0	1.6	*	228	14.3	20.5	*	20	1.3	1.5	*	2
3	*	12	0.8	3.6	*	90	5.6	13.9	*	31	1.9	3.6	*	183	11.5	32.0	*	2	0.1	1.6	*	3
4	*	16	1.0	4.6	*	105	6.6	20.5	*	50	3.1	6.7	*	151	9.5	41.5	*	33	2.1	3.7	*	4
5	*	17	1.1	5.6	*	111	7.0	27.5	*	57	3.6	10.3	*	137	8.6	50.1	*	42	2.6	6.3	*	5
6	*	24	1.5	7.2	*	98	6.1	33.6	*	40	2.5	12.8	*	96	6.0	56.1	*	60	3.8	10.1	*	6
7	*	30	1.9	9.0	*	96	6.0	39.6	*	94	5.9	18.7	*	99	6.2	62.3	*	62	3.9	14.0	*	7
8	*	39	2.4	11.5	*	85	5.3	45.0	*	90	5.6	24.3	*	150	9.4	71.7	*	63	4.0	17.9	*	8
9	*	54	3.4	14.9	*	78	4.9	49.9	*	102	6.4	30.7	*	125	7.8	79.5	*	80	5.0	23.0	*	9
10	*	55	3.5	18.3	*	77	4.8	54.7	*	98	6.1	36.9	*	88	5.5	85.1	*	75	4.7	27.7	*	10
11	*	70	4.4	22.7	*	153	9.6	64.3	*	95	6.0	42.8	*	113	7.1	92.2	*	71	4.5	32.1	*	11
12	*	82	5.1	27.9	*	107	6.7	71.0	*	79	5.0	47.8	*	56	3.5	95.7	*	78	4.9	37.0	*	12
13	*	84	5.3	33.1	*	68	4.3	75.3	*	73	4.6	52.4	*	31	1.9	97.6	*	167	10.5	47.5	*	13
14	*	114	7.2	40.3	*	66	4.1	79.4	*	89	5.6	58.0	*	22	1.4	99.0	*	143	9.0	56.5	*	14
15	*	180	11.3	51.6	*	119	7.5	86.9	*	81	5.1	63.0	*	12	0.8	99.7	*	124	7.8	64.2	*	15
16	*	113	7.1	58.7	*	73	4.6	91.5	*	77	4.8	67.9	*	3	0.2	99.9	*	85	5.3	69.6	*	16
17	*	170	10.7	69.3	*	59	3.7	95.2	*	68	4.3	72.1	*	0	0.0	99.9	*	124	7.8	77.4	*	17
18	*	156	9.8	79.1	*	28	1.8	96.9	*	186	11.7	83.8	*	0	0.0	99.9	*	94	5.9	83.2	*	18
19	*	176	11.0	90.2	*	39	2.4	99.4	*	93	5.8	89.6	*	1	0.1	100.0	*	67	4.2	87.5	*	19
20	*	113	7.1	97.2	*	10	0.6	100.0	*	52	3.3	92.9	*	0	0.0	100.0	*	66	4.1	91.6	*	20
21	*	38	2.4	99.6	*	0	0.0	100.0	*	55	3.5	96.4	*	0	0.0	100.0	*	47	2.9	94.5	*	21
22	*	6	0.4	100.0	*	0	0.0	100.0	*	55	3.5	99.8	*	0	0.0	100.0	*	31	1.9	96.5	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	0	0.0	100.0	*	39	2.4	98.9	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	11	0.7	99.6	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	25

AVERAGE VALUES

FFMC = 71.7      DMC = 25.6      DC = 213.9      ISI = 3.1      ADMC = 57.5      FWI = 6.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1594

MAXIMUM VALUES

FFMC = 93.0      DMC = 133.0      DC = 612.0      ISI = 52.3      ADMC = 162.0      FWI = 49.0

\*\*\*TOTALS FOR STATION 360 BEATTON RIVER LONG, 12123 LAT. 5723

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	63	3.8	3.8	*	103	6.2	6.2	*	9	0.5	0.5	*	159	9.5	9.5	*	32	1.9	1.9	*	455	27.3	27.3	*	1
2	*	19	1.1	4.9	*	99	5.9	12.1	*	50	3.0	3.5	*	231	13.9	23.4	*	32	1.9	3.8	*	193	11.6	38.9	*	2
3	*	23	1.4	6.3	*	119	7.1	19.3	*	54	3.2	6.8	*	194	11.6	35.0	*	13	0.8	4.6	*	106	6.4	45.2	*	3
4	*	19	1.1	7.4	*	121	7.3	26.5	*	66	4.0	10.7	*	124	7.4	42.5	*	30	1.8	6.4	*	93	5.6	50.8	*	4
5	*	22	1.3	8.8	*	109	6.5	33.1	*	49	2.9	13.7	*	120	7.2	49.7	*	69	4.1	10.6	*	86	5.2	56.0	*	5
6	*	33	2.0	10.7	*	100	6.0	39.1	*	55	3.3	17.0	*	108	6.5	56.1	*	67	4.0	14.6	*	147	8.8	64.8	*	6
7	*	29	1.7	12.5	*	96	5.8	44.8	*	117	7.0	24.0	*	95	5.7	61.8	*	71	4.3	18.8	*	109	6.5	71.3	*	7
8	*	36	2.2	14.6	*	92	5.5	50.3	*	123	7.4	31.4	*	140	8.4	70.2	*	93	5.6	24.4	*	98	5.9	77.2	*	8
9	*	46	2.8	17.4	*	103	6.2	56.5	*	128	7.7	39.1	*	123	7.4	77.6	*	80	4.8	29.2	*	151	9.1	86.3	*	9
10	*	68	4.1	21.5	*	89	5.3	61.8	*	126	7.6	46.6	*	80	4.8	82.4	*	83	5.0	34.2	*	86	5.2	91.4	*	10
11	*	86	5.2	26.6	*	180	10.8	72.6	*	111	6.7	53.3	*	98	5.9	88.3	*	99	5.9	40.1	*	50	3.0	94.4	*	11
12	*	89	5.3	32.0	*	128	7.7	80.3	*	103	6.2	59.4	*	61	3.7	92.0	*	64	3.8	44.0	*	34	2.0	96.5	*	12
13	*	104	6.2	38.2	*	91	5.5	85.8	*	87	5.2	64.7	*	40	2.4	94.4	*	173	10.4	54.3	*	21	1.3	97.7	*	13
14	*	139	8.3	46.6	*	70	4.2	90.0	*	89	5.3	70.0	*	42	2.5	96.9	*	147	8.8	63.2	*	26	1.6	99.3	*	14
15	*	163	9.8	56.3	*	91	5.5	95.4	*	119	7.1	77.1	*	21	1.3	98.1	*	135	8.1	71.3	*	6	0.4	99.6	*	15
16	*	117	7.0	63.3	*	44	2.6	98.1	*	83	5.0	82.1	*	23	1.4	99.5	*	114	6.8	78.1	*	5	0.3	99.9	*	16
17	*	130	7.8	71.1	*	18	1.1	99.2	*	44	2.6	84.8	*	7	0.4	99.9	*	151	9.1	87.2	*	1	0.1	100.0	*	17
18	*	150	9.0	80.1	*	7	0.4	99.6	*	63	3.8	88.5	*	0	0.0	99.9	*	84	5.0	92.2	*	0	0.0	100.0	*	18
19	*	158	9.5	89.6	*	7	0.4	100.0	*	87	5.2	93.8	*	1	0.1	100.0	*	47	2.8	95.0	*	0	0.0	100.0	*	19
20	*	133	8.0	97.6	*	0	0.0	100.0	*	43	2.6	96.3	*	0	0.0	100.0	*	38	2.3	97.3	*	0	0.0	100.0	*	20
21	*	38	2.3	99.9	*	0	0.0	100.0	*	56	3.4	99.7	*	0	0.0	100.0	*	17	1.0	98.3	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	15	0.9	99.2	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.8	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

369

AVERAGE VALUES

FFMC = 68.9      DMC = 19.7      DC = 175.1      ISI = 3.7      ADMC = 47.1      FWI = 6.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1667

MAXIMUM VALUES

FFMC = 94.0      DMC = 86.0      DC = 510.0      ISI = 50.2      ADMC = 117.0      FWI = 63.0

\*\*\*TOTALS FOR STATION 385 BELLA COOLA LONG, 12636 LAT. 5223

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	8	0.5	0.5	*	92	5.3	5.3	*	92	5.3	5.3	*	47	2.7	2.7	*	23	1.3	1.3	*	418	24.0	24.0	*	1
2	*	5	0.3	0.7	*	113	6.5	11.7	*	63	3.6	8.9	*	276	15.8	18.5	*	42	2.4	3.7	*	260	14.9	38.9	*	2
3	*	5	0.3	1.0	*	116	6.6	18.4	*	63	3.6	12.5	*	242	13.9	32.4	*	24	1.4	5.1	*	98	5.6	44.5	*	3
4	*	8	0.5	1.5	*	127	7.3	25.7	*	55	3.2	15.6	*	169	9.7	42.1	*	45	2.6	7.7	*	103	5.9	50.4	*	4
5	*	15	0.9	2.3	*	116	6.6	32.3	*	48	2.8	18.4	*	159	9.1	51.2	*	66	3.8	11.5	*	79	4.5	54.9	*	5
6	*	17	1.0	3.3	*	84	4.8	37.1	*	46	2.6	21.0	*	125	7.2	58.3	*	63	3.6	15.1	*	160	9.2	64.1	*	6
7	*	31	1.8	5.1	*	97	5.6	42.7	*	80	4.6	25.6	*	84	4.8	63.2	*	81	4.6	19.7	*	121	6.9	71.0	*	7
8	*	40	2.3	7.4	*	97	5.6	48.3	*	73	4.2	29.8	*	174	10.0	73.1	*	73	4.2	23.9	*	91	5.2	76.2	*	8
9	*	60	3.4	10.8	*	74	4.2	52.5	*	78	4.5	34.3	*	124	7.1	80.2	*	79	4.5	28.4	*	149	8.5	84.8	*	9
10	*	100	5.7	16.6	*	66	3.8	56.3	*	82	4.7	39.0	*	75	4.3	84.5	*	83	4.8	33.2	*	105	6.0	90.8	*	10
11	*	97	5.6	22.1	*	141	8.1	64.4	*	83	4.8	43.7	*	121	6.9	91.5	*	86	4.9	38.1	*	52	3.0	93.8	*	11
12	*	114	6.5	28.7	*	131	7.5	71.9	*	103	5.9	49.6	*	76	4.4	95.8	*	59	3.4	41.5	*	47	2.7	96.4	*	12
13	*	113	6.5	35.1	*	99	5.7	77.5	*	67	3.8	53.5	*	25	1.4	97.2	*	150	8.6	50.1	*	28	1.6	98.1	*	13
14	*	121	6.9	42.1	*	64	3.7	81.2	*	120	6.9	60.3	*	32	1.8	99.1	*	133	7.6	57.7	*	25	1.4	99.5	*	14
15	*	184	10.5	52.6	*	119	6.8	88.0	*	143	8.2	68.5	*	11	0.6	99.7	*	115	6.6	64.3	*	6	0.3	99.8	*	15
16	*	104	6.0	58.6	*	74	4.2	92.3	*	133	7.6	76.2	*	4	0.2	99.9	*	96	5.5	69.8	*	3	0.2	100.0	*	16
17	*	127	7.3	65.8	*	55	3.2	95.4	*	86	4.9	81.1	*	1	0.1	100.0	*	176	10.1	79.9	*	0	0.0	100.0	*	17
18	*	166	9.5	75.4	*	42	2.4	97.8	*	125	7.2	88.3	*	0	0.0	100.0	*	104	6.0	85.8	*	0	0.0	100.0	*	18
19	*	183	10.5	85.8	*	38	2.2	100.0	*	71	4.1	92.3	*	0	0.0	100.0	*	76	4.4	90.2	*	0	0.0	100.0	*	19
20	*	149	8.5	94.4	*	0	0.0	100.0	*	51	2.9	95.2	*	0	0.0	100.0	*	48	2.8	93.0	*	0	0.0	100.0	*	20
21	*	75	4.3	98.7	*	0	0.0	100.0	*	44	2.5	97.8	*	0	0.0	100.0	*	41	2.3	95.3	*	0	0.0	100.0	*	21
22	*	21	1.2	99.9	*	0	0.0	100.0	*	30	1.7	99.5	*	0	0.0	100.0	*	26	1.5	96.8	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	9	0.5	100.0	*	0	0.0	100.0	*	48	2.8	99.5	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.3      DMC = 24.1      DC = 191.7      ISI = 3.1      ADMC = 53.6      FWI = 6.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1745

MAXIMUM VALUES

FFMC = 95.0      DMC = 105.0      DC = 649.0      ISI = 30.9      ADMC = 150.0      FWI = 60.0

1 370

\*\*\*TOTALS FOR STATION 404 BIG CREEK LONG. 12302 LAT, 5144

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	29	1.6	1.6	*	20	1.1	1.1	*	5	0.3	0.3	*	120	6.8	6.8	*	4	0.2	0.2	*	363	20.5	20.5	*	1
2	*	22	1.2	2.9	*	49	2.8	3.9	*	14	0.8	1.1	*	232	13.1	19.9	*	5	0.3	0.5	*	234	13.2	33.7	*	2
3	*	17	1.0	3.8	*	67	3.8	7.7	*	19	1.1	2.1	*	266	15.0	34.9	*	1	0.1	0.6	*	120	6.8	40.5	*	3
4	*	20	1.1	5.0	*	84	4.7	12.4	*	25	1.4	3.6	*	179	10.1	45.0	*	14	0.8	1.4	*	92	5.2	45.7	*	4
5	*	20	1.1	6.1	*	79	4.5	16.9	*	35	2.0	5.5	*	169	9.5	54.5	*	28	1.6	2.9	*	110	6.2	51.9	*	5
6	*	30	1.7	7.8	*	89	5.0	21.9	*	37	2.1	7.6	*	108	6.1	60.6	*	35	2.0	4.9	*	180	10.2	62.0	*	6
7	*	19	1.1	8.9	*	105	5.9	27.8	*	76	4.3	11.9	*	107	6.0	66.6	*	36	2.0	6.9	*	129	7.3	69.3	*	7
8	*	44	2.5	11.3	*	110	6.2	34.0	*	52	2.9	14.8	*	161	9.1	75.7	*	50	2.8	9.8	*	100	5.6	74.9	*	8
9	*	50	2.8	14.2	*	98	5.5	39.6	*	67	3.8	18.6	*	141	8.0	83.7	*	47	2.7	12.4	*	176	9.9	84.9	*	9
10	*	51	2.9	17.0	*	99	5.6	45.1	*	56	3.2	21.8	*	78	4.4	88.1	*	54	3.0	15.5	*	103	5.8	90.7	*	10
11	*	78	4.4	21.4	*	193	10.9	56.0	*	74	4.2	26.0	*	119	6.7	94.8	*	53	3.0	18.5	*	72	4.1	94.8	*	11
12	*	71	4.0	25.5	*	149	8.4	64.4	*	72	4.1	30.0	*	46	2.6	97.4	*	64	3.6	22.1	*	50	2.8	97.6	*	12
13	*	116	6.5	32.0	*	109	6.2	70.6	*	54	3.0	33.1	*	25	1.4	98.8	*	173	9.8	31.8	*	17	1.0	98.5	*	13
14	*	138	7.8	39.8	*	91	5.1	75.7	*	67	3.8	36.9	*	15	0.8	99.7	*	179	10.1	41.9	*	24	1.4	99.9	*	14
15	*	256	14.4	54.2	*	129	7.3	83.0	*	87	4.9	41.8	*	4	0.2	99.9	*	159	9.0	50.9	*	2	0.1	100.0	*	15
16	*	146	8.2	62.5	*	101	5.7	88.7	*	94	5.3	47.1	*	2	0.1	100.0	*	142	8.0	58.9	*	0	0.0	100.0	*	16
17	*	163	9.2	71.7	*	57	3.2	91.9	*	106	6.0	53.0	*	0	0.0	100.0	*	203	11.5	70.4	*	0	0.0	100.0	*	17
18	*	165	9.3	81.0	*	46	2.6	94.5	*	137	7.7	60.8	*	0	0.0	100.0	*	154	8.7	79.1	*	0	0.0	100.0	*	18
19	*	159	9.0	90.0	*	65	3.7	98.2	*	141	8.0	68.7	*	0	0.0	100.0	*	83	4.7	83.7	*	0	0.0	100.0	*	19
20	*	126	7.1	97.1	*	22	1.2	99.4	*	123	6.9	75.7	*	0	0.0	100.0	*	76	4.3	88.0	*	0	0.0	100.0	*	20
21	*	48	2.7	99.8	*	10	0.6	100.0	*	201	11.3	87.0	*	0	0.0	100.0	*	59	3.3	91.4	*	0	0.0	100.0	*	21
22	*	4	0.2	100.0	*	0	0.0	100.0	*	159	9.0	96.0	*	0	0.0	100.0	*	40	2.3	93.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	64	3.6	99.6	*	0	0.0	100.0	*	58	3.3	96.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	25	1.4	98.3	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	30	1.7	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.7      DMC = 30.7      DC = 300.5      ISI = 2.7      ADMC = 69.4      FWI = 6.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1772

MAXIMUM VALUES

FFMC = 93.0      DMC = 149.0      DC = 718.0      ISI = 21.9      ADMC = 193.0      FWI = 46.0

\*\*\*TOTALS FOR STATION 423 BLUE RIVER LONG. 11917 LAT. 5209

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.										
1	*	6	0.3	0.3	*	29	1.6	1.6	*	8	0.4	0.4	*	71	3.9	3.9	*	2	0.1	0.1	*	345	19.1	19.1	*	1
2	*	10	0.6	0.9	*	66	3.7	5.3	*	41	2.3	2.7	*	233	12.9	16.8	*	7	0.4	0.5	*	201	11.1	30.2	*	2
3	*	6	0.3	1.2	*	108	6.0	11.2	*	43	2.4	5.1	*	196	10.8	27.7	*	2	0.1	0.6	*	85	4.7	34.9	*	3
4	*	17	0.9	2.2	*	107	5.9	17.1	*	30	1.7	6.7	*	143	7.9	35.6	*	23	1.3	1.9	*	95	5.3	40.2	*	4
5	*	26	1.4	3.6	*	117	6.5	23.6	*	32	1.8	8.5	*	136	7.5	43.1	*	37	2.0	3.9	*	81	4.5	44.6	*	5
6	*	22	1.2	4.8	*	98	5.4	29.0	*	38	2.1	10.6	*	110	6.1	49.2	*	61	3.4	7.3	*	157	8.7	53.3	*	6
7	*	27	1.5	6.3	*	88	4.9	33.9	*	88	4.9	15.5	*	75	4.1	53.3	*	61	3.4	10.7	*	112	6.2	59.5	*	7
8	*	44	2.4	8.7	*	78	4.3	38.2	*	91	5.0	20.5	*	129	7.1	60.5	*	73	4.0	14.7	*	97	5.4	64.9	*	8
9	*	59	3.3	12.0	*	87	4.8	43.0	*	59	3.3	23.8	*	129	7.1	67.6	*	66	3.7	18.4	*	160	8.8	73.7	*	9
10	*	64	3.5	15.5	*	64	3.5	46.6	*	54	3.0	26.8	*	103	5.7	73.3	*	63	3.5	21.8	*	135	7.5	81.2	*	10
11	*	51	2.8	18.4	*	183	10.1	56.7	*	69	3.8	30.6	*	156	8.6	81.9	*	99	5.5	27.3	*	95	5.3	86.4	*	11
12	*	97	5.4	23.7	*	141	7.8	64.5	*	71	3.9	34.5	*	103	5.7	87.6	*	65	3.6	30.9	*	78	4.3	90.8	*	12
13	*	92	5.1	28.8	*	121	6.7	71.2	*	75	4.1	38.7	*	83	4.6	92.2	*	171	9.5	40.4	*	52	2.9	93.6	*	13
14	*	134	7.4	36.2	*	82	4.5	75.7	*	105	5.8	44.5	*	68	3.8	96.0	*	151	8.4	48.7	*	78	4.3	98.0	*	14
15	*	177	9.8	46.0	*	121	6.7	82.4	*	136	7.5	52.0	*	35	1.9	97.9	*	117	6.5	55.2	*	23	1.3	99.2	*	15
16	*	118	6.5	52.5	*	107	5.9	88.3	*	158	8.7	60.7	*	31	1.7	99.6	*	118	6.5	61.7	*	11	0.6	99.8	*	16
17	*	117	6.5	59.0	*	69	3.8	92.1	*	125	6.9	67.6	*	6	0.3	99.9	*	180	10.0	71.7	*	2	0.1	99.9	*	17
18	*	134	7.4	66.4	*	52	2.9	95.0	*	190	10.5	78.2	*	1	0.1	100.0	*	145	8.0	79.7	*	1	0.1	100.0	*	18
19	*	189	10.5	76.9	*	76	4.2	99.2	*	162	9.0	87.1	*	0	0.0	100.0	*	95	5.3	85.0	*	0	0.0	100.0	*	19
20	*	184	10.2	87.1	*	14	0.8	100.0	*	88	4.9	92.0	*	0	0.0	100.0	*	76	4.2	89.2	*	0	0.0	100.0	*	20
21	*	175	9.7	96.7	*	0	0.0	100.0	*	46	2.5	94.5	*	0	0.0	100.0	*	63	3.5	92.6	*	0	0.0	100.0	*	21
22	*	57	3.2	99.9	*	0	0.0	100.0	*	79	4.4	98.9	*	0	0.0	100.0	*	44	2.4	95.1	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	20	1.1	100.0	*	0	0.0	100.0	*	60	3.3	98.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.3	99.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.1      DMC = 29.4      DC = 243.8      ISI = 4.6      ADMC = 64.1      FWI = 9.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1808

MAXIMUM VALUES

FFMC = 96.0      DMC = 133.0      DC = 644.0      ISI = 41.0      ADMC = 163.0      FWI = 73.0

\*\*\*TOTALS FOR STATION 400

BRALORNE

LONG. 12249

LAT. 5047

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	26	1.3	1.3	*	8	0.4	0.4	*	22	1.1	1.1	*	84	4.2	4.2	*	0	0.0	0.0	*	216	10.8	10.8	*	1
2	*	7	0.4	1.7	*	25	1.3	1.7	*	48	2.4	3.5	*	135	6.8	11.0	*	3	0.2	0.2	*	149	7.5	18.3	*	2
3	*	14	0.7	2.4	*	56	2.8	4.5	*	52	2.6	6.1	*	151	7.6	18.5	*	2	0.1	0.3	*	69	3.5	21.7	*	3
4	*	10	0.5	2.9	*	85	4.3	8.7	*	50	2.5	8.6	*	128	6.4	24.9	*	12	0.6	0.9	*	67	3.4	25.1	*	4
5	*	21	1.1	3.9	*	66	3.3	12.0	*	51	2.6	11.2	*	127	6.4	31.3	*	28	1.4	2.3	*	71	3.6	28.6	*	5
6	*	14	0.7	4.6	*	52	2.6	14.6	*	45	2.3	13.4	*	113	5.7	36.9	*	36	1.8	4.1	*	131	6.6	35.2	*	6
7	*	22	1.1	5.7	*	55	2.8	17.4	*	66	3.3	16.7	*	94	4.7	41.6	*	47	2.4	6.4	*	117	5.9	41.0	*	7
8	*	21	1.1	6.8	*	61	3.1	20.4	*	46	2.3	19.0	*	186	9.3	50.9	*	45	2.3	8.7	*	94	4.7	45.7	*	8
9	*	19	1.0	7.7	*	49	2.5	22.9	*	52	2.6	21.6	*	173	8.7	59.6	*	36	1.8	10.5	*	168	8.4	54.1	*	9
10	*	37	1.9	9.6	*	54	2.7	25.6	*	55	2.8	24.4	*	133	6.7	66.2	*	67	3.4	13.8	*	179	9.0	63.1	*	10
11	*	35	1.8	11.3	*	89	4.5	30.0	*	40	2.0	26.4	*	220	11.0	77.2	*	39	2.0	15.8	*	135	6.8	69.8	*	11
12	*	67	3.4	14.7	*	61	3.1	33.1	*	37	1.9	28.2	*	175	8.8	86.0	*	53	2.7	18.4	*	136	6.8	76.6	*	12
13	*	64	3.2	17.9	*	77	3.9	36.9	*	34	1.7	29.9	*	87	4.4	90.3	*	83	4.2	22.6	*	112	5.6	82.2	*	13
14	*	114	5.7	23.6	*	81	4.1	41.0	*	45	2.3	32.2	*	113	5.7	96.0	*	71	3.6	26.1	*	157	7.9	90.1	*	14
15	*	150	7.5	31.1	*	147	7.4	48.3	*	49	2.5	34.6	*	41	2.1	98.0	*	64	3.2	29.3	*	89	4.5	94.5	*	15
16	*	125	6.3	37.3	*	181	9.1	57.4	*	50	2.5	37.1	*	33	1.7	99.7	*	56	2.8	32.1	*	58	2.9	97.4	*	16
17	*	147	7.4	44.7	*	158	7.9	65.3	*	45	2.3	39.4	*	6	0.3	100.0	*	119	6.0	38.1	*	22	1.1	98.5	*	17
18	*	179	9.0	53.6	*	144	7.2	72.5	*	110	5.5	44.9	*	0	0.0	100.0	*	118	5.9	44.0	*	15	0.8	99.3	*	18
19	*	220	11.0	64.6	*	246	12.3	84.8	*	170	8.5	53.4	*	0	0.0	100.0	*	127	6.4	50.3	*	8	0.4	99.7	*	19
20	*	272	13.6	78.2	*	102	5.1	89.9	*	107	5.4	58.7	*	0	0.0	100.0	*	102	5.1	55.4	*	4	0.2	99.9	*	20
21	*	234	11.7	89.9	*	73	3.7	93.5	*	146	7.3	66.0	*	0	0.0	100.0	*	116	5.8	61.2	*	2	0.1	100.0	*	21
22	*	132	6.6	96.5	*	39	2.0	95.5	*	276	13.8	79.8	*	0	0.0	100.0	*	130	6.5	67.7	*	0	0.0	100.0	*	22
23	*	57	2.9	99.4	*	46	2.3	97.8	*	224	11.2	91.0	*	0	0.0	100.0	*	252	12.6	80.3	*	0	0.0	100.0	*	23
24	*	12	0.6	100.0	*	10	0.5	98.3	*	122	6.1	97.1	*	0	0.0	100.0	*	127	6.4	86.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	34	1.7	100.0	*	57	2.9	100.0	*	0	0.0	100.0	*	266	13.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 79.5      DMC = 65.6      DC = 374.1      ISI = 5.3      ADMC = 111.6      FWI = 17.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1999

MAXIMUM VALUES

FFMC = 97.0      DMC = 436.0      DC = 958.0      ISI = 39.9      ADMC = 435.0      FWI = 108.0

\*\*\*TOTALS FOR STATION 373 BURNS LAKE LONG, 12548 LAT. 5415

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	21	1.2	1.2	*	43	2.5	2.5	*	11	0.6	0.6	*	80	4.7	4.7	*	1	0.1	0.1	*	329	19.3	19.3	*	1
2	*	17	1.0	2.2	*	58	3.4	5.9	*	17	1.0	1.6	*	222	13.1	17.8	*	18	1.1	1.1	*	214	12.6	31.9	*	2
3	*	10	0.6	2.8	*	78	4.6	10.5	*	31	1.8	3.5	*	215	12.6	30.4	*	3	0.2	1.3	*	100	5.9	37.8	*	3
4	*	13	0.8	3.6	*	80	4.7	15.2	*	37	2.2	5.6	*	139	8.2	38.6	*	28	1.6	2.9	*	50	5.3	43.1	*	4
5	*	14	0.8	4.4	*	88	5.2	20.4	*	52	3.1	8.7	*	149	8.8	47.3	*	33	1.9	4.9	*	106	6.2	49.3	*	5
6	*	22	1.3	5.7	*	106	6.2	26.6	*	42	2.5	11.2	*	126	7.4	54.7	*	45	2.6	7.5	*	158	9.3	58.6	*	6
7	*	30	1.8	7.5	*	111	6.5	33.2	*	94	5.5	16.7	*	102	6.0	60.7	*	63	3.7	11.2	*	134	7.9	66.5	*	7
8	*	33	1.9	9.4	*	109	6.4	39.6	*	113	6.6	23.3	*	153	9.0	69.7	*	48	2.8	14.1	*	102	6.0	72.5	*	8
9	*	50	2.9	12.3	*	80	4.7	44.3	*	94	5.5	28.9	*	151	8.9	78.6	*	56	3.3	17.3	*	176	10.3	82.8	*	9
10	*	60	3.5	15.9	*	94	5.5	49.8	*	66	3.9	32.7	*	94	5.5	84.1	*	62	3.6	21.0	*	94	5.5	88.4	*	10
11	*	73	4.3	20.2	*	160	9.4	59.2	*	59	3.5	36.2	*	120	7.1	91.2	*	66	3.9	24.9	*	67	3.9	92.3	*	11
12	*	84	4.9	25.1	*	133	7.8	67.0	*	56	3.3	39.5	*	63	3.7	94.9	*	75	4.4	29.3	*	50	2.9	95.2	*	12
13	*	105	6.2	31.3	*	122	7.2	74.2	*	67	3.9	43.4	*	35	2.1	96.9	*	178	10.5	39.7	*	28	1.6	96.9	*	13
14	*	115	6.8	38.0	*	91	5.3	79.5	*	79	4.6	48.1	*	30	1.8	98.7	*	170	10.0	49.7	*	37	2.2	99.1	*	14
15	*	205	12.1	50.1	*	118	6.9	86.5	*	91	5.3	53.4	*	14	0.8	99.5	*	127	7.5	57.2	*	12	0.7	99.8	*	15
16	*	147	8.6	58.7	*	56	3.3	89.8	*	71	4.2	57.6	*	6	0.4	99.9	*	113	6.6	63.8	*	2	0.1	99.9	*	16
17	*	139	8.2	66.9	*	34	2.0	91.8	*	73	4.3	61.9	*	1	0.1	99.9	*	182	10.7	74.5	*	1	0.1	99.9	*	17
18	*	201	11.8	78.7	*	27	1.6	93.4	*	197	11.6	73.5	*	0	0.0	99.9	*	138	8.1	82.7	*	0	0.0	99.9	*	18
19	*	173	10.2	88.9	*	76	4.5	97.8	*	143	8.4	81.9	*	0	0.0	99.9	*	89	5.2	87.9	*	1	0.1	100.0	*	19
20	*	121	7.1	96.0	*	36	2.1	99.9	*	130	7.6	89.5	*	0	0.0	99.9	*	41	2.4	90.3	*	0	0.0	100.0	*	20
21	*	53	3.1	99.1	*	1	0.1	100.0	*	83	4.9	94.4	*	1	0.1	100.0	*	28	1.6	91.9	*	0	0.0	100.0	*	21
22	*	15	0.9	100.0	*	0	0.0	100.0	*	45	2.6	97.1	*	0	0.0	100.0	*	23	1.4	93.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	27	1.6	98.6	*	0	0.0	100.0	*	46	2.7	96.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	23	1.4	100.0	*	0	0.0	100.0	*	35	2.1	98.1	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	33	1.9	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.0      DMC = 28.8      DC = 249.0      ISI = 3.4      ADMC = 63.9      FWI = 7.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1701

MAXIMUM VALUES

FFMC = 93.0      DMC = 141.0      DC = 773.0      ISI = 78.5      ADMC = 181.0      FWI = 81.0



\*\*\*TOTALS FOR STATION 383 CAPE ST. JAMES LONG. 13101 LAT. 5156

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	75	4.9	4.9	*	638	41.8	41.8	*	92	6.0	6.0	*	298	19.5	19.5	*	213	14.0	14.0	*	948	62.1	62.1	*	1
2	*	45	2.9	7.9	*	315	20.6	62.5	*	114	7.5	13.5	*	362	23.7	43.3	*	227	14.9	28.8	*	284	18.6	80.7	*	2
3	*	53	3.5	11.3	*	190	12.5	74.9	*	92	6.0	19.5	*	313	20.5	63.8	*	54	3.5	32.4	*	95	6.2	87.0	*	3
4	*	54	3.5	14.9	*	106	6.9	81.8	*	91	6.0	25.5	*	201	13.2	76.9	*	170	11.1	43.5	*	65	4.3	91.2	*	4
5	*	50	3.3	18.2	*	53	3.5	85.3	*	67	4.4	29.9	*	143	9.4	86.3	*	204	13.4	56.9	*	44	2.9	94.1	*	5
6	*	59	3.9	22.0	*	54	3.5	88.9	*	63	4.1	34.0	*	78	5.1	91.4	*	153	10.0	66.9	*	44	2.9	97.0	*	6
7	*	78	5.1	27.1	*	46	3.0	91.9	*	101	6.6	40.6	*	55	3.6	95.0	*	116	7.6	74.5	*	16	1.0	98.0	*	7
8	*	103	6.7	33.9	*	23	1.5	93.4	*	103	6.7	47.4	*	41	2.7	97.7	*	71	4.7	79.2	*	13	0.9	98.9	*	8
9	*	87	5.7	39.6	*	16	1.0	94.4	*	121	7.9	55.3	*	14	0.9	98.6	*	58	3.8	83.0	*	13	0.9	99.8	*	9
10	*	86	5.6	45.2	*	9	0.6	95.0	*	99	6.5	61.8	*	8	0.6	99.2	*	32	2.1	85.1	*	3	0.2	99.9	*	10
11	*	107	7.0	52.2	*	23	1.5	96.5	*	91	6.0	67.8	*	9	0.6	99.8	*	30	2.0	87.0	*	1	0.1	100.0	*	11
12	*	119	7.8	60.0	*	7	0.5	97.0	*	106	6.9	74.7	*	3	0.2	99.9	*	33	2.2	89.2	*	C	0.0	100.0	*	12
13	*	173	11.3	71.4	*	5	0.3	97.3	*	86	5.6	80.3	*	1	0.1	100.0	*	54	3.5	92.7	*	0	0.0	100.0	*	13
14	*	222	14.5	85.9	*	12	0.8	98.1	*	58	3.8	84.1	*	0	0.0	100.0	*	17	1.1	93.8	*	0	0.0	100.0	*	14
15	*	167	10.9	96.9	*	13	0.9	99.0	*	44	2.9	87.0	*	0	0.0	100.0	*	24	1.6	95.4	*	C	0.0	100.0	*	15
16	*	25	1.6	98.5	*	16	1.0	100.0	*	37	2.4	89.4	*	0	0.0	100.0	*	20	1.3	96.7	*	0	0.0	100.0	*	16
17	*	14	0.9	99.4	*	0	0.0	100.0	*	21	1.4	90.8	*	0	0.0	100.0	*	8	0.5	97.2	*	0	0.0	100.0	*	17
18	*	3	0.2	99.6	*	0	0.0	100.0	*	50	3.3	94.1	*	0	0.0	100.0	*	13	0.9	98.1	*	C	0.0	100.0	*	18
19	*	2	0.1	99.7	*	0	0.0	100.0	*	64	4.2	98.3	*	0	0.0	100.0	*	12	0.8	98.9	*	0	0.0	100.0	*	19
20	*	4	0.3	100.0	*	0	0.0	100.0	*	26	1.7	100.0	*	0	0.0	100.0	*	10	0.7	99.5	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.5	100.0	*	C	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 53.3      DMC = 5.9      DC = 127.2      ISI = 1.4      ADMC = 16.4      FWI = 1.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1526

MAXIMUM VALUES

FFMC = 89.0      DMC = 60.0      DC = 437.0      ISI = 10.2      ADMC = 85.0      FWI = 21.0

\*\*\*TOTALS FOR STATION 355 CASSIAR LONG. 12951 LAT. 5917

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	37	2.8	2.8	*	117	8.9	8.9	*	9	0.7	0.7	*	113	8.6	8.6	*	39	3.0	3.0	*	41C	31.1	31.1	*	1
2	*	21	1.6	4.4	*	80	6.1	14.9	*	11	0.8	1.5	*	234	17.8	26.3	*	39	3.0	5.9	*	182	13.8	44.9	*	2
3	*	17	1.3	5.7	*	99	7.5	22.5	*	29	2.2	3.7	*	185	14.0	40.4	*	4	0.3	6.2	*	98	7.4	52.4	*	3
4	*	16	1.2	6.9	*	97	7.4	29.8	*	27	2.0	5.8	*	144	10.9	51.3	*	38	2.9	9.1	*	81	6.1	58.5	*	4
5	*	17	1.3	8.2	*	107	8.1	37.9	*	28	2.1	7.9	*	103	7.8	59.1	*	43	3.3	12.4	*	69	5.2	63.7	*	5
6	*	18	1.4	9.6	*	99	7.5	45.4	*	31	2.4	10.2	*	80	6.1	65.2	*	49	3.7	16.1	*	115	8.7	72.5	*	6
7	*	33	2.5	12.1	*	83	6.3	51.7	*	66	5.0	15.3	*	81	6.1	71.3	*	61	4.6	20.7	*	94	7.1	79.6	*	7
8	*	48	3.6	15.7	*	72	5.5	57.2	*	75	5.7	20.9	*	114	8.6	80.0	*	70	5.3	26.0	*	56	4.2	83.8	*	8
9	*	52	3.9	19.7	*	59	4.5	61.7	*	69	5.2	26.2	*	84	6.4	86.3	*	66	5.0	31.0	*	104	7.9	91.7	*	9
10	*	52	3.9	23.6	*	55	4.2	65.9	*	77	5.8	32.0	*	56	4.2	90.6	*	64	4.9	35.9	*	54	4.1	95.8	*	10
11	*	62	4.7	28.3	*	121	9.2	75.0	*	64	4.9	36.9	*	70	5.3	95.9	*	71	5.4	41.3	*	20	1.5	97.3	*	11
12	*	72	5.5	33.8	*	85	6.4	81.5	*	79	6.0	42.9	*	34	2.6	98.5	*	69	5.2	46.5	*	19	1.4	98.8	*	12
13	*	85	6.4	40.2	*	69	5.2	86.7	*	76	5.8	48.6	*	10	0.8	99.2	*	152	11.5	58.0	*	12	0.9	99.7	*	13
14	*	120	9.1	49.3	*	55	4.2	90.9	*	123	9.3	58.0	*	7	0.5	99.8	*	127	9.6	67.7	*	3	0.2	99.9	*	14
15	*	158	12.0	61.3	*	57	4.3	95.2	*	100	7.6	65.6	*	1	0.1	99.8	*	82	6.2	73.9	*	1	0.1	100.0	*	15
16	*	82	6.2	67.5	*	25	1.9	97.1	*	117	8.9	74.4	*	2	0.2	100.0	*	89	6.8	80.7	*	0	0.0	100.0	*	16
17	*	98	7.4	75.0	*	11	0.8	98.0	*	90	6.8	81.3	*	0	0.0	100.0	*	98	7.4	88.1	*	0	0.0	100.0	*	17
18	*	121	9.2	84.1	*	9	0.7	98.6	*	105	8.0	89.2	*	0	0.0	100.0	*	63	4.8	92.9	*	0	0.0	100.0	*	18
19	*	97	7.4	91.5	*	18	1.4	100.0	*	86	6.5	95.8	*	0	0.0	100.0	*	33	2.5	95.4	*	0	0.0	100.0	*	19
20	*	67	5.1	96.6	*	0	0.0	100.0	*	56	4.2	100.0	*	0	0.0	100.0	*	27	2.0	97.4	*	0	0.0	100.0	*	20
21	*	41	3.1	99.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	1.2	98.6	*	0	0.0	100.0	*	21
22	*	4	0.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	1.0	99.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.4	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 68.0      DMC = 18.8      DC = 203.0      ISI = 2.4      ADMC = 44.9      FWI = 4.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1318

MAXIMUM VALUES

FFMC = 93.0      DMC = 105.0      DC = 450.0      ISI = 28.9      ADMC = 113.0      FWI = 42.0

\*\*\*TOTALS FOR STATION 393 COMOX LONG. 12454 LAT. 4943

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	3	0.2	0.2	*	79	4.3	4.3	*	89	4.8	4.8	*	53	2.9	2.9	*	31	1.7	1.7	*	309	16.6	16.6	*	1
2	*	5	0.3	0.4	*	111	6.0	10.2	*	77	4.1	8.9	*	164	8.8	11.7	*	32	1.7	3.4	*	245	13.2	29.8	*	2
3	*	6	0.3	0.8	*	106	5.7	15.9	*	67	3.6	12.5	*	224	12.1	23.7	*	31	1.7	5.1	*	116	6.2	36.1	*	3
4	*	21	1.1	1.9	*	123	6.6	22.6	*	47	2.5	15.1	*	175	9.4	33.2	*	34	1.8	6.9	*	118	6.4	42.4	*	4
5	*	12	0.6	2.5	*	124	6.7	29.2	*	43	2.3	17.4	*	167	9.0	42.2	*	66	3.6	10.4	*	108	5.8	48.2	*	5
6	*	22	1.2	3.7	*	103	5.5	34.8	*	42	2.3	19.7	*	129	6.9	49.1	*	69	3.7	14.2	*	190	10.2	58.5	*	6
7	*	21	1.1	4.8	*	80	4.3	39.1	*	76	4.1	23.7	*	152	8.2	57.3	*	71	3.8	18.0	*	140	7.5	66.0	*	7
8	*	37	2.0	6.8	*	99	5.3	44.4	*	63	3.4	27.1	*	241	13.0	70.3	*	62	3.3	21.3	*	125	6.7	72.8	*	8
9	*	61	3.3	10.1	*	84	4.5	48.9	*	58	3.1	30.3	*	188	10.1	80.4	*	75	4.0	25.4	*	198	10.7	83.4	*	9
10	*	63	3.4	13.5	*	92	5.0	53.9	*	61	3.3	33.5	*	135	7.3	87.7	*	67	3.6	29.0	*	115	6.2	89.6	*	10
11	*	77	4.1	17.7	*	161	8.7	62.6	*	57	3.1	36.6	*	155	8.3	96.0	*	65	3.5	32.5	*	80	4.3	93.9	*	11
12	*	92	5.0	22.6	*	138	7.4	70.0	*	60	3.2	39.8	*	44	2.4	98.4	*	72	3.9	36.3	*	55	3.0	96.9	*	12
13	*	97	5.2	27.8	*	109	5.9	75.9	*	63	3.4	43.2	*	21	1.1	99.5	*	146	7.9	44.2	*	31	1.7	98.5	*	13
14	*	162	8.7	36.6	*	71	3.8	79.7	*	90	4.8	48.1	*	9	0.5	100.0	*	140	7.5	51.8	*	22	1.2	99.7	*	14
15	*	291	15.7	52.2	*	109	5.9	85.6	*	103	5.5	53.6	*	0	0.0	100.0	*	115	6.2	57.9	*	5	0.3	100.0	*	15
16	*	171	9.2	61.4	*	86	4.6	90.2	*	70	3.8	57.4	*	0	0.0	100.0	*	104	5.6	63.5	*	0	0.0	100.0	*	16
17	*	269	14.5	75.9	*	60	3.2	93.4	*	57	3.1	60.5	*	0	0.0	100.0	*	180	9.7	73.2	*	0	0.0	100.0	*	17
18	*	198	10.7	86.6	*	32	1.7	95.2	*	107	5.8	66.2	*	0	0.0	100.0	*	135	7.3	80.5	*	0	0.0	100.0	*	18
19	*	170	9.2	95.7	*	61	3.3	98.4	*	122	6.6	72.8	*	0	0.0	100.0	*	97	5.2	85.7	*	0	0.0	100.0	*	19
20	*	63	3.4	99.1	*	26	1.4	99.8	*	126	6.8	79.6	*	0	0.0	100.0	*	70	3.8	89.5	*	0	0.0	100.0	*	20
21	*	14	0.8	99.9	*	3	0.2	100.0	*	164	8.8	88.4	*	0	0.0	100.0	*	44	2.4	91.9	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	185	10.0	98.4	*	0	0.0	100.0	*	41	2.2	94.1	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	30	1.6	100.0	*	0	0.0	100.0	*	61	3.3	97.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.3	98.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	1.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.9      DMC = 26.6      DC = 256.6      ISI = 3.1      ADMC = 61.2      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1857

MAXIMUM VALUES

FFMC = 94.0      DMC = 145.0      DC = 645.0      ISI = 16.0      ADMC = 182.0      FWI = 48.0

\*\*\*TOTALS FOR STATION 394 CORTES ISLAND LONG. 12503 LAT. 5006

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	8	0.5	0.5	*	127	7.2	7.2	*	87	5.0	5.0	*	60	3.4	3.4	*	38	2.2	2.2	*	416	23.7	23.7	*	1
2	*	10	0.6	1.0	*	120	6.8	14.1	*	87	5.0	9.9	*	217	12.4	15.8	*	50	2.9	5.0	*	276	15.7	39.5	*	2
3	*	12	0.7	1.7	*	145	8.3	22.3	*	77	4.4	14.3	*	261	14.9	30.7	*	28	1.6	6.6	*	114	6.5	46.0	*	3
4	*	14	0.8	2.5	*	165	9.4	31.8	*	56	3.2	17.5	*	221	12.6	43.3	*	51	2.9	9.5	*	125	7.1	53.1	*	4
5	*	13	0.7	3.2	*	137	7.8	39.6	*	60	3.4	20.9	*	147	8.4	51.7	*	69	3.9	13.5	*	105	6.0	59.1	*	5
6	*	21	1.2	4.4	*	94	5.4	44.9	*	46	2.6	23.5	*	129	7.4	59.0	*	108	6.2	19.6	*	171	9.7	68.8	*	6
7	*	26	1.5	5.9	*	101	5.8	50.7	*	73	4.2	27.7	*	147	8.4	67.4	*	96	5.5	25.1	*	139	7.9	76.7	*	7
8	*	39	2.2	8.2	*	94	5.4	56.0	*	92	5.2	33.0	*	243	13.9	81.2	*	88	5.0	30.1	*	101	5.8	82.5	*	8
9	*	61	3.5	11.6	*	80	4.6	60.6	*	117	6.7	39.6	*	149	8.5	89.7	*	74	4.2	34.3	*	141	8.0	90.5	*	9
10	*	84	4.8	16.4	*	66	3.8	64.4	*	81	4.6	44.2	*	108	6.2	95.9	*	81	4.6	38.9	*	100	5.7	96.2	*	10
11	*	90	5.1	21.6	*	124	7.1	71.4	*	74	4.2	48.5	*	56	3.2	99.1	*	87	5.0	43.9	*	46	2.6	98.9	*	11
12	*	102	5.8	27.4	*	108	6.2	77.6	*	76	4.3	52.8	*	11	0.6	99.7	*	64	3.6	47.5	*	17	1.0	99.8	*	12
13	*	103	5.9	33.2	*	75	4.3	81.9	*	78	4.4	57.2	*	3	0.2	99.9	*	152	8.7	56.2	*	1	0.1	99.9	*	13
14	*	175	10.0	43.2	*	63	3.6	85.5	*	74	4.2	61.5	*	2	0.1	100.0	*	121	6.9	63.1	*	2	0.1	100.0	*	14
15	*	258	14.7	57.9	*	94	5.4	90.8	*	70	4.0	65.5	*	0	0.0	100.0	*	90	5.1	68.2	*	0	0.0	100.0	*	15
16	*	169	9.6	67.6	*	47	2.7	93.5	*	81	4.6	70.1	*	0	0.0	100.0	*	87	5.0	73.2	*	0	0.0	100.0	*	16
17	*	221	12.6	80.2	*	51	2.9	96.4	*	77	4.4	74.5	*	0	0.0	100.0	*	148	8.4	81.6	*	0	0.0	100.0	*	17
18	*	213	12.1	92.3	*	38	2.2	98.6	*	113	6.4	80.9	*	0	0.0	100.0	*	104	5.9	87.6	*	0	0.0	100.0	*	18
19	*	101	5.8	98.1	*	25	1.4	100.0	*	123	7.0	87.9	*	0	0.0	100.0	*	60	3.4	91.0	*	0	0.0	100.0	*	19
20	*	31	1.8	99.8	*	0	0.0	100.0	*	93	5.3	93.2	*	0	0.0	100.0	*	36	2.1	93.0	*	0	0.0	100.0	*	20
21	*	3	0.2	100.0	*	0	0.0	100.0	*	73	4.2	97.4	*	0	0.0	100.0	*	39	2.2	95.3	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	46	2.6	100.0	*	0	0.0	100.0	*	35	2.0	97.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	42	2.4	99.7	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.3	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.7      DMC = 20.9      DC = 196.3      ISI = 2.4      ADMC = 49.6      FWI = 5.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1754

MAXIMUM VALUES

FFMC = 92.0      DMC = 101.0      DC = 560.0      ISI = 13.1      ADMC = 135.0      FWI = 34.0

\*\*\*TOTALS FOR STATION 422 CRANBERRY LAKE VALEMONT LONG, 11915 LAT, 5250

		FFMC			DMC			DC			ISI			ADMC			FWI					
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS	
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	
1	*	6	0.3	0.3	*	29	1.6	1.6	*	8	0.4	0.4	*	71	3.9	3.9	*	2	0.1	0.1	*	1
2	*	10	0.6	0.9	*	66	3.7	5.3	*	41	2.3	2.7	*	228	12.6	16.5	*	7	0.4	0.5	*	2
3	*	5	0.3	1.2	*	108	6.0	11.2	*	43	2.4	5.1	*	195	10.8	27.3	*	2	0.1	0.6	*	3
4	*	18	1.0	2.2	*	107	5.9	17.1	*	30	1.7	6.7	*	140	7.7	35.1	*	23	1.3	1.9	*	4
5	*	21	1.2	3.3	*	117	6.5	23.6	*	32	1.8	8.5	*	141	7.8	42.9	*	37	2.0	3.9	*	5
6	*	27	1.5	4.8	*	98	5.4	29.0	*	38	2.1	10.6	*	107	5.9	48.8	*	61	3.4	7.3	*	6
7	*	26	1.4	6.2	*	88	4.9	33.9	*	88	4.9	15.5	*	78	4.3	53.1	*	61	3.4	10.7	*	7
8	*	43	2.4	8.6	*	78	4.3	38.2	*	91	5.0	20.5	*	114	6.3	59.4	*	73	4.0	14.7	*	8
9	*	60	3.3	11.9	*	87	4.8	43.0	*	59	3.3	23.8	*	138	7.6	67.0	*	66	3.7	18.4	*	9
10	*	65	3.6	15.5	*	64	3.5	46.6	*	54	3.0	26.8	*	94	5.2	72.2	*	63	3.5	21.8	*	10
11	*	50	2.8	18.3	*	183	10.1	56.7	*	69	3.8	30.6	*	144	8.0	80.2	*	99	5.5	27.3	*	11
12	*	95	5.3	23.6	*	141	7.8	64.5	*	71	3.9	34.5	*	120	6.6	86.8	*	65	3.6	30.9	*	12
13	*	93	5.1	28.7	*	121	6.7	71.2	*	75	4.1	38.7	*	73	4.0	90.9	*	171	9.5	40.4	*	13
14	*	133	7.4	36.1	*	82	4.5	75.7	*	105	5.8	44.5	*	70	3.9	94.7	*	151	8.4	48.7	*	14
15	*	179	9.9	46.0	*	121	6.7	82.4	*	136	7.5	52.0	*	43	2.4	97.1	*	117	6.5	55.2	*	15
16	*	118	6.5	52.5	*	107	5.9	88.3	*	158	8.7	60.7	*	41	2.3	99.4	*	118	6.5	61.7	*	16
17	*	116	6.4	58.9	*	69	3.8	92.1	*	125	6.9	67.6	*	8	0.4	99.8	*	180	10.0	71.7	*	17
18	*	135	7.5	66.4	*	52	2.9	95.0	*	190	10.5	78.2	*	3	0.2	100.0	*	145	8.0	79.7	*	18
19	*	189	10.5	76.8	*	76	4.2	99.2	*	162	9.0	87.1	*	0	0.0	100.0	*	95	5.3	85.0	*	19
20	*	184	10.2	87.0	*	14	0.8	100.0	*	88	4.9	92.0	*	0	0.0	100.0	*	76	4.2	89.2	*	20
21	*	176	9.7	96.7	*	0	0.0	100.0	*	46	2.5	94.5	*	0	0.0	100.0	*	63	3.5	92.6	*	21
22	*	57	3.2	99.9	*	0	0.0	100.0	*	79	4.4	98.9	*	0	0.0	100.0	*	44	2.4	95.1	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	20	1.1	100.0	*	0	0.0	100.0	*	60	3.3	98.4	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.3	99.7	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	25

AVERAGE VALUES

FFMC = 75.1      DMC = 29.4      DC = 243.8      ISI = 4.8      ADMC = 64.1      FWI = 10.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1808

MAXIMUM VALUES

FFMC = 96.0      DMC = 133.0      DC = 644.0      ISI = 44.1      ADMC = 163.0      FWI = 76.0

\*\*\*TOTALS FOR STATION 362      DAWSON CREEK      LONG, 12013      LAT. 5545

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	16	0.8	0.8	*	34	1.8	1.8	*	31	1.6	1.6	*	65	3.4	3.4	*	5	0.3	0.3	*	248	13.1	13.1	*	1
2	*	7	0.4	1.2	*	33	1.7	3.5	*	46	2.4	4.1	*	166	8.7	12.2	*	16	0.8	1.1	*	191	10.1	23.1	*	2
3	*	6	0.3	1.5	*	59	3.1	6.6	*	61	3.2	7.3	*	184	9.7	21.8	*	7	0.4	1.5	*	75	3.9	27.1	*	3
4	*	18	0.9	2.5	*	77	4.1	10.7	*	40	2.1	9.4	*	108	5.7	27.5	*	16	0.8	2.3	*	78	4.1	31.2	*	4
5	*	14	0.7	3.2	*	97	5.1	15.8	*	49	2.6	11.9	*	98	5.2	32.7	*	27	1.4	3.7	*	85	4.5	35.6	*	5
6	*	13	0.7	3.9	*	119	6.3	22.1	*	53	2.8	14.7	*	108	5.7	38.4	*	43	2.3	6.0	*	173	9.1	44.7	*	6
7	*	23	1.2	5.1	*	105	5.5	27.6	*	114	6.0	20.7	*	96	5.1	43.4	*	47	2.5	8.5	*	145	7.6	52.4	*	7
8	*	33	1.7	6.8	*	100	5.3	32.8	*	101	5.3	26.1	*	187	9.8	53.3	*	57	3.0	11.5	*	136	7.2	59.5	*	8
9	*	43	2.3	9.1	*	106	5.6	38.4	*	97	5.1	31.2	*	149	7.8	61.1	*	56	2.9	14.4	*	219	11.5	71.1	*	9
10	*	60	3.2	12.3	*	97	5.1	43.5	*	84	4.4	35.6	*	103	5.4	66.5	*	49	2.6	17.0	*	163	8.6	79.6	*	10
11	*	46	2.4	14.7	*	239	12.6	56.1	*	67	3.5	39.1	*	252	13.3	79.8	*	72	3.8	20.8	*	128	6.7	86.4	*	11
12	*	86	4.5	19.2	*	180	9.5	65.6	*	96	5.1	44.2	*	123	6.5	86.3	*	67	3.5	24.3	*	91	4.8	91.2	*	12
13	*	79	4.2	23.4	*	143	7.5	73.1	*	78	4.1	48.3	*	80	4.2	90.5	*	207	10.9	35.2	*	58	3.1	94.2	*	13
14	*	121	6.4	29.7	*	110	5.8	78.9	*	128	6.7	55.0	*	97	5.1	95.6	*	201	10.6	45.8	*	65	3.4	97.6	*	14
15	*	206	10.8	40.6	*	151	7.9	86.8	*	118	6.2	61.2	*	41	2.2	97.7	*	167	8.8	54.6	*	34	1.8	99.4	*	15
16	*	126	6.6	47.2	*	81	4.3	91.1	*	74	3.9	65.1	*	32	1.7	99.4	*	171	9.0	63.6	*	8	0.4	99.8	*	16
17	*	148	7.8	55.0	*	62	3.3	94.4	*	71	3.7	68.8	*	9	0.5	99.9	*	200	10.5	74.1	*	3	0.2	100.0	*	17
18	*	248	13.1	68.1	*	49	2.6	96.9	*	186	9.8	78.6	*	2	0.1	100.0	*	148	7.8	81.9	*	0	0.0	100.0	*	18
19	*	252	13.3	81.3	*	50	2.6	99.6	*	140	7.4	86.0	*	0	0.0	100.0	*	114	6.0	87.9	*	0	0.0	100.0	*	19
20	*	216	11.4	92.7	*	8	0.4	100.0	*	153	8.1	94.1	*	0	0.0	100.0	*	78	4.1	92.0	*	0	0.0	100.0	*	20
21	*	110	5.8	98.5	*	0	0.0	100.0	*	65	3.4	97.5	*	0	0.0	100.0	*	51	2.7	94.7	*	0	0.0	100.0	*	21
22	*	29	1.5	100.0	*	0	0.0	100.0	*	48	2.5	100.0	*	0	0.0	100.0	*	44	2.3	97.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	44	2.3	99.3	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.6	99.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.6      DMC = 28.6      DC = 220.4      ISI = 5.2      ADMC = 63.3      FWI = 10.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1900

MAXIMUM VALUES

FFMC = 94.0      DMC = 129.0      DC = 562.0      ISI = 41.8      ADMC = 151.0      FWI = 64.0

\*\*\*TOTALS FOR STATION 356 DEASE LAKE LONG, 13000 LAT, 5825

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	10	0.6	0.6	*	19	1.2	1.2	*	6	0.4	0.4	*	35	2.2	2.2	*	1	0.1	0.1	*	244	15.1	15.1	*	1
2	*	1	0.1	0.7	*	32	2.0	3.2	*	15	0.9	1.3	*	195	12.1	14.2	*	6	0.4	0.4	*	237	14.6	29.7	*	2
3	*	5	0.3	1.0	*	69	4.3	7.4	*	28	1.7	3.0	*	253	15.6	29.9	*	1	0.1	0.5	*	105	6.5	36.2	*	3
4	*	10	0.6	1.6	*	76	4.7	12.1	*	27	1.7	4.7	*	140	8.7	38.5	*	14	0.9	1.4	*	96	5.9	42.2	*	4
5	*	4	0.2	1.9	*	112	6.9	19.0	*	32	2.0	6.7	*	117	7.2	45.7	*	20	1.2	2.6	*	83	5.1	47.3	*	5
6	*	9	0.6	2.4	*	101	6.2	25.3	*	40	2.5	9.1	*	92	5.7	51.4	*	28	1.7	4.3	*	143	8.8	56.1	*	6
7	*	13	0.8	3.2	*	86	5.3	30.6	*	74	4.6	13.7	*	84	5.2	56.6	*	46	2.8	7.2	*	127	7.8	64.0	*	7
8	*	31	1.9	5.1	*	101	6.2	36.8	*	52	3.2	16.9	*	160	9.9	66.5	*	49	3.0	10.2	*	113	7.0	71.0	*	8
9	*	33	2.0	7.2	*	104	6.4	43.3	*	68	4.2	21.1	*	134	8.3	74.8	*	48	3.0	13.2	*	173	10.7	81.6	*	9
10	*	69	4.3	11.4	*	78	4.8	48.1	*	71	4.4	25.5	*	103	6.4	81.1	*	45	2.8	15.9	*	114	7.0	88.7	*	10
11	*	71	4.4	15.8	*	202	12.5	60.6	*	60	3.7	29.2	*	132	8.2	89.3	*	77	4.8	20.7	*	75	4.6	93.3	*	11
12	*	111	6.9	22.7	*	130	8.0	68.6	*	54	3.3	32.6	*	88	5.4	94.7	*	91	5.6	26.3	*	53	3.3	96.6	*	12
13	*	137	8.5	31.1	*	108	6.7	75.3	*	58	3.6	36.2	*	17	1.1	95.8	*	181	11.2	37.5	*	18	1.1	97.7	*	13
14	*	129	8.0	39.1	*	76	4.7	80.0	*	71	4.4	40.5	*	47	2.9	98.7	*	163	10.1	47.6	*	23	1.4	99.1	*	14
15	*	205	12.7	51.8	*	133	8.2	88.2	*	59	3.6	44.2	*	12	0.7	99.4	*	138	8.5	56.1	*	12	0.7	99.9	*	15
16	*	92	5.7	57.5	*	95	5.9	94.1	*	66	4.1	48.3	*	8	0.5	99.9	*	123	7.6	63.7	*	1	0.1	99.9	*	16
17	*	140	8.7	66.1	*	47	2.9	97.0	*	112	6.9	55.2	*	0	0.0	99.9	*	185	11.4	75.2	*	1	0.1	100.0	*	17
18	*	143	8.8	75.0	*	27	1.7	98.6	*	190	11.7	66.9	*	1	0.1	100.0	*	141	8.7	83.9	*	0	0.0	100.0	*	18
19	*	161	10.0	84.9	*	22	1.4	100.0	*	205	12.7	79.6	*	0	0.0	100.0	*	76	4.7	88.6	*	0	0.0	100.0	*	19
20	*	140	8.7	93.6	*	0	0.0	100.0	*	126	7.8	87.4	*	0	0.0	100.0	*	75	4.6	93.2	*	0	0.0	100.0	*	20
21	*	73	4.5	98.1	*	0	0.0	100.0	*	137	8.5	95.9	*	0	0.0	100.0	*	58	3.6	96.8	*	0	0.0	100.0	*	21
22	*	31	1.9	100.0	*	0	0.0	100.0	*	67	4.1	100.0	*	0	0.0	100.0	*	36	2.2	99.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.9	99.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.1      DMC = 26.4      DC = 268.1      ISI = 3.6      ADMC = 61.5      FWI = 7.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1618

MAXIMUM VALUES

FFMC = 94.0      DMC = 105.0      DC = 559.0      ISI = 40.6      ADMC = 128.0      FWI = 67.0

\*\*\*TOTALS FOR STATION 418 ELKO LONG, 11506 LAT, 4918

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS							
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.								
1	*	11	0.6	0.6	*	29	1.5	1.5	*	49	2.5	2.5	*	47	2.4	2.4	*	10	0.5	0.5	*	240	12.4	12.4	*	1
2	*	7	0.4	0.9	*	44	2.3	3.8	*	71	3.7	6.2	*	157	8.1	10.5	*	12	0.6	1.1	*	173	8.9	21.3	*	2
3	*	12	0.6	1.5	*	80	4.1	7.9	*	66	3.4	9.6	*	155	8.0	18.5	*	13	0.7	1.8	*	83	4.3	25.6	*	3
4	*	4	0.2	1.8	*	114	5.9	13.8	*	53	2.7	12.3	*	138	7.1	25.6	*	17	0.9	2.7	*	86	4.4	30.0	*	4
5	*	9	0.5	2.2	*	101	5.2	19.0	*	43	2.2	14.5	*	107	5.5	31.1	*	47	2.4	5.1	*	76	3.9	33.9	*	5
6	*	12	0.6	2.8	*	96	4.9	23.9	*	49	2.5	17.1	*	87	4.5	35.6	*	53	2.7	7.8	*	137	7.1	41.0	*	6
7	*	18	0.9	3.8	*	76	3.9	27.8	*	111	5.7	22.8	*	87	4.5	40.1	*	62	3.2	11.0	*	93	4.8	45.7	*	7
8	*	25	1.3	5.0	*	63	3.2	31.1	*	111	5.7	28.5	*	136	7.0	47.1	*	54	2.8	13.8	*	95	4.9	50.6	*	8
9	*	37	1.9	7.0	*	78	4.0	35.1	*	104	5.4	33.8	*	124	6.4	53.5	*	59	3.0	16.8	*	176	9.1	59.7	*	9
10	*	55	2.8	9.8	*	55	2.8	37.9	*	85	4.4	38.2	*	110	5.7	59.1	*	53	2.7	19.6	*	162	8.3	68.1	*	10
11	*	71	3.7	13.4	*	146	7.5	45.4	*	69	3.6	41.8	*	240	12.4	71.5	*	57	2.9	22.5	*	148	7.6	75.7	*	11
12	*	83	4.3	17.7	*	140	7.2	52.7	*	53	2.7	44.5	*	152	7.8	79.3	*	63	3.2	25.8	*	106	5.5	81.1	*	12
13	*	109	5.6	23.3	*	118	6.1	58.7	*	48	2.5	47.0	*	104	5.4	84.7	*	153	7.9	33.6	*	84	4.3	85.5	*	13
14	*	117	6.0	29.4	*	86	4.4	63.2	*	49	2.5	49.5	*	99	5.1	89.8	*	139	7.2	40.8	*	124	6.4	91.9	*	14
15	*	184	9.5	38.8	*	174	9.0	72.1	*	47	2.4	51.9	*	65	3.3	93.1	*	118	6.1	46.9	*	62	3.2	95.1	*	15
16	*	87	4.5	43.3	*	166	8.6	80.7	*	68	3.5	55.4	*	70	3.6	96.8	*	90	4.6	51.5	*	35	1.8	96.9	*	16
17	*	105	5.4	48.7	*	124	6.4	87.1	*	44	2.3	57.7	*	34	1.8	98.5	*	181	9.3	60.8	*	29	1.5	98.4	*	17
18	*	127	6.5	55.3	*	74	3.8	90.9	*	102	5.3	63.0	*	7	0.4	98.9	*	130	6.7	67.5	*	4	0.2	98.6	*	18
19	*	166	8.6	63.8	*	105	5.4	96.3	*	204	10.5	73.5	*	4	0.2	99.1	*	120	6.2	73.7	*	9	0.5	99.0	*	19
20	*	253	13.0	76.9	*	47	2.4	98.7	*	227	11.7	85.2	*	2	0.1	99.2	*	110	5.7	79.4	*	4	0.2	99.2	*	20
21	*	223	11.5	88.4	*	16	0.8	99.5	*	170	8.8	93.9	*	4	0.2	99.4	*	108	5.6	85.0	*	6	0.3	99.5	*	21
22	*	155	8.0	96.3	*	9	0.5	100.0	*	94	4.8	98.8	*	8	0.4	99.8	*	78	4.0	89.0	*	9	0.5	100.0	*	22
23	*	61	3.1	99.5	*	0	0.0	100.0	*	24	1.2	100.0	*	4	0.2	100.0	*	125	6.4	95.4	*	0	0.0	100.0	*	23
24	*	10	0.5	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	49	2.5	97.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	40	2.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 78.8      DMC = 37.5      DC = 249.4      ISI = 7.5      ADMC = 46.0      FWI = 15.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1941

MAXIMUM VALUES

FFMC = 98.0      DMC = 191.0      DC = 639.0      ISI = 118.9      ADMC = 195.0      FWI = 147.0



\*\*\*TOTALS FOR STATION 367 ENGEN CDA EDF LONG, 12413 LAT, 5402

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	24	1.4	1.4	*	36	2.1	2.1	*	33	2.0	2.0	*	73	4.3	4.3	*	6	0.4	0.4	*	335	19.9	19.9	*	1
2	*	8	0.5	1.9	*	88	5.2	7.4	*	49	2.9	4.9	*	227	13.5	17.8	*	12	0.7	1.1	*	250	14.8	34.7	*	2
3	*	8	0.5	2.4	*	106	6.3	13.6	*	48	2.8	7.7	*	234	13.9	31.7	*	8	0.5	1.5	*	101	6.0	40.7	*	3
4	*	15	0.9	3.3	*	111	6.6	20.2	*	45	2.7	10.4	*	151	9.0	40.7	*	26	1.5	3.1	*	80	4.7	45.5	*	4
5	*	10	0.6	3.9	*	88	5.2	25.5	*	38	2.3	12.6	*	105	6.2	46.9	*	46	2.7	5.8	*	65	3.9	49.3	*	5
6	*	27	1.6	5.5	*	106	6.3	31.8	*	43	2.6	15.2	*	90	5.3	52.2	*	75	4.5	10.3	*	147	8.7	58.0	*	6
7	*	23	1.4	6.8	*	84	5.0	36.7	*	79	4.7	19.9	*	77	4.6	56.8	*	75	4.5	14.7	*	115	6.8	64.9	*	7
8	*	32	1.9	8.7	*	80	4.7	41.5	*	70	4.2	24.0	*	162	9.6	66.4	*	70	4.2	18.9	*	96	5.7	70.6	*	8
9	*	45	2.7	11.4	*	75	4.5	45.9	*	88	5.2	29.3	*	131	7.8	74.2	*	63	3.7	22.6	*	168	10.0	80.5	*	9
10	*	68	4.0	15.4	*	65	3.9	49.8	*	75	4.5	33.7	*	98	5.8	80.0	*	64	3.8	26.4	*	122	7.2	87.8	*	10
11	*	78	4.6	20.1	*	149	8.8	58.6	*	65	3.9	37.6	*	185	11.0	91.0	*	68	4.0	30.4	*	81	4.8	92.6	*	11
12	*	81	4.8	24.9	*	134	8.0	66.6	*	60	3.6	41.1	*	70	4.2	95.1	*	65	3.9	34.3	*	51	3.0	95.6	*	12
13	*	111	6.6	31.5	*	127	7.5	74.1	*	44	2.6	43.7	*	50	3.0	98.1	*	161	9.6	43.9	*	38	2.3	97.9	*	13
14	*	140	8.3	39.8	*	81	4.8	78.9	*	80	4.7	48.5	*	25	1.5	99.6	*	129	7.7	51.5	*	30	1.8	99.6	*	14
15	*	161	9.6	49.3	*	125	7.4	86.4	*	99	5.9	54.4	*	6	0.4	99.9	*	101	6.0	57.5	*	6	0.4	100.0	*	15
16	*	82	4.9	54.2	*	77	4.6	90.9	*	108	6.4	60.8	*	1	0.1	100.0	*	91	5.4	62.9	*	0	0.0	100.0	*	16
17	*	119	7.1	61.2	*	54	3.2	94.1	*	92	5.5	66.2	*	0	0.0	100.0	*	198	11.8	74.7	*	0	0.0	100.0	*	17
18	*	156	9.3	70.5	*	36	2.1	96.3	*	171	10.1	76.4	*	0	0.0	100.0	*	142	8.4	83.1	*	0	0.0	100.0	*	18
19	*	171	10.1	80.7	*	50	3.0	99.2	*	199	11.8	88.2	*	0	0.0	100.0	*	88	5.2	88.3	*	0	0.0	100.0	*	19
20	*	161	9.6	90.2	*	13	0.8	100.0	*	107	6.4	94.5	*	0	0.0	100.0	*	62	3.7	92.0	*	0	0.0	100.0	*	20
21	*	130	7.7	97.9	*	0	0.0	100.0	*	57	3.4	97.9	*	0	0.0	100.0	*	46	2.7	94.7	*	0	0.0	100.0	*	21
22	*	35	2.1	100.0	*	0	0.0	100.0	*	35	2.1	100.0	*	0	0.0	100.0	*	24	1.4	96.1	*	C	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	51	3.0	99.2	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	99.6	*	C	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.9      DMC = 27.1      DC = 228.1      ISI = 3.4      ADMC = 59.7      FWI = 7.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1685

MAXIMUM VALUES

FFMC = 94.0      DMC = 137.0      DC = 584.0      ISI = 22.2      ADMC = 173.0      FWI = 44.0

\*\*\*TOTALS FOR STATION 392 ESTEVAN POINT LONG, 12632 LAT, 4923

		FFMC			DMC			DC			ISI			ADMC			FWI				
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	
1	* 41	2.5	2.5	* 525	32.3	32.3	* 310	19.1	19.1	* 190	11.7	11.7	* 231	14.2	14.2	* 883	54.3	54.3	* 1		
2	* 24	1.5	4.0	* 294	18.1	50.4	* 198	12.2	31.3	* 392	24.1	35.8	* 171	10.5	24.7	* 378	23.3	77.6	* 2		
3	* 35	2.2	6.2	* 222	13.7	64.1	* 134	8.2	39.5	* 387	23.8	59.6	* 112	6.9	31.6	* 113	7.0	84.6	* 3		
4	* 25	1.5	7.7	* 151	9.3	73.4	* 97	6.0	45.5	* 242	14.9	74.5	* 104	6.4	38.0	* 69	4.2	88.8	* 4		
5	* 37	2.3	10.0	* 117	7.2	80.6	* 75	4.6	50.1	* 139	8.6	83.1	* 176	10.8	48.9	* 58	3.6	92.4	* 5		
6	* 80	4.9	14.9	* 98	6.0	86.6	* 75	4.6	54.7	* 94	5.8	88.9	* 144	8.9	57.7	* 61	3.8	96.1	* 6		
7	* 80	4.9	19.8	* 51	3.1	89.7	* 113	7.0	61.7	* 52	3.2	92.1	* 108	6.6	64.4	* 36	2.2	98.3	* 7		
8	* 104	6.4	26.2	* 51	3.1	92.9	* 107	6.6	68.2	* 70	4.3	96.4	* 85	5.2	69.6	* 15	0.9	99.3	* 8		
9	* 98	6.0	32.2	* 32	2.0	94.8	* 94	5.8	74.0	* 28	1.7	98.1	* 92	5.7	75.3	* 8	0.5	99.8	* 9		
10	* 85	5.2	37.5	* 22	1.4	96.2	* 64	3.9	78.0	* 14	0.9	99.0	* 79	4.9	80.1	* 2	0.1	99.9	* 10		
11	* 98	6.0	43.5	* 22	1.4	97.5	* 45	2.8	80.7	* 10	0.6	99.6	* 67	4.1	84.2	* 2	0.1	100.0	* 11		
12	* 125	7.7	51.2	* 14	0.9	98.4	* 40	2.5	83.2	* 2	0.1	99.7	* 52	3.2	87.4	* 0	0.0	100.0	* 12		
13	* 201	12.4	63.6	* 7	0.4	98.8	* 44	2.7	85.9	* 2	0.1	99.8	* 72	4.4	91.9	* 0	0.0	100.0	* 13		
14	* 262	16.1	79.7	* 5	0.3	99.1	* 49	3.0	88.9	* 1	0.1	99.9	* 55	3.4	95.3	* 0	0.0	100.0	* 14		
15	* 267	16.4	96.1	* 11	0.7	99.8	* 50	3.1	92.0	* 2	0.1	100.0	* 21	1.3	96.6	* 0	0.0	100.0	* 15		
16	* 44	2.7	98.8	* 3	0.2	100.0	* 41	2.5	94.5	* 0	0.0	100.0	* 11	0.7	97.2	* 0	0.0	100.0	* 16		
17	* 15	0.9	99.8	* 0	0.0	100.0	* 26	1.6	96.1	* 0	0.0	100.0	* 22	1.4	98.6	* 0	0.0	100.0	* 17		
18	* 3	0.2	99.9	* 0	0.0	100.0	* 32	2.0	98.1	* 0	0.0	100.0	* 5	0.3	98.9	* 0	0.0	100.0	* 18		
19	* 1	0.1	100.0	* 0	0.0	100.0	* 16	1.0	99.1	* 0	0.0	100.0	* 9	0.6	99.4	* 0	0.0	100.0	* 19		
20	* 0	0.0	100.0	* 0	0.0	100.0	* 11	0.7	99.8	* 0	0.0	100.0	* 7	0.4	99.9	* 0	0.0	100.0	* 20		
21	* 0	0.0	100.0	* 0	0.0	100.0	* 4	0.2	100.0	* 0	0.0	100.0	* 2	0.1	100.0	* 0	0.0	100.0	* 21		
22	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 22		
23	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 23		
24	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 24		
25	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 0	0.0	100.0	* 25		

AVERAGE VALUES

FFMC = 58.1      DMC = 6.5      DC = 86.4      ISI = 1.2      ADMC = 18.2      FWI = 1.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1625

MAXIMUM VALUES

FFMC = 88.0      DMC = 53.0      DC = 475.0      ISI = 19.3      ADMC = 83.0      FWI = 19.0

\*\*\*TOTALS FOR STATION 381 ETHELDA BAY LONG, 12941 LAT. 5303

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	24	1.5	1.5	*	483	30.2	30.2	*	360	22.5	22.5	*	148	9.3	9.3	*	225	14.1	14.1	*	811	50.7	50.7	*	1
2	*	19	1.2	2.7	*	270	16.9	47.1	*	204	12.8	35.3	*	367	23.0	32.2	*	151	9.4	23.5	*	277	17.3	68.0	*	2
3	*	17	1.1	3.8	*	208	13.0	60.1	*	146	9.1	44.4	*	307	19.2	51.4	*	87	5.4	29.0	*	108	6.8	74.8	*	3
4	*	35	2.2	5.9	*	153	9.6	69.7	*	107	6.7	51.1	*	193	12.1	63.5	*	117	7.3	36.3	*	115	7.2	82.0	*	4
5	*	37	2.3	8.3	*	117	7.3	77.0	*	93	5.8	56.9	*	157	9.8	73.3	*	178	11.1	47.4	*	65	4.1	86.1	*	5
6	*	60	3.8	12.0	*	81	5.1	82.1	*	70	4.4	61.3	*	99	6.2	79.5	*	155	9.7	57.1	*	98	6.1	92.2	*	6
7	*	78	4.9	16.9	*	56	3.5	85.6	*	121	7.6	68.9	*	83	5.2	84.7	*	118	7.4	64.5	*	56	3.5	95.7	*	7
8	*	96	6.0	22.9	*	49	3.1	88.6	*	92	5.8	74.6	*	108	6.8	91.4	*	108	6.8	71.2	*	26	1.6	97.3	*	8
9	*	117	7.3	30.2	*	29	1.8	90.4	*	80	5.0	79.6	*	61	3.8	95.2	*	77	4.8	76.0	*	23	1.4	98.7	*	9
10	*	116	7.3	37.5	*	30	1.9	92.3	*	84	5.3	84.9	*	26	1.6	96.9	*	63	3.9	80.0	*	10	0.6	99.4	*	10
11	*	99	6.2	43.7	*	47	2.9	95.2	*	44	2.8	87.6	*	27	1.7	98.6	*	48	3.0	83.0	*	5	0.3	99.7	*	11
12	*	90	5.6	49.3	*	27	1.7	96.9	*	26	1.6	89.2	*	8	0.5	99.1	*	36	2.3	85.2	*	2	0.1	99.8	*	12
13	*	146	9.1	58.4	*	14	0.9	97.8	*	23	1.4	90.7	*	9	0.6	99.6	*	60	3.8	89.0	*	1	0.1	99.9	*	13
14	*	168	10.5	68.9	*	12	0.8	98.6	*	21	1.3	92.0	*	3	0.2	99.8	*	40	2.5	91.5	*	2	0.1	100.0	*	14
15	*	242	15.1	84.1	*	11	0.7	99.2	*	24	1.5	93.5	*	2	0.1	99.9	*	39	2.4	93.9	*	0	0.0	100.0	*	15
16	*	108	6.8	90.8	*	7	0.4	99.7	*	17	1.1	94.6	*	1	0.1	100.0	*	31	1.9	95.9	*	0	0.0	100.0	*	16
17	*	77	4.8	95.6	*	5	0.3	100.0	*	12	0.8	95.3	*	0	0.0	100.0	*	28	1.8	97.6	*	0	0.0	100.0	*	17
18	*	56	3.5	99.1	*	0	0.0	100.0	*	52	3.3	98.6	*	0	0.0	100.0	*	20	1.3	98.9	*	0	0.0	100.0	*	18
19	*	11	0.7	99.8	*	0	0.0	100.0	*	23	1.4	100.0	*	0	0.0	100.0	*	7	0.4	99.3	*	0	0.0	100.0	*	19
20	*	2	0.1	99.9	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	99.6	*	0	0.0	100.0	*	20
21	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	99.9	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 60.7      DMC = 7.7      DC = 72.5      ISI = 1.6      ADMC = 19.5      FWI = 1.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1599

MAXIMUM VALUES

FFMC = 91.0      DMC = 67.0      DC = 391.0      ISI = 21.1      ADMC = 92.0      FWI = 38.0

\*\*\*TOTALS FOR STATION 414 FAUQUIER

LONG, 11804 LAT, 4952

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	16	0.8	0.8	*	20	1.0	1.0	*	26	1.4	1.4	*	61	3.2	3.2	*	6	0.3	0.3	*	284	14.8	14.8	*	1
2	*	5	0.3	1.1	*	44	2.3	3.3	*	56	2.9	4.3	*	189	9.8	13.0	*	8	0.4	0.7	*	224	11.7	26.4	*	2
3	*	12	0.6	1.7	*	89	4.6	8.0	*	79	4.1	8.4	*	216	11.2	24.3	*	10	0.5	1.2	*	128	6.7	33.1	*	3
4	*	13	0.7	2.4	*	97	5.0	13.0	*	68	3.5	11.9	*	167	8.7	33.0	*	12	0.6	1.9	*	104	5.4	38.5	*	4
5	*	10	0.5	2.9	*	124	6.5	19.5	*	55	2.9	14.8	*	125	6.5	39.5	*	36	1.9	3.7	*	98	5.1	43.6	*	5
6	*	16	0.8	3.7	*	128	6.7	26.1	*	56	2.9	17.7	*	107	5.6	45.0	*	49	2.6	6.3	*	159	8.3	51.9	*	6
7	*	19	1.0	4.7	*	117	6.1	32.2	*	77	4.0	21.7	*	104	5.4	50.4	*	81	4.2	10.5	*	121	6.3	58.2	*	7
8	*	25	1.3	6.0	*	94	4.9	37.1	*	63	3.3	25.0	*	134	7.0	57.4	*	70	3.6	14.2	*	87	4.5	62.7	*	8
9	*	30	1.6	7.6	*	88	4.6	41.7	*	70	3.6	28.6	*	155	8.1	65.5	*	77	4.0	18.2	*	167	8.7	71.4	*	9
10	*	56	2.9	10.5	*	80	4.2	45.9	*	77	4.0	32.6	*	93	4.8	70.3	*	70	3.6	21.8	*	140	7.3	78.7	*	10
11	*	86	4.5	15.0	*	186	9.7	55.5	*	72	3.7	36.4	*	230	12.0	82.3	*	74	3.9	25.7	*	105	5.5	84.2	*	11
12	*	86	4.5	19.5	*	136	7.1	62.6	*	104	5.4	41.8	*	116	6.0	88.3	*	74	3.9	29.5	*	97	5.0	89.2	*	12
13	*	133	6.9	26.4	*	116	6.0	68.7	*	88	4.6	46.4	*	92	4.8	93.1	*	173	9.0	38.5	*	56	2.9	92.1	*	13
14	*	135	7.0	33.4	*	97	5.0	73.7	*	80	4.2	50.5	*	87	4.5	97.7	*	147	7.7	46.2	*	92	4.8	96.9	*	14
15	*	202	10.5	43.9	*	151	7.9	81.6	*	65	3.4	53.9	*	31	1.6	99.3	*	137	7.1	53.3	*	28	1.5	98.4	*	15
16	*	114	5.9	49.9	*	93	4.8	86.4	*	83	4.3	58.3	*	11	0.6	99.8	*	122	6.4	59.7	*	23	1.2	99.6	*	16
17	*	144	7.5	57.4	*	87	4.5	90.9	*	64	3.3	61.6	*	3	0.2	100.0	*	198	10.3	70.0	*	7	0.4	99.9	*	17
18	*	144	7.5	64.9	*	59	3.1	94.0	*	106	5.5	67.1	*	0	0.0	100.0	*	137	7.1	77.1	*	0	0.0	99.9	*	18
19	*	193	10.0	74.9	*	43	2.2	96.3	*	219	11.4	78.5	*	0	0.0	100.0	*	109	5.7	82.8	*	1	0.1	100.0	*	19
20	*	174	9.1	84.0	*	15	0.8	97.0	*	186	9.7	88.2	*	0	0.0	100.0	*	76	4.0	86.7	*	0	0.0	100.0	*	20
21	*	178	9.3	93.2	*	24	1.2	98.3	*	139	7.2	95.4	*	0	0.0	100.0	*	51	2.7	89.4	*	0	0.0	100.0	*	21
22	*	120	6.2	99.5	*	15	0.8	99.1	*	78	4.1	99.5	*	0	0.0	100.0	*	53	2.8	92.1	*	0	0.0	100.0	*	22
23	*	10	0.5	100.0	*	18	0.9	100.0	*	10	0.5	100.0	*	0	0.0	100.0	*	76	4.0	96.1	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	17	0.9	97.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	58	3.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.8      DMC = 33.5      DC = 243.7      ISI = 4.5      ADMC = 68.5      FWI = 10.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1921

MAXIMUM VALUES

FFMC = 96.0      DMC = 242.0      DC = 629.0      ISI = 32.1      ADMC = 242.0      FWI = 81.0

\*\*\*TOTALS FOR STATION 358 FORT NELSON

LONG, 12235 LAT, 5850

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	12	0.7	0.7	*	39	2.3	2.3	*	19	1.1	1.1	*	118	7.0	7.0	*	11	0.6	0.6	*	401	23.6	23.6	*	1
2	*	14	0.8	1.5	*	58	3.4	5.7	*	31	1.8	2.9	*	269	15.9	22.8	*	9	0.5	1.2	*	186	11.0	34.6	*	2
3	*	20	1.2	2.7	*	101	6.0	11.7	*	42	2.5	5.4	*	185	10.9	33.7	*	9	0.5	1.7	*	84	4.9	39.5	*	3
4	*	22	1.3	4.0	*	86	5.1	16.7	*	56	3.3	8.7	*	114	6.7	40.4	*	13	0.8	2.5	*	71	4.2	43.7	*	4
5	*	36	2.1	6.1	*	88	5.2	21.9	*	44	2.6	11.3	*	102	6.0	46.4	*	45	2.7	5.1	*	71	4.2	47.9	*	5
6	*	37	2.2	8.3	*	102	6.0	27.9	*	46	2.7	14.0	*	85	5.0	51.4	*	57	3.4	8.5	*	121	7.1	55.0	*	6
7	*	45	2.7	11.0	*	67	3.9	31.9	*	117	6.9	20.9	*	79	4.7	56.1	*	48	2.8	11.3	*	125	7.4	62.4	*	7
8	*	62	3.7	14.6	*	81	4.8	36.7	*	111	6.5	27.5	*	128	7.5	63.6	*	80	4.7	16.0	*	110	6.5	68.9	*	8
9	*	58	3.4	18.0	*	89	5.2	41.9	*	110	6.5	33.9	*	131	7.7	71.4	*	69	4.1	20.1	*	170	10.0	78.9	*	9
10	*	42	2.5	20.5	*	88	5.2	47.1	*	93	5.5	39.4	*	94	5.5	76.9	*	59	3.5	23.6	*	121	7.1	86.0	*	10
11	*	43	2.5	23.0	*	158	9.3	56.4	*	96	5.7	45.1	*	158	9.3	86.2	*	58	3.4	27.0	*	95	5.6	91.6	*	11
12	*	83	4.9	27.9	*	126	7.4	63.8	*	71	4.2	49.3	*	99	5.8	92.0	*	69	4.1	31.1	*	59	3.5	95.1	*	12
13	*	82	4.8	32.8	*	115	6.8	70.6	*	72	4.2	53.5	*	54	3.2	95.2	*	142	8.4	39.4	*	33	1.9	97.1	*	13
14	*	116	6.8	39.6	*	126	7.4	78.0	*	108	6.4	59.9	*	44	2.6	97.8	*	138	8.1	47.6	*	39	2.3	99.4	*	14
15	*	135	8.0	47.6	*	171	10.1	88.1	*	77	4.5	64.4	*	23	1.4	99.2	*	142	8.4	55.9	*	8	0.5	99.8	*	15
16	*	95	5.6	53.2	*	116	6.8	94.9	*	63	3.7	68.1	*	14	0.8	100.0	*	130	7.7	63.6	*	3	0.2	100.0	*	16
17	*	105	6.2	59.3	*	49	2.9	97.8	*	70	4.1	72.2	*	0	0.0	100.0	*	152	9.0	72.5	*	0	0.0	100.0	*	17
18	*	139	8.2	67.5	*	23	1.4	99.2	*	166	9.8	82.0	*	0	0.0	100.0	*	155	9.1	81.7	*	0	0.0	100.0	*	18
19	*	163	9.6	77.1	*	14	0.8	100.0	*	145	8.5	90.6	*	0	0.0	100.0	*	139	8.2	89.9	*	0	0.0	100.0	*	19
20	*	208	12.3	89.4	*	0	0.0	100.0	*	70	4.1	94.7	*	0	0.0	100.0	*	87	5.1	95.0	*	0	0.0	100.0	*	20
21	*	154	9.1	98.5	*	0	0.0	100.0	*	57	3.4	98.1	*	0	0.0	100.0	*	49	2.9	97.9	*	0	0.0	100.0	*	21
22	*	25	1.5	99.9	*	0	0.0	100.0	*	33	1.9	100.0	*	0	0.0	100.0	*	18	1.1	98.9	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	1.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.5     DMC = 26.6     DC = 207.0     ISI = 3.8     ADMC = 59.3     FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1697

MAXIMUM VALUES

FFMC = 95.0     DMC = 100.0     DC = 568.0     ISI = 29.4     ADMC = 117.0     FWI = 54.0

\*\*\*TOTALS FOR STATION 368 FORT ST, JAMES LONG. 12415 LAT. 5427

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	23	1.5	1.5	*	63	4.0	4.0	*	14	0.9	0.9	*	77	4.9	4.9	*	10	0.6	0.6	*	351	22.1	22.1	*	1
2	*	6	0.4	1.8	*	80	5.0	9.0	*	31	2.0	2.8	*	219	13.8	18.7	*	19	1.2	1.8	*	219	13.8	36.0	*	2
3	*	9	0.6	2.4	*	91	5.7	14.8	*	40	2.5	5.4	*	232	14.6	33.3	*	6	0.4	2.2	*	93	5.9	41.8	*	3
4	*	14	0.9	3.3	*	94	5.9	20.7	*	43	2.7	8.1	*	142	9.0	42.3	*	35	2.2	4.4	*	77	4.9	46.7	*	4
5	*	14	0.9	4.2	*	99	6.2	26.9	*	42	2.6	10.7	*	101	6.4	48.6	*	54	3.4	7.8	*	75	4.7	51.4	*	5
6	*	20	1.3	5.4	*	98	6.2	33.1	*	37	2.3	13.1	*	91	5.7	54.4	*	53	3.3	11.2	*	143	9.0	60.4	*	6
7	*	30	1.9	7.3	*	71	4.5	37.6	*	92	5.8	18.9	*	59	3.7	58.1	*	57	3.6	14.8	*	112	7.1	67.5	*	7
8	*	37	2.3	9.7	*	69	4.4	42.0	*	102	6.4	25.3	*	186	11.7	69.8	*	67	4.2	19.0	*	107	6.8	74.3	*	8
9	*	48	3.0	12.7	*	59	3.7	45.7	*	65	4.1	29.4	*	134	8.5	78.3	*	65	4.1	23.1	*	155	9.8	84.0	*	9
10	*	71	4.5	17.2	*	70	4.4	50.1	*	58	3.7	33.1	*	126	7.9	86.2	*	56	3.5	26.6	*	118	7.4	91.5	*	10
11	*	78	4.9	22.1	*	162	10.2	60.3	*	72	4.5	37.6	*	132	8.3	94.6	*	66	4.2	30.8	*	71	4.5	96.0	*	11
12	*	75	4.7	26.8	*	139	8.8	69.1	*	89	5.6	43.2	*	54	3.4	98.0	*	74	4.7	35.5	*	31	2.0	97.9	*	12
13	*	108	6.8	33.6	*	90	5.7	74.8	*	75	4.7	47.9	*	22	1.4	99.4	*	154	9.7	45.2	*	17	1.1	99.0	*	13
14	*	118	7.4	41.1	*	91	5.7	80.5	*	70	4.4	52.4	*	7	0.4	99.8	*	115	7.3	52.4	*	16	1.0	100.0	*	14
15	*	148	9.3	50.4	*	129	8.1	88.6	*	66	4.2	56.5	*	3	0.2	100.0	*	94	5.9	58.4	*	0	0.0	100.0	*	15
16	*	101	6.4	56.8	*	54	3.4	92.1	*	98	6.2	62.7	*	0	0.0	100.0	*	114	7.2	65.6	*	0	0.0	100.0	*	16
17	*	123	7.8	64.5	*	52	3.3	95.3	*	77	4.9	67.6	*	0	0.0	100.0	*	155	9.8	75.3	*	0	0.0	100.0	*	17
18	*	178	11.2	75.8	*	28	1.8	97.1	*	132	8.3	75.9	*	0	0.0	100.0	*	119	7.5	82.8	*	0	0.0	100.0	*	18
19	*	176	11.1	86.9	*	35	2.2	99.3	*	113	7.1	83.0	*	0	0.0	100.0	*	85	5.4	88.2	*	0	0.0	100.0	*	19
20	*	150	9.5	96.3	*	11	0.7	100.0	*	156	9.8	92.9	*	0	0.0	100.0	*	69	4.4	92.6	*	0	0.0	100.0	*	20
21	*	55	3.5	99.8	*	0	0.0	100.0	*	52	3.3	96.2	*	0	0.0	100.0	*	43	2.7	95.3	*	0	0.0	100.0	*	21
22	*	3	0.2	100.0	*	0	0.0	100.0	*	61	3.8	100.0	*	0	0.0	100.0	*	26	1.6	96.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	34	2.1	99.1	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	8	0.5	99.6	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.7      DMC = 25.9      DC = 230.5      ISI = 3.0      ADMC = 58.5      FWI = 6.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1585

MAXIMUM VALUES

FFMC = 93.0      DMC = 127.0      DC = 590.0      ISI = 19.3      ADMC = 164.0      FWI = 38.0

\*\*\*TOTALS FOR STATION 361 FORT ST, JOHN LONG, 12044 LAT, 5614

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.		CUM. PCNT.							
1	*	18	0.9	0.9	*	31	1.6	1.6	*	21	1.1	1.1	*	85	4.5	4.5	*	7	0.4	0.4	*	279	14.7	14.7	*	1
2	*	9	0.5	1.4	*	51	2.7	4.3	*	39	2.1	3.2	*	182	9.6	14.1	*	9	0.5	0.8	*	188	9.9	24.6	*	2
3	*	11	0.6	2.0	*	55	2.9	7.2	*	62	3.3	6.4	*	163	8.6	22.6	*	11	0.6	1.4	*	91	4.8	29.4	*	3
4	*	14	0.7	2.7	*	94	4.9	12.2	*	59	3.1	9.5	*	129	6.8	29.4	*	18	0.9	2.4	*	94	4.9	34.3	*	4
5	*	27	1.4	4.2	*	115	6.1	18.2	*	62	3.3	12.8	*	114	6.0	35.4	*	29	1.5	3.9	*	83	4.4	38.7	*	5
6	*	15	0.8	4.9	*	127	6.7	24.9	*	50	2.6	15.4	*	122	6.4	41.8	*	46	2.4	6.3	*	188	9.9	48.6	*	6
7	*	28	1.5	6.4	*	113	5.9	30.8	*	93	4.9	20.3	*	108	5.7	47.5	*	46	2.4	8.7	*	141	7.4	56.0	*	7
8	*	39	2.1	8.5	*	95	5.0	35.8	*	91	4.8	25.1	*	167	8.8	56.3	*	57	3.0	11.7	*	140	7.4	63.4	*	8
9	*	47	2.5	10.9	*	98	5.2	41.0	*	89	4.7	29.8	*	165	8.7	65.0	*	60	3.2	14.9	*	218	11.5	74.8	*	9
10	*	60	3.2	14.1	*	102	5.4	46.4	*	101	5.3	35.1	*	137	7.2	72.2	*	80	4.2	19.1	*	175	9.2	84.1	*	10
11	*	49	2.6	16.7	*	224	11.8	58.2	*	77	4.1	39.2	*	178	9.4	81.6	*	81	4.3	23.4	*	84	4.4	88.5	*	11
12	*	68	3.6	20.3	*	183	9.6	67.8	*	78	4.1	43.3	*	128	6.7	88.3	*	71	3.7	27.1	*	79	4.2	92.6	*	12
13	*	93	4.9	25.2	*	147	7.7	75.5	*	91	4.8	48.1	*	75	3.9	92.3	*	201	10.6	37.7	*	58	3.1	95.7	*	13
14	*	128	6.7	31.9	*	128	6.7	82.3	*	108	5.7	53.7	*	77	4.1	96.3	*	187	9.8	47.5	*	52	2.7	98.4	*	14
15	*	211	11.1	43.0	*	153	8.1	90.3	*	109	5.7	59.5	*	36	1.9	98.2	*	176	9.3	56.8	*	21	1.1	99.5	*	15
16	*	139	7.3	50.3	*	67	3.5	93.8	*	95	5.0	64.5	*	25	1.3	99.5	*	150	7.9	64.7	*	5	0.3	99.8	*	16
17	*	175	9.2	59.5	*	38	2.0	95.8	*	77	4.1	68.5	*	7	0.4	99.9	*	242	12.7	77.4	*	4	0.2	100.0	*	17
18	*	257	13.5	73.1	*	28	1.5	97.3	*	221	11.6	80.2	*	2	0.1	100.0	*	187	9.8	87.3	*	0	0.0	100.0	*	18
19	*	199	10.5	83.5	*	38	2.0	99.3	*	150	7.9	88.1	*	0	0.0	100.0	*	94	4.9	92.2	*	0	0.0	100.0	*	19
20	*	205	10.8	94.3	*	12	0.6	99.9	*	106	5.6	93.6	*	0	0.0	100.0	*	45	2.4	94.6	*	0	0.0	100.0	*	20
21	*	90	4.7	99.1	*	1	0.1	100.0	*	94	4.9	98.6	*	0	0.0	100.0	*	20	1.1	95.6	*	0	0.0	100.0	*	21
22	*	18	0.9	100.0	*	0	0.0	100.0	*	27	1.4	100.0	*	0	0.0	100.0	*	19	1.0	96.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	37	1.9	98.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	0.9	99.5	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 75.4      DMC = 26.8      DC = 219.9      ISI = 4.8      ADMC = 60.3      FWI = 9.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1900

MAXIMUM VALUES

FFMC = 94.0      DMC = 141.0      DC = 577.0      ISI = 45.6      ADMC = 175.0      FWI = 63.0

\*\*\*TOTALS FOR STATION 369 GERMANSON LANDING LONG. 12442 LAT. 5547

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	28	1.8	1.8	*	29	1.8	1.8	*	10	0.6	0.6	*	78	4.9	4.9	*	2	0.1	0.1	*	377	23.8	23.8	*	1
2	*	10	0.6	2.4	*	70	4.4	6.3	*	18	1.1	1.8	*	252	15.9	20.9	*	9	0.6	0.7	*	244	15.4	39.3	*	2
3	*	7	0.4	2.8	*	94	5.9	12.2	*	27	1.7	3.5	*	227	14.3	35.2	*	0	0.0	0.7	*	82	5.2	44.4	*	3
4	*	10	0.6	3.5	*	121	7.6	19.8	*	40	2.5	6.0	*	155	9.8	45.0	*	20	1.3	2.0	*	96	6.1	50.5	*	4
5	*	13	0.8	4.3	*	105	6.6	26.5	*	38	2.4	8.4	*	122	7.7	52.7	*	40	2.5	4.5	*	77	4.9	55.4	*	5
6	*	20	1.3	5.6	*	115	7.3	33.8	*	31	2.0	10.4	*	98	6.2	58.9	*	51	3.2	7.7	*	138	8.7	64.1	*	6
7	*	31	2.0	7.5	*	103	6.5	40.3	*	68	4.3	14.7	*	106	6.7	65.6	*	67	4.2	11.9	*	138	8.7	72.8	*	7
8	*	45	2.8	10.4	*	89	5.6	45.9	*	67	4.2	18.9	*	152	9.6	75.2	*	57	3.6	15.5	*	109	6.9	79.7	*	8
9	*	52	3.3	13.7	*	81	5.1	51.0	*	83	5.2	24.1	*	127	8.0	83.2	*	96	6.1	21.6	*	130	8.2	87.9	*	9
10	*	66	4.2	17.8	*	72	4.6	55.6	*	84	5.3	29.5	*	71	4.5	87.7	*	66	4.2	25.8	*	86	5.4	93.4	*	10
11	*	85	5.4	23.2	*	163	10.3	65.9	*	78	4.9	34.4	*	96	6.1	93.8	*	92	5.8	31.6	*	41	2.6	96.0	*	11
12	*	85	5.4	28.6	*	142	9.0	74.8	*	92	5.8	40.2	*	44	2.8	96.6	*	87	5.5	37.1	*	33	2.1	98.0	*	12
13	*	105	6.6	35.2	*	124	7.8	82.7	*	77	4.9	45.1	*	30	1.9	98.5	*	164	10.4	47.5	*	14	0.9	98.9	*	13
14	*	140	8.8	44.1	*	55	3.5	86.2	*	87	5.5	50.6	*	15	0.9	99.4	*	147	9.3	56.8	*	13	0.8	99.7	*	14
15	*	181	11.4	55.5	*	75	4.7	90.9	*	115	7.3	57.8	*	3	0.2	99.6	*	108	6.8	63.6	*	3	0.2	99.9	*	15
16	*	99	6.3	61.8	*	43	2.7	93.6	*	107	6.8	64.6	*	6	0.4	100.0	*	100	6.3	69.9	*	0	0.0	99.9	*	16
17	*	151	9.5	71.3	*	44	2.8	96.4	*	129	8.2	72.8	*	0	0.0	100.0	*	191	12.1	82.0	*	1	0.1	100.0	*	17
18	*	160	10.1	81.4	*	28	1.8	98.2	*	186	11.8	84.5	*	0	0.0	100.0	*	99	6.3	88.2	*	0	0.0	100.0	*	18
19	*	181	11.4	92.9	*	29	1.8	100.0	*	148	9.4	93.9	*	0	0.0	100.0	*	58	3.7	91.9	*	0	0.0	100.0	*	19
20	*	74	4.7	97.5	*	0	0.0	100.0	*	83	5.2	99.1	*	0	0.0	100.0	*	43	2.7	94.6	*	0	0.0	100.0	*	20
21	*	37	2.3	99.9	*	0	0.0	100.0	*	14	0.9	100.0	*	0	0.0	100.0	*	36	2.3	96.9	*	0	0.0	100.0	*	21
22	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	30	1.9	98.8	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	1.1	99.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.4      DMC = 23.4      DC = 219.4      ISI = 2.8      ADMC = 54.6      FWI = 6.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1582

MAXIMUM VALUES

FFMC = 94.0      DMC = 102.0      DC = 490.0      ISI = 29.4      ADMC = 126.0      FWI = 63.0



\*\*\*TOTALS FOR STATION 420 GOLDEN LONG. 11658 LAT. 5118

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.								
1	*	6	0.3	0.3	*	2	0.1	0.1	*	5	0.2	0.2	*	40	2.0	2.0	*	0	0.0	0.0	*	150	7.4	7.4	*	1
2	*	8	0.4	0.7	*	10	0.5	0.6	*	38	1.9	2.1	*	135	6.6	8.6	*	1	0.0	0.0	*	126	6.2	13.6	*	2
3	*	4	0.2	0.9	*	27	1.3	1.9	*	47	2.3	4.4	*	142	7.0	15.6	*	0	0.0	0.0	*	64	3.1	16.7	*	3
4	*	6	0.3	1.2	*	35	1.7	3.6	*	39	1.9	6.3	*	118	5.8	21.4	*	3	0.1	0.2	*	76	3.7	20.5	*	4
5	*	10	0.5	1.7	*	55	2.7	6.3	*	47	2.3	8.7	*	106	5.2	26.6	*	14	0.7	0.9	*	61	3.0	23.5	*	5
6	*	15	0.7	2.4	*	46	2.3	8.6	*	39	1.9	10.6	*	96	4.7	31.3	*	25	1.2	2.1	*	137	6.7	30.2	*	6
7	*	11	0.5	2.9	*	58	2.9	11.5	*	77	3.8	14.4	*	91	4.5	35.8	*	33	1.6	3.7	*	138	6.8	37.0	*	7
8	*	22	1.1	4.0	*	46	2.3	13.7	*	81	4.0	18.3	*	160	7.9	43.7	*	25	1.2	5.0	*	116	5.7	42.7	*	8
9	*	26	1.3	5.3	*	56	2.8	16.5	*	79	3.9	22.2	*	196	9.6	53.3	*	32	1.6	6.5	*	199	9.8	52.5	*	9
10	*	43	2.1	7.4	*	62	3.0	19.5	*	65	3.2	25.4	*	149	7.3	60.6	*	29	1.4	8.0	*	195	9.6	62.0	*	10
11	*	53	2.6	10.0	*	142	7.0	26.5	*	56	2.8	28.2	*	240	11.8	72.4	*	36	1.8	9.7	*	173	8.5	70.6	*	11
12	*	54	2.7	12.7	*	141	6.9	33.4	*	59	2.9	31.1	*	164	8.1	80.5	*	36	1.8	11.5	*	141	6.9	77.5	*	12
13	*	80	3.9	16.6	*	129	6.3	39.8	*	74	3.6	34.7	*	122	6.0	86.5	*	109	5.4	16.9	*	119	5.9	83.3	*	13
14	*	110	5.4	22.0	*	121	5.9	45.7	*	86	4.2	38.9	*	122	6.0	92.5	*	101	5.0	21.8	*	163	8.0	91.3	*	14
15	*	183	9.0	31.0	*	220	10.8	56.5	*	52	2.6	41.5	*	64	3.1	95.6	*	100	4.9	26.7	*	84	4.1	95.5	*	15
16	*	99	4.9	35.9	*	205	10.1	66.6	*	40	2.0	43.5	*	54	2.7	98.3	*	92	4.5	31.3	*	37	1.8	97.3	*	16
17	*	140	6.9	42.8	*	168	8.3	74.9	*	46	2.3	45.7	*	13	0.6	98.9	*	207	10.2	41.4	*	22	1.1	98.4	*	17
18	*	154	7.6	50.3	*	146	7.2	82.1	*	85	4.2	49.9	*	8	0.4	99.3	*	173	8.5	50.0	*	13	0.6	99.0	*	18
19	*	231	11.4	61.7	*	225	11.1	93.1	*	105	5.2	55.1	*	4	0.2	99.5	*	134	6.6	56.5	*	4	0.2	99.2	*	19
20	*	300	14.7	76.5	*	78	3.8	97.0	*	201	9.9	64.9	*	7	0.3	99.9	*	161	7.9	64.5	*	5	0.2	99.5	*	20
21	*	263	12.9	89.4	*	46	2.3	99.2	*	144	7.1	72.0	*	2	0.1	100.0	*	131	6.4	70.9	*	7	0.3	99.8	*	21
22	*	155	7.6	97.0	*	14	0.7	99.9	*	251	12.3	84.4	*	1	0.0	100.0	*	116	5.7	76.6	*	4	0.2	100.0	*	22
23	*	51	2.5	99.5	*	2	0.1	100.0	*	215	10.6	94.9	*	0	0.0	100.0	*	232	11.4	88.0	*	0	0.0	100.0	*	23
24	*	10	0.5	100.0	*	0	0.0	100.0	*	103	5.1	100.0	*	0	0.0	100.0	*	131	6.4	94.4	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	113	5.6	100.0	*	0	0.0	100.0	*	25

391

AVERAGE VALUES

FFMC = 81.1      DMC = 51.8      DC = 344.0      ISI = 6.7      ADMC = 69.2      FWI = 17.5

THE TOTAL NUMBER OF OBSERVATIONS IS 2034

MAXIMUM VALUES

FFMC = 98.0      DMC = 211.0      DC = 762.0      ISI = 82.7      ADMC = 222.0      FWI = 139.0

\*\*\*TOTALS FOR STATION 352 HAINES APPS NO, 2

LONG, 13628 LAT, 5931

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	7	0.5	0.5	*	36	2.5	2.5	*	17	1.2	1.2	*	23	1.6	1.6	*	5	0.3	0.3	*	123	8.5	8.5	*	1
2	*	1	0.1	0.6	*	44	3.0	5.5	*	28	1.9	3.1	*	82	5.7	7.2	*	20	1.4	1.7	*	129	8.9	17.4	*	2
3	*	2	0.1	0.7	*	44	3.0	8.5	*	34	2.3	5.4	*	137	9.4	16.7	*	8	0.6	2.3	*	62	4.3	21.6	*	3
4	*	8	0.6	1.2	*	43	3.0	11.5	*	28	1.9	7.4	*	99	6.8	23.5	*	11	0.8	3.0	*	63	4.3	26.0	*	4
5	*	4	0.3	1.5	*	48	3.3	14.8	*	21	1.4	8.8	*	80	5.5	29.0	*	33	2.3	5.3	*	52	3.6	29.6	*	5
6	*	2	0.1	1.7	*	58	4.0	18.8	*	21	1.4	10.3	*	71	4.9	33.9	*	22	1.5	6.8	*	92	6.3	35.9	*	6
7	*	14	1.0	2.6	*	45	3.1	21.9	*	57	3.9	14.2	*	64	4.4	38.3	*	29	2.0	8.8	*	93	6.4	42.3	*	7
8	*	17	1.2	3.8	*	41	2.8	24.7	*	54	3.7	17.9	*	139	9.6	47.9	*	30	2.1	10.9	*	83	5.7	48.0	*	8
9	*	23	1.6	5.4	*	47	3.2	28.0	*	56	3.9	21.8	*	119	8.2	56.1	*	32	2.2	13.1	*	165	11.4	59.4	*	9
10	*	54	3.7	9.1	*	41	2.8	30.8	*	59	4.1	25.8	*	113	7.8	63.9	*	29	2.0	15.1	*	165	11.4	70.8	*	10
11	*	55	3.8	12.9	*	108	7.4	38.2	*	62	4.3	30.1	*	177	12.2	76.1	*	38	2.6	17.7	*	143	9.9	80.6	*	11
12	*	57	3.9	16.8	*	88	6.1	44.3	*	53	3.7	33.8	*	133	9.2	85.3	*	36	2.5	20.2	*	86	5.9	86.6	*	12
13	*	58	4.0	20.8	*	105	7.2	51.6	*	63	4.3	38.1	*	92	6.3	91.6	*	82	5.7	25.8	*	80	5.5	92.1	*	13
14	*	82	5.7	26.5	*	87	6.0	57.5	*	88	6.1	44.2	*	76	5.2	96.8	*	88	6.1	31.9	*	80	5.5	97.6	*	14
15	*	138	9.5	36.0	*	150	10.3	67.9	*	78	5.4	49.6	*	28	1.9	98.8	*	90	6.2	38.1	*	25	1.7	99.3	*	15
16	*	78	5.4	41.4	*	129	8.9	76.8	*	61	4.2	53.8	*	16	1.1	99.9	*	85	5.9	44.0	*	7	0.5	99.8	*	16
17	*	113	7.8	49.1	*	104	7.2	83.9	*	81	5.6	59.3	*	2	0.1	100.0	*	134	9.2	53.2	*	2	0.1	99.9	*	17
18	*	162	11.2	60.3	*	81	5.6	89.5	*	203	14.0	73.3	*	0	0.0	100.0	*	151	10.4	63.6	*	1	0.1	100.0	*	18
19	*	224	15.4	75.7	*	125	8.6	98.1	*	164	11.3	84.6	*	0	0.0	100.0	*	118	8.1	71.7	*	0	0.0	100.0	*	19
20	*	201	13.9	89.6	*	27	1.9	100.0	*	124	8.5	93.2	*	0	0.0	100.0	*	118	8.1	79.9	*	0	0.0	100.0	*	20
21	*	108	7.4	97.0	*	0	0.0	100.0	*	65	4.5	97.7	*	0	0.0	100.0	*	85	5.9	85.7	*	0	0.0	100.0	*	21
22	*	34	2.3	99.4	*	0	0.0	100.0	*	34	2.3	100.0	*	0	0.0	100.0	*	60	4.1	89.9	*	0	0.0	100.0	*	22
23	*	9	0.6	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	107	7.4	97.2	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	39	2.7	99.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 78.9     DMC = 40.3     DC = 250.4     ISI = 5.4     ADMC = 81.2     FWI = 13.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1451

MAXIMUM VALUES

FFMC = 95.0     DMC = 140.0     DC = 558.0     ISI = 36.6     ADMC = 151.0     FWI = 80.0

\*\*\*TOTALS FOR STATION 406 HEMP CREEK CLEARWATER LONG, 12004 LAT. 5155

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	12	0.7	0.7	*	33	1.9	1.9	*	17	1.0	1.0	*	55	3.2	3.2	*	3	0.2	0.2	*	313	18.0	18.0	*	1
2	*	8	0.5	1.1	*	57	3.3	5.2	*	38	2.2	3.2	*	221	12.7	15.9	*	11	0.6	0.8	*	195	11.2	29.2	*	2
3	*	7	0.4	1.6	*	79	4.5	9.7	*	37	2.1	5.3	*	190	10.9	26.8	*	4	0.2	1.0	*	110	6.3	35.5	*	3
4	*	9	0.5	2.1	*	119	6.8	16.5	*	55	3.2	8.4	*	151	8.7	35.4	*	23	1.3	2.4	*	76	4.4	39.9	*	4
5	*	15	0.9	2.9	*	91	5.2	21.8	*	32	1.8	10.3	*	125	7.2	42.6	*	33	1.9	4.3	*	80	4.6	44.5	*	5
6	*	14	0.8	3.7	*	103	5.9	27.7	*	41	2.4	12.6	*	99	5.7	48.3	*	51	2.9	7.2	*	149	8.6	53.0	*	6
7	*	22	1.3	5.0	*	86	4.9	32.6	*	73	4.2	16.8	*	87	5.0	53.3	*	52	3.0	10.2	*	122	7.0	60.0	*	7
8	*	40	2.3	7.3	*	90	5.2	37.8	*	89	5.1	21.9	*	133	7.6	60.9	*	58	3.3	13.5	*	85	4.9	64.9	*	8
9	*	43	2.5	9.8	*	101	5.8	43.6	*	95	5.5	27.4	*	107	6.1	67.1	*	80	4.6	18.1	*	158	9.1	74.0	*	9
10	*	64	3.7	13.4	*	64	3.7	47.3	*	82	4.7	32.1	*	114	6.5	73.6	*	69	4.0	22.1	*	129	7.4	81.4	*	10
11	*	84	4.8	18.3	*	176	10.1	57.4	*	105	6.0	38.1	*	160	9.2	82.8	*	79	4.5	26.6	*	101	5.8	87.2	*	11
12	*	86	4.9	23.2	*	138	7.9	65.3	*	83	4.8	42.9	*	99	5.7	88.5	*	74	4.3	30.8	*	77	4.4	91.6	*	12
13	*	102	5.9	29.1	*	105	6.0	71.3	*	91	5.2	48.1	*	74	4.3	92.8	*	180	10.3	41.2	*	55	3.2	94.8	*	13
14	*	114	6.5	35.6	*	81	4.7	76.0	*	77	4.4	52.6	*	79	4.5	97.3	*	130	7.5	48.7	*	65	3.7	98.5	*	14
15	*	163	9.4	45.0	*	146	8.4	84.4	*	94	5.4	58.0	*	21	1.2	98.5	*	117	6.7	55.4	*	17	1.0	99.5	*	15
16	*	107	6.1	51.1	*	98	5.6	90.0	*	76	4.4	62.3	*	21	1.2	99.7	*	118	6.8	62.1	*	6	0.3	99.8	*	16
17	*	111	6.4	57.5	*	61	3.5	93.5	*	93	5.3	67.7	*	5	0.3	100.0	*	202	11.6	73.8	*	3	0.2	100.0	*	17
18	*	153	8.8	66.3	*	33	1.9	95.4	*	174	10.0	77.7	*	0	0.0	100.0	*	138	7.9	81.7	*	0	0.0	100.0	*	18
19	*	145	8.3	74.6	*	55	3.2	98.6	*	151	8.7	86.3	*	0	0.0	100.0	*	79	4.5	86.2	*	0	0.0	100.0	*	19
20	*	165	9.5	84.1	*	25	1.4	100.0	*	120	6.9	93.2	*	0	0.0	100.0	*	68	3.9	90.1	*	0	0.0	100.0	*	20
21	*	206	11.8	95.9	*	0	0.0	100.0	*	54	3.1	96.3	*	0	0.0	100.0	*	56	3.2	93.3	*	0	0.0	100.0	*	21
22	*	70	4.0	99.9	*	0	0.0	100.0	*	64	3.7	100.0	*	0	0.0	100.0	*	34	2.0	95.3	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	51	2.9	98.2	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.3	99.5	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	9	0.5	100.0	*	0	0.0	100.0	*	25

393

AVERAGE VALUES

FFMC = 75.7      DMC = 28.9      DC = 228.8      ISI = 4.4      ADMC = 63.2      FWI = 9.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1741

MAXIMUM VALUES

FFMC = 95.0      DMC = 140.0      DC = 554.0      ISI = 36.5      ADMC = 162.0      FWI = 69.0

\*\*\*TOTALS FOR STATION 409 KAMLOOPS LONG. 12025 LAT. 5043

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CLASS						
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.						
1	*	2	0.1	0.1	*	0	0.0	0.0	*	4	0.2	0.2	*	17	0.8	0.8	*	0	0.0	0.0	*	84	4.0	4.0	*	1
2	*	0	0.0	0.1	*	7	0.3	0.3	*	23	1.1	1.3	*	118	5.6	6.4	*	0	0.0	0.0	*	124	5.9	9.9	*	2
3	*	1	0.0	0.1	*	23	1.1	1.4	*	26	1.2	2.5	*	146	6.9	13.3	*	3	0.1	0.1	*	59	2.8	12.7	*	3
4	*	4	0.2	0.3	*	18	0.9	2.3	*	32	1.5	4.0	*	116	5.5	18.8	*	1	0.0	0.2	*	75	3.6	16.2	*	4
5	*	8	0.4	0.7	*	22	1.0	3.3	*	36	1.7	5.7	*	114	5.4	24.2	*	11	0.5	0.7	*	64	3.0	19.3	*	5
6	*	8	0.4	1.1	*	34	1.6	4.9	*	34	1.6	7.4	*	105	5.0	29.2	*	11	0.5	1.2	*	126	6.0	25.2	*	6
7	*	6	0.3	1.4	*	35	1.7	6.6	*	58	2.8	10.1	*	88	4.2	33.4	*	12	0.6	1.8	*	113	5.4	30.6	*	7
8	*	10	0.5	1.9	*	29	1.4	8.0	*	58	2.8	12.9	*	167	7.9	41.3	*	21	1.0	2.8	*	114	5.4	36.0	*	8
9	*	13	0.6	2.5	*	32	1.5	9.5	*	49	2.3	15.2	*	167	7.9	49.2	*	15	0.7	3.5	*	188	8.9	44.9	*	9
10	*	21	1.0	3.5	*	34	1.6	11.1	*	41	1.9	17.1	*	144	6.8	56.1	*	18	0.9	4.4	*	171	8.1	53.0	*	10
11	*	30	1.4	4.9	*	70	3.3	14.4	*	45	2.1	19.3	*	258	12.2	68.3	*	23	1.1	5.5	*	193	9.2	62.2	*	11
12	*	49	2.3	7.2	*	117	5.6	20.0	*	44	2.1	21.3	*	188	8.9	77.2	*	20	0.9	6.4	*	149	7.1	69.3	*	12
13	*	99	4.7	11.9	*	142	6.7	26.7	*	56	2.7	24.0	*	151	7.2	84.4	*	64	3.0	9.4	*	128	6.1	75.3	*	13
14	*	110	5.2	17.1	*	140	6.6	33.3	*	49	2.3	26.3	*	148	7.0	91.4	*	61	2.9	12.3	*	240	11.4	86.7	*	14
15	*	168	8.0	25.1	*	237	11.2	44.6	*	43	2.0	28.4	*	75	3.6	95.0	*	63	3.0	15.3	*	140	6.6	93.4	*	15
16	*	98	4.6	29.7	*	196	9.3	53.9	*	49	2.3	30.7	*	75	3.6	98.5	*	57	2.7	18.0	*	63	3.0	96.3	*	16
17	*	132	6.3	36.0	*	186	8.8	62.7	*	53	2.5	33.2	*	17	0.8	99.3	*	138	6.5	24.6	*	40	1.9	98.2	*	17
18	*	194	9.2	45.2	*	177	8.4	71.1	*	94	4.5	37.7	*	10	0.5	99.8	*	209	9.9	34.5	*	15	0.7	99.0	*	18
19	*	230	10.9	56.1	*	271	12.9	84.0	*	106	5.0	42.7	*	3	0.1	100.0	*	200	9.5	44.0	*	6	0.3	99.2	*	19
20	*	314	14.9	71.0	*	164	7.8	91.7	*	132	6.3	49.0	*	1	0.0	100.0	*	198	9.4	53.4	*	8	0.4	99.6	*	20
21	*	287	13.6	84.6	*	87	4.1	95.9	*	170	8.1	57.0	*	0	0.0	100.0	*	143	6.8	60.2	*	8	0.4	100.0	*	21
22	*	219	10.4	95.0	*	60	2.8	98.7	*	354	16.8	73.8	*	0	0.0	100.0	*	114	5.4	65.6	*	0	0.0	100.0	*	22
23	*	102	4.8	99.9	*	24	1.1	99.9	*	308	14.6	88.4	*	0	0.0	100.0	*	265	12.6	78.1	*	0	0.0	100.0	*	23
24	*	3	0.1	100.0	*	3	0.1	100.0	*	105	5.0	93.4	*	0	0.0	100.0	*	192	9.1	87.2	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	139	6.6	100.0	*	0	0.0	100.0	*	269	12.8	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 83.8 DMC = 66.8 DC = 426.0 ISI = 7.0 ADMC = 123.1 FWI = 20.9

THE TOTAL NUMBER OF OBSERVATIONS IS 2108

MAXIMUM VALUES

FFMC = 97.0 DMC = 260.0 DC = 988.0 ISI = 65.5 ADMC = 278.0 FWI = 117.0

\*\*\*TOTALS FOR STATION 417 KASLO LONG. 11655 LAT. 4955

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS				
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS			
1	*	2	0.1	0.1	*	19	1.0	1.0	*	42	2.2	2.2	*	23	1.2	1.2	*	217	11.5	11.5	*	1
2	*	2	0.1	0.2	*	58	3.1	4.1	*	71	3.8	6.0	*	145	7.7	8.9	*	231	12.3	23.8	*	2
3	*	2	0.1	0.3	*	75	4.0	8.1	*	77	4.1	10.1	*	221	11.7	20.7	*	90	4.8	28.6	*	3
4	*	6	0.3	0.6	*	113	6.0	14.1	*	60	3.2	13.3	*	152	8.1	28.7	*	113	6.0	34.6	*	4
5	*	8	0.4	1.1	*	101	5.4	19.4	*	36	1.9	15.2	*	140	7.4	36.2	*	43	2.3	4.4	*	5
6	*	10	0.5	1.6	*	91	4.8	24.3	*	41	2.2	17.4	*	109	5.8	42.0	*	63	3.3	7.8	*	6
7	*	15	0.8	2.4	*	98	5.2	29.5	*	101	5.4	22.7	*	106	5.6	47.6	*	59	3.1	10.9	*	7
8	*	26	1.4	3.8	*	101	5.4	34.8	*	66	3.5	26.2	*	154	8.2	55.8	*	63	3.3	14.2	*	8
9	*	24	1.3	5.0	*	84	4.5	39.3	*	64	3.4	29.6	*	145	7.7	63.5	*	63	3.3	17.6	*	9
10	*	64	3.4	8.4	*	69	3.7	43.0	*	84	4.5	34.1	*	118	6.3	69.7	*	66	3.5	21.1	*	10
11	*	65	3.5	11.9	*	181	9.6	52.6	*	62	3.3	37.4	*	203	10.8	80.5	*	70	3.7	24.8	*	11
12	*	105	5.6	17.5	*	143	7.6	60.2	*	57	3.0	40.4	*	119	6.3	86.8	*	69	3.7	28.5	*	12
13	*	129	6.9	24.3	*	127	6.7	66.9	*	47	2.5	42.9	*	73	3.9	90.7	*	163	8.7	37.1	*	13
14	*	134	7.1	31.4	*	125	6.6	73.6	*	68	3.6	46.5	*	75	4.0	94.7	*	138	7.3	44.5	*	14
15	*	199	10.6	42.0	*	161	8.6	82.1	*	74	3.9	50.5	*	30	1.6	96.3	*	123	6.5	51.0	*	15
16	*	104	5.5	47.5	*	113	6.0	88.1	*	95	5.0	55.5	*	44	2.3	98.6	*	99	5.3	56.2	*	16
17	*	115	6.1	53.6	*	77	4.1	92.2	*	98	5.2	60.7	*	9	0.5	99.1	*	193	10.2	66.5	*	17
18	*	152	8.1	61.7	*	41	2.2	94.4	*	222	11.8	72.5	*	6	0.3	99.4	*	169	9.0	75.5	*	18
19	*	184	9.8	71.5	*	63	3.3	97.7	*	142	7.5	80.0	*	7	0.4	99.8	*	145	7.7	83.2	*	19
20	*	214	11.4	82.8	*	28	1.5	99.2	*	175	9.3	89.3	*	2	0.1	99.9	*	75	4.0	87.1	*	20
21	*	171	9.1	91.9	*	14	0.7	99.9	*	73	3.9	93.2	*	1	0.1	99.9	*	72	3.8	91.0	*	21
22	*	95	5.0	97.0	*	1	0.1	100.0	*	104	5.5	98.7	*	1	0.1	100.0	*	43	2.3	93.3	*	22
23	*	49	2.6	99.6	*	0	0.0	100.0	*	24	1.3	100.0	*	0	0.0	100.0	*	60	3.2	96.4	*	23
24	*	8	0.4	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	41	2.2	98.6	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	26	1.4	100.0	*	25

AVERAGE VALUES

FFMC = 78.6    DMC = 31.7    DC = 244.4    ISI = 5.5    ADMC = 43.5    FWI = 11.9

THE TOTAL NUMBER OF OBSERVATIONS IS 1883

MAXIMUM VALUES

FFMC = 98.0    DMC = 172.0    DC = 625.0    ISI = 82.7    ADMC = 203.0    FWI = 126.0

\*\*\*TOTALS FOR STATION 379 KEMANO LONG, 12756 LAT. 5334

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	14	0.9	0.9	*	104	6.4	6.4	*	70	4.3	4.3	*	80	4.9	4.9	*	30	1.8	1.8	*	376	23.0	23.0	*	1
2	*	6	0.4	1.2	*	98	6.0	12.4	*	56	3.4	7.7	*	198	12.1	17.0	*	37	2.3	4.1	*	185	11.3	34.4	*	2
3	*	9	0.6	1.8	*	89	5.5	17.8	*	63	3.9	11.6	*	215	13.2	30.2	*	21	1.3	5.4	*	93	5.7	40.1	*	3
4	*	18	1.1	2.9	*	91	5.6	23.4	*	53	3.2	14.8	*	140	8.6	38.8	*	48	2.9	8.3	*	70	4.3	44.4	*	4
5	*	16	1.0	3.9	*	102	6.3	29.7	*	44	2.7	17.5	*	99	6.1	44.9	*	50	3.1	11.4	*	81	5.0	49.3	*	5
6	*	28	1.7	5.6	*	85	5.2	34.9	*	40	2.5	20.0	*	90	5.5	50.4	*	71	4.4	15.7	*	119	7.3	56.6	*	6
7	*	25	1.5	7.1	*	77	4.7	39.6	*	82	5.0	25.0	*	83	5.1	55.5	*	54	3.3	19.1	*	109	6.7	63.3	*	7
8	*	52	3.2	10.3	*	72	4.4	44.0	*	59	3.6	28.6	*	168	10.3	65.7	*	69	4.2	23.3	*	98	6.0	69.3	*	8
9	*	46	2.8	13.1	*	69	4.2	48.2	*	71	4.4	33.0	*	136	8.3	74.1	*	55	3.4	26.7	*	180	11.0	80.3	*	9
10	*	69	4.2	17.3	*	69	4.2	52.5	*	70	4.3	37.3	*	88	5.4	79.5	*	82	5.0	31.7	*	81	5.0	85.3	*	10
11	*	81	5.0	22.3	*	123	7.5	60.0	*	76	4.7	41.9	*	125	7.7	87.1	*	62	3.8	35.5	*	80	4.9	90.2	*	11
12	*	90	5.5	27.8	*	112	6.9	66.9	*	105	6.4	48.3	*	75	4.6	91.7	*	56	3.4	38.9	*	52	3.2	93.4	*	12
13	*	86	5.3	33.1	*	97	5.9	72.8	*	104	6.4	54.7	*	42	2.6	94.3	*	131	8.0	46.9	*	37	2.3	95.6	*	13
14	*	117	7.2	40.3	*	85	5.2	78.0	*	134	8.2	62.9	*	59	3.6	97.9	*	117	7.2	54.1	*	41	2.5	98.2	*	14
15	*	146	8.9	49.2	*	95	5.8	83.8	*	97	5.9	68.9	*	9	0.6	98.5	*	110	6.7	60.8	*	21	1.3	99.4	*	15
16	*	95	5.8	55.0	*	82	5.0	88.8	*	70	4.3	73.2	*	18	1.1	99.6	*	83	5.1	65.9	*	3	0.2	99.6	*	16
17	*	115	7.0	62.1	*	58	3.6	92.4	*	74	4.5	77.7	*	5	0.3	99.9	*	152	9.3	75.2	*	3	0.2	99.8	*	17
18	*	135	8.3	70.3	*	41	2.5	94.9	*	116	7.1	84.8	*	2	0.1	100.0	*	117	7.2	82.4	*	2	0.1	99.9	*	18
19	*	200	12.3	82.6	*	63	3.9	98.8	*	105	6.4	91.2	*	0	0.0	100.0	*	65	4.0	86.4	*	0	0.0	99.9	*	19
20	*	162	9.9	92.5	*	10	0.6	99.4	*	73	4.5	95.7	*	0	0.0	100.0	*	52	3.2	89.6	*	1	0.1	100.0	*	20
21	*	81	5.0	97.5	*	5	0.3	99.7	*	47	2.9	98.6	*	0	0.0	100.0	*	36	2.2	91.8	*	0	0.0	100.0	*	21
22	*	38	2.3	99.8	*	5	0.3	100.0	*	23	1.4	100.0	*	0	0.0	100.0	*	40	2.5	94.2	*	0	0.0	100.0	*	22
23	*	3	0.2	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	64	3.9	98.2	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20	1.2	99.4	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.3      DMC = 27.8      DC = 195.9      ISI = 3.9      ADMC = 58.8      FWI = 8.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1632

MAXIMUM VALUES

FFMC = 95.0      DMC = 181.0      DC = 573.0      ISI = 45.6      ADMC = 181.0      FWI = 98.0

\*\*\*TOTALS FOR STATION 416 KIMBERLEY LONG. 11547 LAT, 4944

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CLASS								
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.									
1	*	6	0.3	0.3	*	2	0.1	0.1	*	5	0.2	0.2	*	40	2.0	2.0	*	0	0.0	0.0	*	140	6.9	6.9	*	1
2	*	8	0.4	0.7	*	10	0.5	0.6	*	38	1.9	2.1	*	124	6.1	8.1	*	1	0.0	0.0	*	119	5.9	12.7	*	2
3	*	3	0.1	0.8	*	27	1.3	1.9	*	47	2.3	4.4	*	134	6.6	14.7	*	0	0.0	0.0	*	55	2.7	15.4	*	3
4	*	7	0.3	1.2	*	35	1.7	3.6	*	39	1.9	6.3	*	112	5.5	20.2	*	3	0.1	0.2	*	84	4.1	19.6	*	4
5	*	10	0.5	1.7	*	55	2.7	6.3	*	47	2.3	8.7	*	105	5.2	25.3	*	14	0.7	0.9	*	61	3.0	22.6	*	5
6	*	15	0.7	2.4	*	46	2.3	8.6	*	39	1.9	10.6	*	83	4.1	29.4	*	25	1.2	2.1	*	127	6.2	28.8	*	6
7	*	9	0.4	2.9	*	58	2.9	11.5	*	77	3.8	14.4	*	81	4.0	33.4	*	33	1.6	3.7	*	130	6.4	35.2	*	7
8	*	24	1.2	4.0	*	46	2.3	13.7	*	81	4.0	18.3	*	162	8.0	41.3	*	25	1.2	5.0	*	110	5.4	40.6	*	8
9	*	23	1.1	5.2	*	56	2.8	16.5	*	79	3.9	22.2	*	175	8.6	50.0	*	32	1.6	6.5	*	198	9.7	50.3	*	9
10	*	40	2.0	7.1	*	62	3.0	19.5	*	65	3.2	25.4	*	157	7.7	57.7	*	29	1.4	8.0	*	183	9.0	59.3	*	10
11	*	52	2.6	9.7	*	142	7.0	26.5	*	56	2.8	28.2	*	224	11.0	68.7	*	36	1.8	9.7	*	189	9.2	68.6	*	11
12	*	57	2.8	12.5	*	141	6.9	33.4	*	59	2.9	31.1	*	187	9.2	77.9	*	36	1.8	11.5	*	131	6.4	75.0	*	12
13	*	75	3.7	16.2	*	129	6.3	39.8	*	74	3.6	34.7	*	121	5.9	83.8	*	109	5.4	16.9	*	126	6.2	81.2	*	13
14	*	108	5.3	21.5	*	121	5.9	45.7	*	86	4.2	38.9	*	136	6.7	90.5	*	101	5.0	21.8	*	180	8.8	90.1	*	14
15	*	180	8.8	30.3	*	220	10.8	56.5	*	52	2.6	41.5	*	65	3.2	93.7	*	100	4.9	26.7	*	91	4.5	94.5	*	15
16	*	99	4.9	35.2	*	205	10.1	66.6	*	40	2.0	43.5	*	69	3.4	97.1	*	92	4.5	31.3	*	43	2.1	96.7	*	16
17	*	146	7.2	42.4	*	168	8.3	74.9	*	46	2.3	45.7	*	34	1.7	98.8	*	207	10.2	41.4	*	22	1.1	97.7	*	17
18	*	158	7.8	50.1	*	146	7.2	82.1	*	85	4.2	49.9	*	3	0.1	98.9	*	173	8.5	50.0	*	18	0.9	98.6	*	18
19	*	230	11.3	61.5	*	225	11.1	93.1	*	105	5.2	55.1	*	7	0.3	99.3	*	134	6.6	56.5	*	8	0.4	99.0	*	19
20	*	301	14.8	76.3	*	78	3.8	97.0	*	201	9.9	64.9	*	4	0.2	99.5	*	161	7.9	64.5	*	4	0.2	99.2	*	20
21	*	267	13.1	89.4	*	46	2.3	99.2	*	144	7.1	72.0	*	2	0.1	99.6	*	131	6.4	70.9	*	7	0.3	99.6	*	21
22	*	155	7.6	97.0	*	14	0.7	99.9	*	251	12.3	84.4	*	8	0.4	100.0	*	116	5.7	76.6	*	8	0.4	100.0	*	22
23	*	51	2.5	99.5	*	2	0.1	100.0	*	215	10.6	94.9	*	1	0.0	100.0	*	232	11.4	88.0	*	1	0.0	100.0	*	23
24	*	10	0.5	100.0	*	0	0.0	100.0	*	103	5.1	100.0	*	0	0.0	100.0	*	131	6.4	94.4	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	113	5.6	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 81.2      DMC = 51.8      DC = 344.0      ISI = 7.6      ADMC = 69.2      FWI = 18.3

THE TOTAL NUMBER OF OBSERVATIONS IS 2034

MAXIMUM VALUES

FFMC = 98.0      DMC = 211.0      DC = 762.0      ISI = 103.8      ADMC = 222.0      FWI = 153.0

\*\*\*TOTALS FOR STATION 387 KLEENA KLEENE LONG, 12456 LAT. 5159

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	21	1.1	1.1	*	6	0.3	0.3	*	10	0.5	0.5	*	79	4.2	4.2	*	0	0.0	0.0	*	280	14.8	14.8	*	1
2	*	8	0.4	1.5	*	8	0.4	0.7	*	22	1.2	1.7	*	234	12.4	16.5	*	2	0.1	0.1	*	238	12.6	27.4	*	2
3	*	11	0.6	2.1	*	44	2.3	3.1	*	32	1.7	3.4	*	231	12.2	28.7	*	1	0.1	0.2	*	137	7.2	34.6	*	3
4	*	15	0.8	2.9	*	69	3.6	6.7	*	32	1.7	5.1	*	211	11.1	39.9	*	5	0.3	0.4	*	104	5.5	40.1	*	4
5	*	16	0.8	3.8	*	82	4.3	11.0	*	36	1.9	7.0	*	165	8.7	48.6	*	14	0.7	1.2	*	116	6.1	46.2	*	5
6	*	16	0.8	4.6	*	98	5.2	16.2	*	41	2.2	9.1	*	114	6.0	54.6	*	12	0.6	1.8	*	173	9.1	55.4	*	6
7	*	33	1.7	6.3	*	115	6.1	22.3	*	65	3.4	12.6	*	125	6.6	61.2	*	30	1.6	3.4	*	143	7.6	62.9	*	7
8	*	43	2.3	8.6	*	110	5.8	28.1	*	77	4.1	16.6	*	213	11.3	72.5	*	47	2.5	5.9	*	128	6.8	69.7	*	8
9	*	36	1.9	10.5	*	97	5.1	33.2	*	71	3.8	20.4	*	144	7.6	80.1	*	44	2.3	8.2	*	214	11.3	81.0	*	9
10	*	58	3.1	13.6	*	78	4.1	37.3	*	79	4.2	24.6	*	103	5.4	85.5	*	63	3.3	11.5	*	144	7.6	88.6	*	10
11	*	68	3.6	17.2	*	204	10.8	48.1	*	62	3.3	27.8	*	147	7.8	93.3	*	62	3.3	14.8	*	88	4.6	93.2	*	11
12	*	68	3.6	20.8	*	172	9.1	57.2	*	50	2.6	30.5	*	64	3.4	96.7	*	54	2.9	17.6	*	51	2.7	95.9	*	12
13	*	109	5.8	26.5	*	143	7.6	64.8	*	39	2.1	32.5	*	30	1.6	98.3	*	188	9.9	27.6	*	23	1.7	97.7	*	13
14	*	180	9.5	36.0	*	106	5.6	70.4	*	46	2.4	35.0	*	24	1.3	99.5	*	167	8.8	36.4	*	37	2.0	99.6	*	14
15	*	275	14.5	50.6	*	161	8.5	78.9	*	62	3.3	38.2	*	8	0.4	99.9	*	148	7.8	44.2	*	7	0.4	100.0	*	15
16	*	138	7.3	57.8	*	112	5.9	84.8	*	65	3.4	41.7	*	1	0.1	100.0	*	145	7.7	51.9	*	0	0.0	100.0	*	16
17	*	168	8.9	66.7	*	79	4.2	89.0	*	65	3.4	45.1	*	0	0.0	100.0	*	207	10.9	62.8	*	0	0.0	100.0	*	17
18	*	182	9.6	76.3	*	52	2.7	91.7	*	146	7.7	52.8	*	0	0.0	100.0	*	174	9.2	72.0	*	0	0.0	100.0	*	18
19	*	202	10.7	87.0	*	120	6.3	98.0	*	135	7.1	60.0	*	0	0.0	100.0	*	139	7.3	79.3	*	0	0.0	100.0	*	19
20	*	141	7.4	94.5	*	32	1.7	99.7	*	174	9.2	69.1	*	0	0.0	100.0	*	99	5.2	84.6	*	0	0.0	100.0	*	20
21	*	91	4.8	99.3	*	5	0.3	100.0	*	259	13.7	82.8	*	0	0.0	100.0	*	68	3.6	88.2	*	0	0.0	100.0	*	21
22	*	14	0.7	100.0	*	0	0.0	100.0	*	266	14.1	96.9	*	0	0.0	100.0	*	47	2.5	90.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.3	98.2	*	0	0.0	100.0	*	75	4.0	94.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	35	1.8	100.0	*	0	0.0	100.0	*	83	4.4	99.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19	1.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.4      DMC = 34.9      DC = 319.1      ISI = 3.1      ADMC = 77.0      FWI = 8.0

THE TOTAL NUMBER OF OBSERVATIONS IS 1893

MAXIMUM VALUES

FFMC = 94.0      DMC = 150.0      DC = 796.0      ISI = 22.4      ADMC = 193.0      FWI = 50.0

388



\*\*\*TOTALS FOR STATION 390 KNIGHT INLET LONG. 12535 LAT. 5106

CLASS	NO.OF OBS.	FFMC		NO.OF OBS.	DMC		NO.OF OBS.	DC		NO.OF OBS.	ISI		NO.OF OBS.	ADMC		NO.OF OBS.	FWI		CLASS
		PCNT.	CUM. PCNT.		PCNT.	CUM. PCNT.		PCNT.	CUM. PCNT.		PCNT.	CUM. PCNT.		PCNT.	CUM. PCNT.		PCNT.	CUM. PCNT.	
1	36	2.2	2.2	384	23.6	23.6	199	12.3	12.3	193	11.9	11.9	171	10.5	10.5	746	45.9	45.9	1
2	16	1.0	3.2	194	11.9	35.6	152	9.4	21.6	348	21.4	33.3	126	7.8	18.3	291	17.9	63.9	2
3	28	1.7	4.9	176	10.8	46.4	134	8.3	29.9	285	17.5	50.9	58	3.6	21.9	124	7.6	71.5	3
4	36	2.2	7.1	156	9.6	56.0	105	6.5	36.3	238	14.7	65.5	82	5.0	26.9	97	6.0	77.5	4
5	53	3.3	10.4	142	8.7	64.8	70	4.3	40.6	151	9.3	74.8	125	7.7	34.6	75	4.6	82.1	5
6	53	3.3	13.7	92	5.7	70.4	71	4.4	45.0	101	6.2	81.0	125	7.7	42.3	118	7.3	89.3	6
7	51	3.1	16.8	82	5.0	75.5	108	6.7	51.7	74	4.6	85.6	125	7.7	50.0	61	3.8	93.1	7
8	78	4.8	21.6	75	4.6	80.1	98	6.0	57.7	103	6.3	91.9	105	6.5	56.5	42	2.6	95.7	8
9	88	5.4	27.0	50	3.1	83.2	91	5.6	63.3	54	3.3	95.3	88	5.4	61.9	45	2.8	98.5	9
10	81	5.0	32.0	49	3.0	86.2	76	4.7	68.0	27	1.7	96.9	73	4.5	66.4	11	0.7	99.1	10
11	81	5.0	37.0	72	4.4	90.6	65	4.0	72.0	28	1.7	98.6	67	4.1	70.5	6	0.4	99.5	11
12	107	6.6	43.6	50	3.1	93.7	44	2.7	74.7	13	0.8	99.4	61	3.8	74.3	6	0.4	99.9	12
13	111	6.8	50.4	36	2.2	95.9	57	3.5	78.2	4	0.2	99.7	102	6.3	80.5	1	0.1	99.9	13
14	209	12.9	63.3	29	1.8	97.7	80	4.9	83.1	5	0.3	100.0	91	5.6	86.1	1	0.1	100.0	14
15	279	17.2	80.5	22	1.4	99.1	56	3.4	86.6	0	0.0	100.0	49	3.0	89.2	0	0.0	100.0	15
16	112	6.9	87.4	11	0.7	99.8	43	2.6	89.2	0	0.0	100.0	49	3.0	92.2	0	0.0	100.0	16
17	93	5.7	93.1	4	0.2	100.0	41	2.5	91.7	0	0.0	100.0	60	3.7	95.9	0	0.0	100.0	17
18	71	4.4	97.5	0	0.0	100.0	94	5.8	97.5	0	0.0	100.0	50	3.1	99.0	0	0.0	100.0	18
19	25	1.5	99.0	0	0.0	100.0	37	2.3	99.8	0	0.0	100.0	9	0.6	99.5	0	0.0	100.0	19
20	10	0.6	99.6	0	0.0	100.0	3	0.2	100.0	0	0.0	100.0	5	0.3	99.8	0	0.0	100.0	20
21	5	0.3	99.9	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	3	0.2	100.0	0	0.0	100.0	21
22	1	0.1	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	22
23	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 62.4      DMC = 10.4      DC = 111.2      ISI = 1.6      ADMC = 26.2      FWI = 2.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1624

MAXIMUM VALUES

FFMC = 93.0      DMC = 65.0      DC = 410.0      ISI = 16.0      ADMC = 84.0      FWI = 31.0

\*\*\*TOTALS FOR STATION 419 KOOTENAY N.R. LONG. 11601 LAT. 5039

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	6	0.3	0.3	*	2	0.1	0.1	*	5	0.2	0.2	*	40	2.0	2.0	*	0	0.0	0.0	*	146	7.2	7.2	*	1
2	*	8	0.4	0.7	*	10	0.5	0.6	*	38	1.9	2.1	*	131	6.4	8.4	*	1	0.0	0.0	*	126	6.2	13.4	*	2
3	*	3	0.1	0.8	*	27	1.3	1.9	*	47	2.3	4.4	*	140	6.9	15.3	*	0	0.0	0.0	*	59	2.9	16.3	*	3
4	*	7	0.3	1.2	*	35	1.7	3.6	*	39	1.9	6.3	*	118	5.8	21.1	*	3	0.1	0.2	*	78	3.8	20.1	*	4
5	*	10	0.5	1.7	*	55	2.7	6.3	*	47	2.3	8.7	*	99	4.9	26.0	*	14	0.7	0.9	*	60	2.9	23.1	*	5
6	*	15	0.7	2.4	*	46	2.3	8.6	*	39	1.9	10.6	*	100	4.9	30.9	*	25	1.2	2.1	*	138	6.8	29.8	*	6
7	*	11	0.5	2.9	*	58	2.9	11.5	*	77	3.8	14.4	*	71	3.5	34.4	*	33	1.6	3.7	*	136	6.7	36.5	*	7
8	*	22	1.1	4.0	*	46	2.3	13.7	*	81	4.0	18.3	*	169	8.3	42.7	*	25	1.2	5.0	*	108	5.3	41.8	*	8
9	*	24	1.2	5.2	*	56	2.8	16.5	*	79	3.9	22.2	*	178	8.8	51.4	*	32	1.6	6.5	*	201	9.9	51.7	*	9
10	*	44	2.2	7.4	*	62	3.0	19.5	*	65	3.2	25.4	*	165	8.1	59.5	*	29	1.4	8.0	*	182	8.9	60.7	*	10
11	*	52	2.6	9.9	*	142	7.0	26.5	*	56	2.8	28.2	*	243	11.9	71.5	*	36	1.8	9.7	*	183	9.0	69.7	*	11
12	*	55	2.7	12.6	*	141	6.9	33.4	*	59	2.9	31.1	*	161	7.9	79.4	*	36	1.8	11.5	*	138	6.8	76.5	*	12
13	*	77	3.8	16.4	*	129	6.3	39.8	*	74	3.6	34.7	*	121	5.9	85.3	*	109	5.4	16.9	*	122	6.0	82.4	*	13
14	*	110	5.4	21.8	*	121	5.9	45.7	*	86	4.2	38.9	*	120	5.9	91.2	*	101	5.0	21.8	*	165	8.1	90.6	*	14
15	*	182	8.9	30.8	*	220	10.8	56.5	*	52	2.6	41.5	*	75	3.7	94.9	*	100	4.9	26.7	*	90	4.4	95.0	*	15
16	*	100	4.9	35.7	*	205	10.1	66.6	*	40	2.0	43.5	*	63	3.1	98.0	*	92	4.5	31.3	*	44	2.2	97.1	*	16
17	*	140	6.9	42.6	*	168	8.3	74.9	*	46	2.3	45.7	*	17	0.8	98.9	*	207	10.2	41.4	*	19	0.9	98.1	*	17
18	*	156	7.7	50.2	*	146	7.2	82.1	*	85	4.2	49.9	*	8	0.4	99.3	*	173	8.5	50.0	*	15	0.7	98.8	*	18
19	*	231	11.4	61.6	*	225	11.1	93.1	*	105	5.2	55.1	*	3	0.1	99.4	*	134	6.6	56.5	*	6	0.3	99.1	*	19
20	*	302	14.8	76.5	*	78	3.8	97.0	*	201	9.9	64.9	*	3	0.1	99.6	*	161	7.9	64.5	*	3	0.1	99.3	*	20
21	*	263	12.9	89.4	*	46	2.3	99.2	*	144	7.1	72.0	*	8	0.4	100.0	*	131	6.4	70.9	*	10	0.5	99.8	*	21
22	*	155	7.6	97.0	*	14	0.7	99.9	*	251	12.3	84.4	*	1	0.0	100.0	*	116	5.7	76.6	*	5	0.2	100.0	*	22
23	*	51	2.5	99.5	*	2	0.1	100.0	*	215	10.6	94.9	*	0	0.0	100.0	*	232	11.4	88.0	*	0	0.0	100.0	*	23
24	*	10	0.5	100.0	*	0	0.0	100.0	*	103	5.1	100.0	*	0	0.0	100.0	*	131	6.4	94.4	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	113	5.6	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 81.1      DMC = 51.8      DC = 344.0      ISI = 7.0      ADMC = 69.2      FWI = 18.1

THE TOTAL NUMBER OF OBSERVATIONS IS 2034

MAXIMUM VALUES

FFMC = 98.0      DMC = 211.0      DC = 762.0      ISI = 90.6      ADMC = 222.0      FWI = 144.0

\*\*\*TOTALS FOR STATION 407 LYTTON LONG, 12134 LAT, 5014

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	5	0.2	0.2	*	6	0.3	0.3	*	14	0.7	0.7	*	35	1.7	1.7	*	1	0.0	0.0	*	129	6.1	6.1	*	1
2	*	2	0.1	0.3	*	9	0.4	0.7	*	38	1.8	2.5	*	121	5.8	7.4	*	2	0.1	0.1	*	102	4.9	11.0	*	2
3	*	5	0.2	0.6	*	21	1.0	1.7	*	44	2.1	4.6	*	124	5.9	13.3	*	1	0.0	0.2	*	60	2.9	13.8	*	3
4	*	9	0.4	1.0	*	28	1.3	3.0	*	39	1.9	6.4	*	117	5.6	18.9	*	7	0.3	0.5	*	62	2.9	16.8	*	4
5	*	8	0.4	1.4	*	37	1.8	4.8	*	41	1.9	8.4	*	90	4.3	23.2	*	13	0.6	1.1	*	62	2.9	19.7	*	5
6	*	12	0.6	1.9	*	38	1.8	6.6	*	32	1.5	9.9	*	98	4.7	27.8	*	22	1.0	2.2	*	113	5.4	25.1	*	6
7	*	12	0.6	2.5	*	31	1.5	8.1	*	56	2.7	12.6	*	76	3.6	31.4	*	23	1.1	3.3	*	115	5.5	30.6	*	7
8	*	13	0.6	3.1	*	31	1.5	9.6	*	65	3.1	15.6	*	166	7.9	39.3	*	20	1.0	4.2	*	88	4.2	34.8	*	8
9	*	16	0.8	3.9	*	39	1.9	11.4	*	47	2.2	17.9	*	165	7.8	47.2	*	17	0.8	5.0	*	164	7.8	42.6	*	9
10	*	25	1.2	5.1	*	46	2.2	13.6	*	46	2.2	20.1	*	151	7.2	54.4	*	20	1.0	6.0	*	164	7.8	50.4	*	10
11	*	43	2.0	7.1	*	105	5.0	18.6	*	49	2.3	22.4	*	315	15.0	69.3	*	22	1.0	7.0	*	161	7.7	58.0	*	11
12	*	59	2.8	9.9	*	75	3.6	22.2	*	52	2.5	24.9	*	230	10.9	80.3	*	31	1.5	8.5	*	161	7.7	65.7	*	12
13	*	53	2.5	12.5	*	80	3.8	26.0	*	40	1.9	26.8	*	146	6.9	87.2	*	73	3.5	12.0	*	153	7.3	72.9	*	13
14	*	92	4.4	16.8	*	92	4.4	30.3	*	44	2.1	28.9	*	166	7.9	95.1	*	70	3.3	15.3	*	256	12.2	85.1	*	14
15	*	125	5.9	22.8	*	167	7.9	38.3	*	44	2.1	31.0	*	40	1.9	97.0	*	68	3.2	18.5	*	175	8.3	93.4	*	15
16	*	91	4.3	27.1	*	166	7.9	46.2	*	38	1.8	32.8	*	54	2.6	99.6	*	68	3.2	21.8	*	71	3.4	96.8	*	16
17	*	120	5.7	32.8	*	122	5.8	52.0	*	39	1.9	34.6	*	9	0.4	100.0	*	148	7.0	28.8	*	37	1.8	98.6	*	17
18	*	165	7.8	40.7	*	144	6.8	58.8	*	89	4.2	38.8	*	0	0.0	100.0	*	101	4.8	33.6	*	11	0.5	99.1	*	18
19	*	263	12.5	53.2	*	356	16.9	75.7	*	101	4.8	43.7	*	0	0.0	100.0	*	97	4.6	38.2	*	12	0.6	99.7	*	19
20	*	323	15.4	68.5	*	215	10.2	86.0	*	83	3.9	47.6	*	0	0.0	100.0	*	94	4.5	42.7	*	6	0.3	100.0	*	20
21	*	308	14.6	83.2	*	113	5.4	91.3	*	96	4.6	52.2	*	0	0.0	100.0	*	117	5.6	48.3	*	1	0.0	100.0	*	21
22	*	215	10.2	93.4	*	80	3.8	95.1	*	289	13.7	65.9	*	0	0.0	100.0	*	134	6.4	54.6	*	0	0.0	100.0	*	22
23	*	120	5.7	99.1	*	79	3.8	98.9	*	337	16.0	81.9	*	0	0.0	100.0	*	301	14.3	68.9	*	0	0.0	100.0	*	23
24	*	19	0.9	100.0	*	12	0.6	99.5	*	216	10.3	92.2	*	0	0.0	100.0	*	215	10.2	79.2	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	11	0.5	100.0	*	164	7.8	100.0	*	0	0.0	100.0	*	438	20.8	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 83.6      DMC = 78.9      DC = 437.1      ISI = 6.5      ADMC = 132.2      FWI = 21.5

THE TOTAL NUMBER OF OBSERVATIONS IS 2103

MAXIMUM VALUES

FFMC = 97.0      DMC = 328.0      DC = 990.0      ISI = 39.6      ADMC = 337.0      FWI = 103.0

\*\*\*TOTALS FOR STATION 382 MASSETT LONG. 13208 LAT. 5402

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	15	1.0	1.0	*	429	27.3	27.3	*	110	7.0	7.0	*	103	6.5	6.5	*	91	5.8	5.8	*	678	43.1	43.1	*	1
2	*	15	1.0	1.9	*	317	20.1	47.4	*	120	7.6	14.6	*	281	17.9	24.4	*	156	9.9	15.7	*	328	20.8	63.9	*	2
3	*	21	1.3	3.2	*	202	12.8	60.2	*	116	7.4	22.0	*	288	18.3	42.7	*	77	4.9	20.6	*	114	7.2	71.2	*	3
4	*	18	1.1	4.4	*	163	10.4	70.6	*	111	7.1	29.0	*	209	13.3	56.0	*	158	10.0	30.6	*	100	6.4	77.5	*	4
5	*	22	1.4	5.8	*	115	7.3	77.9	*	83	5.3	34.3	*	178	11.3	67.3	*	209	13.3	43.9	*	90	5.7	83.2	*	5
6	*	38	2.4	8.2	*	77	4.9	82.8	*	82	5.2	39.5	*	119	7.6	74.8	*	140	8.9	52.8	*	112	7.1	90.3	*	6
7	*	50	3.2	11.4	*	71	4.5	87.3	*	136	8.6	48.2	*	112	7.1	82.0	*	115	7.3	60.1	*	60	3.8	94.2	*	7
8	*	76	4.8	16.2	*	48	3.0	90.3	*	115	7.3	55.5	*	111	7.1	89.0	*	113	7.2	67.3	*	30	1.9	96.1	*	8
9	*	106	6.7	22.9	*	24	1.5	91.9	*	86	5.5	60.9	*	62	3.9	92.9	*	95	6.0	73.3	*	33	2.1	98.2	*	9
10	*	104	6.6	29.5	*	30	1.9	93.8	*	87	5.5	66.5	*	38	2.4	95.4	*	82	5.2	78.5	*	17	1.1	99.2	*	10
11	*	144	9.1	38.7	*	34	2.2	95.9	*	82	5.2	71.7	*	38	2.4	97.8	*	61	3.9	82.4	*	5	0.3	99.6	*	11
12	*	100	6.4	45.0	*	23	1.5	97.4	*	81	5.1	76.8	*	16	1.0	98.8	*	35	2.2	84.6	*	4	0.3	99.8	*	12
13	*	139	8.8	53.9	*	6	0.4	97.8	*	67	4.3	81.1	*	11	0.7	99.5	*	79	5.0	89.6	*	2	0.1	99.9	*	13
14	*	196	12.5	66.3	*	2	0.1	97.9	*	48	3.0	84.1	*	4	0.3	99.7	*	42	2.7	92.3	*	0	0.0	99.9	*	14
15	*	310	19.7	86.0	*	15	1.0	98.9	*	58	3.7	87.8	*	3	0.2	99.9	*	41	2.6	94.9	*	1	0.1	100.0	*	15
16	*	114	7.2	93.3	*	8	0.5	99.4	*	52	3.3	91.1	*	1	0.1	100.0	*	20	1.3	96.2	*	0	0.0	100.0	*	16
17	*	71	4.5	97.8	*	4	0.3	99.6	*	36	2.3	93.4	*	0	0.0	100.0	*	22	1.4	97.6	*	0	0.0	100.0	*	17
18	*	28	1.8	99.6	*	6	0.4	100.0	*	55	3.5	96.9	*	0	0.0	100.0	*	9	0.6	98.2	*	0	0.0	100.0	*	18
19	*	7	0.4	100.0	*	0	0.0	100.0	*	43	2.7	99.6	*	0	0.0	100.0	*	11	0.7	98.9	*	0	0.0	100.0	*	19
20	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	7	0.4	99.3	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.3	99.6	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	6	0.4	99.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	1	0.1	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 63.2      DMC = 7.7      DC = 115.1      ISI = 1.9      ADMC = 21.0      FWI = 2.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1574

MAXIMUM VALUES

FFMC = 88.0      DMC = 77.0      DC = 408.0      ISI = 24.8      ADMC = 102.0      FWI = 47.0

\*\*\*TOTALS FOR STATION 384 McINNIS ISLAND LONG, 12843 LAT. 5216

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	36	2.2	2.2	*	506	31.5	31.5	*	263	16.4	16.4	*	166	10.3	10.3	*	201	12.5	12.5	*	865	53.8	53.8	*	1
2	*	20	1.2	3.5	*	293	18.2	49.7	*	205	12.8	29.1	*	418	26.0	36.3	*	167	10.4	22.9	*	327	20.3	74.2	*	2
3	*	24	1.5	5.0	*	218	13.6	63.3	*	161	10.0	39.1	*	320	19.9	56.3	*	99	6.2	29.1	*	125	7.8	82.0	*	3
4	*	31	1.9	6.9	*	153	9.5	72.8	*	135	8.4	47.5	*	219	13.6	69.9	*	122	7.6	36.7	*	87	5.4	87.4	*	4
5	*	37	2.3	9.2	*	102	6.3	79.2	*	125	7.8	55.3	*	167	10.4	80.3	*	195	12.1	48.8	*	62	3.9	91.2	*	5
6	*	50	3.1	12.3	*	90	5.6	84.8	*	95	5.9	61.2	*	101	6.3	86.6	*	153	9.5	58.3	*	71	4.4	95.6	*	6
7	*	70	4.4	16.7	*	62	3.9	88.6	*	156	9.7	70.9	*	72	4.5	91.0	*	123	7.7	66.0	*	33	2.1	97.7	*	7
8	*	109	6.8	23.5	*	47	2.9	91.5	*	97	6.0	77.0	*	77	4.8	95.8	*	100	6.2	72.2	*	21	1.4	99.1	*	8
9	*	111	6.9	30.4	*	33	2.1	93.6	*	73	4.5	81.5	*	31	1.9	97.8	*	85	5.3	77.5	*	15	0.9	99.9	*	9
10	*	106	6.6	37.0	*	26	1.6	95.2	*	47	2.9	84.4	*	12	0.7	98.5	*	67	4.2	81.6	*	1	0.1	100.0	*	10
11	*	100	6.2	43.2	*	35	2.2	97.4	*	39	2.4	86.9	*	15	0.9	99.4	*	55	3.4	85.1	*	0	0.0	100.0	*	11
12	*	127	7.9	51.1	*	22	1.4	98.8	*	26	1.6	88.5	*	7	0.5	99.9	*	42	2.6	87.7	*	0	0.0	100.0	*	12
13	*	161	10.0	61.1	*	14	0.9	99.6	*	22	1.4	89.9	*	2	0.1	100.0	*	59	3.7	91.4	*	0	0.0	100.0	*	13
14	*	210	13.1	74.2	*	6	0.4	100.0	*	21	1.3	91.2	*	0	0.0	100.0	*	36	2.2	93.6	*	0	0.0	100.0	*	14
15	*	291	18.1	92.3	*	0	0.0	100.0	*	16	1.0	92.2	*	0	0.0	100.0	*	34	2.1	95.7	*	0	0.0	100.0	*	15
16	*	77	4.8	97.1	*	0	0.0	100.0	*	12	0.7	92.9	*	0	0.0	100.0	*	20	1.2	97.0	*	0	0.0	100.0	*	16
17	*	32	2.0	99.1	*	0	0.0	100.0	*	16	1.0	93.9	*	0	0.0	100.0	*	37	2.3	99.3	*	0	0.0	100.0	*	17
18	*	11	0.7	99.8	*	0	0.0	100.0	*	34	2.1	96.0	*	0	0.0	100.0	*	12	0.7	100.0	*	0	0.0	100.0	*	18
19	*	1	0.1	99.8	*	0	0.0	100.0	*	43	2.7	98.7	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	19
20	*	3	0.2	100.0	*	0	0.0	100.0	*	21	1.3	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 59.5      DMC = 6.6      DC = 77.5      ISI = 1.7      ADMC = 17.9      FWI = 1.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1607

MAXIMUM VALUES

FFMC = 89.0      DMC = 40.0      DC = 436.0      ISI = 11.1      ADMC = 59.0      FWI = 16.0

\*\*\*TOTALS FOR STATION 421 MICA CREEK LONG, 11834 LAT. 5201

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.	CUM. PCNT.	NO.OF OBS.		CUM. PCNT.							
1	*	5	0.3	0.3	*	2	0.1	0.1	*	5	0.2	0.2	*	0	0.0	0.0	*	149	7.3	7.3	*	1				
2	*	8	0.4	0.7	*	10	0.5	0.6	*	38	1.9	2.1	*	135	6.6	8.6	*	127	6.2	13.6	*	2				
3	*	4	0.2	0.9	*	27	1.3	1.9	*	47	2.3	4.4	*	141	6.9	15.5	*	62	3.0	16.6	*	3				
4	*	6	0.3	1.2	*	35	1.7	3.6	*	39	1.9	6.3	*	117	5.8	21.3	*	3	0.1	0.2	*	77	3.8	20.4	*	4
5	*	10	0.5	1.7	*	55	2.7	6.3	*	47	2.3	8.7	*	107	5.3	26.5	*	14	0.7	0.9	*	59	2.9	23.3	*	5
6	*	15	0.7	2.4	*	46	2.3	8.6	*	39	1.9	10.6	*	95	4.7	31.2	*	25	1.2	2.1	*	139	6.8	30.1	*	6
7	*	11	0.5	2.9	*	58	2.9	11.5	*	77	3.8	14.4	*	92	4.5	35.7	*	33	1.6	3.7	*	138	6.8	36.9	*	7
8	*	22	1.1	4.0	*	46	2.3	13.7	*	81	4.0	18.3	*	161	7.9	43.7	*	25	1.2	5.0	*	109	5.4	42.3	*	8
9	*	26	1.3	5.3	*	56	2.8	16.5	*	79	3.9	22.2	*	171	8.4	52.1	*	32	1.6	6.5	*	201	9.9	52.2	*	9
10	*	43	2.1	7.4	*	62	3.0	19.5	*	65	3.2	25.4	*	173	8.5	60.6	*	29	1.4	8.0	*	193	9.5	61.7	*	10
11	*	52	2.6	10.0	*	142	7.0	26.5	*	56	2.8	28.2	*	240	11.8	72.4	*	36	1.8	9.7	*	173	8.5	70.2	*	11
12	*	54	2.7	12.6	*	141	6.9	33.4	*	59	2.9	31.1	*	156	7.7	80.0	*	36	1.8	11.5	*	146	7.2	77.3	*	12
13	*	78	3.8	16.5	*	129	6.3	39.8	*	74	3.6	34.7	*	126	5.2	86.2	*	109	5.4	16.9	*	120	5.9	83.2	*	13
14	*	111	5.5	21.9	*	121	5.9	45.7	*	86	4.2	38.9	*	119	5.9	92.1	*	101	5.0	21.8	*	160	7.9	91.1	*	14
15	*	184	9.0	31.0	*	220	10.8	56.5	*	52	2.6	41.5	*	72	3.5	95.6	*	190	4.9	26.7	*	86	4.2	95.3	*	15
16	*	99	4.9	35.8	*	205	10.1	66.6	*	40	2.0	43.5	*	54	2.7	98.3	*	92	4.5	31.3	*	39	1.9	97.2	*	16
17	*	139	6.8	42.7	*	168	8.3	74.9	*	46	2.3	45.7	*	13	0.6	98.9	*	207	10.2	41.4	*	22	1.1	98.3	*	17
18	*	156	7.7	50.3	*	146	7.2	82.1	*	85	4.2	49.9	*	8	0.4	99.3	*	173	8.5	50.0	*	14	0.7	99.0	*	18
19	*	231	11.4	61.7	*	225	11.1	93.1	*	105	5.2	55.1	*	4	0.2	99.5	*	134	6.6	56.5	*	4	0.2	99.2	*	19
20	*	300	14.7	76.5	*	78	3.8	97.0	*	201	9.9	64.9	*	6	0.3	99.8	*	161	7.9	64.5	*	5	0.2	99.5	*	20
21	*	263	12.9	89.4	*	46	2.3	99.2	*	144	7.1	72.0	*	3	0.1	100.0	*	131	6.4	70.9	*	7	0.3	99.8	*	21
22	*	155	7.6	97.0	*	14	0.7	99.9	*	251	12.3	84.4	*	1	0.0	100.0	*	116	5.7	76.6	*	4	0.2	100.0	*	22
23	*	51	2.5	99.5	*	2	0.1	100.0	*	215	10.6	94.9	*	0	0.0	100.0	*	232	11.4	88.0	*	0	0.0	100.0	*	23
24	*	10	0.5	100.0	*	0	0.0	100.0	*	103	5.1	100.0	*	0	0.0	100.0	*	131	6.4	94.4	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	113	5.6	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 81.1      DMC = 51.8      DC = 344.0      ISI = 6.8      ADMC = 69.2      FWI = 17.7

THE TOTAL NUMBER OF OBSERVATIONS IS 2034

MAXIMUM VALUES

FFMC = 98.0      DMC = 211.0      DC = 762.0      ISI = 84.6      ADMC = 222.0      FWI = 140.0

\*\*\*TOTALS FOR STATION 403 150 MILE HOUSE LONG. 12156 LAT. 5207

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	33	1.8	1.8	*	35	1.9	1.9	*	23	1.3	1.3	*	100	5.4	5.4	*	6	0.3	0.3	*	363	19.8	19.8	*	1
2	*	16	0.9	2.7	*	67	3.7	5.6	*	21	1.1	2.4	*	257	14.0	19.5	*	11	0.6	0.9	*	257	14.0	33.8	*	2
3	*	12	0.7	3.3	*	79	4.3	9.9	*	41	2.2	4.6	*	221	12.0	31.5	*	6	0.3	1.3	*	100	5.4	39.2	*	3
4	*	14	0.8	4.1	*	103	5.6	15.5	*	37	2.0	6.6	*	161	8.8	40.3	*	22	1.2	2.5	*	81	4.4	43.7	*	4
5	*	21	1.1	5.2	*	103	5.6	21.1	*	33	1.8	8.4	*	160	8.7	49.0	*	41	2.2	4.7	*	92	5.0	48.7	*	5
6	*	21	1.1	6.4	*	123	6.7	27.8	*	47	2.6	11.0	*	114	6.2	55.2	*	51	2.8	7.5	*	163	8.9	57.5	*	6
7	*	31	1.7	8.1	*	99	5.4	33.2	*	96	5.2	16.2	*	82	4.5	59.7	*	48	2.6	10.1	*	150	8.2	65.7	*	7
8	*	45	2.5	10.5	*	94	5.1	38.3	*	78	4.3	20.5	*	157	8.6	68.2	*	62	3.4	13.5	*	96	5.2	71.0	*	8
9	*	39	2.1	12.6	*	78	4.3	42.6	*	97	5.3	25.8	*	137	7.5	75.7	*	67	3.7	17.1	*	143	7.8	78.7	*	9
10	*	65	3.5	16.2	*	72	3.9	46.5	*	92	5.0	30.8	*	101	5.5	81.2	*	62	3.4	20.5	*	115	6.3	85.0	*	10
11	*	82	4.5	20.7	*	156	8.5	55.0	*	60	3.3	34.1	*	157	8.6	89.8	*	65	3.5	24.0	*	96	5.2	90.2	*	11
12	*	80	4.4	25.0	*	170	9.3	64.3	*	63	3.4	37.5	*	78	4.3	94.0	*	71	3.9	27.9	*	65	3.5	93.8	*	12
13	*	104	5.7	30.7	*	109	5.9	70.2	*	66	3.6	41.1	*	51	2.8	96.8	*	178	9.7	37.6	*	46	2.5	96.3	*	13
14	*	152	8.3	39.0	*	77	4.2	74.4	*	70	3.8	44.9	*	40	2.2	99.0	*	170	9.3	46.9	*	53	2.9	99.2	*	14
15	*	190	10.4	49.3	*	121	6.6	81.0	*	62	3.4	48.3	*	10	0.5	99.5	*	135	7.4	54.2	*	9	0.5	99.7	*	15
16	*	125	6.8	56.1	*	92	5.0	86.0	*	67	3.7	51.9	*	8	0.4	99.9	*	107	5.8	60.1	*	6	0.3	100.0	*	16
17	*	162	8.8	65.0	*	79	4.3	90.3	*	91	5.0	56.9	*	1	0.1	100.0	*	169	9.2	69.3	*	0	0.0	100.0	*	17
18	*	159	8.7	73.6	*	53	2.9	93.2	*	228	12.4	69.3	*	0	0.0	100.0	*	154	8.4	77.7	*	0	0.0	100.0	*	18
19	*	162	8.8	82.5	*	99	5.4	98.6	*	204	11.1	80.4	*	0	0.0	100.0	*	106	5.8	83.4	*	0	0.0	100.0	*	19
20	*	126	6.9	89.3	*	26	1.4	100.0	*	80	4.4	84.8	*	0	0.0	100.0	*	61	3.3	86.8	*	0	0.0	100.0	*	20
21	*	147	8.0	97.3	*	0	0.0	100.0	*	90	4.9	89.7	*	0	0.0	100.0	*	59	3.2	90.0	*	0	0.0	100.0	*	21
22	*	44	2.4	99.7	*	0	0.0	100.0	*	91	5.0	94.7	*	0	0.0	100.0	*	49	2.7	92.6	*	0	0.0	100.0	*	22
23	*	5	0.3	100.0	*	0	0.0	100.0	*	98	5.3	100.0	*	0	0.0	100.0	*	77	4.2	96.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	44	2.4	99.2	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.8	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.2      DMC = 30.8      DC = 266.8      ISI = 3.4      ADMC = 67.7      FWI = 8.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1835

MAXIMUM VALUES

FFMC = 95.0      DMC = 133.0      DC = 696.0      ISI = 30.3      ADMC = 166.0      FWI = 56.0

\*\*\*TOTALS FOR STATION 395 NANAIMO

LONG. 12352 LAT, 4903

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	8	0.4	0.4	*	67	3.4	3.4	*	66	3.4	3.4	*	85	4.4	4.4	*	20	1.0	1.0	*	320	16.4	16.4	*	1
2	*	7	0.4	0.8	*	69	3.5	7.0	*	62	3.2	6.6	*	205	10.5	14.9	*	20	1.0	2.1	*	218	11.2	27.6	*	2
3	*	16	0.8	1.6	*	80	4.1	11.1	*	70	3.6	10.2	*	193	9.9	24.8	*	28	1.4	3.5	*	106	5.4	33.0	*	3
4	*	15	0.8	2.4	*	104	5.3	16.4	*	62	3.2	13.3	*	169	8.7	33.5	*	31	1.6	5.1	*	103	5.3	38.3	*	4
5	*	29	1.5	3.8	*	81	4.2	20.6	*	44	2.3	15.6	*	127	6.5	40.0	*	54	2.8	7.9	*	93	4.8	43.1	*	5
6	*	23	1.2	5.0	*	109	5.6	26.2	*	45	2.3	17.9	*	117	6.0	46.0	*	48	2.5	10.3	*	142	7.3	50.4	*	6
7	*	32	1.6	6.7	*	101	5.2	31.3	*	70	3.6	21.5	*	90	4.6	50.6	*	52	2.7	13.0	*	140	7.2	57.6	*	7
8	*	34	1.7	8.4	*	88	4.5	35.9	*	69	3.5	25.0	*	232	11.9	62.5	*	70	3.6	16.6	*	127	6.5	64.1	*	8
9	*	52	2.7	11.1	*	68	3.5	39.4	*	58	3.0	28.0	*	195	10.0	72.5	*	62	3.2	19.8	*	204	10.5	74.6	*	9
10	*	47	2.4	13.5	*	70	3.6	42.9	*	53	2.7	30.7	*	133	6.8	79.3	*	62	3.2	22.9	*	141	7.2	81.8	*	10
11	*	66	3.4	16.9	*	174	8.9	51.9	*	42	2.2	32.9	*	197	10.1	89.4	*	55	2.8	25.8	*	91	4.7	86.5	*	11
12	*	79	4.1	20.9	*	142	7.3	59.2	*	43	2.2	35.1	*	102	5.2	94.7	*	50	2.6	28.3	*	73	3.7	90.2	*	12
13	*	101	5.2	26.1	*	135	6.9	66.1	*	46	2.4	37.5	*	53	2.7	97.4	*	146	7.5	35.8	*	50	2.6	92.8	*	13
14	*	135	6.9	33.0	*	103	5.3	71.4	*	61	3.1	40.6	*	29	1.5	98.9	*	122	6.3	42.1	*	92	4.7	97.5	*	14
15	*	216	11.1	44.1	*	158	8.1	79.5	*	66	3.4	44.0	*	14	0.7	99.6	*	105	5.4	47.5	*	34	1.7	99.2	*	15
16	*	137	7.0	51.2	*	101	5.2	84.7	*	76	3.9	47.9	*	6	0.3	99.9	*	107	5.5	53.0	*	11	0.6	99.8	*	16
17	*	206	10.6	61.7	*	70	3.6	88.3	*	65	3.3	51.2	*	2	0.1	100.0	*	212	10.9	63.8	*	3	0.2	99.9	*	17
18	*	253	13.0	74.7	*	40	2.1	90.3	*	137	7.0	58.2	*	0	0.0	100.0	*	159	8.2	72.0	*	0	0.0	99.9	*	18
19	*	244	12.5	87.2	*	82	4.2	94.5	*	111	5.7	63.9	*	0	0.0	100.0	*	123	6.3	78.3	*	1	0.1	100.0	*	19
20	*	149	7.6	94.9	*	76	3.9	98.4	*	129	6.6	70.5	*	0	0.0	100.0	*	96	4.9	83.2	*	0	0.0	100.0	*	20
21	*	81	4.2	99.0	*	31	1.6	100.0	*	174	8.9	79.5	*	0	0.0	100.0	*	57	2.9	86.1	*	0	0.0	100.0	*	21
22	*	18	0.9	99.9	*	0	0.0	100.0	*	274	14.1	93.5	*	0	0.0	100.0	*	48	2.5	88.6	*	0	0.0	100.0	*	22
23	*	1	0.1	100.0	*	0	0.0	100.0	*	126	6.5	100.0	*	0	0.0	100.0	*	83	4.3	92.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	55	2.8	95.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	84	4.3	100.0	*	0	0.0	100.0	*	25

405

AVERAGE VALUES

FFMC = 75.1    DMC = 34.4    DC = 297.5    ISI = 3.8    ADMC = 74.3    FWI = 10.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1949

MAXIMUM VALUES

FFMC = 95.0    DMC = 168.0    DC = 686.0    ISI = 31.3    ADMC = 200.0    FWI = 82.0



\*\*\*TOTALS FOR STATION 372 NEW HAZELTON LONG, 12736 LAT, 5514

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS							
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.								
1	*	5	0.3	0.3	*	24	1.4	1.4	*	7	0.4	0.4	*	50	3.0	3.0	*	1	0.1	0.1	*	261	15.4	15.4	*	1
2	*	8	0.5	0.8	*	52	3.1	4.5	*	18	1.1	1.5	*	183	10.8	13.8	*	9	0.5	0.6	*	207	12.2	27.7	*	2
3	*	9	0.5	1.3	*	74	4.4	8.9	*	26	1.5	3.0	*	196	11.6	25.4	*	2	0.1	0.7	*	83	4.9	32.6	*	3
4	*	8	0.5	1.8	*	100	5.9	14.8	*	42	2.5	5.5	*	119	7.0	32.4	*	17	1.0	1.7	*	82	4.9	37.5	*	4
5	*	11	0.7	2.4	*	101	6.0	20.8	*	44	2.6	8.1	*	137	8.1	40.5	*	25	1.5	3.2	*	83	4.9	42.4	*	5
6	*	17	1.0	3.4	*	78	4.6	25.4	*	51	3.0	11.1	*	93	5.5	46.0	*	38	2.2	5.4	*	129	7.6	50.0	*	6
7	*	21	1.2	4.7	*	94	5.6	30.9	*	93	5.5	16.6	*	90	5.3	51.4	*	40	2.4	7.8	*	136	8.0	58.0	*	7
8	*	33	2.0	6.6	*	67	4.0	34.9	*	68	4.0	20.7	*	171	10.1	61.5	*	59	3.5	11.3	*	117	6.9	65.0	*	8
9	*	40	2.4	9.0	*	79	4.7	39.6	*	84	5.0	25.6	*	151	8.9	70.4	*	79	4.7	16.0	*	169	10.0	75.0	*	9
10	*	40	2.4	11.4	*	72	4.3	43.8	*	62	3.7	29.3	*	103	6.1	76.5	*	73	4.3	20.3	*	124	7.3	82.3	*	10
11	*	78	4.6	16.0	*	163	9.6	53.5	*	72	4.3	33.6	*	151	8.9	85.4	*	72	4.3	24.6	*	96	5.7	88.0	*	11
12	*	74	4.4	20.4	*	140	8.3	61.8	*	65	3.8	37.4	*	94	5.6	91.0	*	66	3.9	28.5	*	73	4.3	92.3	*	12
13	*	93	5.5	25.9	*	113	6.7	68.5	*	78	4.6	42.0	*	44	2.6	93.6	*	154	9.1	37.6	*	41	2.4	94.7	*	13
14	*	125	7.4	33.3	*	86	5.1	73.6	*	100	5.9	47.9	*	51	3.0	96.6	*	146	8.6	46.2	*	54	3.2	97.9	*	14
15	*	178	10.5	43.8	*	136	8.0	81.6	*	117	6.9	54.9	*	28	1.7	98.3	*	122	7.2	53.4	*	23	1.4	99.3	*	15
16	*	96	5.7	49.5	*	112	6.6	88.2	*	111	6.6	61.4	*	23	1.4	99.6	*	118	7.0	60.4	*	7	0.4	99.7	*	16
17	*	149	8.8	58.3	*	76	4.5	92.7	*	83	4.9	66.3	*	3	0.2	99.8	*	165	9.8	70.2	*	4	0.2	99.9	*	17
18	*	193	11.4	69.7	*	43	2.5	95.3	*	151	8.9	75.3	*	1	0.1	99.9	*	136	8.0	78.2	*	1	0.1	100.0	*	18
19	*	197	11.7	81.4	*	57	3.4	98.6	*	180	10.7	85.9	*	1	0.1	99.9	*	98	5.8	84.0	*	0	0.0	100.0	*	19
20	*	153	9.1	90.4	*	16	0.9	99.6	*	109	6.4	92.4	*	0	0.0	99.9	*	72	4.3	88.3	*	0	0.0	100.0	*	20
21	*	126	7.5	97.9	*	7	0.4	100.0	*	51	3.0	95.4	*	0	0.0	99.9	*	58	3.4	91.7	*	0	0.0	100.0	*	21
22	*	36	2.1	100.0	*	0	0.0	100.0	*	66	3.9	99.3	*	1	0.1	100.0	*	43	2.5	94.3	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	12	0.7	100.0	*	0	0.0	100.0	*	63	3.7	98.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	27	1.6	99.6	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.3      DMC = 30.8      DC = 240.7      ISI = 4.4      ADMC = 66.6      FWI = 9.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1690

MAXIMUM VALUES

FFMC = 94.0      DMC = 169.0      DC = 632.0      ISI = 90.5      ADMC = 168.0      FWI = 72.0

\*\*\*TOTALS FOR STATION 396 PACHEMA POINT

LONG. 12506 LAT, 4843

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	103	6.4	6.4	*	570	35.4	35.4	*	248	15.4	15.4	*	263	16.3	16.3	*	223	13.8	13.8	*	919	57.0	57.0	*	1
2	*	32	2.0	8.4	*	282	17.5	52.9	*	152	9.4	24.8	*	324	20.1	36.4	*	196	12.2	26.0	*	319	19.8	76.8	*	2
3	*	33	2.0	10.4	*	214	13.3	66.1	*	118	7.3	32.1	*	372	23.1	59.5	*	82	5.1	31.1	*	107	6.6	83.4	*	3
4	*	43	2.7	13.1	*	137	8.5	74.6	*	98	6.1	38.2	*	227	14.1	73.6	*	142	8.8	39.9	*	68	4.2	87.7	*	4
5	*	38	2.4	15.4	*	82	5.1	79.7	*	82	5.1	43.3	*	126	7.8	81.4	*	171	10.6	50.5	*	50	3.1	90.8	*	5
6	*	37	2.3	17.7	*	94	5.8	85.5	*	75	4.7	48.0	*	93	5.8	87.2	*	126	7.8	58.3	*	47	2.9	93.7	*	6
7	*	60	3.7	21.5	*	58	3.6	89.1	*	116	7.2	55.1	*	50	3.1	90.3	*	122	7.6	65.9	*	39	2.4	96.1	*	7
8	*	83	5.1	26.6	*	36	2.2	91.4	*	119	7.4	62.5	*	48	3.0	93.2	*	100	6.2	72.1	*	27	1.7	97.8	*	8
9	*	85	5.3	31.9	*	32	2.0	93.4	*	90	5.6	68.1	*	42	2.6	95.8	*	85	5.3	77.4	*	20	1.2	99.0	*	9
10	*	121	7.5	39.4	*	16	1.0	94.4	*	71	4.4	72.5	*	25	1.6	97.4	*	52	3.2	80.6	*	10	0.6	99.6	*	10
11	*	135	8.4	47.8	*	43	2.7	97.0	*	55	3.4	75.9	*	27	1.7	99.1	*	62	3.8	84.4	*	5	0.3	99.9	*	11
12	*	145	9.0	56.8	*	20	1.2	98.3	*	50	3.1	79.0	*	7	0.4	99.5	*	29	1.8	86.2	*	1	0.1	100.0	*	12
13	*	188	11.7	68.4	*	18	1.1	99.4	*	52	3.2	82.3	*	3	0.2	99.7	*	89	5.5	91.7	*	0	0.0	100.0	*	13
14	*	208	12.9	81.3	*	3	0.2	99.6	*	55	3.4	85.7	*	4	0.2	99.9	*	37	2.3	94.0	*	0	0.0	100.0	*	14
15	*	164	10.2	91.5	*	7	0.4	100.0	*	46	2.9	88.5	*	1	0.1	100.0	*	29	1.8	95.8	*	0	0.0	100.0	*	15
16	*	49	3.0	94.5	*	0	0.0	100.0	*	45	2.8	91.3	*	0	0.0	100.0	*	21	1.3	97.1	*	0	0.0	100.0	*	16
17	*	30	1.9	96.4	*	0	0.0	100.0	*	41	2.5	93.9	*	0	0.0	100.0	*	26	1.6	98.8	*	0	0.0	100.0	*	17
18	*	30	1.9	98.3	*	0	0.0	100.0	*	54	3.3	97.2	*	0	0.0	100.0	*	13	0.8	99.6	*	0	0.0	100.0	*	18
19	*	19	1.2	99.4	*	0	0.0	100.0	*	19	1.2	98.4	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	19
20	*	6	0.4	99.8	*	0	0.0	100.0	*	16	1.0	99.4	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20
21	*	3	0.2	100.0	*	0	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 56.1      DMC = 6.5      DC = 102.2      ISI = 1.3      ADMC = 17.8      FWI = 1.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1612

MAXIMUM VALUES

FFMC = 92.0      DMC = 45.0      DC = 480.0      ISI = 16.7      ADMC = 68.0      FWI = 26.0

\*\*\*TOTALS FOR STATION 411 PENTICTON

LONG. 11936 LAT. 4928

FFMC				DMC				DC				ISI				ADMC				FWI						
CLASS	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CUM.	NO. OF	CLASS				
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.					
1	*	1	0.0	0.0	*	5	0.2	0.2	*	20	0.9	0.9	*	17	0.8	0.8	*	3	0.1	0.1	*	98	4.6	4.6	*	1
2	*	3	0.1	0.2	*	19	0.9	1.1	*	42	2.0	2.9	*	113	5.3	6.1	*	1	0.0	0.2	*	122	5.8	10.4	*	2
3	*	2	0.1	0.3	*	20	0.9	2.1	*	36	1.7	4.6	*	142	6.7	12.8	*	8	0.4	0.6	*	73	3.4	13.8	*	3
4	*	3	0.1	0.4	*	22	1.0	3.1	*	56	2.6	7.3	*	128	6.0	18.9	*	8	0.4	0.9	*	65	3.1	16.9	*	4
5	*	7	0.3	0.8	*	26	1.2	4.3	*	36	1.7	9.0	*	116	5.5	24.4	*	21	1.0	1.9	*	70	3.3	20.2	*	5
6	*	3	0.1	0.9	*	29	1.4	5.7	*	34	1.6	10.6	*	102	4.8	29.2	*	20	0.9	2.9	*	127	6.0	26.2	*	6
7	*	14	0.7	1.6	*	33	1.6	7.3	*	75	3.5	14.1	*	94	4.4	33.6	*	14	0.7	3.5	*	118	5.6	31.8	*	7
8	*	12	0.6	2.1	*	43	2.0	9.3	*	46	2.2	16.3	*	232	10.9	44.5	*	22	1.0	4.6	*	111	5.2	37.0	*	8
9	*	23	1.1	3.2	*	37	1.7	11.0	*	51	2.4	18.7	*	182	8.6	53.1	*	19	0.9	5.5	*	245	11.6	48.6	*	9
10	*	26	1.2	4.4	*	44	2.1	13.1	*	54	2.5	21.2	*	188	8.9	62.0	*	29	1.4	6.8	*	227	10.7	59.3	*	10
11	*	42	2.0	6.4	*	99	4.7	17.8	*	56	2.6	23.9	*	291	13.7	75.7	*	27	1.3	8.1	*	211	10.0	69.2	*	11
12	*	48	2.3	8.7	*	101	4.8	22.6	*	48	2.3	26.1	*	210	9.9	85.7	*	28	1.3	9.4	*	177	8.4	77.6	*	12
13	*	76	3.6	12.3	*	123	5.8	28.4	*	42	2.0	28.1	*	142	6.7	92.4	*	59	2.8	12.2	*	129	6.1	83.7	*	13
14	*	106	5.0	17.3	*	117	5.5	33.9	*	55	2.6	30.7	*	111	5.2	97.6	*	62	2.9	15.1	*	192	9.1	92.7	*	14
15	*	191	9.0	26.3	*	265	12.5	46.4	*	58	2.7	33.5	*	29	1.4	99.0	*	54	2.5	17.7	*	101	4.8	97.5	*	15
16	*	122	5.8	32.0	*	244	11.5	57.9	*	44	2.1	35.5	*	18	0.8	99.8	*	60	2.8	20.5	*	40	1.9	99.4	*	16
17	*	149	7.0	39.1	*	205	9.7	67.6	*	49	2.3	37.8	*	4	0.2	100.0	*	166	7.8	28.4	*	10	0.5	99.9	*	17
18	*	208	9.9	48.9	*	174	8.2	75.8	*	111	5.2	43.1	*	0	0.0	100.0	*	179	8.4	36.8	*	2	0.1	100.0	*	18
19	*	308	14.5	63.4	*	310	14.6	90.4	*	102	4.8	47.9	*	0	0.0	100.0	*	167	7.9	44.7	*	1	0.0	100.0	*	19
20	*	295	13.9	77.3	*	125	5.9	96.3	*	83	3.9	51.8	*	0	0.0	100.0	*	184	8.7	53.4	*	0	0.0	100.0	*	20
21	*	288	13.6	90.9	*	37	1.7	98.1	*	102	4.8	56.6	*	0	0.0	100.0	*	164	7.7	61.1	*	0	0.0	100.0	*	21
22	*	180	8.5	99.4	*	23	1.1	99.2	*	285	13.4	70.1	*	0	0.0	100.0	*	173	8.2	69.3	*	0	0.0	100.0	*	22
23	*	12	0.6	100.0	*	9	0.4	99.6	*	338	16.0	86.0	*	0	0.0	100.0	*	257	12.1	81.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	9	0.4	100.0	*	248	11.7	97.7	*	0	0.0	100.0	*	179	8.4	89.9	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	48	2.3	100.0	*	0	0.0	100.0	*	215	10.1	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 82.8      DMC = 60.4      DC = 408.6      ISI = 5.6      ADMC = 118.7      FWI = 17.5

THE TOTAL NUMBER OF OBSERVATIONS IS 2119

MAXIMUM VALUES

FFMC = 96.0      DMC = 288.0      DC = 856.0      ISI = 36.1      ADMC = 288.0      FWI = 83.0

\*\*\*TOTALS FOR STATION 389 PORT HARDY LONG. 12722 LAT. 5041

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	36	2.3	2.3	*	528	33.5	33.5	*	164	10.4	10.4	*	244	15.5	15.5	*	213	13.5	13.5	*	896	56.9	56.9	*	1
2	*	24	1.5	3.8	*	246	15.6	49.1	*	98	6.2	16.6	*	393	25.0	40.4	*	165	10.5	24.0	*	289	18.3	75.2	*	2
3	*	36	2.3	6.1	*	188	11.9	61.1	*	86	5.5	22.1	*	345	21.9	62.3	*	50	3.2	27.2	*	115	7.3	82.5	*	3
4	*	50	3.2	9.3	*	128	8.1	69.2	*	82	5.2	27.3	*	244	15.5	77.8	*	130	8.3	35.4	*	83	5.3	87.8	*	4
5	*	67	4.3	13.5	*	95	6.0	75.2	*	61	3.9	31.2	*	128	8.1	86.0	*	149	9.5	44.9	*	48	3.0	90.9	*	5
6	*	68	4.3	17.8	*	65	4.1	79.4	*	45	2.9	34.0	*	71	4.5	90.5	*	143	9.1	54.0	*	69	4.4	95.2	*	6
7	*	72	4.6	22.4	*	54	3.4	82.8	*	92	5.8	39.9	*	46	2.9	93.4	*	99	6.3	60.3	*	34	2.2	97.4	*	7
8	*	68	4.3	26.7	*	39	2.5	85.3	*	97	6.2	46.0	*	57	3.6	97.0	*	84	5.3	65.6	*	23	1.5	98.9	*	8
9	*	107	6.8	33.5	*	43	2.7	88.0	*	101	6.4	52.4	*	24	1.5	98.5	*	75	4.8	70.3	*	14	0.9	99.7	*	9
10	*	95	6.0	39.6	*	38	2.4	90.4	*	91	5.8	58.2	*	11	0.7	99.2	*	62	3.9	74.3	*	2	0.1	99.9	*	10
11	*	88	5.6	45.1	*	66	4.2	94.6	*	84	5.3	63.6	*	9	0.6	99.8	*	49	3.1	77.4	*	0	0.0	99.9	*	11
12	*	110	7.0	52.1	*	41	2.6	97.2	*	81	5.1	68.7	*	2	0.1	99.9	*	40	2.5	79.9	*	2	0.1	100.0	*	12
13	*	172	10.9	63.0	*	16	1.0	98.2	*	93	5.9	74.6	*	0	0.0	99.9	*	76	4.8	84.8	*	0	0.0	100.0	*	13
14	*	216	13.7	76.8	*	6	0.4	98.6	*	102	6.5	81.1	*	1	0.1	100.0	*	60	3.8	88.6	*	0	0.0	100.0	*	14
15	*	267	17.0	93.7	*	11	0.7	99.3	*	56	3.6	84.6	*	0	0.0	100.0	*	67	4.3	92.8	*	0	0.0	100.0	*	15
16	*	60	3.8	97.5	*	11	0.7	100.0	*	41	2.6	87.2	*	0	0.0	100.0	*	33	2.1	94.9	*	0	0.0	100.0	*	16
17	*	30	1.9	99.4	*	0	0.0	100.0	*	30	1.9	89.1	*	0	0.0	100.0	*	40	2.5	97.5	*	0	0.0	100.0	*	17
18	*	7	0.4	99.9	*	0	0.0	100.0	*	40	2.5	91.7	*	0	0.0	100.0	*	18	1.1	98.6	*	0	0.0	100.0	*	18
19	*	2	0.1	100.0	*	0	0.0	100.0	*	34	2.2	93.8	*	0	0.0	100.0	*	7	0.4	99.0	*	0	0.0	100.0	*	19
20	*	0	0.0	100.0	*	0	0.0	100.0	*	55	3.5	97.3	*	0	0.0	100.0	*	6	0.4	99.4	*	0	0.0	100.0	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	40	2.5	99.9	*	0	0.0	100.0	*	9	0.6	100.0	*	0	0.0	100.0	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	2	0.1	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 57.6      DMC = 7.9      DC = 138.4      ISI = 1.1      ADMC = 21.9      FWI = 1.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1575

MAXIMUM VALUES

FFMC = 88.0      DMC = 58.0      DC = 509.0      ISI = 13.4      ADMC = 90.0      FWI = 25.0

\*\*\*TOTALS FOR STATION 365 PRINCE GEORGE LONG, 12241 LAT, 5353

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	7	0.4	0.4	*	59	3.6	3.6	*	26	1.6	1.6	*	73	4.4	4.4	*	7	0.4	0.4	*	402	24.2	24.2	*	1
2	*	8	0.5	0.9	*	121	7.3	10.9	*	57	3.4	5.0	*	249	15.0	19.4	*	20	1.2	1.6	*	231	13.9	38.2	*	2
3	*	10	0.6	1.5	*	119	7.2	18.0	*	79	4.8	9.8	*	226	13.6	33.1	*	8	0.5	2.1	*	75	4.5	42.7	*	3
4	*	19	1.1	2.7	*	131	7.9	25.9	*	71	4.3	14.1	*	134	8.1	41.1	*	40	2.4	4.5	*	87	5.2	47.9	*	4
5	*	17	1.0	3.7	*	130	7.8	33.8	*	50	3.0	17.1	*	101	6.1	47.2	*	87	5.2	9.8	*	83	5.0	53.0	*	5
6	*	33	2.0	5.7	*	106	6.4	40.2	*	57	3.4	20.5	*	81	4.9	52.1	*	79	4.8	14.5	*	123	7.4	60.4	*	6
7	*	32	1.9	7.6	*	106	6.4	46.6	*	98	5.9	26.4	*	85	5.1	57.2	*	91	5.5	20.0	*	121	7.3	67.7	*	7
8	*	37	2.2	9.8	*	80	4.8	51.4	*	75	4.5	30.9	*	135	8.1	65.4	*	92	5.5	25.6	*	86	5.2	72.9	*	8
9	*	59	3.6	13.4	*	74	4.5	55.9	*	95	5.7	36.7	*	125	7.5	72.9	*	80	4.8	30.4	*	144	8.7	81.5	*	9
10	*	61	3.7	17.1	*	65	3.9	59.8	*	77	4.6	41.3	*	119	7.2	80.1	*	86	5.2	35.6	*	106	6.4	87.9	*	10
11	*	97	5.9	22.9	*	123	7.4	67.2	*	65	3.9	45.2	*	164	9.9	90.0	*	81	4.9	40.5	*	70	4.2	92.2	*	11
12	*	65	3.9	26.8	*	93	5.6	72.8	*	54	3.3	48.5	*	89	5.4	95.4	*	71	4.3	44.8	*	56	3.4	95.5	*	12
13	*	87	5.2	32.1	*	86	5.2	78.0	*	104	6.3	54.8	*	38	2.3	97.6	*	154	9.3	54.0	*	31	1.9	97.4	*	13
14	*	134	8.1	40.2	*	73	4.4	82.4	*	135	8.1	62.9	*	26	1.6	99.2	*	123	7.4	61.5	*	37	2.2	99.6	*	14
15	*	163	9.8	50.0	*	98	5.9	88.3	*	113	6.8	69.7	*	9	0.5	99.8	*	100	6.0	67.5	*	6	0.4	100.0	*	15
16	*	84	5.1	55.1	*	55	3.3	91.6	*	102	6.2	75.9	*	4	0.2	100.0	*	103	6.2	73.7	*	0	0.0	100.0	*	16
17	*	104	6.3	61.3	*	36	2.2	93.8	*	113	6.8	82.7	*	0	0.0	100.0	*	136	8.2	81.9	*	0	0.0	100.0	*	17
18	*	140	8.4	69.8	*	20	1.2	95.0	*	135	8.1	90.8	*	0	0.0	100.0	*	73	4.4	86.3	*	0	0.0	100.0	*	18
19	*	169	10.2	80.0	*	48	2.9	97.9	*	65	3.9	94.8	*	0	0.0	100.0	*	53	3.2	89.5	*	0	0.0	100.0	*	19
20	*	180	10.9	90.8	*	30	1.8	99.7	*	38	2.3	97.0	*	0	0.0	100.0	*	45	2.7	92.2	*	0	0.0	100.0	*	20
21	*	126	7.6	98.4	*	5	0.3	100.0	*	25	1.5	98.6	*	0	0.0	100.0	*	30	1.8	94.0	*	0	0.0	100.0	*	21
22	*	26	1.6	100.0	*	0	0.0	100.0	*	24	1.4	100.0	*	0	0.0	100.0	*	23	1.4	95.4	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	41	2.5	97.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	20	1.2	99.1	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.9	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.5      DMC = 24.8      DC = 185.6      ISI = 3.4      ADMC = 53.1      FWI = 7.4

THE TOTAL NUMBER OF OBSERVATIONS IS 1658

MAXIMUM VALUES

FFMC = 93.0      DMC = 151.0      DC = 579.0      ISI = 22.6      ADMC = 182.0      FWI = 49.0

411



\*\*\*TOTALS FOR STATION 410 PRINCETON LONG, 12031 LAT, 4928

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.		CUM. PCNT.							
1	*	5	0.2	0.2	*	1	0.0	0.0	*	10	0.5	0.5	*	36	1.7	1.7	*	0	0.0	0.0	*	155	7.4	7.4	*	1
2	*	2	0.1	0.3	*	10	0.5	0.5	*	42	2.0	2.5	*	187	9.0	10.7	*	1	0.0	0.0	*	140	6.7	14.1	*	2
3	*	4	0.2	0.5	*	24	1.1	1.7	*	34	1.6	4.1	*	168	8.0	18.7	*	1	0.0	0.1	*	76	3.6	17.8	*	3
4	*	11	0.5	1.1	*	33	1.6	3.3	*	42	2.0	6.1	*	122	5.8	24.6	*	3	0.1	0.2	*	78	3.7	21.5	*	4
5	*	11	0.5	1.6	*	25	1.2	4.5	*	38	1.8	8.0	*	127	6.1	30.7	*	21	1.0	1.2	*	72	3.4	25.0	*	5
6	*	14	0.7	2.3	*	40	1.9	6.4	*	35	1.7	9.6	*	101	4.8	35.5	*	19	0.9	2.2	*	145	6.9	31.9	*	6
7	*	8	0.4	2.6	*	48	2.3	8.7	*	69	3.3	12.9	*	56	2.7	38.2	*	16	0.8	2.9	*	118	5.7	37.6	*	7
8	*	16	0.8	3.4	*	36	1.7	10.4	*	63	3.0	16.0	*	176	8.4	46.6	*	15	0.7	3.6	*	105	5.0	42.6	*	8
9	*	31	1.5	4.9	*	33	1.6	12.0	*	45	2.2	18.1	*	145	6.9	53.6	*	32	1.5	5.2	*	199	9.5	52.1	*	9
10	*	41	2.0	6.9	*	50	2.4	14.4	*	73	3.5	21.6	*	149	7.1	60.7	*	22	1.1	6.2	*	158	7.6	59.7	*	10
11	*	50	2.4	9.2	*	115	5.5	19.9	*	60	2.9	24.5	*	263	12.6	73.3	*	23	1.1	7.3	*	163	7.8	67.5	*	11
12	*	78	3.7	13.0	*	119	5.7	25.6	*	44	2.1	26.6	*	139	6.7	80.0	*	30	1.4	8.8	*	137	6.6	74.1	*	12
13	*	73	3.5	16.5	*	125	6.0	31.6	*	49	2.3	28.9	*	117	5.6	85.6	*	78	3.7	12.5	*	119	5.7	79.8	*	13
14	*	104	5.0	21.5	*	147	7.0	38.6	*	54	2.6	31.5	*	154	7.4	93.0	*	79	3.8	16.3	*	194	9.3	89.1	*	14
15	*	168	8.0	29.5	*	237	11.4	50.0	*	57	2.7	34.3	*	58	2.8	95.7	*	79	3.8	20.1	*	112	5.4	94.4	*	15
16	*	104	5.0	34.5	*	202	9.7	59.7	*	57	2.7	37.0	*	57	2.7	98.5	*	77	3.7	23.8	*	55	2.6	97.1	*	16
17	*	147	7.0	41.5	*	163	7.8	67.5	*	68	3.3	40.2	*	18	0.9	99.3	*	186	8.9	32.7	*	24	1.1	98.2	*	17
18	*	179	8.6	50.1	*	119	5.7	73.2	*	110	5.3	45.5	*	8	0.4	99.7	*	179	8.6	41.3	*	22	1.1	99.3	*	18
19	*	242	11.6	61.7	*	274	13.1	86.3	*	116	5.6	51.1	*	3	0.1	99.9	*	210	10.1	51.3	*	8	0.4	99.7	*	19
20	*	281	13.5	75.2	*	153	7.3	93.6	*	110	5.3	56.3	*	1	0.0	99.9	*	143	6.9	58.2	*	3	0.1	99.8	*	20
21	*	264	12.6	87.8	*	45	2.2	95.8	*	125	6.0	62.3	*	0	0.0	99.9	*	124	5.9	64.1	*	2	0.1	99.9	*	21
22	*	159	7.6	95.4	*	22	1.1	96.8	*	307	14.7	77.0	*	2	0.1	100.0	*	121	5.8	69.9	*	2	0.1	100.0	*	22
23	*	88	4.2	99.7	*	30	1.4	98.3	*	228	10.9	88.0	*	0	0.0	100.0	*	218	10.4	80.4	*	0	0.0	100.0	*	23
24	*	7	0.3	100.0	*	23	1.1	99.4	*	176	8.4	96.4	*	0	0.0	100.0	*	170	8.1	88.5	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	13	0.6	100.0	*	75	3.6	100.0	*	0	0.0	100.0	*	240	11.5	100.0	*	0	0.0	100.0	*	25

413

AVERAGE VALUES

FFMC = 81.5      DMC = 63.9      DC = 390.4      ISI = 6.4      ADMC = 115.2      FWI = 23.1

THE TOTAL NUMBER OF OBSERVATIONS IS 2087

MAXIMUM VALUES

FFMC = 97.0      DMC = 350.0      DC = 890.0      ISI = 89.3      ADMC = 349.0      FWI = 146.0

\*\*\*TOTALS FOR STATION 401 QUESNEL A LONG, 12231 LAT, 5302

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	* CLASS							
1	*	8	0.4	0.4	*	29	1.6	1.6	*	8	0.4	0.4	*	75	4.1	4.1	*	2	0.1	0.1	*	374	20.7	20.7	*	1
2	*	11	0.6	1.1	*	66	3.7	5.3	*	41	2.3	2.7	*	265	14.7	18.8	*	7	0.4	0.5	*	210	11.6	32.3	*	2
3	*	4	0.2	1.3	*	108	6.0	11.2	*	43	2.4	5.1	*	216	11.9	30.8	*	2	0.1	0.6	*	98	5.4	37.7	*	3
4	*	22	1.2	2.5	*	107	5.9	17.1	*	30	1.7	6.7	*	164	9.1	39.8	*	23	1.3	1.9	*	106	5.9	43.6	*	4
5	*	24	1.3	3.8	*	117	6.5	23.6	*	32	1.8	8.5	*	132	7.3	47.1	*	37	2.0	3.9	*	73	4.0	47.6	*	5
6	*	22	1.2	5.0	*	98	5.4	29.0	*	38	2.1	10.6	*	98	5.4	52.5	*	61	3.4	7.3	*	161	8.9	56.5	*	6
7	*	33	1.8	6.9	*	88	4.9	33.9	*	88	4.9	15.5	*	76	4.2	56.7	*	61	3.4	10.7	*	105	5.8	62.3	*	7
8	*	43	2.4	9.2	*	78	4.3	38.2	*	91	5.0	20.5	*	134	7.4	64.2	*	73	4.0	14.7	*	107	5.9	68.3	*	8
9	*	57	3.2	12.4	*	87	4.8	43.0	*	59	3.3	23.8	*	140	7.7	71.9	*	66	3.7	18.4	*	158	8.7	77.0	*	9
10	*	64	3.5	15.9	*	64	3.5	46.6	*	54	3.0	26.8	*	96	5.3	77.2	*	63	3.5	21.8	*	123	6.8	83.8	*	10
11	*	60	3.3	19.2	*	183	10.1	56.7	*	69	3.8	30.6	*	162	9.0	86.2	*	99	5.5	27.3	*	97	5.4	89.2	*	11
12	*	102	5.6	24.9	*	141	7.8	64.5	*	71	3.9	34.5	*	107	5.9	92.1	*	65	3.6	30.9	*	71	3.9	93.1	*	12
13	*	94	5.2	30.1	*	121	6.7	71.2	*	75	4.1	38.7	*	61	3.4	95.5	*	171	9.5	40.4	*	50	2.8	95.9	*	13
14	*	136	7.5	37.6	*	82	4.5	75.7	*	105	5.8	44.5	*	48	2.7	98.1	*	151	8.4	48.7	*	54	3.0	98.8	*	14
15	*	185	10.2	47.9	*	121	6.7	82.4	*	136	7.5	52.0	*	22	1.2	99.3	*	117	6.5	55.2	*	17	0.9	99.8	*	15
16	*	101	5.6	53.4	*	107	5.9	88.3	*	158	8.7	60.7	*	12	0.7	100.0	*	118	6.5	61.7	*	3	0.2	99.9	*	16
17	*	118	6.5	60.0	*	69	3.8	92.1	*	125	6.9	67.6	*	0	0.0	100.0	*	180	10.0	71.7	*	1	0.1	100.0	*	17
18	*	133	7.4	67.3	*	52	2.9	95.0	*	190	10.5	78.2	*	0	0.0	100.0	*	145	8.0	79.7	*	0	0.0	100.0	*	18
19	*	179	9.9	77.2	*	76	4.2	99.2	*	162	9.0	87.1	*	0	0.0	100.0	*	95	5.3	85.0	*	0	0.0	100.0	*	19
20	*	187	10.3	87.6	*	14	0.8	100.0	*	88	4.9	92.0	*	0	0.0	100.0	*	76	4.2	89.2	*	0	0.0	100.0	*	20
21	*	169	9.3	96.9	*	0	0.0	100.0	*	46	2.5	94.5	*	0	0.0	100.0	*	63	3.5	92.6	*	0	0.0	100.0	*	21
22	*	54	3.0	99.9	*	0	0.0	100.0	*	79	4.4	98.9	*	0	0.0	100.0	*	44	2.4	95.1	*	0	0.0	100.0	*	22
23	*	2	0.1	100.0	*	0	0.0	100.0	*	20	1.1	100.0	*	0	0.0	100.0	*	60	3.3	98.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.3	99.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.6      DMC = 29.4      DC = 243.8      ISI = 3.8      ADMC = 64.1      FWI = 8.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1808

MAXIMUM VALUES

FFMC = 96.0      DMC = 133.0      DC = 644.0      ISI = 29.7      ADMC = 163.0      FWI = 62.0



\*\*\*TOTALS FOR STATION 415 REVELSTOKE LONG, 11812 LAT, 5100

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.		CUM. PCNT.							
1	*	13	0.7	0.7	*	34	1.9	1.9	*	62	3.5	3.5	*	39	2.2	2.2	*	5	0.3	0.3	*	308	17.4	17.4	*	1
2	*	5	0.3	1.0	*	80	4.5	6.4	*	71	4.0	7.5	*	211	11.9	14.1	*	17	1.0	1.2	*	247	13.9	31.3	*	2
3	*	5	0.3	1.3	*	113	6.4	12.8	*	67	3.8	11.3	*	213	12.0	26.1	*	23	1.3	2.5	*	99	5.6	36.9	*	3
4	*	6	0.3	1.6	*	115	6.5	19.3	*	75	4.2	15.5	*	146	8.2	34.3	*	30	1.7	4.2	*	89	5.0	41.9	*	4
5	*	5	0.3	1.9	*	120	6.8	26.1	*	52	2.9	18.4	*	118	6.7	41.0	*	55	3.1	7.3	*	83	4.7	46.6	*	5
6	*	20	1.1	3.0	*	114	6.4	32.5	*	49	2.8	21.2	*	88	5.0	46.0	*	62	3.5	10.8	*	117	6.6	53.2	*	6
7	*	21	1.2	4.2	*	114	6.4	38.9	*	96	5.4	26.6	*	75	4.2	50.2	*	73	4.1	14.9	*	102	5.8	58.9	*	7
8	*	31	1.7	6.0	*	90	5.1	44.0	*	62	3.5	30.1	*	132	7.4	57.6	*	74	4.2	19.1	*	104	5.9	64.8	*	8
9	*	38	2.1	8.1	*	88	5.0	49.0	*	66	3.7	33.8	*	125	7.1	64.7	*	80	4.5	23.6	*	164	9.2	74.1	*	9
10	*	71	4.0	12.1	*	78	4.4	53.4	*	86	4.9	38.7	*	92	5.2	69.9	*	96	5.4	29.0	*	117	6.6	80.7	*	10
11	*	79	4.5	16.6	*	156	8.8	62.2	*	79	4.5	43.1	*	180	10.2	80.0	*	74	4.2	33.2	*	97	5.5	86.1	*	11
12	*	91	5.1	21.7	*	140	7.9	70.1	*	87	4.9	48.1	*	131	7.4	87.4	*	74	4.2	37.4	*	78	4.4	90.5	*	12
13	*	113	6.4	28.1	*	111	6.3	76.3	*	82	4.6	52.7	*	94	5.3	92.7	*	160	9.0	46.4	*	60	3.4	93.9	*	13
14	*	119	6.7	34.8	*	66	3.7	80.0	*	97	5.5	58.1	*	92	5.2	97.9	*	142	8.0	54.4	*	78	4.4	98.3	*	14
15	*	167	9.4	44.2	*	107	6.0	86.1	*	92	5.2	63.3	*	20	1.1	99.0	*	120	6.8	61.2	*	26	1.5	99.8	*	15
16	*	106	6.0	50.2	*	80	4.5	90.6	*	88	5.0	68.3	*	16	0.9	99.9	*	105	5.9	67.1	*	4	0.2	100.0	*	16
17	*	114	6.4	56.6	*	52	2.9	93.5	*	144	8.1	76.4	*	1	0.1	100.0	*	157	8.9	76.0	*	0	0.0	100.0	*	17
18	*	139	7.8	64.5	*	33	1.9	95.4	*	152	8.6	85.0	*	0	0.0	100.0	*	121	6.8	82.8	*	0	0.0	100.0	*	18
19	*	149	8.4	72.9	*	59	3.3	98.7	*	113	6.4	91.4	*	0	0.0	100.0	*	77	4.3	87.1	*	0	0.0	100.0	*	19
20	*	189	10.7	83.5	*	20	1.1	99.8	*	110	6.2	97.6	*	0	0.0	100.0	*	67	3.8	90.9	*	0	0.0	100.0	*	20
21	*	157	8.9	92.4	*	3	0.2	100.0	*	33	1.9	99.4	*	0	0.0	100.0	*	51	2.9	93.8	*	0	0.0	100.0	*	21
22	*	122	6.9	99.3	*	0	0.0	100.0	*	10	0.6	100.0	*	0	0.0	100.0	*	32	1.8	95.6	*	0	0.0	100.0	*	22
23	*	13	0.7	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	49	2.8	98.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.4	99.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 76.6      DMC = 26.8      DC = 197.4      ISI = 4.6      ADMC = 58.7      FWI = 9.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1773

MAXIMUM VALUES

FFMC = 95.0      DMC = 148.0      DC = 539.0      ISI = 33.7      ADMC = 165.0      FWI = 59.0

\*\*\*TOTALS FOR STATION 380 SANDSPIT LONG, 13149 LAT, 5315

		FFMC			DMC			DC			ISI			ADMC			FWI					
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS	
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	
1	*	14	0.9	0.9	*	286	18.5	18.5	*	40	2.6	2.6	*	121	7.8	7.8	*	40	2.6	2.6	*	1
2	*	14	0.9	1.8	*	283	18.3	36.8	*	63	4.1	6.7	*	256	16.5	24.4	*	119	7.7	10.3	*	2
3	*	17	1.1	2.9	*	194	12.5	49.3	*	74	4.8	11.4	*	291	18.8	43.2	*	23	1.5	11.8	*	3
4	*	23	1.5	4.4	*	167	10.8	60.1	*	74	4.8	16.2	*	229	14.8	57.9	*	130	8.4	20.2	*	4
5	*	37	2.4	6.8	*	138	8.9	69.0	*	58	3.7	20.0	*	203	13.1	71.1	*	168	10.9	31.0	*	5
6	*	36	2.3	9.1	*	114	7.4	76.4	*	55	3.6	23.5	*	102	6.6	77.6	*	156	10.1	41.1	*	6
7	*	37	2.4	11.5	*	81	5.2	81.6	*	90	5.8	29.3	*	110	7.1	84.8	*	107	6.9	48.0	*	7
8	*	77	5.0	16.5	*	56	3.6	85.2	*	92	5.9	35.3	*	94	6.1	90.8	*	117	7.6	55.6	*	8
9	*	82	5.3	21.8	*	47	3.0	88.2	*	83	5.4	40.6	*	47	3.0	93.9	*	107	6.9	62.5	*	9
10	*	103	6.7	28.4	*	41	2.6	90.9	*	91	5.9	46.5	*	25	1.6	95.5	*	91	5.9	68.3	*	10
11	*	96	6.2	34.6	*	58	3.7	94.6	*	92	5.9	52.5	*	37	2.4	97.9	*	77	5.0	73.3	*	11
12	*	134	8.7	43.3	*	29	1.9	96.5	*	76	4.9	57.4	*	15	1.0	98.8	*	60	3.9	77.2	*	12
13	*	165	10.7	53.9	*	10	0.6	97.2	*	65	4.2	61.6	*	9	0.6	99.4	*	95	6.1	83.3	*	13
14	*	230	14.9	68.8	*	2	0.1	97.3	*	80	5.2	66.7	*	4	0.3	99.7	*	66	4.3	87.6	*	14
15	*	268	17.3	86.1	*	10	0.6	97.9	*	75	4.8	71.6	*	2	0.1	99.8	*	58	3.7	91.3	*	15
16	*	110	7.1	93.2	*	7	0.5	98.4	*	86	5.6	77.1	*	3	0.2	100.0	*	36	2.3	93.7	*	16
17	*	71	4.6	97.8	*	5	0.3	98.7	*	77	5.0	82.1	*	0	0.0	100.0	*	46	3.0	96.6	*	17
18	*	25	1.6	99.4	*	4	0.3	99.0	*	87	5.6	87.7	*	0	0.0	100.0	*	14	0.9	97.5	*	18
19	*	9	0.6	100.0	*	16	1.0	100.0	*	82	5.3	93.0	*	0	0.0	100.0	*	7	0.5	98.0	*	19
20	*	0	0.0	100.0	*	0	0.0	100.0	*	72	4.7	97.7	*	0	0.0	100.0	*	5	0.3	98.3	*	20
21	*	0	0.0	100.0	*	0	0.0	100.0	*	22	1.4	99.1	*	0	0.0	100.0	*	5	0.3	98.6	*	21
22	*	0	0.0	100.0	*	0	0.0	100.0	*	14	0.9	100.0	*	0	0.0	100.0	*	3	0.2	98.8	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	13	0.8	99.7	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 63.4      DMC = 9.9      DC = 176.1      ISI = 1.8      ADMC = 27.3      FWI = 2.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1548

MAXIMUM VALUES

FFMC = 88.0      DMC = 101.0      DC = 549.0      ISI = 23.3      ADMC = 132.0      FWI = 54.0

\*\*\*TOTALS FOR STATION 370 SMITHERS LONG. 12711 LAT. 5449

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	21	1.3	1.3	*	33	2.0	2.0	*	7	0.4	0.4	*	99	5.9	5.9	*	4	0.2	0.2	*	316	18.9	18.9	*	1
2	*	10	0.6	1.9	*	48	2.9	4.8	*	15	0.9	1.3	*	206	12.3	18.2	*	13	0.8	1.0	*	197	11.8	30.7	*	2
3	*	14	0.8	2.7	*	84	5.0	9.9	*	32	1.9	3.2	*	191	11.4	29.6	*	1	0.1	1.1	*	98	5.9	36.5	*	3
4	*	23	1.4	4.1	*	85	5.1	14.9	*	40	2.4	5.6	*	136	8.1	37.8	*	19	1.1	2.2	*	81	4.8	41.4	*	4
5	*	25	1.5	5.6	*	96	5.7	20.7	*	53	3.2	8.8	*	134	8.0	45.8	*	24	1.4	3.6	*	85	5.1	46.4	*	5
6	*	19	1.1	6.7	*	100	6.0	26.7	*	47	2.8	11.6	*	85	5.1	50.9	*	37	2.2	5.9	*	126	7.5	54.0	*	6
7	*	27	1.6	8.3	*	110	6.6	33.2	*	73	4.4	16.0	*	77	4.6	55.5	*	52	3.1	9.0	*	133	7.9	61.9	*	7
8	*	38	2.3	10.6	*	90	5.4	38.6	*	77	4.6	20.6	*	159	9.5	65.0	*	69	4.1	13.1	*	107	6.4	68.3	*	8
9	*	44	2.6	13.2	*	83	5.0	43.6	*	62	3.7	24.3	*	156	9.3	74.3	*	78	4.7	17.8	*	174	10.4	78.7	*	9
10	*	50	3.0	16.2	*	62	3.7	47.3	*	50	3.0	27.3	*	109	6.5	80.8	*	59	3.5	21.3	*	130	7.8	86.5	*	10
11	*	73	4.4	20.6	*	164	9.8	57.1	*	85	5.1	32.3	*	132	7.9	88.7	*	72	4.3	25.6	*	80	4.8	91.3	*	11
12	*	70	4.2	24.7	*	125	7.5	64.6	*	85	5.1	37.4	*	72	4.3	93.0	*	67	4.0	29.6	*	53	3.2	94.4	*	12
13	*	96	5.7	30.5	*	107	6.4	71.0	*	55	3.3	40.7	*	43	2.6	95.6	*	154	9.2	38.8	*	31	1.9	96.3	*	13
14	*	114	6.8	37.3	*	85	5.1	76.0	*	70	4.2	44.9	*	42	2.5	98.1	*	165	9.9	48.7	*	37	2.2	98.5	*	14
15	*	171	10.2	47.5	*	130	7.8	83.8	*	77	4.6	49.5	*	20	1.2	99.3	*	112	6.7	55.3	*	17	1.0	99.5	*	15
16	*	101	6.0	53.6	*	82	4.9	88.7	*	96	5.7	55.2	*	10	0.6	99.9	*	100	6.0	61.3	*	7	0.4	99.9	*	16
17	*	138	8.2	61.8	*	54	3.2	91.9	*	88	5.3	60.5	*	1	0.1	99.9	*	178	10.6	72.0	*	1	0.1	100.0	*	17
18	*	211	12.6	74.4	*	40	2.4	94.3	*	214	12.8	73.3	*	0	0.0	99.9	*	142	8.5	80.5	*	0	0.0	100.0	*	18
19	*	198	11.8	86.3	*	61	3.6	98.0	*	183	10.9	84.2	*	0	0.0	99.9	*	78	4.7	85.1	*	0	0.0	100.0	*	19
20	*	149	8.9	95.2	*	28	1.7	99.6	*	133	7.9	92.2	*	0	0.0	99.9	*	62	3.7	88.8	*	0	0.0	100.0	*	20
21	*	65	3.9	99.0	*	6	0.4	100.0	*	53	3.2	95.3	*	0	0.0	99.9	*	52	3.1	91.9	*	0	0.0	100.0	*	21
22	*	16	1.0	100.0	*	0	0.0	100.0	*	57	3.4	98.7	*	1	0.1	100.0	*	32	1.9	93.8	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	17	1.0	99.8	*	0	0.0	100.0	*	55	3.3	97.1	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	32	1.9	99.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	16	1.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 73.3      DMC = 29.9      DC = 250.4      ISI = 3.7      ADMC = 65.3      FWI = 8.6

THE TOTAL NUMBER OF OBSERVATIONS IS 1673

MAXIMUM VALUES

FFMC = 94.0      DMC = 163.0      DC = 713.0      ISI = 86.9      ADMC = 163.0      FWI = 62.0

417

\*\*\*TOTALS FOR STATION 357 SMITH RIVER LONG, 12626 LAT, 5954

		FFMC			DMC			DC			ISI			ADMC			FWI					
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	CLASS	
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.		
1	*	13	0.9	0.9	*	48	3.2	3.2	*	7	0.5	0.5	*	113	7.5	7.5	*	3	0.2	0.2	*	1
2	*	16	1.1	1.9	*	64	4.2	7.4	*	17	1.1	1.6	*	195	12.9	20.3	*	15	1.0	1.2	*	2
3	*	13	0.9	2.8	*	81	5.3	12.7	*	30	2.0	3.6	*	206	13.6	33.9	*	6	0.4	1.6	*	3
4	*	28	1.8	4.6	*	80	5.3	18.0	*	39	2.6	6.1	*	134	8.8	42.7	*	29	1.9	3.5	*	4
5	*	28	1.8	6.5	*	89	5.9	23.9	*	38	2.5	8.6	*	92	6.1	48.8	*	36	2.4	5.9	*	5
6	*	37	2.4	8.9	*	94	6.2	30.1	*	35	2.3	10.9	*	76	5.0	53.8	*	46	3.0	8.9	*	6
7	*	33	2.2	11.1	*	92	6.1	36.1	*	69	4.6	15.5	*	100	6.6	60.4	*	35	2.3	11.2	*	7
8	*	21	1.4	12.5	*	83	5.5	41.6	*	82	5.4	20.9	*	138	9.1	69.5	*	60	4.0	15.2	*	8
9	*	35	2.3	14.8	*	79	5.2	46.8	*	70	4.6	25.5	*	163	10.8	80.3	*	70	4.6	19.8	*	9
10	*	48	3.2	17.9	*	69	4.6	51.4	*	57	3.8	29.3	*	66	4.4	84.6	*	67	4.4	24.2	*	10
11	*	57	3.8	21.7	*	122	8.0	59.4	*	57	3.8	33.0	*	140	9.2	93.9	*	60	4.0	28.2	*	11
12	*	74	4.9	26.6	*	106	7.0	66.4	*	65	4.3	37.3	*	50	3.3	97.2	*	72	4.7	32.9	*	12
13	*	65	4.3	30.9	*	104	6.9	73.3	*	75	4.9	42.3	*	31	2.0	99.2	*	137	9.0	42.0	*	13
14	*	137	9.0	39.9	*	68	4.5	77.8	*	66	4.4	46.6	*	8	0.6	99.8	*	129	8.5	50.5	*	14
15	*	162	10.7	50.6	*	98	6.5	84.2	*	80	5.3	51.9	*	2	0.1	99.9	*	123	8.1	58.6	*	15
16	*	100	6.6	57.2	*	92	6.1	90.3	*	86	5.7	57.6	*	2	0.1	100.0	*	97	6.4	65.0	*	16
17	*	131	8.6	65.8	*	81	5.3	95.6	*	75	4.9	62.5	*	0	0.0	100.0	*	150	9.9	74.9	*	17
18	*	156	10.3	76.1	*	39	2.6	98.2	*	167	11.0	73.5	*	0	0.0	100.0	*	101	6.7	81.5	*	18
19	*	190	12.5	88.7	*	27	1.8	100.0	*	222	14.6	88.2	*	0	0.0	100.0	*	76	5.0	86.5	*	19
20	*	120	7.9	96.6	*	0	0.0	100.0	*	101	6.7	94.9	*	0	0.0	100.0	*	51	3.4	89.9	*	20
21	*	44	2.9	99.5	*	0	0.0	100.0	*	72	4.7	99.6	*	0	0.0	100.0	*	58	3.8	93.7	*	21
22	*	8	0.5	100.0	*	0	0.0	100.0	*	6	0.4	100.0	*	0	0.0	100.0	*	44	2.9	96.6	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	48	3.2	99.8	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	3	0.2	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.1      DMC = 26.8      DC = 238.8      ISI = 3.1      ADCM = 61.0      FWI = 7.1

THE TOTAL NUMBER OF OBSERVATIONS IS 1516

MAXIMUM VALUES

FFMC = 94.0      DMC = 110.0      DC = 522.0      ISI = 20.4      ADCM = 130.0      FWI = 45.0

\*\*\*TOTALS FOR STATION 391 SPRING ISLAND LONG, 12725 LAT, 5000

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	
1	88	5.4	5.4	550	33.7	33.7	351	21.5	21.5	323	19.8	19.8	290	17.8	17.8	930	57.1	57.1	1
2	53	3.3	8.7	299	18.3	52.1	209	12.8	34.4	352	21.6	41.4	141	8.7	26.4	319	19.6	76.6	2
3	42	2.6	11.2	188	11.5	63.6	135	8.3	42.6	326	20.0	61.4	103	6.3	32.8	129	7.9	84.5	3
4	49	3.0	14.2	156	9.6	73.2	114	7.0	49.6	212	13.0	74.4	106	6.5	39.3	73	4.5	89.0	4
5	62	3.8	18.0	110	6.7	79.9	110	6.7	56.4	141	8.7	83.1	185	11.3	50.6	50	3.1	92.1	5
6	86	5.3	23.3	68	4.2	84.1	71	4.4	60.7	100	6.1	89.2	140	8.6	59.2	67	4.1	96.2	6
7	86	5.3	28.6	59	3.6	87.7	99	6.1	66.8	61	3.7	92.9	112	6.9	66.1	28	1.7	97.9	7
8	86	5.3	33.9	55	3.4	91.1	94	5.8	72.6	59	3.6	96.6	95	5.8	71.9	13	0.8	98.7	8
9	57	3.5	37.4	37	2.3	93.4	73	4.5	77.1	23	1.4	98.0	79	4.8	76.7	16	1.0	99.7	9
10	78	4.8	42.1	23	1.4	94.8	45	2.8	79.8	11	0.7	98.7	50	3.1	79.8	4	0.2	99.9	10
11	82	5.0	47.2	28	1.7	96.5	39	2.4	82.2	17	1.0	99.7	60	3.7	83.5	1	0.1	100.0	11
12	103	6.3	53.5	35	2.1	98.7	58	3.6	85.8	4	0.2	99.9	45	2.8	86.3	0	0.0	100.0	12
13	143	8.8	62.3	10	0.6	99.3	42	2.6	88.3	0	0.0	99.9	68	4.2	90.4	0	0.0	100.0	13
14	212	13.0	75.3	3	0.2	99.4	44	2.7	91.0	0	0.0	99.9	54	3.3	93.7	0	0.0	100.0	14
15	272	16.7	92.0	9	0.6	100.0	38	2.3	93.4	1	0.1	100.0	29	1.8	95.5	0	0.0	100.0	15
16	69	4.2	96.2	0	0.0	100.0	21	1.3	94.7	0	0.0	100.0	19	1.2	96.7	0	0.0	100.0	16
17	44	2.7	98.9	0	0.0	100.0	20	1.2	95.9	0	0.0	100.0	33	2.0	98.7	0	0.0	100.0	17
18	15	0.9	99.8	0	0.0	100.0	29	1.8	97.7	0	0.0	100.0	10	0.6	99.3	0	0.0	100.0	18
19	2	0.1	99.9	0	0.0	100.0	25	1.5	99.2	0	0.0	100.0	4	0.2	99.6	0	0.0	100.0	19
20	1	0.1	100.0	0	0.0	100.0	12	0.7	99.9	0	0.0	100.0	7	0.4	100.0	0	0.0	100.0	20
21	0	0.0	100.0	0	0.0	100.0	1	0.1	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	21
22	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	22
23	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	23
24	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	24
25	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	0	0.0	100.0	25

AVERAGE VALUES

FFMC = 55.2      DMC = 6.7      DC = 78.7      ISI = 1.1      ADMC = 18.0      FWI = 1.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1630

MAXIMUM VALUES

FFMC = 89.0      DMC = 50.0      DC = 451.0      ISI = 19.0      ADMC = 78.0      FWI = 22.0

\*\*\*TOTALS FOR STATION 377 STEWART LONG 12959 LAT, 5577

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	36	2.3	2.3	*	161	10.2	10.2	*	128	8.1	8.1	*	88	5.6	5.6	*	61	3.9	3.9	*	406	25.6	25.6	*	1
2	*	11	0.7	3.0	*	134	8.5	18.6	*	93	5.9	14.0	*	192	12.1	17.7	*	57	3.6	7.5	*	192	12.1	37.8	*	2
3	*	9	0.6	3.5	*	128	8.1	26.7	*	92	5.8	19.8	*	156	9.9	27.5	*	34	2.1	9.6	*	89	5.6	43.4	*	3
4	*	12	0.8	4.3	*	122	7.7	34.4	*	83	5.2	25.0	*	150	9.5	37.0	*	52	3.3	12.9	*	74	4.7	48.1	*	4
5	*	13	0.8	5.1	*	100	6.3	40.7	*	69	4.4	29.4	*	123	7.8	44.8	*	108	6.8	19.7	*	60	3.8	51.9	*	5
6	*	21	1.3	6.4	*	80	5.1	45.8	*	54	3.4	32.8	*	115	7.3	52.1	*	90	5.7	25.4	*	153	9.7	61.5	*	6
7	*	25	1.6	8.0	*	72	4.5	50.3	*	120	7.6	40.4	*	84	5.3	57.4	*	79	5.0	30.4	*	119	7.5	69.0	*	7
8	*	45	2.8	10.9	*	73	4.6	55.0	*	72	4.5	44.9	*	154	9.7	67.1	*	76	4.8	35.2	*	85	5.4	74.4	*	8
9	*	47	3.0	13.8	*	66	4.2	59.1	*	107	6.8	51.7	*	109	6.9	74.0	*	67	4.2	39.4	*	142	9.0	83.4	*	9
10	*	68	4.3	18.1	*	50	3.2	62.3	*	127	8.0	59.7	*	79	5.0	79.0	*	72	4.5	44.0	*	81	5.1	88.5	*	10
11	*	87	5.5	23.6	*	114	7.2	69.5	*	121	7.6	67.3	*	108	6.8	85.8	*	57	3.6	47.6	*	59	3.7	92.2	*	11
12	*	82	5.2	28.8	*	95	6.0	75.5	*	109	6.9	74.2	*	70	4.4	90.2	*	64	4.0	51.6	*	33	2.1	94.3	*	12
13	*	73	4.6	33.4	*	87	5.5	81.0	*	74	4.7	78.9	*	49	3.1	93.3	*	134	8.5	60.1	*	35	2.2	96.5	*	13
14	*	114	7.2	40.6	*	64	4.0	85.0	*	73	4.6	83.5	*	44	2.8	96.1	*	120	7.6	67.7	*	32	2.0	98.5	*	14
15	*	164	10.4	51.0	*	95	6.0	91.0	*	47	3.0	86.5	*	26	1.6	97.7	*	106	6.7	74.4	*	14	0.9	99.4	*	15
16	*	116	7.3	58.3	*	52	3.3	94.3	*	45	2.8	89.3	*	22	1.4	99.1	*	78	4.9	79.3	*	5	0.3	99.7	*	16
17	*	131	8.3	66.6	*	29	1.8	96.1	*	26	1.6	91.0	*	7	0.4	99.6	*	82	5.2	84.5	*	3	0.2	99.9	*	17
18	*	181	11.4	78.0	*	23	1.5	97.6	*	56	3.5	94.5	*	4	0.3	99.8	*	71	4.5	88.9	*	1	0.1	100.0	*	18
19	*	162	10.2	88.3	*	28	1.8	99.4	*	27	1.7	96.2	*	2	0.1	99.9	*	54	3.4	92.4	*	0	0.0	100.0	*	19
20	*	108	6.8	95.1	*	8	0.5	99.9	*	22	1.4	97.6	*	0	0.0	99.9	*	34	2.1	94.5	*	0	0.0	100.0	*	20
21	*	58	3.7	98.7	*	2	0.1	100.0	*	22	1.4	99.0	*	1	0.1	100.0	*	20	1.3	95.8	*	0	0.0	100.0	*	21
22	*	20	1.3	100.0	*	0	0.0	100.0	*	16	1.0	100.0	*	0	0.0	100.0	*	30	1.9	97.7	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	30	1.9	99.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	7	0.4	100.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 71.9    DMC = 21.3    DC = 132.3    ISI = 4.3    ADMC = 44.9    FWI = 7.5

THE TOTAL NUMBER OF OBSERVATIONS IS 1583

MAXIMUM VALUES

FFMC = 94.0    DMC = 146.0    DC = 536.0    ISI = 77.0    ADMC = 145.0    FWI = 73.0

\*\*\*TOTALS FOR STATION 388 TATLAYOKO LAKE LONG. 12423 LAT. 5139

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS				
1	*	23	1.2	1.2	*	6	0.3	0.3	*	1	0.1	0.1	*	92	5.0	5.0	*	0	0.0	0.0	*	276	14.9	14.9	*	1
2	*	12	0.6	1.9	*	27	1.5	1.8	*	16	0.9	0.9	*	190	10.2	15.2	*	1	0.1	0.1	*	209	11.3	26.1	*	2
3	*	15	0.8	2.7	*	38	2.0	3.8	*	29	1.6	2.5	*	240	12.9	28.1	*	0	0.0	0.1	*	108	5.8	32.0	*	3
4	*	14	0.8	3.5	*	54	2.9	6.7	*	48	2.6	5.1	*	182	9.8	38.0	*	6	0.3	0.4	*	103	5.6	37.5	*	4
5	*	20	1.1	4.5	*	78	4.2	10.9	*	44	2.4	7.4	*	171	9.2	47.2	*	15	0.8	1.2	*	113	6.1	43.6	*	5
6	*	21	1.1	5.7	*	83	4.5	15.4	*	30	1.6	9.1	*	129	7.0	54.1	*	26	1.4	2.6	*	197	10.6	54.2	*	6
7	*	27	1.5	7.1	*	100	5.4	20.8	*	61	3.3	12.3	*	137	7.4	61.5	*	35	1.9	4.5	*	148	8.0	62.2	*	7
8	*	39	2.1	9.2	*	90	4.9	25.7	*	69	3.7	16.1	*	189	10.2	71.7	*	32	1.7	6.2	*	144	7.8	70.0	*	8
9	*	29	1.6	10.8	*	101	5.4	31.1	*	71	3.8	19.9	*	161	8.7	80.4	*	53	2.9	9.1	*	202	10.9	80.9	*	9
10	*	47	2.5	13.3	*	82	4.4	35.5	*	56	3.0	22.9	*	98	5.3	85.7	*	48	2.6	11.6	*	135	7.3	88.1	*	10
11	*	58	3.1	16.4	*	182	9.8	45.3	*	67	3.6	26.5	*	131	7.1	92.7	*	45	2.4	14.1	*	80	4.3	92.5	*	11
12	*	75	4.0	20.5	*	180	9.7	55.0	*	49	2.6	29.2	*	72	3.9	96.6	*	57	3.1	17.1	*	58	3.1	95.6	*	12
13	*	96	5.2	25.7	*	147	7.9	63.0	*	45	2.4	31.6	*	28	1.5	98.1	*	159	8.6	25.7	*	46	2.5	98.1	*	13
14	*	180	9.7	35.4	*	115	6.2	69.2	*	54	2.9	34.5	*	28	1.5	99.6	*	160	8.6	34.3	*	28	1.5	99.6	*	14
15	*	245	13.2	48.6	*	180	9.7	78.9	*	49	2.6	37.1	*	5	0.3	99.9	*	166	8.9	43.3	*	7	0.4	99.9	*	15
16	*	131	7.1	55.6	*	137	7.4	86.3	*	69	3.7	40.9	*	2	0.1	100.0	*	125	6.7	50.0	*	1	0.1	100.0	*	16
17	*	208	11.2	66.8	*	68	3.7	89.9	*	80	4.3	45.2	*	0	0.0	100.0	*	232	12.5	62.5	*	0	0.0	100.0	*	17
18	*	173	9.3	76.2	*	39	2.1	92.0	*	150	8.1	53.3	*	0	0.0	100.0	*	156	8.4	70.9	*	0	0.0	100.0	*	18
19	*	208	11.2	87.4	*	110	5.9	98.0	*	213	11.5	64.7	*	0	0.0	100.0	*	112	6.0	77.0	*	0	0.0	100.0	*	19
20	*	133	7.2	94.6	*	38	2.0	100.0	*	266	14.3	79.1	*	0	0.0	100.0	*	102	5.5	82.5	*	0	0.0	100.0	*	20
21	*	91	4.9	99.5	*	0	0.0	100.0	*	194	10.5	89.5	*	0	0.0	100.0	*	110	5.9	88.4	*	0	0.0	100.0	*	21
22	*	10	0.5	100.0	*	0	0.0	100.0	*	145	7.8	97.4	*	0	0.0	100.0	*	60	3.2	91.6	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	49	2.6	100.0	*	0	0.0	100.0	*	84	4.5	96.2	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	56	3.0	99.2	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.8	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 74.3      DMC = 35.1      DC = 306.2      ISI = 3.1      ADMC = 77.8      FWI = 8.2

THE TOTAL NUMBER OF OBSERVATIONS IS 1855

MAXIMUM VALUES

FFMC = 94.0      DMC = 140.0      DC = 698.0      ISI = 22.7      ADMC = 163.0      FWI = 55.0

\*\*\*TOTALS FOR STATION 375 TERRACE LONG, 12835 LAT, 5428

FFMC			DMC			DC			ISI			ADMC			FWI											
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	* CLASS									
	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.	OBS.	PCNT.										
1	*	16	1.0	1.0	*	119	7.5	7.5	*	61	3.8	3.8	*	93	5.9	5.9	*	27	1.7	1.7	*	385	24.2	24.2	*	1
2	*	8	0.5	1.5	*	106	6.7	14.2	*	59	3.7	7.6	*	235	14.8	20.6	*	50	3.1	4.8	*	218	13.7	37.9	*	2
3	*	12	0.8	2.3	*	108	6.8	21.0	*	47	3.0	10.5	*	172	10.8	31.5	*	20	1.3	6.1	*	86	5.4	43.4	*	3
4	*	19	1.2	3.5	*	97	6.1	27.1	*	43	2.7	13.2	*	144	9.1	40.5	*	47	3.0	9.1	*	87	5.5	48.8	*	4
5	*	29	1.8	5.3	*	99	6.2	33.3	*	32	2.0	15.2	*	130	8.2	48.7	*	71	4.5	13.5	*	79	5.0	53.8	*	5
6	*	30	1.9	7.2	*	81	5.1	38.4	*	33	2.1	17.3	*	104	6.5	55.3	*	58	3.7	17.2	*	129	8.1	61.9	*	6
7	*	35	2.2	9.4	*	78	4.9	43.3	*	73	4.6	21.9	*	92	5.8	61.0	*	66	4.2	21.3	*	115	7.2	69.2	*	7
8	*	44	2.8	12.1	*	75	4.7	48.0	*	62	3.9	25.8	*	143	9.0	70.0	*	55	3.5	24.8	*	88	5.5	74.7	*	8
9	*	60	3.8	15.9	*	68	4.3	52.3	*	56	3.5	29.3	*	101	6.4	76.4	*	53	3.3	28.1	*	117	7.4	82.1	*	9
10	*	81	5.1	21.0	*	77	4.8	57.1	*	68	4.3	33.6	*	74	4.7	81.1	*	85	5.3	33.5	*	74	4.7	86.7	*	10
11	*	77	4.8	25.9	*	138	8.7	65.8	*	76	4.8	38.4	*	122	7.7	88.7	*	58	3.7	37.1	*	61	3.8	90.6	*	11
12	*	86	5.4	31.3	*	99	6.2	72.1	*	88	5.5	43.9	*	73	4.6	93.3	*	56	3.5	40.7	*	46	2.9	93.5	*	12
13	*	84	5.3	36.6	*	88	5.5	77.6	*	95	6.0	49.9	*	40	2.5	95.8	*	140	8.8	49.5	*	34	2.1	95.6	*	13
14	*	106	6.7	43.2	*	68	4.3	81.9	*	112	7.0	57.0	*	32	2.0	97.9	*	144	9.1	58.5	*	47	3.0	98.6	*	14
15	*	159	10.0	53.2	*	71	4.5	86.3	*	129	8.1	65.1	*	18	1.1	99.0	*	126	7.9	66.5	*	14	0.9	99.4	*	15
16	*	107	6.7	60.0	*	59	3.7	90.1	*	99	6.2	71.3	*	11	0.7	99.7	*	89	5.6	72.1	*	4	0.3	99.7	*	16
17	*	115	7.2	67.2	*	52	3.3	93.3	*	60	3.8	75.1	*	3	0.2	99.9	*	117	7.4	79.4	*	3	0.2	99.9	*	17
18	*	168	10.6	77.8	*	28	1.8	95.1	*	115	7.2	82.3	*	2	0.1	100.0	*	73	4.6	84.0	*	1	0.1	99.9	*	18
19	*	149	9.4	87.2	*	45	2.8	97.9	*	71	4.5	86.8	*	0	0.0	100.0	*	52	3.3	87.3	*	0	0.0	99.9	*	19
20	*	110	6.9	94.1	*	21	1.3	99.2	*	83	5.2	92.0	*	0	0.0	100.0	*	41	2.6	89.9	*	0	0.0	99.9	*	20
21	*	75	4.7	98.8	*	10	0.6	99.9	*	50	3.1	95.2	*	0	0.0	100.0	*	37	2.3	92.2	*	1	0.1	100.0	*	21
22	*	19	1.2	100.0	*	2	0.1	100.0	*	61	3.8	99.0	*	0	0.0	100.0	*	31	2.0	94.1	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	16	1.0	100.0	*	0	0.0	100.0	*	44	2.8	96.9	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	24	1.5	98.4	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	25	1.6	100.0	*	0	0.0	100.0	*	25

422

AVERAGE VALUES

FFMC = 71.2      DMC = 25.6      DC = 214.9      ISI = 3.6      ADMC = 56.1      FWI = 7.8

THE TOTAL NUMBER OF OBSERVATIONS IS 1589

MAXIMUM VALUES

FFMC = 94.0      DMC = 174.0      DC = 653.0      ISI = 46.1      ADMC = 196.0      FWI = 101.0



\*\*\*TOTALS FOR STATION 412 VERNON COLD-STREAM RANCH LONG, 11912 LAT, 5014

		FFMC			DMC			DC			ISI			ADMC			FWI									
CLASS	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CUM.	NO.OF	CLASS						
	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.	OBS.	PCNT.	PCNT.					
1	*	8	0.4	0.4	*	8	0.4	0.4	*	14	0.7	0.7	*	31	1.5	1.5	*	3	0.1	0.1	*	164	8.1	8.1	*	1
2	*	1	0.0	0.4	*	18	0.9	1.3	*	35	1.7	2.4	*	150	7.4	8.9	*	1	0.0	0.2	*	179	8.8	17.0	*	2
3	*	1	0.0	0.5	*	31	1.5	2.8	*	38	1.9	4.3	*	215	10.6	19.6	*	4	0.2	0.4	*	93	4.6	21.6	*	3
4	*	9	0.4	0.9	*	42	2.1	4.9	*	36	1.8	6.1	*	143	7.1	26.6	*	8	0.4	0.8	*	81	4.0	25.6	*	4
5	*	8	0.4	1.3	*	41	2.0	6.9	*	46	2.3	8.4	*	115	5.7	32.3	*	17	0.8	1.6	*	93	4.6	30.2	*	5
6	*	15	0.7	2.1	*	39	1.9	8.8	*	39	1.9	10.3	*	124	6.1	38.5	*	21	1.0	2.7	*	161	8.0	38.1	*	6
7	*	10	0.5	2.6	*	52	2.6	11.4	*	66	3.3	13.5	*	93	4.6	43.1	*	25	1.2	3.9	*	151	7.5	45.6	*	7
8	*	19	0.9	3.5	*	90	4.4	15.9	*	51	2.5	16.1	*	216	10.7	53.7	*	18	0.9	4.8	*	139	6.9	52.4	*	8
9	*	31	1.5	5.0	*	85	4.2	20.1	*	65	3.2	19.3	*	149	7.4	61.1	*	24	1.2	6.0	*	226	11.2	63.6	*	9
10	*	43	2.1	7.2	*	74	3.7	23.7	*	73	3.6	22.9	*	176	8.7	69.8	*	46	2.3	8.3	*	171	8.5	72.1	*	10
11	*	67	3.3	10.5	*	185	9.1	32.9	*	44	2.2	25.1	*	236	11.7	81.5	*	44	2.2	10.4	*	154	7.6	79.7	*	11
12	*	70	3.5	13.9	*	184	9.1	42.0	*	42	2.1	27.1	*	170	8.4	89.9	*	42	2.1	12.5	*	120	5.9	85.6	*	12
13	*	112	5.5	19.5	*	156	7.7	49.7	*	43	2.1	29.3	*	99	4.9	94.8	*	86	4.3	16.8	*	97	4.8	90.4	*	13
14	*	149	7.4	26.8	*	143	7.1	56.7	*	64	3.2	32.4	*	75	3.7	98.5	*	122	6.0	22.8	*	134	6.6	97.0	*	14
15	*	195	9.6	36.5	*	250	12.4	69.1	*	62	3.1	35.5	*	20	1.0	99.5	*	141	7.0	29.8	*	37	1.8	98.9	*	15
16	*	103	5.1	41.6	*	180	8.9	78.0	*	66	3.3	38.8	*	9	0.4	99.9	*	119	5.9	35.6	*	20	1.0	99.9	*	16
17	*	149	7.4	48.9	*	134	6.6	84.6	*	76	3.8	42.5	*	2	0.1	100.0	*	269	13.3	48.9	*	3	0.1	100.0	*	17
18	*	215	10.6	59.6	*	91	4.5	89.1	*	137	6.8	49.3	*	0	0.0	100.0	*	202	10.0	58.9	*	0	0.0	100.0	*	18
19	*	229	11.3	70.9	*	145	7.2	96.3	*	133	6.6	55.9	*	0	0.0	100.0	*	182	9.0	67.9	*	0	0.0	100.0	*	19
20	*	251	12.4	83.3	*	35	1.7	98.0	*	112	5.5	61.4	*	0	0.0	100.0	*	163	8.1	76.0	*	0	0.0	100.0	*	20
21	*	218	10.8	94.1	*	20	1.0	99.0	*	164	8.1	69.5	*	0	0.0	100.0	*	119	5.9	81.9	*	0	0.0	100.0	*	21
22	*	112	5.5	99.6	*	9	0.4	99.5	*	379	18.7	88.2	*	0	0.0	100.0	*	97	4.8	86.7	*	0	0.0	100.0	*	22
23	*	8	0.4	100.0	*	11	0.5	100.0	*	207	10.2	98.5	*	0	0.0	100.0	*	141	7.0	93.6	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	31	1.5	100.0	*	0	0.0	100.0	*	68	3.4	97.0	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	61	3.0	100.0	*	0	0.0	100.0	*	25

423

AVERAGE VALUES

FFMC = 79.6      DMC = 43.8      DC = 350.1      ISI = 4.7      ADMC = 91.1      FWI = 13.1

THE TOTAL NUMBER OF OBSERVATIONS IS 2023

MAXIMUM VALUES

FFMC = 95.0      DMC = 240.0      DC = 792.0      ISI = 33.4      ADMC = 273.0      FWI = 64.0

\*\*\*TOTALS FOR STATION 397 VICTORIA GONZALES HTS, LONG 12319 LAT, 4825

FFMC			DMC			DC			ISI			ADMC			FWI			CLASS								
CLASS	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	CLASS							
1	*	10	0.5	0.5	*	32	1.6	1.6	*	28	1.4	1.4	*	81	4.2	4.2	*	10	0.5	0.5	*	294	15.1	15.1	*	1
2	*	16	0.8	1.3	*	57	2.9	4.6	*	38	2.0	3.4	*	194	10.0	14.2	*	12	0.6	1.1	*	289	14.9	30.0	*	2
3	*	14	0.7	2.1	*	84	4.3	8.9	*	78	4.0	7.4	*	245	12.6	26.8	*	13	0.7	1.8	*	127	6.5	36.6	*	3
4	*	12	0.6	2.7	*	97	5.0	13.9	*	64	3.3	10.7	*	264	13.6	40.4	*	15	0.8	2.6	*	136	7.0	43.6	*	4
5	*	17	0.9	3.6	*	97	5.0	18.9	*	44	2.3	13.0	*	287	14.8	55.2	*	46	2.4	4.9	*	139	7.2	50.7	*	5
6	*	29	1.5	5.0	*	88	4.5	23.4	*	35	1.8	14.8	*	218	11.2	66.4	*	67	3.5	8.4	*	241	12.4	63.2	*	6
7	*	25	1.3	6.3	*	111	5.7	29.2	*	71	3.7	18.4	*	155	8.0	74.4	*	53	2.7	11.1	*	182	9.4	72.5	*	7
8	*	45	2.3	8.7	*	100	5.2	34.3	*	66	3.4	21.8	*	182	9.4	83.8	*	52	2.7	13.8	*	144	7.4	80.0	*	8
9	*	35	1.8	10.5	*	85	4.4	38.7	*	54	2.8	24.6	*	138	7.1	90.9	*	60	3.1	16.9	*	187	9.6	89.6	*	9
10	*	64	3.3	13.8	*	99	5.1	43.8	*	59	3.0	27.7	*	69	3.6	94.4	*	64	3.3	20.2	*	95	4.9	94.5	*	10
11	*	60	3.1	16.8	*	176	9.1	52.9	*	45	2.3	30.0	*	62	3.2	97.6	*	50	2.6	22.8	*	52	2.7	97.2	*	11
12	*	80	4.1	21.0	*	173	8.9	61.8	*	46	2.4	32.4	*	20	1.0	98.7	*	48	2.5	25.2	*	23	1.2	98.4	*	12
13	*	128	6.6	27.6	*	153	7.9	69.7	*	38	2.0	34.3	*	13	0.7	99.3	*	124	6.4	31.6	*	18	0.9	99.3	*	13
14	*	203	10.5	38.0	*	125	6.4	76.1	*	46	2.4	36.7	*	12	0.6	99.9	*	163	8.4	40.0	*	10	0.5	99.8	*	14
15	*	463	23.9	61.9	*	190	9.8	85.9	*	52	2.7	39.4	*	1	0.1	100.0	*	123	6.3	46.4	*	4	0.2	100.0	*	15
16	*	302	15.6	77.4	*	79	4.1	90.0	*	41	2.1	41.5	*	0	0.0	100.0	*	116	6.0	52.3	*	0	0.0	100.0	*	16
17	*	252	13.0	90.4	*	67	3.5	93.4	*	53	2.7	44.2	*	0	0.0	100.0	*	209	10.8	63.1	*	0	0.0	100.0	*	17
18	*	111	5.7	96.1	*	30	1.5	95.0	*	106	5.5	49.7	*	0	0.0	100.0	*	223	11.5	74.6	*	0	0.0	100.0	*	18
19	*	51	2.6	98.8	*	81	4.2	99.1	*	96	4.9	54.6	*	0	0.0	100.0	*	131	6.7	81.3	*	0	0.0	100.0	*	19
20	*	15	0.8	99.5	*	17	0.9	100.0	*	94	4.8	59.5	*	0	0.0	100.0	*	116	6.0	87.3	*	0	0.0	100.0	*	20
21	*	8	0.4	99.9	*	0	0.0	100.0	*	146	7.5	67.0	*	0	0.0	100.0	*	61	3.1	90.5	*	0	0.0	100.0	*	21
22	*	1	0.1	100.0	*	0	0.0	100.0	*	353	18.2	85.2	*	0	0.0	100.0	*	47	2.4	92.9	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	257	13.2	98.4	*	0	0.0	100.0	*	69	3.6	96.4	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	31	1.6	100.0	*	0	0.0	100.0	*	51	2.6	99.1	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	18	0.9	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 72.2      DMC = 29.8      DC = 343.8      ISI = 2.4      ADMC = 71.2      FWI = 6.3

THE TOTAL NUMBER OF OBSERVATIONS IS 1941

MAXIMUM VALUES

FFMC = 93.0      DMC = 129.0      DC = 746.0      ISI = 17.8      ADMC = 171.0      FWI = 43.0

424

\*\*\*TOTALS FOR STATION 374 WISTARIA LONG, 12610 LAT, 5349

CLASS	FFMC			DMC			DC			ISI			ADMC			FWI			CLASS							
	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.	NO.OF OBS.	PCNT.	CUM. PCNT.								
1	*	41	2.6	2.6	*	59	3.7	3.7	*	8	0.5	0.5	*	131	8.2	8.2	*	12	0.7	0.7	*	387	24.1	24.1	*	1
2	*	15	0.9	3.5	*	73	4.5	8.2	*	8	0.5	1.0	*	226	14.1	22.2	*	21	1.3	2.1	*	180	11.2	35.3	*	2
3	*	16	1.0	4.5	*	86	5.4	13.6	*	24	1.5	2.5	*	171	10.6	32.9	*	4	0.2	2.3	*	83	5.2	40.5	*	3
4	*	19	1.2	5.7	*	105	6.5	20.1	*	40	2.5	5.0	*	155	9.7	42.5	*	26	1.6	3.9	*	102	6.4	46.8	*	4
5	*	24	1.5	7.2	*	103	6.4	26.5	*	48	3.0	8.0	*	142	8.8	51.4	*	34	2.1	6.0	*	78	4.9	51.7	*	5
6	*	37	2.3	9.5	*	87	5.4	31.9	*	47	2.9	10.9	*	126	7.8	59.2	*	49	3.1	9.1	*	165	10.3	62.0	*	6
7	*	31	1.9	11.4	*	98	6.1	38.0	*	82	5.1	16.0	*	105	6.5	65.8	*	59	3.7	12.8	*	128	8.0	69.9	*	7
8	*	34	2.1	13.5	*	85	5.3	43.3	*	68	4.2	20.2	*	164	10.2	76.0	*	65	4.0	16.8	*	112	7.0	76.9	*	8
9	*	65	4.0	17.6	*	59	3.7	47.0	*	53	3.3	23.5	*	117	7.3	83.3	*	87	5.4	22.2	*	143	8.9	85.8	*	9
10	*	62	3.9	21.4	*	75	4.7	51.7	*	79	4.9	28.5	*	72	4.5	87.7	*	54	3.4	25.6	*	91	5.7	91.5	*	10
11	*	55	3.4	24.8	*	128	8.0	59.7	*	67	4.2	32.6	*	107	6.7	94.4	*	81	5.0	30.6	*	59	3.7	95.1	*	11
12	*	69	4.3	29.1	*	98	6.1	65.8	*	63	3.9	36.6	*	35	2.2	96.6	*	59	3.7	34.3	*	32	2.0	97.1	*	12
13	*	82	5.1	34.2	*	88	5.5	71.2	*	54	3.4	39.9	*	18	1.1	97.7	*	163	10.1	44.5	*	18	1.1	98.3	*	13
14	*	123	7.7	41.9	*	90	5.6	76.8	*	69	4.3	44.2	*	29	1.8	99.5	*	117	7.3	51.7	*	19	1.2	99.4	*	14
15	*	217	13.5	55.4	*	131	8.2	85.0	*	90	5.6	49.8	*	5	0.3	99.8	*	108	6.7	58.5	*	8	0.5	99.9	*	15
16	*	135	8.4	63.8	*	93	5.8	90.8	*	89	5.5	55.4	*	1	0.1	99.9	*	76	4.7	63.2	*	1	0.1	100.0	*	16
17	*	167	10.4	74.2	*	49	3.1	93.8	*	82	5.1	60.5	*	1	0.1	99.9	*	136	8.5	71.7	*	0	0.0	100.0	*	17
18	*	163	10.1	84.4	*	34	2.1	96.0	*	159	9.9	70.4	*	0	0.0	99.9	*	129	8.0	79.7	*	0	0.0	100.0	*	18
19	*	138	8.6	93.0	*	59	3.7	99.6	*	158	9.8	80.2	*	0	0.0	99.9	*	74	4.6	84.3	*	0	0.0	100.0	*	19
20	*	79	4.9	97.9	*	6	0.4	100.0	*	120	7.5	87.7	*	1	0.1	100.0	*	93	5.8	90.1	*	0	0.0	100.0	*	20
21	*	30	1.9	99.8	*	0	0.0	100.0	*	101	6.3	94.0	*	0	0.0	100.0	*	63	3.9	94.0	*	0	0.0	100.0	*	21
22	*	4	0.2	100.0	*	0	0.0	100.0	*	93	5.8	99.8	*	0	0.0	100.0	*	39	2.4	96.5	*	0	0.0	100.0	*	22
23	*	0	0.0	100.0	*	0	0.0	100.0	*	4	0.2	100.0	*	0	0.0	100.0	*	37	2.3	98.8	*	0	0.0	100.0	*	23
24	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	15	0.9	99.7	*	0	0.0	100.0	*	24
25	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	0	0.0	100.0	*	5	0.3	100.0	*	0	0.0	100.0	*	25

AVERAGE VALUES

FFMC = 69.9      DMC = 27.4      DC = 256.6      ISI = 2.9      ADMC = 61.4      FWI = 6.7

THE TOTAL NUMBER OF OBSERVATIONS IS 1606

MAXIMUM VALUES

FFMC = 93.0      DMC = 115.0      DC = 612.0      ISI = 61.1      ADMC = 155.0      FWI = 57.0