

THE INTERNATIONAL CROWN FIRE MODELLING EXPERIMENT FUEL TREATMENT TRIALS

Martin E. Alexander

Canadian Forest Service, Northern Forestry Centre, 5320 - 122 Street, Edmonton, AB T6H 3S5, Canada

Rick A. Lanoville

Department of Resources, Wildlife and Economic Development, Forest Management Division, P.O. Box 7, Fort Smith, NWT X0E 0P0, Canada

ABSTRACT

Several fuel treatment demonstration trials or case studies were carried out as part of the International Crown Fire Modelling Experiment (ICFME), Northwest Territories: 1) demonstrating the value of fully leafed-out trembling aspen (*Populus tremuloides*) stands as fuelbreaks during the summer (one plot dominated by aspen with the ignition face consisting of jack pine [*Pinus banksiana*]-black spruce [*Picea mariana*]); 2) evaluating the National Fire Protection Association (NFPA) 299 Standard for rural home protection from wildfires in forested areas involving 10 m of defensible space and then a further 20 m of fuel treatment (two plots); and 3) examining the relative effectiveness of low pruning-light thinning-dead and/or down woody fuel removal in modifying fire behavior (a paired plot of nearly equal proportions). These three situations were examined during the burning of the Aspen Plot on 17 June 1999, Plot I1 on 18 June 1999, and the Treated-Untreated Plot on 14 June 2000, respectively. In the case of Plot I1, unfortunately a shift in wind direction soon after ignition resulted in the crown fire flame front flanking by the simulated house-clearing-fuel-treated area as opposed to taking a direct "hit." Attempts to burn the second plot (I2) to evaluate the NFPA 299 Standard in 2000 and 2001 were foiled by weather conditions. Consequently, the NFPA 299 Standard has yet to be fully evaluated. All three experimental fires were carried out under extreme fire danger conditions according to the classification system used in the Northwest Territories; in actual fact, the Fire Weather Index component of the Canadian Forest Fire Weather Index System exceeded a value of 30 in all three instances. As a result of the efforts undertaken during ICFME the following can be concluded: 1) an aspen stand after full green-up can serve as a very effective barrier to high-intensity crown fires under certain circumstances; 2) the NFPA 299 Standard was found adequate for a flanking crown fire; and 3) the positive effects of fuel removal-manipulation on potential fire behavior may be offset by the negative effects of decreased fuel moistures and increased in-stand winds, thus enunciating the need for treating the organic layer in order to modify fire behavior. Photographs of all three experimental crown fires associated with the ICFME fuel treatment trials carried out to date can be found on the ICFME website (http://fire.cfs.nrcan.gc.ca/research/environment/icfme/icfme_e.htm).

Citation: Alexander, M.E., and R.A. Lanoville. 2004. The International Crown Fire Modelling Experiment fuel treatment trials [abstract]. Page 222 in R.T. Engstrom, K.E.M. Galley, and W.J. de Groot (eds.). Proceedings of the 22nd Tall Timbers Fire Ecology Conference: Fire in Temperate, Boreal, and Montane Ecosystems. Tall Timbers Research Station, Tallahassee, FL.

PROCEEDINGS
22nd

TALL TIMBERS FIRE ECOLOGY CONFERENCE

FIRE IN TEMPERATE, BOREAL, AND MONTANE ECOSYSTEMS



Edited by

R. Todd Engstrom and Krista E.M. Galley
Tall Timbers Research Station
Tallahassee, Florida, USA

and

William J. de Groot
Canadian Forest Service
Edmonton, Alberta, Canada

RECOMMENDED CITATION FORMATS

Entire volume:

Engstrom, R.T., K.E.M. Galley, and W.J. de Groot (eds.). 2004. Fire in temperate, boreal, and montane ecosystems. Tall Timbers Fire Ecology Conference Proceedings, No. 22. Tall Timbers Research Station, Tallahassee, FL.

Individual papers:

White, C.A., and M.C. Feller. 2004. Repeat photography of montane trembling aspen. Tall Timbers Fire Ecology Conference Proceedings 22:2–23.

ISSN 0082-1527

NOTICE TO READERS:

To find a comprehensive on-line author–title–subject index to the Twenty-second Tall Timbers Fire Ecology Conference Proceedings, please visit the Tall Timbers website at www.talltimbers.org. The index is part of the Tall Timbers E.V. Komarek Fire Ecology Database, which is linked to the home page. There is no charge to access the database. All 22 Tall Timbers Fire Ecology Conference Proceedings, fully indexed and with abstracts, are included in the database.

Published by
Tall Timbers Research Station
13093 Henry Beadel Drive
Tallahassee, FL 32312
www.talltimbers.org