

FOREST FUNGI OF THE MARITIME PROVINCES
OF CANADA
(AND OTHER FUNGI DEPOSITED IN THE MYCOLOGICAL HERBARIUM OF THE
MARITIMES FOREST RESEARCH CENTRE, FREDERICTON, N.B.)

Part II: Host Index

by

Laszlo P. Magasi and Janet M. Manley

MARITIMES FOREST RESEARCH CENTRE
FREDERICTON, NEW BRUNSWICK
INFORMATION REPORT M-X-52

CANADIAN FORESTRY SERVICE
DEPARTMENT OF THE ENVIRONMENT

JANUARY 1975

CONTENTS

	Page
ABSTRACT	i
INTRODUCTION	ii
ACKNOWLEDGEMENTS	iii
LITERATURE CITED	iv
PART II - HOST INDEX	
CONIFEROUS TREES	1
DECIDUOUS TREES AND SHRUBS	36
HERBACEOUS PLANTS	112
MISCELLANEOUS HOSTS	120
REFERENCES	125

Abstract

One thousand, one hundred ninety-four species of mostly forest fungi, many of which are represented by specimens in the Mycological Herbarium at the Maritimes Forest Research Centre, Fredericton, N.B. are listed on 318 hosts. The work is presented in two parts. Part I lists the fungi within the major taxonomic groups, the hosts on which they were collected, and gives coded information on the type of record the fungus-host combination represents. Part II, the host index, lists the fungi for each host, and gives the coded information on the host-fungus combinations. Fungi originating from outside the Maritime Provinces but deposited in the herbarium are also incorporated, so the report serves as an index to the herbarium.

Résumé

Les auteurs énumèrent 1194 espèces de champignons, pour la plupart de type forestier sur 318 hôtes. Plusieurs sont représentés par des spécimens à l'Herbier mycologique du Centre de recherches forestières des Maritimes, Fredericton, N.B. Le document est composé de deux parties. La première partie classe les champignons selon leur groupe taxonomique principal, et révèle les hôtes sur lesquels ils ont été recueillis, avec des données codées sur le type de combinaison champignon-hôte représentée. La deuxième partie, l'index des hôtes, classe le champignon selon chaque hôte et révèle les données codées sur les combinaisons hôte-champignon. Sont également incorporés des champignons provenant de l'extérieur des Maritimes, permettant ainsi à cette énumération de servir d'index de l'herbier.

FOREST FUNGI OF THE MARITIME PROVINCES
OF CANADA

(and other fungi deposited in the Mycological Herbarium of the
Maritimes Forest Research Centre, Fredericton, N.B.)

INTRODUCTION

In 1950, Wehmeyer (3) published a comprehensive book on the fungi of the Maritime Provinces, that included information from the literature and from different herbaria. However, his book became outdated when the Mycological Herbarium at the Maritimes Forest Research Centre at Fredericton, N.B. was established in 1954 (1), and when intensive collecting by the staff of the Forest Insect and Disease Survey and by specialists of the National Mycological Herbarium, Canada Department of Agriculture, resulted in numerous new records.

This report is intended to up-date the index of the forest mycoflora of the Maritime Provinces of Canada published in 1966 (2) and at the same time serve as an index to the fungi deposited in the Mycological Herbarium at the Forest Research Centre of the Canadian Forestry Service at Fredericton, N.B.

The report is organized to present information for the Region as a whole or for each of the three provinces separately; it serves as an index of herbarium specimens, either by fungus or by host; it is designed to build a comprehensive collection by making possible the selective collecting of fungi when records from other sources are available but are not yet represented by specimens in the herbarium.

Nomenclature is based in part on present usage at the National Mycological Herbarium in Ottawa, and in part, on the literature. Wehmeyer's book was used for checking names only when no other literature was available. Names taken directly from him are preceded by an asterisk.

When both perfect and imperfect stages of a fungus are known, it is listed under the name of the perfect stage. Cross references to names are not given, and synonyms are not listed.

The index is divided into two parts, published separately:

In Part I, the Fungus Index, fungi are listed alphabetically within the main taxonomic groups. These groups are listed in the table of contents. Each name is followed by an alphabetical listing of hosts from which the fungus has been collected.

Part II is the Host Index in which the fungi are listed alphabetically by host regardless of taxonomic position. Authorities are not given in this part. Grouping of the hosts appears in the table of contents.

Information, additional to fungus-host (or host-fungus) combinations is given in code throughout the index. Code numbers are arranged in four columns - New Brunswick, Nova Scotia, Prince Edward Island and locations outside the Maritimes, respectively.

The first number in each code also indicates to which province the information applies:

1_ - New Brunswick

2_ - Nova Scotia

3_ - Prince Edward Island

4_ - Other than the Maritimes

The second number indicates the type of record for the specific fungus-host (or host-fungus) combination:

1 - Specimen(s) available in the Herbarium, or cultural isolate(s) available in the stock collection at the Maritimes Forest Research Centre, Fredericton, N.B.

2 - Forest Insect and Disease Survey collection information available, but no specimen to support record.

3 - Reported in Wehmeyer's "Fungi of New Brunswick, Nova Scotia, and Prince Edward Island".

4 - Specimen(s) available in a herbarium other than at the Maritimes Forest Research Centre, Fredericton.

5 - Reference given in literature other than Wehmeyer.

Any of these record-indicating numbers exclude the possibility of records represented by lower numbers, but do not exclude the possibility that records represented by higher numbers could not also apply, e.g. 12 means that the particular combination is valid for New Brunswick (1_) and

F.I.D.S. collection information is available (_2); that there is no specimen or culture available at M.F.R.C. (_1); that Wehmeyer may (_3) or may not have reported it; that other herbaria may (_4) or may not have specimens(s) or culture(s) of it; and that reference in literature may (_5) or may not be available to it.

Few records were taken from the literature in this index and, with the exception of wood-decay fungi (Thelephoraceae, Hydnaceae, Polyporaceae) at the National Mycological Herbarium, Ottawa, no other herbaria have been checked.

ACKNOWLEDGMENTS

We are grateful to Dr. A.G. Davidson and to the mycologists at the Biosystematics Research Institute for help in checking the names of fungi, and for identifications provided throughout the years. Without the diligent collecting of the field staff of the Forest Insect and Disease Survey, particularly that of Mr. W.R. Newell, the herbarium would not contain so many interesting forest fungi.

LITERATURE CITED

1. Davidson, A. G. 1954. Maritime Provinces. Forest Disease Survey. In Annual Report of the Forest Insect and Disease Survey. For. Biology Div., Sci. Service, Dept. of Agriculture.
2. Magasi, L. P. 1966. Index to the forest fungi of the Maritimes Region of Canada. Dept. of Forest., For. Res. Lab., Fredericton, N.B., Info. Rept. M-X-7.
3. Wehmeyer, L. E. 1950. The Fungi of New Brunswick, Nova Scotia and Prince Edward Island. National Research Council of Canada, No. 1890.

PART II

HOST INDEX

CONIFEROUS TREES

		<u>Abies amabilis</u>
<i>Amylostereum chailletii</i>	-	14
<i>Haematostereum sanguinolentum</i>	-	14
		<u>Abies balsamea</u>
<i>Acanthostigma parasiticum</i>	-	12
<i>Aleurodiscus abietis</i>	-	25
<i>Aleurodiscus amorphus</i>	-	11 21 31 41
<i>Amylostereum chailletii</i>	-	11 21 41
<i>Armillaria mellea</i>	-	11 22
<i>Ascocalyx abietis</i>	-	11 21 31 41
<i>Aspergillus fumigatus</i>	-	11
<i>Aspergillus sp.</i>	-	11
<i>Asterodon ferruginosum</i>	-	11
<i>Asterostroma cervicolor</i>	-	24
<i>Aureobasidium pullulans</i>	-	12
<i>Auricularia auricula</i>	-	11 21
<i>Basidioradulum radula</i>	-	11
<i>Biospora betulina</i>	-	15
<i>Botryobasidium vagnum</i>	-	23
<i>Botrytis cinerea</i>	-	11
<i>Brachysporiella sp.</i>	-	15
<i>Calcarisporium sp.</i>	-	15
<i>Calocera viscosa</i>	-	23
<i>Cephalosporium sp.</i>	-	11
<i>Ceratocystis piceae</i>	-	11
<i>Chondrostereum purpureum</i>	-	11

Abies balsamea (cont.)

<i>Chrysosporium pruinatum</i>	-	11		
<i>Chrysosporium</i> sp.	-	11		
<i>Collybia dryophila</i>	-		21	
<i>Columnocystis abietinum</i>	-		23	
<i>Coniophora puteana</i>	-	11	24	
<i>Cordana pauciseptata</i>	-	15	25	
<i>Coriolellus heteromorphus</i>	-		21	
<i>Coriolellus sepium</i>	-	13		
<i>Coriolellus variiformis</i>	-	11		
<i>Corticium bicolor</i>	-		21	
<i>Corticium cebennense</i>	-		24	
<i>Corticium centrifugum</i>	-		24	
<i>Corticium evolvens</i>	-	15		
<i>Corticium hydnans</i>	-		23	
<i>Corticium laeve</i>	-	11		41
<i>Corticium microsporum</i>	-			31
<i>Corticium pelliculare</i>	-			31
<i>Corticium pini-canadensis</i>	-			41
<i>Corticium sulphureo-isabellinum</i>	-		21	
<i>Coryne sarcoides</i>	-	11		
<i>Crepidotus herbarum</i>	-	13		
<i>Cytospora</i> sp.	-	12	22	32
<i>Dacrymyces deliquescens</i> var. <i>deliquescens</i>			21	
<i>Dacrymyces deliquescens</i> var. <i>minor</i>	-		22	
<i>Dacrymyces palmatus</i>	-	11	21	
<i>Dasyscyphus agassizii</i>	-	11	21	31

Abies balsamea (cont.)

<i>Delphinella balsameae</i>	-	11	21	32
<i>Dermea balsamea</i>	-	11	21	31
* <i>Diplodina parasitica</i>	-			33
<i>Ditiola radicata</i>	-		23	
<i>Endophragmia glandulaeformis</i>	-			41
<i>Flammula penetrans</i>	-			31
<i>Flammula sapinea</i>	-		21	
<i>Fomes cajanderi</i>	-	14	23	
<i>Fomes pini</i>	-	11	21	32
<i>Fomes pinicola</i>	-	11	21	31
<i>Fomes robustus</i>	-	14		
<i>Fomes roseus</i>	-	11		
<i>Fusicoccum abietinum</i>	-	11	21	
<i>Ganoderma lucidum</i>	-	11	21	
<i>Gliocladium viride</i>	-	15		
<i>Gloeocystidiellum citrinum</i>	-	11	24	
<i>Graphis scripta</i>	-		23	
<i>Graphium</i> sp.	-	11		
<i>Haematostereum sanguinolentum</i>	-	11	21	31
<i>Hendersonia</i> sp.	-	12		
<i>Hyalospora aspidiotus</i>	-		23	
<i>Hymenochaete tabacina</i>	-	11	21	
<i>Hyphoderma tenue</i>	-	11	21	
<i>Hyphodontia breviseta</i>	-		24	
<i>Isthmiella faullii</i>	-	11	21	31
<i>Kabatiella balsameae</i>	-	11	21	

Abies balsamea (cont.)

<i>Lentinellus ursinus</i>	-	11		
<i>Lenzites saepiaria</i>	-	11	21	31
<i>Leucostoma kunzei</i>	-	11	23	
<i>Libertella</i> sp.	-	14		
<i>Lirula mirabilis</i>	-	11	21	31
<i>Lirula nervata</i>	-	11	21	31
<i>Lophium mytilinum</i>	-			41
<i>Lophodermium</i> sp.	-	12		
<i>Lophomerum autumnale</i>	-	11	23	
<i>Melampsora epitea</i>	-		23	
<i>Melampsorella caryophyllacearum</i>	-	11	21	31
<i>Merulius fugax</i>	-		24	41
<i>Merulius molluscus</i>	-		24	
<i>Milesia intermedia</i>	-		23	
<i>Milesia pycnograndis</i>	-		23	
<i>Milesia</i> sp.	-	11	21	31
<i>Mucronella aggregata</i>	-		23	
<i>Mycena elegantula</i>	-		23	
<i>Nectria fuckeliana</i>	-		21	41
<i>Oedemium didymum</i>	-	15		
<i>Odontia alutacea</i>	-		24	
<i>Odontia arguta</i>	-		24	
<i>Odontia barba-jovis</i>	-		23	
<i>Odontia bicolor</i>	-	11	22	
<i>Odontia crustosa</i>	-		23	
<i>Odontia laxa</i>	-	11		

Abies balsamea (cont.)

<i>Odontia spathulata</i>	-	23		
<i>Odontia stipata</i>	-	24		
* <i>Omphalia rugosodisca</i>	-	23		
<i>Paecilomyces varioti</i>	-	11		
<i>Paecilomyces</i> sp.	-	11		
<i>Penicillium</i> sp.	-	11		
<i>Peniophora aspera</i>	-	11	21	31
<i>Peniophora byssoides</i>	-	23		
<i>Peniophora carnosa</i>	-	23		
<i>Peniophora cremea</i>	-	14		
<i>Peniophora gigantea</i>	-	11		
<i>Peniophora greschikii</i>	-	23		
<i>Peniophora phlebioides</i>	-	14		
<i>Peniophora picea</i>	-			41
<i>Peniophora pseudo-pini</i>	-	11		
<i>Peniophora subalutacea</i>	-	24		
<i>Phacidium abietinellum</i>	-	21		
<i>Phacidium abietis</i>	-			41
<i>Phaeocryptopus nudus</i>	-	11	21	31
<i>Phialophora americana</i>	-	15		
<i>Phialophora melinii</i>	-	11		
<i>Phialophora</i> sp.	-	11		
<i>Phlebia mellea</i>	-	11		
<i>Phlebia radiata</i>	-	21		
<i>Pholiota aurivella</i>	-	14		
<i>Pholiota spectabilis</i>	-	11	23	
<i>Phyllosticta</i> sp.	-	11	21	

Abies balsamea (cont.)

<i>Phyllostina</i> sp.	-		31
<i>Physarum citrinellum</i>	-	11	
<i>Pleurotus mitis</i>	-		41
<i>Pleurotus porrigens</i>	-	11	21
<i>Pleurotus strigosus</i>	-	11	
<i>Polyporus abietinus</i>	-	11	21
<i>Polyporus albellus</i>	-	11	24
<i>Polyporus anceps</i>	-		21
<i>Polyporus balsameus</i>	-	11	21
<i>Polyporus borealis</i>	-	13	
<i>Polyporus brumalis</i>	-	14	
<i>Polyporus caesius</i>	-		23
* <i>Polyporus destructor</i>	-		23
<i>Polyporus fibrillosus</i>	-	23	33
<i>Polyporus fragilis</i>	-		24
<i>Polyporus guttulatus</i>	-		21
<i>Polyporus hirsutus</i>	-	14	
<i>Polyporus hirtus</i>	-	11	21
<i>Polyporus immitis</i>	-	11	
<i>Polyporus mollis</i>	-	11	21
<i>Polyporus nidulans</i>	-		21
<i>Polyporus perennis</i>	-		21
<i>Polyporus picipes</i>	-	11	
<i>Polyporus pubescens</i>	-	14	
<i>Polyporus schweinitzii</i>	-	14	21
<i>Polyporus sericeomollis</i>	-	12	22

Abies balsamea (cont.)

<i>Polyporus tomentosus</i>	-	14		
<i>Polyporus tomentosus</i> var. <i>circinatus</i>	-	14		
<i>Polyporus versicolor</i>	-	11		
<i>Polyporus volvatus</i>	-	14		
<i>Polyporus</i> sp.	-	11		
<i>Poria candidissima</i>	-		21	31
<i>Poria cinerascens</i>	-		21	
<i>Poria cocos</i>	-	14		
<i>Poria crustulina</i>	-		23	
<i>Poria ferruginosa</i>	-		23	
<i>Poria illudens</i>	-		21	
<i>Poria odora</i>	-	14		
<i>Poria rixosa</i>	-		22	
<i>Poria subacida</i>	-	11	21	41
<i>Poria subiculosa</i>	-	11	22	
<i>Poria subincarnata</i>	-		21	
* <i>Poria vulgaris</i>	-		23	
<i>Poria</i> sp.	-	12	21	41
<i>Potebniomyces balsamicola</i>	-	15		
<i>Pucciniastrum epilobii</i>	-	11	21	31
<i>Pucciniastrum goeppertianum</i>	-	11	21	31
<i>Radulum orbiculare</i>	-	11	21	
<i>Radulum pallidum</i>	-			32
<i>Retinocyclus abietis</i>	-		25	
<i>Rhinocladiella atrovirens</i>	-	15		
<i>Rhinocladiella elatior</i>	-	11		
<i>Rhizosphaera pini</i>	-	11	21	31

Abies balsamea (cont.)

Rhizothyrium abietis	-	11	21	32	
Rhodotorula sp.	-	15			
Sarcotrichila balsameae	-	11	21		
Schizophyllum commune	-	11	21		
Scleroderris sp.	-	11			
Scoleconectria cucurbitula	-	11	21		41
Scytalidium lignicola	-	11			
Scytinostroma galactina	-	11	21	31	41
Serpula lacrimans var. himantoides	-	14			
Sistotrema brinkmannii	-	11			
Sistotrema raduloides	-	14			
Solenia fasciculata	-	11			
Solenia polyporoidea	-		24		
Sporotrichum thermophile	-	15			
Thyronectria balsamea	-	11	21	31	
Thysanophora penicillioidea	-	11	25		
Tomentella atrorubra	-		24		
Toxosporium camptospermum	-		23		
Tremella encephala	-		23	33	
Tremella foliacea	-		23		
Trichocladium canadense	-	15			
Trichoderma viride	-	11			
Tulasnella violacea	-		24		
Tympanis abietina	-	11			
Tympanis truncatula	-		23		
Uredinopsis americana	-		23		
Uredinopsis osmundae	-	11			

				<u>Abies balsamea</u> (cont.)
Uredinopsis struthiopteridis	-	11		
Uredinopsis sp.	-	11	21	
Valsa abietis	-	11	21	31
Valsa friesii	-	11		31
Valsa pini	-		21	
Verticillium sp.	-	11		
Xeromphalina campanella	-	14		
				<u>Abies concolor</u>
Dasyscyphus calyciformis	-		33	
				<u>Abies grandis</u>
Echinodontium tinctorium	-		41	
Uredinopsis macrosperma	-		41	
Thysanophora penicillioides	-	15	25	
				<u>Abies lasiocarpa</u>
Neopeckia sp.	-		41	
Polyporus abietinus	-		41	
				<u>Abies</u> sp.
Aleurodiscus amorphus	-	11		
Amphisphaeria juniperi	-		23	
Columnocystis abietinum	-			41
Coniophora suffocata	-	23		
Corticium furfuraceum	-		23	
Corticium lividum	-		23	
Hypodontia breviseta	-	24		
*Patinella punctiformis	-		23	
Peniophora aspera	-	23		

Abies sp. (cont.)

<i>Peniophora gigantea</i>	-				41
----------------------------	---	--	--	--	----

<i>Peniophora gracillima</i>	-			23	
------------------------------	---	--	--	----	--

<i>Pseudoplectania melaena</i>	-			23	
--------------------------------	---	--	--	----	--

<i>*Scorias spongiosa</i>	-			23	
---------------------------	---	--	--	----	--

<i>Tympinis abietina</i>	-	15		25	
--------------------------	---	----	--	----	--

<i>Tympinis truncatula</i>	-			25	
----------------------------	---	--	--	----	--

Juniperus communis

<i>Gymnosporangium clavariiforme</i>	-	11	23	33	41
--------------------------------------	---	----	----	----	----

<i>Gymnosporangium clavipes</i>	-	11	21	35	41
---------------------------------	---	----	----	----	----

<i>Gymnosporangium cornutum</i>	-	11	25		
---------------------------------	---	----	----	--	--

<i>Lophodermium juniperi</i>	-	11	21		
------------------------------	---	----	----	--	--

<i>Seynesiella juniperi</i>	-				41
-----------------------------	---	--	--	--	----

Juniperus horizontalis

<i>Gymnosporangium clavipes</i>	-			35	
---------------------------------	---	--	--	----	--

<i>Gymnosporangium corniculans</i>	-			25	
------------------------------------	---	--	--	----	--

<i>Gymnosporangium nelsonii</i>	-				41
---------------------------------	---	--	--	--	----

<i>Gymnosporangium nidus-avis</i>	-				41
-----------------------------------	---	--	--	--	----

<i>Lophodermium juniperi</i>	-	11			
------------------------------	---	----	--	--	--

Juniperus scopulorum

<i>Gymnosporangium inconspicuum</i>	-			41	
-------------------------------------	---	--	--	----	--

<i>Gymnosporangium nelsonii</i>	-			41	
---------------------------------	---	--	--	----	--

<i>Gymnosporangium nidus-avis</i>	-			41	
-----------------------------------	---	--	--	----	--

Juniperus virginiana

<i>Gymnosporangium juniperi-virginianae</i>	-			41	
---	---	--	--	----	--

<i>Hericium coralloides</i>	-			41	
-----------------------------	---	--	--	----	--

			<u>Juniperus sp.</u>
Lophodermium juniperi	-	11	
Odontia bicolor	-	21	
Pestalotiopsis funerea	-	23	
			<u>Larix laricina</u>
Arceuthobium pusillum	-	21	
Amylostereum chailletii	-	14	
Botryosphaeria laricis	-	25	
Chondrostereum purpureum	-	14	
*Cocomyces cembrae	-	23	
Cytospora sp.	-	32	
Dasyscyphus oblongospora	-	11	
Dasyscyphus occidentalis	-	21	
Fomes pini	-	15	
Fusicoccum sp.	-	11	21
Haematostereum sanguinolentum	-	11	25
Hypoderella laricis	-	11	21
Melampsora epitea	-	11	
Melampsora medusae	-	11	21
Melampsora paradoxa	-	11	21
Physalospora laricis	-	23	
Polyporus abietinus	-	11	
Polyporus versicolor	-	14	23
			<u>Larix sp.</u>
Alternaria sp.	-	12	
Arceuthobium campylopodium	-		41
Corticium bombycinum	-	24	
Haematostereum sanguinolentum	-	14	

Larix sp. (cont.)

Hypodermella laricis	-	11		
Lenzites abietina	-	23		
Libertella sp.	-	14		
Lophodermium laricinum	-	22		
Melampsora sp.	-	11	31	41

Sistotrema brinkmannii

Gliocladium roseum	-	11		
Sirococcus strobilinus	-			41

Picea abies

Chrysomyxa ledicola	-		33	
Chrysomyxa weiri	-	11		
Fomes pini	-			41

Picea engelmanni

Aleurocystidiellum subcruentatum	-	21		
Aphanomyces euteiches	-	21		
Arceuthobium pusillum	-	11	21	31
Armillaria mellea	-	11		
Calodon sp.	-		22	

Cephalosporium sp.	-	11		
Chrysomyxa aretostaphyli	-		21	
Chrysomyxa empetri	-		23	41
Chrysomyxa ledi	-	11	21	31

Chrysomyxa ledi var. cassandrae	-		25	33
Chrysomyxa ledi var. rhododendri	-			35
Chrysomyxa ledicola	-	11	21	31

Picea glauca (cont.)

<i>Chrysomyxa pirolata</i>	-	11	21	31	41
<i>Chrysomyxa weiri</i>	-		21		
<i>Chrysomyxa woroninii</i>	-		25		
<i>Coniophora puteana</i>	-	15			
<i>Cordana pauciseptata</i>	-	15			
<i>Coriolellus heteromorphus</i>	-	11	21		
<i>Corticium cebennense</i>	-				41
<i>Cylindrosporium</i> sp.	-	11			
<i>Dasyscyphus agassizii</i>	-	11			
<i>Eriosphaeria vermicularia</i>	-	11			
<i>Fomes cajanderi</i>	-	11	24		
<i>Fomes pini</i>	-	11	21		
<i>Fomes pinicola</i>	-	11	21	31	41
<i>Fomes roseus</i>	-	11			
<i>Fusarium</i> sp.	-		21		
<i>Fusicoccum</i> sp.	-	12	22		
<i>Haematostereum sanguinolentum</i>	-	11	21		
<i>Herpotrichia juniperi</i>	-		21		
<i>Kirschsteiniella thujina</i>	-	11			
<i>Lenzites saepiaria</i>	-	11	21	31	
<i>Leucostoma kunzei</i>	-	11			
<i>Lirula macrospora</i>	-	11	21	31	
<i>Lophodermium piceae</i>	-		23		
<i>Lophomerum darkeri</i>	-	11			
<i>Nectria fuckeliana</i>	-	11	21		
<i>Paxillus atrotomentosus</i>	-	11			
<i>Peniophora gigantea</i>	-	14			

Picea glauca (cont.)

<i>Polyporus abietinus</i>	-	11	21	31
<i>Polyporus anceps</i>	-	11	24	
<i>Polyporus balsameus</i>	-	14		
<i>Polyporus borealis</i>	-	14		
<i>Polyporus schweinitzii</i>	-	12	22	
<i>Polyporus tomentosus</i>	-	11	21	
<i>Polyporus tomentosus</i> var. <i>circinatus</i>	-	14		
<i>Poria subacida</i>	-	11		
<i>Pucciniastrum americanum</i>	-	13		33
<i>Pycnoporus cinnabarinus</i>	-		21	
<i>Pythium</i> sp.	-		21	
<i>Retinocyclus abietis</i>	-	11	21	
<i>Rhizosphaera kalkhoffii</i>	-	11		
<i>Rhizothyrium abietis</i>	-	11		
<i>Sarcotrichila piniperda</i>	-	11	21	
<i>Schizophyllum commune</i>	-	11		
<i>Scytinostroma galactina</i>	-	14		
<i>Serpula lacrimans</i> var. <i>himantoides</i>	-	14		
<i>Sirococcus strobilinus</i>	-	11		31
<i>Thelephora terrestris</i>	-			31
<i>Thysanophora penicillioides</i>	-	15		
<i>Tryblidiopsis pinastri</i>	-			31
<i>Xeromphalina campanella</i>	-	14		

Picea mariana

<i>Arceuthobium pusillum</i>	-	11	21	31
<i>Botrytis cinerea</i>	-	11		
<i>Chrysomyxa arctostaphyli</i>	-	11	21	

Picea mariana (cont.)

<i>Chrysomyxa ledi</i>	-	11	21	31
<i>Chrysomyxa ledi</i> var. <i>cassandrae</i>	-		23	
<i>Chrysomyxa ledi</i> var. <i>rhododendri</i>	-			35
<i>Chrysomyxa ledicola</i>	-	11	21	33
<i>Chrysomyxa priolata</i>	-	11	21	31
<i>Chrysomyxa woroninii</i>	-		25	
<i>Coniophora puteana</i>	-	14		
<i>Cordana pauciseptata</i>	-	15		
<i>Coriolellus heteromorphus</i>	-		21	
<i>Coriolellus variiformis</i>	-			41
<i>Corticium notabile</i>	-			41
<i>Eriosphaeria vermicularia</i>	-			31
<i>Exidiopsis calcea</i>	-		21	
<i>Fomes cajanderi</i>	-	11		
<i>Fomes pini</i>	-	11	21	
<i>Fomes pinicola</i>	-	11	21	
<i>Fomes roseus</i>	-	11		
<i>Haematostereum sanguinolentum</i>	-	12		
<i>Isthmiella crepidiformis</i>	-			41
<i>Lenzites saepiaria</i>	-	11	21	
<i>Lirula macrospora</i>	-	11	21	31
<i>Lophium mytilinum</i>	-		22	
<i>Lophodermium piceae</i>	-	11		
<i>Lophodermium</i> sp.	-	12		
<i>Odontia bicolor</i>	-	14	22	
<i>Peniophora pithya</i>	-	11		

Picea mariana (cont.)

<i>Peniophora septentrionalis</i>	-		41
<i>Polyporus abietinus</i>	-	11	21
<i>Polyporus albellus</i>	-	11	
<i>Polyporus anceps</i>	-	11	
<i>Polyporus tomentosus</i>	-	15	
<i>Poria candidissima</i>	-		41
<i>Poria crustulina</i>	-		21
<i>Poria sinuosa</i>	-		21
<i>Pythium</i> sp.	-	11	
<i>Scytinostroma galactina</i>	-	11	
<i>Sirococcus strobilinus</i>	-		31

Picea pungens

<i>Chrysomyxa ledi</i>	-	21	
<i>Chrysomyxa ledi</i> var. <i>cassandrae</i>	-	21	
<i>Chrysomyxa ledicola</i>	-	21	35
<i>Leucostoma kunzei</i>	-	11	
<i>Polyporus abietinus</i>	-	12	
<i>Sirococcus strobilinus</i>	-	11	

Picea rubens

<i>Amylostereum chailletii</i>	-	14	24	
<i>Arceuthobium pusillum</i>	-	11	21	31
<i>Armillaria mellea</i>	-	14	25	
<i>Chrysomyxa arctostaphyli</i>	-		21	
<i>Chrysomyxa ledi</i>	-	11	21	31
<i>Chrysomyxa ledi</i> var. <i>cassandrae</i>	-		25	
<i>Chrysomyxa ledicola</i>	-	11	21	33

Picea rubens (cont.)

<i>Chrysomyxa pirolata</i>	-	11	21
<i>Chrysomyxa weiri</i>	-	11	21
<i>Coniophora puteana</i>	-	14	
<i>Coriolellus variiformis</i>	-	11	
<i>Fomes cajanderi</i>	-	11	
<i>Fomes pini</i>	-	11	21
<i>Fomes pinicola</i>	-	11	21
<i>Fomes roseus</i>	-	14	25
<i>Haematostereum sanguinolentum</i>	-	14	24
<i>Isthmiella crepidiformis</i>	-	11	
<i>Lenzites saepiaria</i>	-		21
<i>Lirula macrospora</i>	-	11	21
<i>Lophodermium</i> sp.	-	12	22
<i>Peniophora gigantea</i>	-		24
<i>Peniophora septentrionalis</i>	-		21
<i>Pleospora</i> sp.	-		21
<i>Polyporus abietinus</i>	-	11	21
<i>Polyporus borealis</i>	-	14	25
<i>Polyporus sericeomollis</i>	-	11	
<i>Polyporus tomentosus</i>	-		25
<i>Polyporus tomentosus</i> var. <i>circinatus</i>	-	14	24
<i>Poria crustulina</i>	-		21
<i>Poria sericeomollis</i>	-	11	
<i>Poria subacida</i>	-	14	21
<i>Retinocyclus abietis</i>	-	11	
<i>Rhizothyrium abietis</i>	-	11	

Picea rubens (cont.)

Sarcotrochila piniperda	-	11
Schizophyllum commune	-	21
Sistotrema brinkmannii	-	11
Sistotrema raduloides	-	11
Thysanophora penicilliodes	-	25
Tubicularia sp.	-	11
Xeromphalina campanella	-	14 25

Picea sitchensis

Polyporus guttulatus	-	41
----------------------	---	----

Picea sp.

Aleurocystidiellum subcruentatum	-	25
Aleurodiscus lividoceruleus	-	24
Aleurodiscus subcruentatus	-	25
Amylostereum chailletii	-	41
Arceuthobium pusillum	-	12 21
Armillaria mellea	-	11
Aspergillus fumigatus	-	11
Aspergillus sp.	-	11
Athelia decipiens	-	24
Athelia fuscostrata	-	24
Auricularia auricula	-	11
Bispora betulina	-	15
Botryobasidium vagum	-	11 24
Brachysporiella sp.	-	15
Calcarisporium sp.	-	15
Cantharellus cibarius	-	21

Picea sp. (cont.)

<i>Cephalosporium</i> sp.	-	11		
<i>Chlorociboria strobilina</i>	-		23	
<i>Chrysomyxa arctostaphyli</i>	-		21	
<i>Chrysomyxa empetri</i>	-			41
<i>Chrysomyxa ledi</i>	-	11	21	
<i>Chrysomyxa ledicola</i>	-	12	21	
<i>Chrysomyxa pirolata</i>	-	11		
<i>Chrysomyxa weiri</i>	-		25	
<i>Chrysosporium pruinatum</i>	-	11		
<i>Chrysosporium</i> sp.	-	11		
<i>Coniophora fusispora</i>	-		23	
<i>Coniophora olivacea</i>	-			41
<i>Coniophora puteana</i>	-	11		
<i>Coriolellus heteromorphus</i>	-	11	21	
<i>Coriolellus serialis</i>	-		21	
<i>Coriolellus variiformis</i>	-	11	23	
<i>Corticium bicolor</i>	-		24	
<i>Corticium evolvens</i>	-	15		
<i>Corticium furfuraceum</i>	-		23	
<i>Corticium laeve</i>	-	11		41
<i>Corticium pelliculare</i>	-			41
<i>Corticium</i> sp.	-		22	41
<i>Coryne sarcoides</i>	-	15		
<i>Cylindrosporium</i> sp.	-	11		
<i>Dasyscyphus agassizii</i>	-		23	
<i>Exidiopsis calcea</i>	-		23	31
<i>Fomes cajanderi</i>	-	11	23	34

Picea sp. (cont.)

<i>Fomes pini</i>	-	11	21	31	41
<i>Fomes pini</i> var. <i>abietis</i>	-		24		
<i>Fomes pinicola</i>	-	11	21	31	41
<i>Fomes roseus</i>	-	14	23	33	
<i>Ganoderma applanatum</i>	-		21		
<i>Ganoderma lucidum</i>	-	12	23		
<i>Gliocladium viride</i>	-	15			
<i>Gloeocystidiellum citrinum</i>	-		24		
<i>Graphium</i> sp.	-	11			
<i>Haematostereum sanguinolentum</i>	-	11	21	31	
<i>Herpotrichia juniperi</i>	-				41
<i>Hymenochaete tabacina</i>	-		23		41
<i>Hyphoderma tenue</i>	-		24		
<i>Lenzites saepiaria</i>	-	11	21	32	41
<i>Lirula macrospora</i>	-	11			
<i>Lophium mytilinum</i>	-		22		
<i>Marasmius androsaceus</i>	-		21		
<i>Merulius fugax</i>	-		24		
<i>Odontia alutacea</i>	-		24		
<i>Oedemium didymum</i>	-	15			
<i>Odontia bicolor</i>	-		24		
<i>Odontia crustosa</i>	-		23		
<i>Paecilomyces varioti</i>	-	11			
<i>Paecilomyces</i> sp.	-	11			
<i>Pellicularia subcoronata</i>	-		23		
<i>Penicillium</i> sp.	-	11			
<i>Peniophora carnosa</i>	-		24		

Picea sp. (cont.)

<i>Peniophora cremea</i>	-	23		
<i>Peniophora gigantea</i>	-	11		41
<i>Peniophora picea</i>	-			41
<i>Peniophora pithya</i>	-	11	21	
<i>Peniophora sanguinea</i>	-		22	
<i>Phialophora americana</i>	-	15		
<i>Phialophora melinii</i>	-	11		
<i>Phialophora sp.</i>	-	11		
<i>Polyporus abietinus</i>	-	11	21	32
<i>Polyporus alboluteus</i>	-			41
<i>Polyporus amorphus</i>	-			41
<i>Polyporus balsameus</i>	-	15	21	
<i>Polyporus borealis</i>	-	11	23	
<i>Polyporus caesius</i>	-			41
<i>Polyporus fibrillosus</i>	-			41
<i>Polyporus fragilis</i>	-	11		
<i>Polyporus immitis</i>	-	11		
<i>Polyporus leucospongiosus</i>	-			41
<i>Polyporus resinosus</i>	-		23	
<i>Polyporus schweinitzii</i>	-	11	24	31
<i>Polyporus semipileatus</i>	-			41
<i>Polyporus tomentosus</i>	-	14	21	34
<i>Polyporus versicolor</i>	-	14		
<i>Poria cinerascens</i>	-		24	
<i>Poria crustulina</i>	-		21	
<i>Poria incrassata</i>	-	11		
<i>Poria spissa</i>	-			41

Picea sp. (cont.)

<i>Poria subacida</i>	-	21		
<i>Poria subincarnata</i>	-	21		
<i>Poria taxicola</i>	-			41
<i>Poria</i> sp.	-	12	21	41
<i>Propolis leonis</i>	-		23	
<i>Rhinocladiella atrovirens</i>	-	15		
<i>Rhodotorula</i> sp.	-	11		
<i>Schizophyllum commune</i>	-		23	31
<i>Scytalidium lignicola</i>	-	11		
<i>Scytinostroma galactina</i>	-		21	
<i>Serpula lacrimans</i> var. <i>lacrimans</i>	-		24	
<i>Sistrotrema brinkmannii</i>	-		24	
<i>Solenia polyporoidea</i>	-		24	
<i>Sporotrichum thermophile</i>	-	15		
<i>Thelephora terrestris</i>	-		24	
<i>Tomentella</i> sp.	-	11		
<i>Trametes odorata</i>	-	13	23	
<i>Trichocladium canadense</i>	-	15		
<i>Trichoderma viride</i>	-	11		
<i>Vararia investiens</i>	-			41

Pinus banksiana

<i>Cenangium ferruginosum</i>	-	11		
<i>Coleosporium asterum</i>	-	11	21	
<i>Coleosporium pinicola</i>	-	11		
<i>Coleosporium viburni</i>	-	11	21	
<i>Cronartium coleosporioides</i>	-	11	21	
<i>Cronartium comandrae</i>	-	11		

Pinus banksiana (cont.)

<i>Cronartium comptoniae</i>	-	11	21	41
<i>Darluca filum</i>	-	11		
<i>Davisomycelia ampla</i>	-	11	21	
<i>Elytroderma deformans</i>	-	11		
<i>Endocronartium harknessii</i>	-	11	21	41
<i>Fomes pini</i>	-	15		
<i>Gremmeniella abietina</i>	-	11		41
<i>Haematostereum sanguinolentum</i>	-	11	25	35
<i>Hendersonia pinicola</i>	-	11		
<i>Lenzites saepiaria</i>	-	11		
<i>Lophodermium pinastri</i>	-	11	21	
<i>Lophodermium</i> sp.	-	12		
<i>Naemacyclus niveus</i>	-	11		
<i>Peniophora gigantea</i>	-	11		
<i>Polyporus abietinus</i>	-	11		
<i>Propolis leonis</i>	-			41
<i>Scoleconectria cucurbitula</i>	-	11		

Pinus contorta

<i>Cenangium ferruginosum</i>	-	21		
<i>Cronartium coleosporioides</i>	-			41
<i>Endocronartium harknessii</i>	-	11	21	
<i>Polyporus nidulans</i>	-	11		
<i>Polyporus pubescens</i>	-			41

Pinus contorta var. *latifolia*

<i>Arceuthobium americanum</i>	-		41	
<i>Arceuthobium campylopodium</i>	-			41
<i>Coleosporium asterum</i>	-	11		

			<u>Pinus contorta</u> var. <u>latifolia</u> (cont.)
Cronartium coleosporioides	-	13	
Cronartium comptoniae	-	11	21
Endocronartium harknessii	-	11	
Fomes viticola	-		41
Lophodermium pinastri	-		32
Polyporus nidulans	-	11	
Poria albobrunnea	-		41
			<u>Pinus echinata</u>
Cronartium comptoniae	-		21
Endocronartium harknesii	-		21
			<u>Pinus mugho</u>
Cronartium comptoniae	-	13	
Endocronartium harknesii	-	11	
Hendersonia pinicola	-	11	
Rhizocotonia solani	-	15	
			<u>Pinus nigra</u>
Coleosporium asterum	-	11	
Gremmeniella abietina	-	11	
			<u>Pinus resinosa</u>
Alternaria tenuis	-	11	
Armillaria mellea	-		21
Aureobasidium pullulans	-	11	
Botryobasidium vagum	-		41
Cenangium acuum	-	11	21
Cenangium ferruginosum	-	11	21
Coleosporium asterum	-	11	21
Coleosporium sp.	-	11	31

Pinus resinosa (cont.)

Diplodina strobi	-	11		
Edogone pubescens	-		21	
Fomes annosus	-			41
Gremmeniella abietina	-	11	21	
Haematostereum sanguinolentum	-			31
Lophodermium pinastri	-	11	21	31
Lophodermium sp.	-	12		
Pestalotiopsis funerea	-		21	
Phoma acicola	-		21	
Polyporus abietinus	-		24	31
Polyporus anceps	-		24	
Polyporus caesius	-			31
Pythium debaryanum	-	15		
Sirococcus strobilinus	-	11	21	31
Sistotrema brinkmannii	-	14		
Sistotremastrum suecicum	-		24	
Sporathrix sp.	-		21	
Thelephora terrestris	-		24	
Therrya fuckelii	-			41
Zygorhynchus heterogamous	-		21	

Pinus strobus

Amylocorticium subsulphureum	-	22		
Armillaria mellea	-	12		
Atropellis tingens	-		21	
Bifusella linearis	-	11	21	
Botryobasidium subcoronatum	-			41
Caliciopsis pinea	-	11	21	

Pinus strobus (cont.)

<i>Calocera cornea</i>	-	21
<i>Cenangium acuum</i>	-	11
<i>Cenangium ferruginosum</i>	-	21
<i>Cocomyces strobi</i>	-	11 21
<i>Coniophora kalmiae</i>	-	11
<i>Coniophora</i> sp.	-	12
<i>Corticium</i> sp.	-	12
<i>Cronartium ribicola</i>	-	11 21 31
<i>Cucurbitaria pithyophila</i>	-	21
<i>Cylindrocarpon</i> sp.	-	11
<i>Cytospora</i> sp.	-	12 21
<i>Dacrymyces deliquescens</i> var. <i>deliquescens</i>		21
<i>Dasyscyphus agassizii</i>	-	11 21 31
<i>Dermea pinicola</i>	-	11 21
<i>Dothiorella</i> sp.	-	21
<i>Fomes cajanderi</i>	-	11
<i>Fomes pini</i>	-	11
<i>Fomes pinicola</i>	-	11
<i>Fusarium</i> sp.	-	11 21
<i>Ganoderma lucidum</i>	-	21
<i>Gelatinosporium</i> sp.	-	22
<i>Gremmeniella abietina</i>	-	11
<i>Haematostereum sanguinolentum</i>	-	11 32
<i>Hyphodontia breviseta</i>	-	11
<i>Hyphodontia pallidula</i>	-	11
<i>Kuehneromyces vernalis</i>	-	11 21
<i>Laeticorticium pini</i>	-	11

Pinus strobus (cont.)

<i>Lenzites saepiaria</i>	-	11	21		
<i>Leucostoma kunzei</i>	-	11	21		
<i>Lophodermium nitens</i>	-	11	23		
<i>Lophodermium pinastri</i>	-	11	21	31	41
<i>Lophodermium sp.</i>	-	12	22		
<i>Meloderma desmazierii</i>	-	11	21		41
<i>Nectria</i> sp.	-	12	21		
<i>Odontia spathulata</i>	-	12			41
<i>Peniophora argillacea</i>	-				41
<i>Peniophora aspera</i>	-	11			
<i>Peniophora burtii</i>	-	11			
<i>Phoma</i> sp.	-	11			
<i>Phomopsis strobi</i>	-	11			
<i>Phomopsis</i> sp.	-	11	21		
<i>Polyporus abietinus</i>	-	11	21		32
<i>Polyporus schweinitzii</i>	-	11			
<i>Polyporus subcartilagineus</i>	-				41
<i>Poria pannocincta</i>	-	11			
<i>Pycnoporus cinnabarinus</i>	-		21		
<i>Scoleconectria cucurbitula</i>	-		11	21	31
<i>Scytinostroma arachnoideum</i>	-				41
<i>Scytinostroma galactina</i>	-		22		
<i>Septobasidium pinicola</i>	-	11	21	31	
<i>Tomentella atrorubra</i>	-				41
<i>Tulasnella fuscoviolacea</i>	-			31	
<i>Tympanis hypopodia</i>	-	11	21		
<i>Tympanis pithya</i>	-				41

Pinus strobus (cont.)

Tympanis sp. - 21

Valsa pini - 11 21

Pinus sylvestris

Aureobasidium pullulans - 21

Cenangium acuum - 11

Cenangium ferruginosum - 11 21

Coleosporium asterum - 21

Coleosporium sp. - 22

Cronartium comptoniae - 11 21

Endocronartium harknessii - 11 21

Gremmeniella abietina - 11

Lophodermium pinastri - 21

Phoma acicola - 21

Phoma sp. - 11

Polyporus abietinus - 11

Pythium sp. - 21

Strasseria sp. - 41

Sydowia polyspora - 11

Tympanis hypopodia - 11

Pinus taeda

Claudopus sp. - 41

Pinus thunbergii

Cenangium ferruginosum - 21

Coniothyrium sp. - 21

		<u><i>Pinus</i> sp.</u>
Cenangium ferruginosum	-	11
Coriolellus serialis	-	24
Cronartium comptoniae	-	21
Ditiola radicata	-	23
Fomes cajanderi	-	11
Fomes pinicola	-	13 24 34
Gremmeniella abietina	-	41
Lenzites saepiaria	-	23
Merulius aureus	-	24
Nectria sanguinea	-	23
Pleurotus porrigens	-	13
Polyporus abietinus	-	12 23
Polyporus anceps	-	23
Polyporous dichrous	-	24
Polyporus griseus	-	24
Polyporus schweinitzii	-	23
Radulum orbiculare	-	23
Serpula lacrimans var. himantoides	-	24
Solenia filicina	-	24
Tomentella griseoumbrina	-	41
Xeromphalina campanella	-	11
		<u><i>Pseudotsuga menziesii</i></u>
Arceuthobium douglasii	-	41
Dacrymyces deliquescent var. deliquescent-		41
Echinodontium tinctorium	-	41
Fomes cajanderi	-	41
Guepiniopsis chrysocomus	-	41

Pseudotsuga menziesii (cont.)

<i>Polyporus anceps</i>	-	41
<i>Polyporus sulphureus</i>	-	41
<i>Polyporus versicolor</i>	-	41
<i>Poria sinuosa</i>	-	41
<i>Xenomeria abietis</i>	-	41
		<u>Pseudotsuga taxifolia</u>
<i>Fomes pini</i>	-	12
		<u>Taxus canadensis</u>
<i>Hymenochaete tabacina</i>	-	23
<i>Sphaerulina taxicola</i>	-	11
		<u>Thuja occidentalis</u>
<i>Athelia decipiens</i>	-	21
<i>Auricularia auricula</i>	-	11
<i>Crucibulum leve</i>	-	11
<i>Didymascella thujina</i>	-	11
<i>Fuscoboletinus glandulosus</i>	-	15
<i>Hymenochaete tabacina</i>	-	25
<i>Lophodermium thuyae</i>	-	11
<i>Odontia spathulata</i>	-	11
<i>Pestalotiopsis funerea</i>	-	11
<i>Polyporus abietinus</i>	-	11
<i>Poria subacida</i>	-	14
<i>Poria subiculosa</i>	-	13
<i>Poria subincarnata</i>	-	11
<i>Poria versipora</i>	-	11
<i>Poria sp.</i>	-	11
<i>Tomentella fumosus</i>	-	41

Thuja plicata

<i>Poria wierii</i>	-	41
---------------------	---	----

Thuja sp.

<i>Didymascella thujina</i>	-	11
<i>Lophodermium thuyae</i>	-	12
<i>Odontia spathulata</i>	-	12
<i>Pestalotiopsis funerea</i>	-	11
<i>Polyporus abietinus</i>	-	12 22
<i>Poria candidissima</i>	-	12
<i>Poria sp.</i>	-	12
<i>Triposporium sp.</i>	-	11

Tsuga canadensis

<i>Armillaria mellea</i>	-	11	
<i>Coniophora puteana</i>	-	13	
<i>Coriolellus heteromorphus</i>	-		23
<i>Dacrymyces palmatus</i>	-		23
<i>Dermea balsamea</i>	-	11	23
<i>Fabrella tsugae</i>	-	11	21
<i>Fomes cajanderi</i>	-		23
<i>Fomes pinicola</i>	-	11	21
<i>Ganoderma lucidum</i>	-	11	21
<i>Gloeocystidiellum citrinum</i>	-		41
<i>Haematostereum sanguinolentum</i>	-	11	24
<i>Hypocrea citrina</i>	-		21
<i>Lenzites saepiaria</i>	-		21
<i>Melampsora abietis-canadensis</i>	-	11	21
<i>Melampsora farlowii</i>	-		23
<i>Peniophora sambuci</i>	-		23

Tsuga canadensis (cont.)

Pleurotus serotinus	-	24		
Polyporus abietinus	-	11	21	41
Polyporus borealis	-		23	
Polyporus resinosus	-		23	
Poria nigrescens	-			41
Poria pannocincta	-			41
Poria subacida	-		24	
Pucciniastrum vaccinii	-	11	21	
Radulum orbiculare	-		24	
Serpula lacrimans var. himantoides	-		24	

Tsuga heterophylla

Arceuthobium campylopodium	-		41	
Fomes annosus	-		41	

Tsuga sp.

Amylostereum chailletii	-	24		
Armillaria mellea	-		23	
Coniophora arida	-	14		
Coriolellus heteromorphus	-		24	
Dacrymyces palmatus	-		24	
Fabrella tsugae	-		21	
Ganoderma lucidum	-	12	24	41
Gloeocystidiellum citrinum	-		24	
Lenzites saepiaria	-		21	
Melampsora abietis-canadensis	-		22	
Mycena epipterygia	-		23	
Mycena epipterygia var. lignicola	-		23	
Odontia bicolor	-		24	

			<u>Tsuga sp. (cont.)</u>
<i>Peniophora sambuci</i>	-		24
<i>Pleurotus serotinus</i>	-		21
<i>Polyporus abietinus</i>	-	12	22
<i>Polyporus elegans</i>	-		23
<i>Polyporus versicolor</i>	-		23
<i>Poria lenis</i>	-		24
<i>Poria subacida</i>	-		41
<i>Pucciniastrum vaccinii</i>	-		21
<i>Scytinostroma galactina</i>	-	11	
<i>Sphaerulina taxicola</i>	-	12	
<i>Tomentella laterita</i>	-		41
			<u>Coniferous wood</u>
<i>Aleurodiscus subcruentatus</i>	-		25
<i>Botryobasidium isabellinum</i>	-		41
<i>Botryobasidium vagum</i>	-	11	23
* <i>Clavaria acris</i>	-		23
<i>Clitocybe ectypoides</i>	-		23
<i>Collybia lacunosa</i>	-		23
<i>Columnocystis abietinum</i>	-		21
<i>Coniophora arida</i>	-		24
<i>Coriolellus heteromorphus</i>	-		24
<i>Coriolellus serialis</i>	-		24
<i>Coriolellus variiformis</i>	-	11	
<i>Corticium ochraceum</i>	-		23
<i>Corticium sulphureum</i>	-	14	41
<i>Dacrymyces deliquescent var. deliquescent-</i>			41
<i>Flammula spumosa</i>	-	13	23

Coniferous wood (cont.)

<i>Fomes annosus</i>	-		41
<i>Fomes cajanderi</i>	-	11	41
<i>Fomes pinicola</i>	-	11	
<i>Ganoderma lucidum</i>	-	12	24
<i>Grandinia farinacea</i>	-		23
<i>Hypodontia breviseta</i>	-		24
<i>Hypodontia pallidula</i>	-		23
<i>Kuehneromyces vernalis</i>	-	11	
<i>Lentinus lepideus</i>	-	11	23
<i>Lenzites saepiaria</i>	-	11	
<i>Lenzites trabea</i>	-	14	
<i>Marasmius androsaceus</i>	-		23
<i>Merulius molluscus</i>	-		41
<i>Mycena borealis</i>	-	13	23
<i>Mycoacia stenodon</i>	-		41
<i>Odontia arguta</i>	-		24
<i>Odontia spathulata</i>	-		41
<i>Omphalia chrysophila</i>	-		23
<i>Paecilomyces varioti</i>	-		21
<i>Pellicularia isabellina</i>	-		23
<i>Pellicularia pruinata</i>	-		23
<i>Peniophora crassa</i>	-		23
<i>Peniophora</i> sp.	-		24
<i>Pleurotus porrigens</i>	-	12	
<i>Pluteus umbrosus</i>	-		23
<i>Polyporus abietinus</i>	-		22
<i>Polyporus alboluteus</i>	-	11	

Coniferous wood (cont.)

<i>Polyporus anceps</i>	-			41
<i>Polyporus caesius</i>	-	13	23	
<i>Polyporus fragilis</i>	-	13	23	
<i>Polyporus guttulatus</i>	-			33
<i>Polyporus resinosus</i>	-		24	
<i>Polyporus sulphureus</i>	-	11	23	
<i>Polyporus tulipiferae</i>	-			31
<i>Poria candidissima</i>	-			41
<i>Poria lenis</i>	-		24	
<i>Poria semitincta</i>	-		25	35
<i>Poria sinuosa</i>	-			41
<i>Poria xantha</i>	-		24	
<i>Poria sp.</i>	-		22	
<i>Pycnoporus cinnabarinus</i>	-	12		
<i>Scytinostroma galactina</i>	-		24	41
<i>Sistotremastrum suecicum</i>	-		24	
<i>Stereum sulcatum</i>	-			41
<i>Tomentella punicea</i>	-		23	
<i>Tricholoma rutilans</i>	-	13	23	
<i>Vararia investiens</i>	-		24	

DECIDUOUS TREES AND SHRUBS

					<u><i>Acacia greggii</i></u>
<i>Ravenelia versatilis</i>	-				41
					<u><i>Acer circinatum</i></u>
<i>Rhytisma acerinum</i>	-				12
					<u><i>Acer negundo</i></u>
<i>Coryneum negundinoris</i>	-		11	21	31
<i>Cytospora</i> sp.	-			11	
<i>Discella acerina</i>	-		11	21	31
<i>Kabatiella apocrypta</i>	-			11	
<i>Nectria cinnabarina</i>	-		11	21	31
* <i>Phoma aceris-negundinoris</i>	-				33
<i>Rhytisma punctatum</i>	-		12		41
<i>Septoria negundinoris</i>	-				41
					<u><i>Acer nigrum</i></u>
<i>Phleospora aceris</i>	-			11	
					<u><i>Acer pensylvanicum</i></u>
* <i>Cylindrosporium acerinum</i>	-		13	23	
<i>Cytospora</i> sp.	-			11	
<i>Daedalea unicolor</i>	-		11	21	
<i>Fomes connatus</i>	-				21
<i>Fomes fomentarius</i>	-				21
<i>Fomes igniarius</i>	-			11	
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-		11	21	
<i>Helotium citrinum</i>	-			11	
<i>Hendersonia sarmentorum</i>	-				23
<i>Hymenochaete corrugata</i>	-			11	

Acer pensylvanicum (cont.)

Hymenochaete tabacina	-	11	21	
Kabatiella apocrypta	-	11	21	31
Peniophora aspera	-	12		
Phleospora aceris	-	11	21	31
Polyporus targamenus	-	11	21	
Polyporus versicolor	-		23	
Poria eupora	-		21	
Poria ferrea	-	13		
Poria ferruginosa	-	13		
Poria punctata	-	13		
Poria sp.	-	12		
Rhytisma punctatum	-	11	21	
Stereum ostrea	-	11	24	
Taphrina letifera	-		21	
Trametes mollis	-		21	

Acer platanoides

Cytospora sp.	-	11		
Fusarium sp.	-	11		
Kabatiella apocrypta	-	11	22	
Nectria cinnabarina	-	11		31
Peniophora incarnata	-		24	
Peniophora nuda	-		24	
Poria latemarginata	-			41
Steganosporium ovatum	-		21	

		<u>Acer rubrum</u>
<i>Botrytis cinerea</i>	-	11
<i>Chondrostereum purpureum</i>	-	21
<i>Corticium vellereum</i>	-	14
<i>Cryptodiaporthe magnispora</i>	-	21
<i>Cystostereum murraili</i>	-	21
<i>Cytospora</i> sp.	-	11 21 31
<i>Daedalea unicolor</i>	-	11 31
<i>Dermea acerina</i>	-	11 21
<i>Fomes connatus</i>	-	11 21 31 41
<i>Fomes igniarius</i>	-	11 22
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-	12 21
<i>Fomes pinicola</i>	-	11
<i>Fomes viticola</i>	-	11 21 31
<i>Ganoderma applanatum</i>	-	21 31 41
<i>Ganoderma lucidum</i>	-	22
<i>Gloeocystidiellum karstenii</i>	-	11
<i>Gloeosporium</i> sp.	-	11
<i>Haematostereum rugosum</i>	-	21
<i>Hydnochaete olivaceum</i>	-	22
<i>Hymenochaete corrugata</i>	-	11
<i>Hymenochaete tabacina</i>	-	11 21 31
<i>Hypoxyylon</i> sp.	-	12 22
<i>Kabatiella apocrypta</i>	-	11 21 31
<i>Laeticicum roseum</i>	-	11
<i>Lentinellus cochleatus</i>	-	31
<i>Lenzites betulina</i>	-	21

Acer rubrum (cont.)

<i>Leucostoma</i> sp.	-	11			
<i>Nectria cinnabarinna</i>	-		21		
<i>Nectria galligena</i>	-	11			
<i>Odontia crustosa</i>	-	12	22		
<i>Odontia spathulata</i>	-	12	21		
<i>Peniophora affinis</i>	-			32	
<i>Peniophora cinerea</i>	-	11	22		
<i>Pezicula carneae</i>	-	11			
<i>Phleospora aceris</i>	-	11	21	31	
<i>Phleospora</i> sp.	-	11			
<i>Phyllosticta minima</i>	-	11	21	31	
<i>Pleurotus candidissimus</i>	-		21		
<i>Pleurotus serotinus</i>	-	11			
<i>Polyporus caesius</i>	-			41	
<i>Polyporus cuticularis</i>	-			41	
<i>Polyporus hirsutus</i>	-		21		
<i>Polyporus nidulans</i>	-		21		
<i>Polyporus pargamenus</i>	-	11	21		
<i>Polyporus tulipiferae</i>	-	11	21	31	
<i>Polyporus versicolor</i>	-	11	21	31	
<i>Poria crustulina</i>	-		21		
<i>Poria eupora</i>	-	11			
<i>Poria ferrea</i>	-	11	21	31	
<i>Poria ferruginosa</i>	-			31	
<i>Poria latemarginata</i>	-			41	
<i>Poria</i> sp.	-	12	21		
<i>Pycnoporus cinnabarinus</i>	-		21		

Acer rubrum (cont.)

Rhytisma acerinum	-	11	21	31
Rhytisma punctatum	-	11	21	
Schizophyllum commune	-	11	21	
Scytinostroma galactina	-			31
Steccherinum septentrionale	-			41
Steganosporium ovatum	-	12		
Taphrina dearnessii	-	11	21	
Tomentella spongiosa	-		21	
Trametes mollis	-		21	
Troglia crispa	-	12		
Uncinula circinata	-		21	
Valsa ambiens	-	11		
Venturia acerina	-	11		

Acer saccharinum

Cytospora sp.	-	21		
Fomes igniarius	-	11		
Kabatiella apocrypta	-		21	
Phomopsis sp.	-	12		
Polyporus pargamenus	-			34
Rhytisma acerinum	-	11	21	33

Acer saccharum

Botrytis cinerea	-	11		
Cantharellus floccosus	-	11		
Chondrostereum purpureum	-		23	
Corticium deflectans	-		21	
Corticium laeve	-	11		
Corticium litschaueri	-	11		

Acer saccharum (cont.)

<i>Corticium vellereum</i>	-			41
<i>Cytospora decipiens</i>	-			41
<i>Cytospora</i> sp.	-	12		32
<i>Daedalea confragosa</i>	-	12	22	
<i>Daedalea unicolor</i>	-	11	22	
<i>Dermea acerina</i>	-	11	23	
<i>Eutypella parasitica</i>	-			41
<i>Fomes connatus</i>	-	11	22	31
<i>Fomes fomentarius</i>	-	11	21	
<i>Fomes igniarius</i>	-	11	21	
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-	12	22	
<i>Fomes viticola</i>	-			31
<i>Ganoderma applanatum</i>	-	11	21	
<i>Gloeocystidiellum leucoxanthum</i>	-		23	
<i>Haematostereum rugosum</i>	-	11		
<i>Hericium erinaceus</i>	-	12		
<i>Hymenochaete tabacina</i>	-	11	21	31
<i>Hypoxylon deustum</i>	-		21	
<i>Hypoxylon</i> sp.	-		22	
<i>Kabatiella apocryta</i>	-	11	21	31
<i>Massaria inquinans</i>	-			41
<i>Merulius tremellosus</i>	-	11		
<i>Nectria cinnabarina</i>	-	11	21	
<i>Nectria galligena</i>	-	11	21	
<i>Nectria</i> sp.	-		22	
<i>Odontia ciliolata</i>	-			32
<i>Odontia spathulata</i>	-		22	

Acer saccharum (cont.)

<i>Peniophora aspera</i>	-	21		
<i>Peniophora cinerea</i>	-	22		
<i>Peniophora nuda</i>	-			41
<i>Peniophora pubera</i>	-	12		
<i>Pezicula acericola</i>	-	23		
<i>Phleospora aceris</i>	-	11	21	31
<i>Phleospora</i> sp.	-	12		
<i>Pholiota albocreulata</i>	-		21	
<i>Pholiota spectabilis</i>	-		21	
<i>Phomopsis</i> sp.	-	11		
<i>Phyllosticta minima</i>	-	11	21	
<i>Pleurotus serotinus</i>	-	11	24	
<i>Polyporus adustus</i>	-	11		
<i>Polyporus albellus</i>	-		23	
<i>Polyporus brumalis</i>	-	11		
<i>Polyporus elegans</i>	-		21	
<i>Polyporus glomeratus</i>	-	11		
<i>Polyporus hirsutus</i>	-	11	21	
<i>Polyporus pargamenus</i>	-			31
<i>Polyporus pubescens</i>	-			41
<i>Polyporus tulipiferae</i>	-	12		
<i>Polyporus versicolor</i>	-	11	21	
<i>Poria eupora</i>	-			31
<i>Poria ferrea</i>	-	13	21	32
<i>Poria ferruginosa</i>	-		21	
<i>Poria semitincta</i>	-		21	
<i>Poria</i> sp.	-		22	

Acer saccharum (cont.)

<i>Pseudovalsa stylospora</i>	-	23		
<i>Pycnoporus cinnabarinus</i>	-	11		
<i>Radulum orbiculare</i>	-	23		
<i>Rhytisma acerinum</i>	-	11	21	
<i>Rhytisma punctatum</i>	-	12	21	
<i>Schizophyllum commune</i>	-	11	21	
<i>Scutellinia scutellata</i>	-	11		
<i>Septoria saccharina</i>	-			41
<i>Steccherinum septentrionale</i>	-	11		
<i>Steganosporium ovatum</i>	-	11	21	31
<i>Stereum ostrea</i>	-	11	21	31
<i>Stictis radiata</i>	-	23		
<i>Taphrina dearnessii</i>	-	11		
<i>Trametes mollis</i>	-	11	22	41
* <i>Valsa etherialis</i>	-		23	
<i>Valsa</i> sp.	-	12		

Acer spicatum

* <i>Acrospermum cuneolum</i>	-	13		
<i>Bertia moriformis</i>	-	23		
<i>Corticium bombycinum</i>	-	23		
<i>Dacrymyces palmatus</i>	-	23		
<i>Daedalea unicolor</i>	-	11		
<i>Diaporthe acerina</i>	-	23		
<i>Exidia</i> sp.	-	11		
<i>Exidiopsis grisea</i>	-	11		
<i>Fomes igniarius</i>	-	11		
* <i>Herpotrichia pezizula</i>	-	23		

Acer spicatum (cont.)

Hymenochaete spreta	-	24		
Hymenochaete tabacina	-	11	21	31
*Hypoderma rufilabrum	-		23	
Hypoxyton rubiginosum	-	11	23	
Hypoxyton sp.	-	12	22	
Kabatiella apocrypta	-	11	21	
Massaria inquinans	-		23	
Melanconis everhartii	-		23	
*Mollisia stictella	-		23	
Peniophora cremea	-			31
Pezicula acericola	-	13	23	
Phleospora aceris	-	12	21	41
Phyllosticta minima	-	11		
Polyporus targamenus	-	11		
Polyporus tulipiferae	-	11		
Polyporus versicolor	-		22	31
Porria ferrea	-			41
Poria punctata	-	11		
Poria similis	-	11		
Poria sp.	-	12		
Pseudovalsa stylospora	-		23	
Radulum orbiculare	-		23	
Rhytisma acerinum	-	12		33
Rhytisma punctatum	-	11	21	
Stictis radiata	-		23	
Taphrina letifera	-	11		
Tremella mesenterica	-		24	
Tympinis acericola	-		23	

Acer sp.

<i>Aporpium caryae</i>	-					41
<i>Chondrostereum purpureum</i>	-		24			
<i>Coccomyces coronatus</i>	-		23			
<i>Collybia lacunosa</i>	-		23			
<i>Corticium confluens</i>	-		24			
<i>Corticium laeve</i>	-		24			
<i>Crepidotus fulvotomentosus</i>	-		21			
<i>Cystostereum murraili</i>	-		21			41
<i>Cytospora sp.</i>	-	11				
<i>Daedalea confragosa</i>	-				31	
<i>Daedalea unicolor</i>	-	11	22	33		
<i>Exidia nucleata</i>	-		23			
<i>Favolus alveolaris</i>	-	11				
<i>Fomes connatus</i>	-	11	21	32	41	
<i>Fomes fomentarius</i>	-		21			
<i>Fomes igniarius</i>	-	12	22			
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-		22			
<i>Fomes pinicola</i>	-	11				
<i>Fomes viticola</i>	-	11				
<i>Fusicoccum obtulatum</i>	-		21			
<i>Fusicoccum sp.</i>	-		22			
<i>Ganoderma applanatum</i>	-	11	21			
<i>Helotium epiphyllum</i>	-		23			
<i>Hericium erinaceus</i>	-	12				
<i>Hymenochaete corrugata</i>	-		24			
<i>Hymenochaete tabacina</i>	-	11	21	33	41	
<i>Hypoxyylon deustum</i>	-					41

Acer sp. (cont.)

<i>Hypoxylon rubiginosum</i>	-		31
<i>Hypoxylon</i> sp.	-	22	32
* <i>Hysterium pulicare</i>	-	13	
<i>Laeticorticium roseo-carneum</i>	-		24
<i>Lenzites betulina</i>	-		21
<i>Merulius tremellosus</i>	-		23
<i>Mollisia caespitica</i>	-		23
<i>Nectria cinnabarina</i>	-	12	23
<i>Odontia bicolor</i>	-		24
<i>Odontia crustosa</i>	-		24
<i>Odontia</i> sp.	-		24
<i>Panus rudis</i>	-		23
<i>Peniophora affinis</i>	-		23
<i>Peniophora aspera</i>	-		21
<i>Peniophora cinerea</i>	-		33
<i>Peniophora cremea</i>	-		23
<i>Peniophora gracillima</i>	-		23
<i>Peniophora incarnata</i>	-		23
<i>Peniophora nuda</i>	-		24
<i>Peniophora violaceo-livida</i>	-		24
<i>Phlebia radiata</i>	-		24
<i>Pleurotus serotinus</i>	-	11	23
<i>Pleurotus strigosus</i>	-		23
<i>Plicatura faginea</i>	-	11	
<i>Plicatura nivea</i>	-	11	
<i>Polyporus adustus</i>	-		21
<i>Polyporus caesius</i>	-		23

Acer sp. (cont.)

<i>Polyporus cuticularis</i>	-		41
<i>Polyporus elegans</i>	-	21	
<i>Polyporus glomeratus</i>	-	23	
<i>Polyporus hirsutus</i>	-	21	
<i>Polyporus targamenus</i>	-		33
<i>Polyporus radiatus</i>	-	23	
<i>Polyporus semipileatus</i>	-	12	
<i>Polyporus squamosus</i>	-	22	
<i>Polyporus tulipiferae</i>	-		31
<i>Polyporus varius</i>	-	23	
<i>Polyporus versicolor</i>	-	11	21
<i>Polyporus sp.</i>	-	11	21
<i>Poria ferrea</i>	-	11	24
<i>Poria ferruginosa</i>	-		24
<i>Poria inflata</i>	-		41
<i>Poria subacida</i>	-	24	
<i>Pycnoporus cinnabarinus</i>	-		21
<i>Rhytisma acerinum</i>	-	11	22
<i>Sarcoscypha coecinea</i>	-	11	
<i>Schizophyllum commune</i>	-	11	21
<i>Sebacina epigaea</i>	-		23
<i>Steccherinum septentrionale</i>	-	11	
<i>Stegamosporium ovatum</i>	-	11	22
<i>Stereum hirsutum</i>	-		21
<i>Stereum ostrea</i>	-		21
<i>Taphrina dearnessii</i>	-	11	
<i>Taphrina sp.</i>	-		32

Acer sp. (cont.)

<i>Tomentella crinalis</i>				41
<i>Tomentella fuliginea</i>	-			41
<i>Tomentella punicea</i>	-			41
<i>Trametes mollis</i>	-		21	41
<i>Tremella lutescens</i>	-		23	
<i>Verticillium albo-atrum</i>	-			33
<i>Xylaria corniformis</i>	-			41
<i>Xylaria</i> sp.	-	11		

Aesculus hippocastanum

<i>Corticium laeve</i>	-		21	
<i>Cryptodiaporthe aesculi</i>	-	11		31
<i>Fomes connatus</i>	-		21	
<i>Gloeosporium</i> sp.	-		21	
<i>Guignardia aesculi</i>	-	11	21	31
<i>Haematostereum rugosum</i>	-		21	
<i>Hypoxylon deustum</i>	-		21	
<i>Laxitextum bicolor</i>	-		22	
<i>Nectria cinnabarina</i>	-	11	21	31
<i>Nectria coccinea</i> var. <i>faginata</i>	-	13		
<i>Peniophora mutata</i>	-		22	
<i>Pleurotus ostreatus</i>	-		21	
<i>Polyporus fumosus</i>	-			33
<i>Poria</i> sp.	-		22	
<i>Schizophyllum commune</i>	-		22	
<i>Uncinula flexuosa</i>	-	11	21	

Alnus crispa var. mollis

Pezicula alni	-	23
---------------	---	----

Taphrina tosquinetii	-	21
----------------------	---	----

Alnus incana

*Eichleriella leveilliana	-	23
---------------------------	---	----

Hymenochaete agglutinans	-	23
--------------------------	---	----

Phlebia radiata	-	11
-----------------	---	----

Plicatura nivea	-	24
-----------------	---	----

Alnus mollis

Cyphella fasciculata	-	24
----------------------	---	----

Exidia glandulosa	-	24
-------------------	---	----

Fomes scutellatus	-	24
-------------------	---	----

Solenia anomala	-	23
-----------------	---	----

Alnus rubra

Poria versipora	-	41
-----------------	---	----

Alnus rugosa

Erysiphe aggregata	-	11
--------------------	---	----

Exidia glandulosa	-	11
-------------------	---	----

Gloeocystidiellum leucoxanthum	-	11
--------------------------------	---	----

Hypoxyton multififorme	-	11
------------------------	---	----

Panellus stipticus	-	11	22
--------------------	---	----	----

Polyporus brumalis	-	11
--------------------	---	----

Alnus rugosa var. americana

Chondrostereum purpureum	-	41
--------------------------	---	----

Daedalea confragosa	-	11	21
---------------------	---	----	----

Diatrype stigma	-	22
-----------------	---	----

Exidiopsis macrospora	-	24
-----------------------	---	----

Alnus rugosa var. americana (cont.)

Fomes scutellatus	-	24	34
Gloeocystidiellum leucoxanthum	-	11	
Hymenochaete corrugata	-	24	
Hymenochaete tabacina	-	11	
Hypoxylon multiforme	-	11	
Peniophora aurantiaca	-	11	
Peniophora erumpens	-	13	
Phlebia radiata	-	11	24
Plicatura nivea	-	11	
Polyporus adustus	-	12	
Polyporus pubescens	-	12	
Polyporus radiatus	-	11	
Polyporus tulipiferae	-	11	
Schizophyllum commune	-	11	41
Septoria alni	-	11	
Stereum hirsutum	-	24	
Taphrina robinsoniana	-	11	21
Trogia crispa	-	12	32

Alnus viridis

Tympanis alnea var. hysteroides	-	25	
			<u>Alnus</u> sp.
*Anthostoma melanotes	-	23	
Botryobasidium vagum	-	23	
*Calvatia elata	-	23	
Cenangium furfuraceum	-		41
Chlorosplenium aeruginosum	-	22	
Corticium laeve	-	24	41

Alnus sp. (cont.)

<i>Corticium</i> sp.	-	22	
* <i>Cryptospora alnicola</i>	-	23	
* <i>Cryptospora aurantiaca</i>	-	13	23
* <i>Cryptospora femoralis</i>	-	13	23
<i>Cyphella conglobata</i>	-	14	
<i>Cyphella fasciculata</i>	-		23
<i>Cytidia salicina</i>	-		41
<i>Daedalea confragosa</i>	-	11	22
<i>Daedalea unicolor</i>	-	23	33
<i>Daldinia concentrica</i>	-		23
<i>Diatrype stigma</i>	-		21
* <i>Diatrypella tocciaena</i>	-		23
<i>Erysiphe aggregata</i>	-	11	21
* <i>Eutypa milliaria</i>	-		23
<i>Eutypella alnifraga</i>	-		23
<i>Eutypella cerviculata</i>	-		41
<i>Exidia glandulosa</i>	-	21	31
* <i>Fenestella minor</i>	-		23
<i>Fomes igniarius</i>	-	21	41
<i>Fomes scutellatus</i>	-	13	23
* <i>Gibberidea alnea</i>	-		23
<i>Gloeocystidiellum leucoxanthum</i>	-		41
<i>Gloeocystidiellum porosum</i>	-		23
<i>Gloeosporium</i> sp.	-	12	
<i>Gnomoniella</i> sp.	-		21
<i>Haematostereum rugosa</i>	-		21
<i>Helotium citrinum</i>	-		23

Alnus sp. (cont.)

<i>Hymenochaete corrugata</i>	-		23	
<i>Hymenochaete tabacina</i>	-	11	21	31
<i>Hypocrea gelatinosa</i>	-		23	
* <i>Hypocrea rufa</i>	-	13	23	
<i>Hypoxyton fuscum</i>	-	11	21	31
<i>Hypoxyton mammatum</i>	-		23	41
<i>Hypoxyton</i> sp.	-		22	
<i>Lentinellus umbilicatus</i>	-			41
<i>Marasmius androsaceus</i>	-			31
<i>Melanconis alni</i> var. <i>marginalis</i>	-		23	
<i>Melanconis thelebola</i>	-		23	
<i>Microsphaera penicillata</i>	-		23	
<i>Mollisia cinerea</i>	-		23	
<i>Mycosphaerella alnicola</i>	-	11		
<i>Odontia crustosa</i>	-		24	
<i>Panellus stipticus</i>	-	11	21	31
<i>Peniophora affinis</i>	-		22	
<i>Peniophora aspera</i>	-	11	23	31
<i>Peniophora aurantiaca</i>	-		21	31
<i>Peniophora cremea</i>	-		21	
<i>Peniophora gracillima</i>	-		23	
<i>Peniophora pithya</i>	-	11		
<i>Pezicula alni</i>	-		23	
<i>Phyllactinia guttata</i>	-	11	23	
<i>Plicatura faginea</i>	-	11		
<i>Plicatura nivea</i>	-	15	23	

Alnus sp. (cont.)

<i>Polyporus albellus</i>	-	23	41
<i>Polyporus brumalis</i>	-	11	
<i>Polyporus elegans</i>	-		41
<i>Polyporus pargamenus</i>	-	11	
<i>Polyporus pubescens</i>	-	11	
<i>Polyporus radiatus</i>	-	13	23
<i>Polyporus sterioides</i>	-	13	
<i>Polyporus velutinus</i>	-		23
<i>Polyporus versicolor</i>	-	11	21
<i>Poria candidissima</i>	-		21
<i>Poria crassa</i>	-		41
<i>Poria eupora</i>	-		24
<i>Poria ferrea</i>	-	11	21
<i>Poria punctata</i>	-		24
<i>Poria subacida</i>	-		41
<i>Poria</i> sp.	-		32
<i>Psilopeziza hydrophila</i>	-		23
<i>Radulum orbiculare</i>	-	11	23
<i>Schizophyllum commune</i>	-		32
* <i>Scorias spongiosa</i>	-	13	23
<i>Septoria alni</i>	-	11	
<i>Steccherinum fimbriatum</i>	-	11	
<i>Steccherinum ochraceum</i>	-		23
<i>Stereum hirsutum</i>	-		23
<i>Taphrina robinsoniana</i>	-	11	21
<i>Taphrina tosquinetii</i>	-		21
<i>Taphrina</i> sp.	-		22

Alnus sp. (cont.)

<i>Trametes mollis</i>	-	21
<i>Trametes sterioides</i>	-	13
* <i>Trogia alni</i>	-	23
<i>Trogia crispa</i>	-	11 23
<i>Tulasnella violea</i>	-	23
<i>Tympanis alnea</i>	-	23
* <i>Valsa stenospora</i>	-	23
* <i>Valsa truncata</i>	-	23
* <i>Valsaria moroides</i>	-	23
<i>Vararia effuscata</i>	-	31

Amelanchier alnifolia

<i>Gymnosporangium clavariiforme</i>	-	41
<i>Gymnosporangium clavipes</i>	-	41
<i>Gymnosporangium nelsonii</i>	-	41
<i>Phyllactinia guttata</i>	-	41

Amelanchier canadensis

<i>Apiosporina collinsii</i>	-	13 23
<i>Fabraea maculata</i>	-	23
<i>Gymnosporangium clavariiforme</i>	-	23
<i>Gymnosporangium clavipes</i>	-	13 23

Amelanchier florida

<i>Gymnosporangium clavariiforme</i>	-	41
<i>Gymnosporangium clavipes</i>	-	41

Amelanchier intermedia

<i>Apiosporina collinsii</i>	-	23
<i>Botryosphaeria obtusa</i>	-	25
<i>Gymnosporangium clavipes</i>	-	13

Amelanchier laevis

Gymnosporangium clavariiforme - 23

Amelanchier oblongifolia

Apiosporina collinsii - 23

Amelanchier spicata

Gymnosporangium clavipes - 23

Amelanchier stolonifera

Gymnosporangium clavariiforme - 23

Amelanchier sp.

Apiosporina collinsii - 11 22

Diaporthe tuberculosa - 23

Fabraea maculata - 11 21 31

Gymnosporangium clavariiforme - 21

Gymnosporangium clavipes - 11 21

Gymnosporangium inconspicuum - 41

Hymenochaete tabacina - 31

Massaria pruni - 23

Pezicula pruinosa - 23

Podosphaera clandestina - 21 41

Polyporus semipileatus - 22

Poria ferruginosa - 21

Sphaeronema pruinatum - 41

*Synchytrium aureum - 23

*Valsa cincta - 23

Aronia melanocarpa

Fabraea maculata - 41

Betula alba

Polyporus versicolor - 34

Radulum orbiculare - 23

Betula alba var. papyrifera

<i>Libertella betulina</i>	-	41
----------------------------	---	----

Betula alleghaniensis

<i>Aporplium caryae</i>	-	21			
<i>Armillaria mellea</i>	-	25			
<i>Asterodon ferruginosus</i>	-	11			
<i>Asteroспорium betulinum</i>	-	11			
<i>Botrytis cinerea</i>	-	11			
<i>Caldesiella ferruginosa</i>	-	22			
<i>Cordana pauciseptata</i>	-	15	25		
<i>Corticium</i> sp.	-	22			
<i>Cryptosporiopsis</i> sp.	-	11			
<i>Cylindrosporella microsperma</i>	-	11	21	31	
<i>Cystostereum murraii</i>	-	11	21		
<i>Daedalea confragosa</i>	-	11	21	31	41
<i>Dermea molliuscula</i>	-	11	21		
<i>Diatrype stigma</i>	-	11			
<i>Diatrypella betulina</i>	-	12			
<i>Epicoccum nigrum</i>	-	11			
<i>Favolus alveolaris</i>	-	14			
<i>Femsjonia pezizaeformis</i>	-	23			
<i>Flammula alnicola</i>	-	21			
<i>Fomes conchatus</i>	-	24			
<i>Fomes connatus</i>	-	13	21		
<i>Fomes fomentarius</i>	-	11	21	31	
<i>Fomes igniarius</i>	-	11	21	32	
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-	12	21	31	41

Betula alleghaniensis (cont.)

<i>Fomes pinicola</i>	-	11	21	
<i>Fusicoccum betulinum</i>	-	11		
<i>Fusicoccum</i> sp.	-	11		
<i>Ganoderma applanatum</i>	-	11	21	31
<i>Ganoderma lucidum</i>	-	11		
<i>Godronia multispora</i>	-	11		
<i>Hericium erinaceus</i>	-	14		
<i>Hericium ramosum</i>	-		21	
<i>Hymenochaete agglutinans</i>	-	11		
<i>Hymenochaete tabacina</i>	-	11		
<i>Hypoxylon deustum</i>	-	14	21	
<i>Hypoxylon mammatum</i>	-	11		
<i>Hypoxylon multiforme</i>	-	11	21	33
<i>Lenzites betulina</i>	-			33
<i>Libertella betulina</i>	-		22	
<i>Libertella</i> sp.	-	12		
<i>Melampsoridium betulinum</i>	-		23	
<i>Melanconis nigrospora</i>	-	11		
<i>Merulius tremellosus</i>	-	11		
<i>Microsphaera penicillata</i>	-		23	
<i>Mollisia cinerea</i>	-			41
<i>Nectria galligena</i>	-	11	21	31
<i>Odontia arguta</i>	-	12		32
<i>Odontia bicolor</i>	-	14	25	
<i>Odontia ciliolata</i>	-			32
<i>Odontia crustula</i>	-	12		

Betula alleghaniensis (cont.)

<i>Panellus stipticus</i>	-	11	21		
<i>Peniophora aspera</i>	-	11	21		
<i>Peniophora sanguinea</i>	-		22		
<i>Peniophora</i> sp.	-		22		
<i>Phialophora fastigiata</i>	-	15			
<i>Phialophora</i> sp.	-		25		
<i>Phlebia radiata</i>	-	14	24		
<i>Pholiota aurivella</i>	-	12	21		
<i>Pholiota spectabilis</i>	-	14	24		
<i>Pholiota</i> sp.	-		21		
<i>Phomopsis</i> sp.	-	11			
<i>Pleurotus serotinus</i>	-	11	21		
<i>Polyporus adustus</i>	-	11			
<i>Polyporus albellus</i>	-	14	21		
<i>Polyporus betulinus</i>	-	12	22	41	
<i>Polyporus biformis</i>	-	11			
<i>Polyporus cuticularis</i>	-		21		
<i>Polyporus elegans</i>	-		21		
<i>Polyporus galactinus</i>	-		23		
<i>Polyporus hirsutus</i>	-		21		
<i>Polyporus nidulans</i>	-		24		
<i>Polyporus pargamenus</i>	-	11	21	31	41
<i>Polyporus picipes</i>	-	11			
<i>Polyporus pubescens</i>	-	14	24		
<i>Polyporus radiatus</i>	-	11	21		
<i>Polyporus semisupinus</i>	-		21		
<i>Polyporus sulphureus</i>	-		21		

Betula alleghaniensis (cont.)

<i>Polyporus tephroleucus</i>	-	23			
<i>Polyporus versicolor</i>	-	12	21	32	
<i>Poria cocos</i>	-	11	25		
<i>Poria elongata</i>	-	11			
<i>Poria eupora</i>	-		21		
<i>Poria obliqua</i>	-	11	21	31	
<i>Poria pannocincta</i>	-		21		
<i>Poria semitincta</i>	-	11	21		
<i>Poria subacida</i>	-	14	24		
<i>Poria versipora</i>	-	12			
<i>Poria sp.</i>	-		22		
<i>Pycnoporus cinnabarinus</i>	-	11	21	31	41
<i>Schizophyllum commune</i>	-	11	21		
<i>Scytinostroma galactina</i>	-		24		
<i>Septoria betulae</i>	-		23		
<i>Sistotrema brinkmannii</i>	-	12	23		
<i>Steccherinum sp.</i>	-	12			
<i>Stereum ostrea</i>	-	11	21		
<i>Taphrina carneae</i>	-	11	21	31	
<i>Taphrina sp.</i>	-	11	22		
<i>Tomentella fimbriata</i>	-				41
<i>Vararia effuscata</i>	-	12	21		
<i>Vararia investiens</i>	-	11			
<i>Xenasma tulasnelloideum</i>	-		21		
					<u>Betula papyrifera</u>
<i>Chondrostereum purpureum</i>	-	12			41
<i>Cryptospora betulae</i>	-				41

Betula papyrifera (cont.)

<i>Cylindrosporium betulae</i>	-	11		
<i>Cylindrosporium</i> sp.	-	12	22	
<i>Cystostereum murraili</i>	-		21	
<i>Daedalea unicolor</i>	-	11		31
<i>Diatrypella betulina</i>	-			41
<i>Diatrypella</i> sp.	-			41
<i>Discula betulina</i>	-	11		31
<i>Fomes everhartii</i>	-			33
<i>Fomes fomentarius</i>	-	11	21	31
<i>Fomes igniarius</i>	-	11	21	31
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-		21	
<i>Fomes pinicola</i>	-	11	21	
<i>Ganoderma applanatum</i>	-		21	34
<i>Gelatinosporium</i> sp.	-	12		
<i>Haematostereum rugosum</i>	-		21	
<i>Hypocrea citrina</i>	-		21	
<i>Hymenochaete tabacina</i>	-		21	
<i>Hypoxyylon multifforme</i>	-			41
<i>Kuehneromyces vernalis</i>	-		21	
<i>Lenzites betulina</i>	-	11		
<i>Marssonina betulae</i>	-	11		
<i>Melanconis betulina</i>	-	11		
<i>Odontia ciliolata</i>	-	12		
<i>Panellus stipticus</i>	-	11		31
<i>Peniophora aspera</i>	-			31
<i>Peniophora</i> sp.	-			32

Betula papyrifera (cont.)

<i>Phlebia radiata</i>	-	14		
<i>Pholiota squarrosoides</i>	-		23	
<i>Phylactinia guttata</i>	-	11		
<i>Pleurotus ostreatus</i>	-			41
<i>Plicatura faginea</i>	-			41
<i>Polyporus adustus</i>	-			41
<i>Polyporus albellus</i>	-	11		
<i>Polyporus betulinus</i>	-	11	21	31
<i>Polyporus galactinus</i>	-		24	
<i>Polyporus pargamenus</i>	-	11	21	31
<i>Polyporus radiatus</i>	-		24	
<i>Polyporus sericemollis</i>	-		22	
<i>Polyporus tulipiferae</i>	-	12		
<i>Polyporus versicolor</i>	-	11	21	31
<i>Polyporus zonatus</i>	-		21	
<i>Poria cinerascens</i>	-		21	
<i>Poria obliqua</i>	-	11	21	31
<i>Poria subacida</i>	-		24	
<i>Poria sp.</i>	-	11		
<i>Pycnoporus cinnabarinus</i>	-			31
<i>Radulum orbiculare</i>	-			31
<i>Schizophyllum commune</i>	-			31
<i>Scytinostroma galactina</i>	-			31
<i>Septoria betulae</i>	-	11	21	31
<i>Sistotrema brinkmannii</i>	-	14		
<i>Stereum hirsutum</i>	-	11	21	32

Betula papyrifera (cont.)

Stereum ochraceoflavum - 25

Stereum ostrea - 11 24

Taphrina carneae - 11 31

Taphrina flava - 11 23

Betula papyrifera
var. macrostachya

Lenzites betulina - 11

Betula populifolia

Chondrostereum purpureum - 11 23

Cystostereum murraili - 21

Fomes fomentarius - 12 22 41

Fomes igniarius - 11 21 33

Fomes igniarius var. *laevigatus* - 21

Fomes pinicola - 12

Ganoderma applanatum - 33

Haematostereum rugosum - 24

Melampsoridium betulinum - 11 23

Phyllotopsis nidulans - 11 21

Polyporus albellus - 21

Polyporus betulinus - 11 22

Polyporus biformis - 24

Polyporus hirsutus - 21

Polyporus pargamenus - 22

Polyporus radiatus - 12

Polyporus velutinus - 23

Polyporus versicolor - 11

Polyporus zonatus - 21

Betula populifolia (cont.)

<i>Schizophyllum commune</i>	-	11		
<i>Septoria betulae</i>	-	11		
<i>Taphrina flava</i>	-	11	23	31
<u>Betula sp.</u>				
<i>Armillaria mellea</i>	-	23		
<i>Calocera cornea</i>	-	23		
<i>Chlorosplenium aeruginosum</i>	-	13	23	
<i>Corticium albo-ochraceum</i>	-		23	
<i>Corticium lividum</i>	-		23	
<i>Cryptospora betulae</i>	-		23	
<i>Cryptosporiopsis sp.</i>	-	11		
<i>Cystostereum murraii</i>	-	11	23	
<i>Daedalea confragosa</i>	-	11	22	34
<i>Daedalea unicolor</i>	-	11	23	33
<i>Daldinia concentrica</i>	-		23	
<i>Diatrype stigma</i>	-		23	
<i>Diatrypella betulina</i>	-		23	
<i>Diatrypella discoidea</i>	-		23	
* <i>Diatrypella favacea</i>	-		23	
<i>Femsjonia pezizaeformis</i>	-		23	
<i>Flammula lenta</i>	-		23	
<i>Fomes fomentarius</i>	-	11		
<i>Fomes igniarius</i>	-	13	23	41
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-		21	41
<i>Fomes pinicola</i>	-		23	
<i>Ganoderma applanatum</i>	-		23	
* <i>Gloeosporium betulosum</i>	-	13		

Betula sp. (cont.)

* <i>Graphis scripta</i>	-	23
* <i>Gyromitra infula</i>	-	23
<i>Haematostereum guasapatum</i>	-	33
<i>Haematostereum rugosum</i>	-	24
<i>Hericium coralloides</i>	-	13 23 33
<i>Hymenochaete corrugata</i>	-	23
<i>Hymenochaete tabacina</i>	-	13
<i>Hyphodontia breviseta</i>	-	23
<i>Hypoxylon multiforme</i>	-	33
<i>Hypoxylon</i> sp.	-	12
* <i>Hysterium pulicare</i>	-	23
* <i>Hysteropatella minor</i>	-	23
<i>Lenzites betulina</i>	-	11 23
<i>Libertella betulina</i>	-	23
* <i>Lophidium compressum</i> var. <i>microscopicum</i>	-	23
<i>Marasmius rotula</i>	-	11
<i>Massaria pruni</i>	-	23
<i>Melanconis nigrospora</i>	-	23
<i>Melanconis stilbostoma</i>	-	23
* <i>Melanomma subsparsum</i>	-	23
<i>Mollisia benesuada</i>	-	23
* <i>Monilia sitophila</i>	-	23
* <i>Mycocalicium pallescens</i>	-	23
<i>Naucoria firma</i>	-	23
<i>Nectria cinnabarinna</i>	-	11
<i>Nectria coccinea</i> var. <i>faginata</i>	-	23
<i>Nectria pithoides</i>	-	23

Betula sp. (cont.)

<i>Odontia crustosa</i>	-	24	
<i>Panellus stipticus</i>	-	11	23
<i>Patella setosa</i>	-		23
<i>Peniophora aspera</i>	-		23
<i>Peniophora carnosa</i>	-		23
<i>Peniophora cinerea</i>	-	13	23
<i>Peniophora cremea</i>	-	13	23
<i>Peniophora gigantea</i>	-	14	
<i>Peniophora</i> sp.	-	12	
<i>Pholiota albocreulata</i>	-		23
<i>Pholiota aurivella</i>	-		23
* <i>Pholiota lutea</i>	-	13	
<i>Pholiota mutabilis</i>	-		23
* <i>Phyllosticta betulae</i>	-	13	
<i>Pleurotus ostreatus</i>	-		21
<i>Pleurotus serotinus</i>	-		23
<i>Polyporus adustus</i>	-		23
<i>Polyporus albellus</i>	-	12	23
<i>Polyporus betulinus</i>	-	11	24
<i>Polyporus borealis</i>	-	14	24
<i>Polyporus brumalis</i>	-	13	23
<i>Polyporus caesius</i>	-		33
<i>Polyporus elegans</i>	-		23
<i>Polyporus hirsutus</i>	-		23
<i>Polyporus nidulans</i>	-		23
<i>Polyporus pargamenus</i>	-	13	23
<i>Polyporus perennis</i>	-	12	

Betula sp. (cont.)

<i>Polyporus radiatus</i>	-	11	23	
<i>Polyporus semisupinus</i>	-		23	
<i>Polyporus sulphureus</i>	-		23	
<i>Polyporus tulipiferae</i>	-		23	41
<i>Polyporus versicolor</i>	-	11	22	41
<i>Poria eupora</i>	-		23	
<i>Poria ferruginosa</i>	-			41
<i>Poria obliqua</i>	-		22	
<i>Poria semitincta</i>	-		23	
<i>Psilopeziza aquatica</i>	-		23	
<i>Pycnoporus cinnabarinus</i>	-		23	
<i>Schizophyllum commune</i>	-		23	32
<i>Solenia fasciculata</i>	-		23	
<i>Steccherinum ochraceum</i>	-		23	
<i>Stereum hirsutum</i>	-	11		
<i>Stictis radiata</i>	-		23	
<i>Tapesia fusca</i>	-		23	
<i>Taphrina americana</i>	-			41
<i>Tomentella fusca</i>	-	13	23	
<i>Trogia crispa</i>	-		23	
<i>Tulasnella violea</i>	-		24	
<i>Tympanis alnea</i>	-		25	

Buxus sp.

<i>Laestadia buxi</i>	-		41
-----------------------	---	--	----

Carpinus caroliniana

<i>Stereum striatum</i>	-		41
-------------------------	---	--	----

		<u>Carpinus sp.</u>
Ganoderma applanatum	-	23
		<u>Cassiope tetragonia</u>
Exobasidium vaccinii var. vaccinii	-	41
		<u>Castanea dentata</u>
Endothia parasitica	-	41
Poria mutans	-	41
		<u>Chamaedaphne calyculata</u>
Stigmatea pulchella	-	11
		<u>Comptonia peregrina</u>
Cronartium comptoniae	-	11 21
		<u>Comptonia ap.</u>
Cronartium comptoniae	-	11 21
		<u>Cornus alternifolia</u>
Apioporthe corni	-	23
*Mollisia stictella	-	23
Myxosporium nitidum	-	11
Tremella lutescens	-	23
		<u>Cornus canadensis</u>
Glomerularia corni	-	11 23
Puccinia porphyrogenita	-	11 23 33
Septoria canadensis	-	23
Septoria cornicola	-	23
		<u>Cornus sp.</u>
Myxosporium nitidum	-	11
		<u>Corylus americana</u>
Monostichella coryli	-	23

Corylus cornuta

Apioporthe anomala	-	23
*Cenangium fuckelii	-	23
*Cryptospora suffusa var. nuda	-	23
Diaporthe decedens	-	23
Diaporthopsis sp.	-	11
Gnomoniella coryli	-	11 21
Hymenochaete tabacina	-	11
Hypoxylon fuscum	-	23
Microsphaera penicillata	-	23
Monostichella coryli	-	11
Peniophora cinerea	-	12
Pezicula corylina	-	23
Phyllactinia guttata	-	23
Septoria corylina	-	11 21 31
Stereum hirsutum	-	23

Corylus rostrata

Peniophora incarnata	-	24
<u>Corylus sp.</u>		
Apioporthe anomala	-	25
Gnomoniella coryli	-	11 21
Hymenochaete tabacina	-	11
Hypoxylon sp.	-	12
Lenzites betulina	-	23
Monostichella coryli	-	12 22
Polyporus radiatus	-	23

			<u>Crataegus oxyacantha</u>
Entomosporium thuemenii	-	13	23
Gymnosporangium clavariiforme	-		33
Gymnosporangium clavipes	-		23
			<u>Crataegus sp.</u>
Chondrostereum purpureum	-	11	
Daedalea unicolor	-	11	
Durandiella lenticellicola	-		25
Fabraea maculata	-	11	21
Gymnosporangium clavipes	-	21	33
Gymnosporangium connersii	-		41
Gymnosporangium globosum	-		41
Hymenochaete tabacina	-		41
Leucostoma persoonii	-		21
Monilia johnsonii	-	11	
Nectria cinnabarina	-	11	
Odontia arguta	-		41
Peniophora affinis	-		22
Podosphaera clandestina	-		21
Poria ferruginosa	-		21
Valsa ceratosperma	-		21
			<u>Daphne mezereum</u>
Marssonina daphnes	-	11	
			<u>Diervilla lonicera</u>
Godronia turbinata	-		25
			<u>Elaeagnus angustifolia</u>
Nectria cinnabarina	-	11	

Empetrum nigrum

<i>Chrysomyxa empetri</i>	-	25	41
---------------------------	---	----	----

Fagus grandifolia

<i>Aporpium caryae</i>	-		41
------------------------	---	--	----

<i>Armillaria mellea</i>	-	24	
--------------------------	---	----	--

<i>Asterosporium asterospermum</i>	-	23	
------------------------------------	---	----	--

* <i>Botryosphaeria fuliginosa</i>	-	23	
------------------------------------	---	----	--

<i>Botrytis cinerea</i>	-	11	
-------------------------	---	----	--

<i>Chondrostereum purpureum</i>	-	11	
---------------------------------	---	----	--

<i>Clavaria</i> sp.	-	12	
---------------------	---	----	--

<i>Clitocybe leptoloma</i>	-		23
----------------------------	---	--	----

<i>Coccomyces coronatus</i>	-		23
-----------------------------	---	--	----

<i>Coniophora puteana</i>	-		24
---------------------------	---	--	----

<i>Corticium sulphureum</i>	-		24
-----------------------------	---	--	----

<i>Coryne sarcoides</i>	-		23
-------------------------	---	--	----

<i>Crepidotus appланatus</i>	-	11	23
------------------------------	---	----	----

* <i>Crepidotus stipitatus</i>	-		23
--------------------------------	---	--	----

<i>Crepidotus versutus</i>	-		23
----------------------------	---	--	----

<i>Cryptodiaporthe goliculata</i>	-		23
-----------------------------------	---	--	----

<i>Cudonia lutea</i>	-		23
----------------------	---	--	----

<i>Cylindrocarpon</i> sp.	-	11	
---------------------------	---	----	--

<i>Daedalea confragosa</i>	-	11	21
----------------------------	---	----	----

<i>Daedalea quercina</i>	-		21
--------------------------	---	--	----

<i>Daedalea unicolor</i>	-	11	21	31
--------------------------	---	----	----	----

<i>Daldinia concentrica</i>	-		21
-----------------------------	---	--	----

<i>Diatrype stigma</i>	-	11	
------------------------	---	----	--

* <i>Diatrypella nigro-annulata</i>	-		23
-------------------------------------	---	--	----

* <i>Dichaena faginea</i>	-		23
---------------------------	---	--	----

Fagus grandifolia (cont.)

<i>Discula quercina</i>	-	11	21	31
* <i>Eutypa spinosa</i>	-		23	
<i>Exidia glandulosa</i>	-	12	23	
<i>Fusarium avenaceum</i>	-	11		
<i>Fusarium redolens</i>	-	11		
<i>Favolus alveolaris</i>	-	11	21	31
<i>Femsjonia pezizaeformis</i>	-		23	
<i>Fomes connatus</i>	-		21	31
<i>Fomes fomentarius</i>	-	11	21	31
<i>Fomes igniarius</i>	-	11	21	41
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-		22	32
<i>Fomes pini</i>	-		23	
<i>Fomes pinicola</i>	-	11	21	
<i>Fomes viticola</i>	-		21	
<i>Ganoderma applanatum</i>	-	11	21	34
<i>Ganoderma lucidum</i>	-			31
<i>Gloeocystidiellum citrinum</i>	-		24	
<i>Gloeocystidiellum porosum</i>	-	11		
<i>Gloeosporium</i> sp.	-	11	21	32
<i>Gonartorrhodiella highlei</i>	-	11	23	
<i>Haematostereum rugosum</i>	-		21	
<i>Haematostereum sanguinolentum</i>	-		24	
<i>Helotium citrinum</i>	-	11		
<i>Helotium epiphyllum</i>	-		23	
<i>Hericium coralloides</i>	-		23	
<i>Hericium erinaceus</i>	-		24	

Fagus grandifolia (cont.)

<i>Hericium ramosum</i>	-	23
<i>Hericium</i> sp.	-	11
<i>Hydnochaete olivaceum</i>	-	23
<i>Hymenochaete agglutinans</i>	-	11 21
<i>Hymenochaete corrugata</i>	-	11 21 31
<i>Hymenochaete corticolor</i>	-	23
<i>Hymenochaete spreta</i>	-	21
<i>Hymenochaete tabacina</i>	-	11 21 31
<i>Hyphodontia papillosa</i>	-	23
* <i>Hypocrea patella</i>	-	23
* <i>Hypocrea rufa</i>	-	23
<i>Hypoxyylon cohaerens</i>	-	11 21 31
<i>Hypoxyylon deustum</i>	-	11 21
<i>Hypoxyylon fragiforme</i>	-	11 21
<i>Hypoxyylon</i> sp.	-	11 21
* <i>Hysterographium mori</i>	-	23
* <i>Hysteropatella minor</i>	-	23
<i>Laeticorticium roseo-carneum</i>	-	23
<i>Lentinellus cochleatus</i>	-	23
<i>Lenzites betulina</i>	-	11 23
<i>Libertella faginata</i>	-	11
<i>Lycoperdon pyriforme</i>	-	21
<i>Lycoperdon subincarnatum</i>	-	23
<i>Marasmius rotula</i>	-	31
<i>Merulius porinoides</i>	-	23
<i>Merulius tremellosus</i>	-	23
<i>Microsphaera penicillata</i>	-	21

Fagus grandifolia (cont.)

<i>Mucronella aggregata</i>	-			41
* <i>Mycena atroumbonata</i>	-		23	
<i>Mycena leaiana</i>	-	11	21	
<i>Mycosphaerella punctiformis</i>	-		23	
<i>Nectria coccinea</i> var. <i>faginata</i>	-	11	21	31
<i>Nectria ditissima</i>	-		25	
<i>Nectria galligena</i>	-	11	21	
<i>Nectria</i> sp.	-	12	22	
<i>Odontia crustosa</i>	-		23	
<i>Odontia fusco-atra</i>	-		22	
<i>Odontia hydnoides</i>	-		23	
<i>Odontia spathulata</i>	-			32
<i>Odontia</i> sp.	-		24	
<i>Omphalia epichysium</i>	-		23	
<i>Orbilia inflatula</i>	-		23	
<i>Panellus stipticus</i>	-	11	23	
<i>Panus rudis</i>	-		23	
<i>Panus torulosus</i>	-		21	
<i>Paxillus involutus</i>	-		23	
<i>Pellicularia pruinata</i>	-		23	
<i>Peniophora affinis</i>	-		24	
<i>Peniophora carnosa</i>	-		23	
<i>Peniophora cinerea</i>	-	14		
<i>Peniophora cremea</i>	-	11	23	
<i>Peniophora flavidoo-alba</i>	-		22	
<i>Peniophora incarnata</i>	-		24	
<i>Peniophora nuda</i>	-		24	

Fagus grandifolia (cont.)

<i>Peniophora sanguinea</i>	-	23	
<i>Peniophora velutina</i>	-	23	
<i>Peniophora</i> sp.	-	12	32
<i>Phialocephala bactrospora</i>	-	11	
<i>Phlebia radiata</i>	-	11	23
<i>Pholiota acericola</i>	-		23
<i>Pholiota aurivella</i>	-		23
<i>Pholiota malicola</i>	-	11	
<i>Pholiota squarrosoides</i>	-		23
<i>Pholiota</i> sp.	-		21
<i>Phyllotopsis nidulans</i>	-		21
<i>Pleurotus lignatilis</i>	-		23
<i>Pleurotus ostreatus</i>	-	11	23
<i>Pleurotus serotinus</i>	-	11	21
<i>Pleurotus strigosus</i>	-		23
<i>Plicatura faginea</i>	-	11	21
<i>Polyporus adustus</i>	-	11	21
<i>Polyporus albellus</i>	-	11	21
<i>Polyporus brumalis</i>	-		23
<i>Polyporus caesius</i>	-		23
<i>Polyporus dichrous</i>	-	14	21
<i>Polyporus elegans</i>	-		21
<i>Polyporus glomeratus</i>	-		23
<i>Polyporus hirsutus</i>	-	11	21
<i>Polyporus nidulans</i>	-		23
<i>Polyporus targamenus</i>	-	11	21
			31

Fagus grandifolia (cont.)

<i>Polyporus pubescens</i>	-	11	21		
<i>Polyporus semisupinus</i>	-		23		
<i>Polyporus squamosus</i> var. <i>fagicola</i>	-		23		
<i>Polyporus tulipiferae</i>	-	11	23		
<i>Polyporus varius</i>	-		23		
<i>Polyporus velutinus</i>	-		23		
<i>Polyporus versicolor</i>	-	11	21	31	41
<i>Polyporus</i> sp.	-	11			
<i>Poria aestivale</i>	-		21		
<i>Poria elongata</i>	-	11			
<i>Poria eupora</i>	-		21		
<i>Poria ferrea</i>	-		21		
<i>Poria ferruginosa</i>	-		21		
<i>Poria nigrescens</i>	-				41
<i>Poria obliqua</i>	-	11			
<i>Poria semitincta</i>	-	14	21		
<i>Poria</i> sp.	-	12	22		
<i>Propolis faginea</i>	-		23		
* <i>Prosthemella formosa</i>	-		23		
<i>Pycnoporus cinnabarinus</i>	-	11	21		41
<i>Radulum orbiculare</i>	-		21		
* <i>Rosellinia conglobata</i> var. <i>microtricha</i>	-		23		
<i>Rutstroemia macrospora</i>	-	11			
<i>Schizophyllum commune</i>	-	11	21		
<i>Solenia canadensis</i>	-	14			
<i>Stachylidium bicolor</i>	-	11			

Fagus grandifolia (cont.)

<i>Steccherinum ochraceum</i>	-	23	41
<i>Steccherinum setulosum</i>	-	22	
<i>Steccherinum</i> sp.	-	12	22
<i>Stereum hirsutum</i>	-		21
<i>Stereum ostrea</i>	-	11	21
* <i>Strickeria villis</i>	-		23
<i>Thyrsidium botryosporum</i>	-		23
<i>Tomentella subfusca</i>	-		23
<i>Trematosphaeria melina</i>	-	11	21
<i>Trogia crispa</i>	-	11	21
<i>Tubercularia</i> sp.	-	12	
<i>Xylaria castorea</i>	-	11	21
* <i>Zignoella pulviscula</i>	-		23

Fagus sp.

<i>Calocera cornea</i>	-	23	
<i>Chlorosplenium aeruginosum</i>	-	13	23
<i>Corticium vellereum</i>	-		23
<i>Helotium epiphyllum</i>	-		23
<i>Lachnella tricolor</i>	-		23
<i>Mollisia cinerea</i>	-		23
<i>Peniophora aspera</i>	-		23
<i>Polyporus pubescens</i>	-		41
<i>Tremella lutescens</i>	-		23

Fraxinus americana

<i>Cytospora</i> sp.	-	12	
<i>Dendrophoma pruinosa</i>	-	11	
<i>Discula quercina</i>	-	11	21

Fraxinus americana (cont.)

<i>Durandiella fraxini</i>	-	23
<i>Gloeosporium</i> sp.	-	21
<i>Mycosphaerella effigurata</i>	-	21
<i>Panellus stipticus</i>	-	21
<i>Piggotia</i> sp.	-	21
<i>Polyporus versicolor</i>	-	11 21
<i>Puccinia sparganioides</i>	-	11 21

Fraxinus excelsior

<i>Ganoderma applanatum</i>	-	21
-----------------------------	---	----

Fraxinus nigra

<i>Daedalea unicolor</i>	-	11
<i>Discula quercina</i>	-	11 21
<i>Fomes conchatus</i>	-	11 41
<i>Fomes igniarius</i>	-	11
<i>Mycosphaerella effigurata</i>	-	11
<i>Polyporus tulipiferae</i>	-	12
<i>Puccinia sparganioides</i>	-	11 21
<i>Valsa fraxinina</i>	-	11

Fraxinus pensylvanica

<i>Discula quercina</i>	-	32
<i>Durandiella fraxini</i>	-	23

Fraxinus sp.

<i>Cladosporium</i> sp.	-	11
<i>Cystostereum murraili</i>	-	11
<i>Cytospora</i> sp.	-	11
<i>Discula quercina</i>	-	11 21
<i>Fomes conchatus</i>	-	13

Fraxinus sp. (cont.)

Fomes igniarius	-	11	
Gloeosporium irregulare	-	23	
Mycosphaerella effigurata	-	11	25
Phlebia hydnoides	-	24	
Phyllactinia guttata	-	11	
Polyporus resinosus	-	13	
Polyporus versicolor	-	11	21
Puccinia sparganioides	-	11	21
Sphaerographium fraxini	-	11	
Tubercularia sp.	-	12	

Gaylussacia baccata

Exobasidium vaccinii	-	21	
----------------------	---	----	--

Gleditsia triacanthos

Phomopsis sp.	-	21	
---------------	---	----	--

Hamamelis virginiana

Gonatobotryum apiculatum	-	11	21	
Seimatosporium consociatum	-			41

Juglans cinerea

Fomes igniarius	-	11	
Gnomonia leptostyla	-	11	23
Melanconis juglandis	-	11	

Juglans sp.

Fomes igniarius	-	11	
Gnomonia leptostyla	-	11	
Melanconis juglandis	-	12	

		<u>Kalmia angustifolia</u>
Dothidella kalmiae	-	21
Mycosphaerella colorata	-	11
		<u>Kalmia</u> sp.
Mycosphaerella colorata	-	25
		<u>Ledum groenlandicum</u>
Chrysomyxa ledi	-	11 22
Chrysomyxa ledicola	-	11 21 33
Chrysomyxa woroninii	-	25
		<u>Ledum palustre</u> var. <u>decumbens</u>
Chrysomyxa woroninii		
		<u>Ledum</u> sp.
Chrysomyxa woroninii	-	25
		<u>Ligustrum</u> sp.
Nectria cinnabarina	-	11
		<u>Lonicera canadensis</u>
Herpobasidium deformans	-	24
Kabatia lonicerae var. americana	-	25
		<u>Lonicera</u> sp.
Botrytis cinerea	-	13
Herpobasidium deformans	-	11
Lasiobotrys lonicerae	-	41
		<u>Malus pumila</u>
Alternaria mali	-	13
Daedalea unicolor	-	14 23
Fomes igniarius	-	11 23
Gymnosporangium clavipes	-	23

Malus pumila (cont.)

<i>Radulum quercinum</i>	-	23		
<i>Xylobolus subpileatus</i>	-	21		
<u>Malus sp.</u>				
<i>Botryosphaeria obtusa</i>	-	23		
<i>Botrytis cinerea</i>	-	13	23	
<i>Chondrostereum purpureum</i>	-	13	23	33
<i>Cladosporium herbarum</i>	-		23	
<i>Coniosporium mali</i>	-		23	
<i>Cytospora sp.</i>	-	11		
<i>Fomes connatus</i>	-	11	23	
<i>Fomes igniarius</i>	-	15	21	
<i>Fomes pinicola</i>	-		24	
<i>Ganoderma applanatum</i>	-		23	
<i>Gloeodes pomigena</i>	-	13	23	33
<i>Gloeosporium album</i>	-	13		
<i>Glomerella cingulata</i>	-		23	
<i>Gonatobotrys simplex</i>	-	13		
<i>Haematostereum rugosum</i>	-		21	
<i>Hymenochaete corrugata</i>	-		23	
<i>Hymenochaete fuliginosa</i>	-			41
<i>Lenzites betulina</i>	-		23	
<i>Leptothyrium pomi</i>	-	13	23	33
<i>Merulius tremellosus</i>	-		24	
<i>Nectria cinnabarina</i>	-	11	25	
<i>Nectria coccinea var. faginata</i>	-		23	
<i>Nectria galligena</i>	-	13	23	

			<u>Malus</u> sp. (cont.)
<i>Penicillium candidum</i>	-	13	
<i>Penicillium expansum</i>	-	23	
<i>Pholiota aurivella</i>	-	23	
<i>Pholiota spectabilis</i>	-	23	
<i>Pholiota squarrosa</i>	-	23	
* <i>Phoma pomi</i>	-	13	
<i>Phyllosticta prunicola</i>	-	23	
<i>Pleurotus dryinus</i>	-	23	
<i>Polyporus caesius</i>	-	21	
<i>Polyporus resinosus</i>	-	23	
<i>Polyporus tulipiferae</i>	-	24	
<i>Polyporus varius</i>	-	11	23
<i>Polyporus versicolor</i>	-	21	34
<i>Schizophyllum commune</i>	-	23	
* <i>Trichoderma koningii</i>	-	23	
<i>Trichothecium roseum</i>	-	13	23
* <i>Valsa amphibola</i>	-	23	
<i>Venturia inaequalis</i>	-	11	21
			<u>Myrica gale</u>
<i>Cronartium comptoniae</i>	-	21	
			<u>Nemopanthus mucronata</u>
<i>Rhytidisma ilicis-canadensis</i>	-	11	21
			<u>Ostrya virginiana</u>
<i>Aleurodiscus oakesii</i>	-	11	41
<i>Cylindrosporium dearnessii</i>	-	11	21
<i>Fomes connatus</i>	-	11	

			<u>Ostrya virginiana</u> (cont.)
Fomes igniarius	-	11	
Gnomonia ulmea	-	11	
Hymenochaete tabacina	-	11	
			<u>Parthenocissus quinquefolia</u>
Guignardia bidwellii	-		41
Phleospora ampelopsidis	-		41
			<u>Platanus</u> sp.
Polyporus tulipiferae	-		41
			<u>Populus alba</u>
Venturia populina	-	11 21	
			<u>Populus balsamifera</u>
Fomes igniarius	-	11	
Fomes igniarius var. laevigatus	-		41
Hypoxyton mammatum	-	11	
Leucostoma nivea	-		21
Linospora tetraspora	-		41
Mycosphaerella populincola	-	11 21	
Poria punctata	-		21
Poria similis	-		21
Poria sp.	-		22
Uncinula salicis	-	11	
Venturia populina	-	11 21	
			<u>Populus canadensis</u> var. <u>eugenei</u>
Ciborinia whetzelii	-	11 21	
Cladosporium sp.	-	11	
Cryptodiaporthe populea	-	11 21 31	
Drepanopeziza tremulae	-		21
Peniophora rufa	-	11	

			<u>Populus grandidentata</u>
Ciborinia whetzelii	-	11	
Cladosporium herbarum	-	11	
Cystostereum murraiae	-	24	
Drepanopeziza tremulae	-	11	
Fomes fomentarius	-	22	
Fomes igniarius	-	21	
Hymenochaete tabacina	-	21	
Hypoxyylon mammatum	-	11	21
Leucostoma nivea	-	23	
*Massaria salilliformis	-	23	
Melampsora abietis-canadensis	-	11	21 33
Melampsora medusae	-	23	
Peniophora rufa	-	11	
Pleurotus ostreatus	-	21	
Polyporus adustus	-	21	
Polyporus dryophilus var. vulpinus	-	24	
Polyporus hirsutus	-	12	
Uncinula salicis	-	11	
Valsa sordida	-	11	21
Venturia macularis	-	11	21
			<u>Populus nigra</u>
Ciborinia whetzelii	-	11	
Cryptodiaporthe populea	-	11	
			<u>Populus nigra</u> var. <u>italica</u>
Ciborinia whetzelii	-	11	22
Cryptodiaporthe populea	-	11	21 31

Populus nigra var. *italica* (cont.)

Gloeosporium sp.	-	22			
Hypoxyton sp.	-	12			
*Hysterium pulicare	-	23			
Lentinellus vulpinus	-	23			
Taphrina populina	-	11	21	33	41
Taphrina sp.	-		22		
Valsa sordida	-	11	21		
Venturia macularis	-	12			

Populus tacamahacca

Leucostoma nivea	-	23			
------------------	---	----	--	--	--

Populus tremuloides

Chondrostereum purpureum	-	11	25	35	
Ciborinia whetzelii	-	11	21	31	
Cladosporium herbarum	-		21		
Cladosporium subsessile	-				41
Cladosporium sp.	-		22		
Corticium laeve	-	11	24		
Corticium sp.	-		22		
Crepidotus fulvotomentosus	-		21		
Cryptodiaporthe populea	-		21		
Cytidia salicina	-	11			
Cytopora sp.	-	12	22		
Daedalea confragosa	-	11			
Drepanopeziza tremulae	-	11	21		
Encoelia fascicularis	-	11	21		
Exidia glandulosa	-	11			
Fomes conchatus	-	14			

Populus tremuloides (cont.)

<i>Fomes igniarius</i>	-	11	21	33
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-	12		
<i>Fomes pinicola</i>	-		21	
<i>Ganoderma applanatum</i>	-	12		33
<i>Guignardia populi</i>	-	11	21	
<i>Hydnellum suaveolens</i>	-			41
<i>Hymenochaete tabacina</i>	-			41
<i>Hypoxyton mammatum</i>	-	11	21	31
<i>Hypoxyton</i> sp.	-	12		
<i>Lenzites saepiaria</i>	-		21	
<i>Leucostoma nivea</i>	-	11	23	31
<i>Melampsora abietis-canadensis</i>	-	11	21	
<i>Melampsora medusae</i>	-	11	21	31
<i>Merulius tremellosus</i>	-	14		
<i>Mycosphaerella populorum</i>	-	11	21	
<i>Nectria galligena</i>	-		21	
<i>Ocellaria ocellata</i>	-		23	
<i>Peniophora mutata</i>	-	11		
<i>Peniophora nuda</i>	-	14		
<i>Peniophora polygonia</i>	-		21	
<i>Peniophora populea</i>	-			41
<i>Peniophora rufa</i>	-	11	21	
<i>Phaeophlebia strigoso-zonata</i>	-	11	21	
<i>Phomopsis</i> sp.	-	11		
<i>Pleurotus ostreatus</i>	-	11		
<i>Pleurotus subareolatus</i>	-	14		

Populus tremuloides (cont.)

<i>Pleurotus unguicularis</i>	-	21		
<i>Polyporus adustus</i>	-	11	21	
<i>Polyporus dryophilus</i> var. <i>vulpinus</i>	-	11	21	
<i>Polyporus elegans</i>	-			31
<i>Polyporus hirsutus</i>	-	11		
<i>Polyporus targamenus</i>	-	11	21	
<i>Polyporus versicolor</i>	-	12		
<i>Polyporus zonatus</i>	-	11	25	35
<i>Poria candidissima</i>	-			31
<i>Poria ferrea</i>	-	11		
<i>Propolis faginea</i>	-		23	
<i>Pycnoporus cinnabarinus</i>	-		21	
<i>Radulum casearium</i>	-	11	21	
<i>Schizophyllum commune</i>	-	11		
<i>Sistotrema brinkmannii</i>	-			41
<i>Tympanis spermatiospora</i>	-	11		41
<i>Uncinula salicis</i>	-	11		
<i>Valsa sordida</i>	-	11	21	31
<i>Valsa</i> sp.	-	12		
<i>Venturia macularis</i>	-	11	21	31

Populus sp.

<i>Aporpium caryae</i>	-	24		41
<i>Caldesiella ferruginosa</i>	-		21	
<i>Cenangium populneum</i>	-	11		
<i>Chlorosplenium aeruginosum</i>	-	13	23	
<i>Chondrostereum purpureum</i>	-	11	24	
<i>Coccomyces coronatus</i>	-		23	

Populus sp. (cont.)

<i>Corticium laeve</i>	-	14	34	
<i>Corticium pini-canadensis</i>	-		31	
<i>Crepidotus fulvotomentosus</i>	-	12	21	31
<i>Crepidotus pubescens</i>	-			31
<i>Crepidotus sepiarius</i>	-			31
<i>Cystostereum murraili</i>	-	11		
<i>Cytospora</i> sp.	-	12		
<i>Encoelia fascicularis</i>	-		23	33
<i>Exidia nucleata</i>	-		24	
<i>Fomes fomentarius</i>	-		21	
<i>Fomes igniarius</i>	-	11	21	31
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-	11		
<i>Fomes igniarius</i> var. <i>populinus</i>	-	14		
<i>Fomes pinicola</i>	-		21	
<i>Fomes roseus</i>	-	11		
<i>Ganoderma applanatum</i>	-	11	21	
<i>Gloeocystidiellum karstenii</i>	-	11		31
<i>Haematostereum rugosum</i>	-		21	
<i>Hymenochaete agglutinans</i>	-			31
<i>Hymenochaete corrugata</i>	-			31
<i>Hymenochaete tabacina</i>	-	11	24	
<i>Hyphodontia alutacea</i>	-			41
<i>Hypoxylon mammatum</i>	-	11	23	32
<i>Hypoxylon</i> sp.	-	12		32
<i>Hypsizygus tessulatus</i>	-		23	
* <i>Hysterographium mori</i>	-		23	
<i>Lachnella corticalis</i>	-		23	

Populus sp. (cont.)

<i>Laxitextum bicolor</i>	-	24
<i>Lenzites betulina</i>	-	23
<i>Lenzites saepiaria</i>	-	11
<i>Libertella</i> sp.	-	14
<i>Melanconis apocrypta</i>	-	23
<i>Nectria galligena</i>	-	23
<i>Ocellaria ocellata</i>	-	11
<i>Odontia fusco-atra</i>	-	24
<i>Panellus stipticus</i>	-	11
<i>Peniophora affinis</i>	-	12
<i>Peniophora carnosa</i>	-	21
<i>Peniophora cinerea</i>	-	24
<i>Peniophora mutata</i>	-	11 22 32
<i>Peniophora nuda</i>	-	34
<i>Peniophora polygonia</i>	-	41
<i>Peniophora rufa</i>	-	11 23 31
<i>Phaeophlebia strigoso-zonata</i>	-	11 23 31 41
<i>Phlebia pubera</i>	-	23
<i>Pholiota spectabilis</i>	-	14
<i>Pholiota squarrosa</i>	-	41
<i>Pleurotus candidissimus</i>	-	31
<i>Pleurotus ostreatus</i>	-	11 21
<i>Pleurotus salignus</i>	-	23
<i>Pleurotus subareolatus</i>	-	14
<i>Pleurotus</i> sp.	-	12 22
<i>Plicatura nivea</i>	-	41
<i>Polyporus adustus</i>	-	11 22 31

Populus sp. (cont.)

<i>Polyporus albellus</i>	-	11		
<i>Polyporus dryophilus</i> var. <i>vulpinus</i>	-	11	21	
<i>Polyporus elegans</i>	-			41
<i>Polyporus gilvus</i>	-			41
<i>Polyporus pargamenus</i>	-	11	21	31
<i>Polyporus pubescens</i>	-	11		41
<i>Polyporus resinosus</i>	-			41
<i>Polyporus semisupinus</i>	-	11		
<i>Polyporus spumeus</i>	-		23	
<i>Polyporus tephroleucus</i>	-		24	
<i>Polyporus tulipferae</i>	-	11	23	
<i>Polyporus velutinus</i>	-		23	
<i>Polyporus versicolor</i>	-	12	21	
<i>Polyporus zonatus</i>	-	11	23	
<i>Poria aneirina</i>	-			41
<i>Poria candidissima</i>	-		24	
<i>Poria corticola</i>	-		23	
<i>Poria eupora</i>	-	11		
<i>Poria ferrea</i>	-	11		
<i>Poria ferruginosa</i>	-		24	
<i>Poria latemarginata</i>	-		23	
<i>Poria lenis</i>	-		24	
<i>Poria pannocincta</i>	-			41
<i>Poria punctata</i>	-	11		
<i>Poria semitincta</i>	-		23	
<i>Poria subacida</i>	-		24	

Populus sp. (cont.)

<i>Poria xantha</i>	-	11	23
<i>Poria</i> sp.	-	12	
<i>Psilocybe conissans</i>	-		23
<i>Pycnoporus cinnabarinus</i>	-	11	
<i>Radulum casearium</i>	-	11	
<i>Radulum orbiculare</i>	-		24
<i>Schizophyllum commune</i>	-	11	
<i>Solenia anomala</i>	-		24
<i>Steccherinum fimbriatum</i>	-	24	31
<i>Stereum ostrea</i>	-	11	
<i>Trametes hispida</i>	-		23
<i>Trametes trogii</i>	-	11	21
<i>Tulasnella violea</i>	-		24
<i>Tympinis spermatispora</i>	-	23	41
<i>Valsa salicina</i>	-		23
<i>Venturia macularis</i>	-	11	32

Prunus americana

<i>Taphrina communis</i>	-	23
--------------------------	---	----

Prunus nigra

<i>Apiosporina morbosa</i>	-	22
<i>Cladosporium</i> sp.	-	11
<i>Podosphaera clandestina</i>	-	21
<i>Taphrina communis</i>	-	11
<i>Taphrina pruni</i>	-	12

Prunus pensylvanica

<i>Apiosporina morbosa</i>	-	11	21	31	41
<i>Botrytis cinerea</i>	-		21		
<i>Cocomyces hiemalis</i>	-	11	21	31	

				<u>Prunus pensylvanica</u> (cont.)
Cylindrosporium sp.	-	11	21	32
Dermea cerasi	-		23	
Fomes igniarius var. laevigatus	-	12	21	
Fumago sp.	-	11		
Haematostereum rugosum	-		21	
Leucostoma persoonii	-		23	
Monilia fructigena	-		21	
Monilia sp.	-	11		
Monilinia fruticola	-	11	21	31
Phaestoma sphaerophila	-	11	21	
Polyporus albellus	-	11		
Polyporus brumalis	-		21	
Polyporus dryophilus	-	11		
Polyporus perennis	-		22	
Polyporus tulipiferae	-	11		
Polyporus versicolor	-			32
Pycnoporus cinnabarinus	-	15		
Rabenhorstia sp.	-	11		
Radulum pallidum	-			32
Schizophyllum commune	-		21	
Steccherinum ochraceum	-			41
Taphrina pruni	-		23	
Taphrina wiesneri	-	11	21	31
Taphrina sp.	-		22	
				<u>Prunus serotina</u>
Apiosporina morbosa	-	11	21	
Cocomyces hiemalis	-	12	22	
Exidia recisa	-		23	

Prunus serotina (cont.)

<i>Polyporus tulipiferae</i>	-		41
------------------------------	---	--	----

<i>Taphrina</i> sp.	-	12	
---------------------	---	----	--

Prunus virginiana

<i>Apiosporina morbosa</i>	-	11	21
----------------------------	---	----	----

<i>Botrytis cinerea</i>	-	11	
-------------------------	---	----	--

<i>Cocomyces hiemalis</i>	-	11	
---------------------------	---	----	--

<i>Cylindrosporium</i> sp.	-	12	22
----------------------------	---	----	----

<i>Leucostoma persoonii</i>	-		23
-----------------------------	---	--	----

<i>Monilinia fruticola</i>	-	11	
----------------------------	---	----	--

<i>Nectria cinnabarinata</i>	-		21
------------------------------	---	--	----

<i>Peniophora cinerea</i>	-		23
---------------------------	---	--	----

<i>Phyllosticta circumscissa</i>	-		41
----------------------------------	---	--	----

<i>Podosphaera clandestina</i>	-	11	
--------------------------------	---	----	--

<i>Polyporus pargamenus</i>	-	11	
-----------------------------	---	----	--

<i>Polyporus versicolor</i>	-	11	21
-----------------------------	---	----	----

<i>Poria punctata</i>	-		21
-----------------------	---	--	----

<i>Steccherinum fimbriatum</i>	-		21
--------------------------------	---	--	----

<i>Taphrina confusa</i>	-	11	23
-------------------------	---	----	----

Prunus sp.

<i>Apiosporina morbosa</i>	-	11	21	31
----------------------------	---	----	----	----

<i>Botrytis cinerea</i>	-	11	23	
-------------------------	---	----	----	--

<i>Chondrostereum purpureum</i>	-		33
---------------------------------	---	--	----

<i>Cocomyces hiemalis</i>	-		21
---------------------------	---	--	----

<i>Corticium cremoricolor</i>	-		24
-------------------------------	---	--	----

<i>Cylindrosporium padi</i>	-		23
-----------------------------	---	--	----

<i>Daedalea unicolor</i>	-		23
--------------------------	---	--	----

Prunus sp. (cont.)

<i>Dermea cerasi</i>	-	11	23		
<i>Dermea prunastri</i>	-		23	31	
<i>Diatrypella discoidea</i>	-		23		
<i>Exidia glandulosa</i>	-				41
<i>Fomes igniarius</i> var. <i>laevigatus</i>	-	11	21	31	
<i>Gloeodes pomigena</i>	-		23		
<i>Gloeosporium</i> sp.	-	12			
<i>Godronia urceolus</i> var. <i>conferta</i>	-		23		
<i>Hymenochaete fuliginosa</i>	-				41
<i>Hymenochaete tabacina</i>	-	11	24		
<i>Hypoxyton multififorme</i>	-	11			
<i>Lenzites saepiaria</i>	-		24		
<i>Massaria pruni</i>	-		23		
<i>Monilinia fruticola</i>	-	11			
<i>Nectria cinnabarina</i>	-				41
<i>Peniophora aspera</i>	-		21		
<i>Peniophora cinerea</i>	-	11			
<i>Peniophora gracillima</i>	-		23		
<i>Phaeophlebia stringoso-zonata</i>	-	11			
<i>Phaestoma sphaerophila</i>	-	11	21	31	41
<i>Pleurotus serotinus</i>	-	11			
<i>Podosphaera clandestina</i>	-	11			
<i>Polyporus abietinus</i>	-		21		
<i>Polyporus albellus</i>	-			31	
<i>Polyporus hirsutus</i>	-		24	31	
<i>Polyporus pargamenus</i>	-	12	22	32	

Prunus sp. (cont.)

<i>Polyporus sulphureus</i>	-	23
<i>Polyporus tulipiferae</i>	-	11 23
<i>Polyporus versicolor</i>	-	11 22 31
<i>Poria ferruginosa</i>	-	11
<i>Poria</i> sp.	-	12
<i>Pycnoporus cinnabarinus</i>	-	11 31
<i>Radulum orbiculare</i>	-	32
<i>Sistotrema brinkmannii</i>	-	11
<i>Taphrina communis</i>	-	11
<i>Taphrina confusa</i>	-	11
<i>Taphrina deformans</i>	-	13 23 31
<i>Taphrina pruni</i>	-	11 23 33
<i>Taphrina wiesneri</i>	-	11 21 31
<i>Taphrina prunicola</i>	-	23

Pyrus malus

<i>Polyporus tulipiferae</i>	-	24
------------------------------	---	----

Pyrus sp.

<i>Gymnosporangium clavigipes</i>	-	23
-----------------------------------	---	----

Quercus macrocarpa

<i>Discula quercina</i>	-	11
<i>Taphrina cacrulescens</i>	-	12

Quercus rubra

<i>Actinopeltis dryina</i>	-	11 21
<i>Botryosphaeria stevensii</i>	-	25
<i>Cryptocline cinerescens</i>	-	21
<i>Daedalea quercina</i>	-	11

Quercus rubra (cont.)

<i>Diaporthe leiphaemia</i>	-	11	
<i>Discula quercina</i>	-	11	21
<i>Ganoderma appianatum</i>	-		23
<i>Hydnochaete olivaceum</i>	-	13	21
<i>Hypoxylon deustum</i>	-		21
<i>Hymenochaete agglutinans</i>	-		21
<i>Microsphaera penicillata</i>	-	11	21
<i>Peniophora cinerea</i>	-	11	
<i>Peniophora</i> sp.	-		21
<i>Phaephlebia strigoso-zonata</i>	-		41
<i>Phomopsis</i> sp.	-		22
<i>Polyporus obtusus</i>	-		41
<i>Polyporus sulphureus</i>	-	11	22
<i>Polyporus versicolor</i>	-		21
<i>Poria ferrea</i>	-		21
<i>Poria ferruginosa</i>	-		21
<i>Pseudovalsa longipes</i>	-	11	23
<i>Stereum frustulatum</i>	-		23
<i>Stereum</i> sp.	-		22
<i>Taphrina caerulescens</i>	-	11	21
<i>Xylobolus subpileatus</i>	-		21

Quercus petraea

<i>Helminthosporium microsorum</i>	-		41
------------------------------------	---	--	----

Quercus sp.

<i>Coniophora puteana</i>	-	24
<i>Corticium sulphureum</i>	-	24

Quercus sp. (cont.)

<i>Discula quercina</i>	-	11		
<i>Ganoderma applanatum</i>	-		21	
<i>Hydnochaete olivaceum</i>	-		21	
<i>Hypocrea citrina</i>	-			31
<i>Hypoxyylon deustum</i>	-		22	
<i>Lentinellus cochleatus</i>	-		23	
<i>Lenzites betulina</i>	-		23	41
<i>Microsphaera penicillata</i>	-			33
<i>Mycoacia himantia</i>	-			41
<i>Pholiota squarrosa</i>	-		23	
<i>Polyporus albellus</i>	-		24	
<i>Polyporus compactus</i>	-		24	
<i>Polyporus frondosus</i>	-	11	23	41
<i>Polyporus sulphureus</i>	-	11	23	
<i>Poria ferrea</i>	-		22	
<i>Poria medulla-panis</i>	-		21	
<i>Poria subacida</i>	-		24	
<i>Poria</i> sp.	-		22	
<i>Propolis faginea</i>	-		23	
<i>Stereum hirsutum</i>	-		23	
<i>Taphrina caerulescens</i>	-	12	21	32
<i>Taphrina</i> sp.	-	12		
<i>Tomentella ferruginea</i>	-			41
<i>Tomentella fuscoferruginosa</i>	-			41
<i>Xylobolus subpileatus</i>	-		22	

			<u>Rhamnus alnifolia</u>
Puccinia coronata	-	13 21	41
			<u>Rhamnus cathartica</u>
Puccinia coronata	-	13 21 33	
			<u>Rhamnus frangula</u>
Puccinia coronata	-	11	
			<u>Rhamnus sp.</u>
Melasmia sp.	-	11	
Puccinia coronata	-	13 21 33	
			<u>Rhododendron canadense</u>
Exobasidium canadense	-	15 25 35	
Exobasidium vaccinii	-	11 24 35	
Exobasidium sp.	-	21	
			<u>Rhododendron sp.</u>
Chrysomyxa ledi	-	12 22	
Exobasidium vaccinii	-	11	
			<u>Rhus radicans</u>
Pileolaria brevipes	-		41
			<u>Rhus typhina</u>
Steccherinum fimbriata	-	11	
			<u>Rhus sp.</u>
Steccherinum fimbriata	-	12	
			<u>Ribes alpinum</u>
Gloeosporidiella ribis	-	11 21	
Nectria cinnabarinna	-	11	
			<u>Ribes bracteosum</u>
Neokeissleria ribis	-		41

			<u>Ribes glandulosum</u>
Cronartium ribicola	-	11	21
			<u>Ribes hirtellum</u>
Cronartium ribicola	-	11	21
			<u>Ribes odoratum</u>
Cronartium ribicola	-		21
			<u>Ribes sp.</u>
Cronartium ribicola	-	11	21
			<u>Robinia pseudoacacia</u>
Aglaospora anomala	-	11	
Alternaria tenuissima	-	11	
Arthrobotrys oligospora	-	11	
Coryneum trimerum	-	12	
Cucurbitaria elongata	-	11	21
Cucurbitaria pithyophila	-	11	
Diaporthe oncostoma	-	11	
Fusarium sp.	-	11	
Lopharia cinerascens	-	11	
Nectria cinnabarinia	-	11	
Polyporus tulipiferae	-	11	
			<u>Robinia sp.</u>
Fomes robinea	-		41
			<u>Rosa sp.</u>
Phragmidium americanum	-	13	21
Phragmidium speciosum	-	11	21
Phragmidium sp.	-	12	21
			31
			<u>Rubus flagellaris</u>
Kuehneola uredinis	-		41

			<u>Rubus</u> sp.
<i>Crucibulum leve</i>	-	11	
<i>Gymnoconia peckiana</i>	-	11	21
<i>Hymenochaete tabacina</i>	-		24
<i>Kunkelia nitens</i>	-		41
<i>Peniophora cinerea</i>	-		24
<i>Phragmidium</i> sp.	-		22
			<u>Salix alba</u> var. <u>fragilis</u>
<i>Monostichella salicis</i>	-		41
			<u>Salix arctophila</u>
<i>Rhytisma salicinum</i>	-		41
			<u>Salix babylonica</u>
<i>Chondrostereum purpureum</i>	-	11	
<i>Cryptodiaporthe salicina</i>	-	11	21
<i>Cytospora</i> sp.	-	12	
<i>Drepanopeziza sphaerioides</i>	-	11	
<i>Fusarium</i> sp.	-	11	
<i>Valsa salicina</i>	-	11	
<i>Venturia saliciperda</i>	-	11	21
			<u>Salix discolor</u>
<i>Cytospora</i> sp.	-	22	
<i>Melampsora epitea</i>	-	11	21
<i>Melampsora paradoxa</i>	-		21
<i>Rhytisma salicinum</i>	-		21
			<u>Salix humilis</u>
<i>Melampsora epitea</i>	-		21
			<u>Salix nigra</u>
<i>Melampsora epitea</i>	-		11

Salix reticulata

Melampsora epitea	-				41
<u>Salix sp.</u>					
Aleurodiscus oakesii	-		24		
*Anthostoma melanotes	-		23		
Chondrostereum purpureum	-	11	23		
Ciborinia foliicola	-				41
Cladosporium herbarum	-	11	21		
Cladosporium sp.	-	11			
Coniophora puteana	-				41
Corticium bombycinum	-		21		
Corticium deflectans	-		23		
Corticium laeve	-		24		
Cryptodiaporthe salicina	-	11	21	31	41
Cytidia salicina	-	11	24		
Cytospora sp.	-	11		31	
Daedalea confragosa	-	11	23		
Daedalea unicolor	-				41
Diaporthe tessella	-		23		41
Diplodina salicis	-	11	23		
Drepanopeziza sphaerioides	-	11			
Exidia spiculosa	-				41
Fomes conchatus	-		23		
Fomes igniarius	-	13			41
Fomes igniarius var. laevigatus	-	12			
Gloeosporium salicis	-		23		
Gloeosporium sp.	-	11	21	32	

Salix sp. (cont.)

<i>Haematostereum sanguinolentum</i>	-			41
<i>Hymenochaete tabacina</i>	-	11	23	
<i>Hypoxyylon mammatum</i>	-		21	
<i>Hypoxyylon</i> sp.	-		22	
<i>Lenzites betulina</i>	-		23	
<i>Leucostoma nivea</i>	-	12		
<i>Lycoperdon pusillum</i>	-		23	
<i>Marsssonina populi</i>	-		23	33
<i>Melampsora epitea</i>	-	11	21	31
<i>Melampsora paradoxa</i>	-	11	21	31
<i>Nectria coryli</i>	-		23	
<i>Nectria galligena</i>	-	15	21	
<i>Ocellaria ocellata</i>	-		23	
<i>Orbilia</i> sp.	-	11		
<i>Panus operculatus</i>	-	11		
<i>Peniophora incarnata</i>	-		24	
<i>Phaeophlebia stringoso-zonata</i>	-	11		
<i>Pholiota erinaceela</i>	-		23	
<i>Pholiota spectabilis</i>	-		21	
<i>Pholiota squarrosoides</i>	-		23	
<i>Physalospora miyabeana</i>	-	11	21	31
<i>Physalospora salicis</i>	-			41
<i>Podosphaera clandestina</i>	-		22	
<i>Polyporus adustus</i>	-	11	23	
<i>Polyporus albellus</i>	-		23	
<i>Polyporus elegans</i>	-		23	41

Salix sp. (cont.)

<i>Polyporus hirsutus</i>	-	23			
<i>Polyporus targamensis</i>	-	11			
<i>Polyporus picipes</i>	-	11			
<i>Polyporus tulipiferae</i>	-	11			
<i>Poria eupora</i>	-	23			
<i>Poria ferruginosa</i>	-	23			
<i>Poria punctata</i>	-	12	23		
<i>Rhytisma salicinum</i>	-	11	21	31	41
<i>Schizophyllum commune</i>	-	11			
<i>Septonema atrum</i>	-	23			
<i>Tomentella botryoides</i>	-	23			
<i>Trametes suaveolens</i>	-	11	21	41	
<i>Trametes trogii</i>	-	21			
<i>Tremella atrovirens</i>	-	23			
<i>Uncinula salicis</i>	-	11	23	33	
<i>Valsa salicina</i>	-	11			
<i>Valsa sordida</i>	-	11	23		
<i>Venturia saliciperda</i>	-	11	21	31	

Sambucus canadensis

<i>Puccinia bolleyana</i>	-	23
<i>Septoria sambucina</i>	-	41

Sambucus pubens

<i>Odontia crustosa</i>	-	23
-------------------------	---	----

Sambucus sp.

<i>Corticium bombycinum</i>	-	24
<i>Corticium confluens</i>	-	24
<i>Exidia nucleata</i>	-	24

Sambucus sp. (cont.)

Peniophora incarnata - 24

Peniophora sambuci - 23

Sorbus americana

Botryosphaeria obtusa - 11 21

Crepidotus fulvotomentosus - 21

Dermea ariae - 11 23

Diaporthe impulsa - 23

Durandiella lenticellicola - 21

Fabraea maculata - 21

Gloeosporium sp. - 22

Gymnosporangium cornutum - 11 21

Leucostoma persoonii - 23

Lophodermium tumidum - 13 23

**Melanomma subsparsum* - 23

Nectria cinnabarina - 12

**Valsa amphibola* - 23

Sorbus aucuparia

Cytospora sp. - 12

Gymnosporangium clavipes - 23

Gymnosporangium sp. - 41

Leucostoma persoonii - 11

Nectria cinnabarina - 23

Phyllosticta sorbi - 21

Sorbus sp.

Crepidotus fulvotomentosus - 21

Gymnosporangium clavipes - 23

Gymnosporangium cornutum -

			<u>Sorbus</u> sp. (cont.)
Nectria cinnabarinia	-	12	21
Nectria galligena	-		23
Peniophora aspera	-	11	
Polyporus albellus	-		41
Polyporus tulipiferae	-	11	
Poria ferrea	-		41
Pycnoporus cinnabarinus	-		41
Valsa sordida	-	13	
			<u>Spiraea</u> sp.
Nectria cinnabarinia	-	11	
			<u>Syringa vulgaris</u>
Crucibulum leve	-	21	
			<u>Syringa</u> sp.
Alternaria sp.	-	11	
Ascochyta syringae	-		33
Botrytis cinerea	-	11	33
			<u>Tilia americana</u>
Cercospora microsora	-	11	21
Diaporthe tiliacea	-		31
Discula quercina	-		41
Helminthosporium oligosporum	-		
Nectria cinnabarinia	-		31
Peniophora aspera	-	24	
Polyporus versicolor	-	11	
			<u>Tilia cordata</u>
Discula quercina	-	23	33

			<u>Tilia europea</u>
Elsinoe tiliae	-	25	
Polyporus hirsutus	-	14	
			<u>Tilia glabra</u>
Cercospora microsora	-	13	23
Discula quercina	-	23	33
			<u>Tilia sp.</u>
Cercospora microsora	-	11	31
Discula quercina	-	11	21
Elsinoe tiliae	-	21	
Nectria cinnabarinna	-		31
Polyporus versicolor	-	11	
			<u>Ulmus americana</u>
Armillaria mellea	-	21	
Ceratocystis ulmi	-	11	21
Collybia velutipes	-	11	23
Corticium laeve	-	11	
Daedalea unicolor	-	11	
Dothiorella ulmi	-	23	
Fomes fomentarius	-	11	
Fomes fraxineus	-		41
Ganoderma applanatum	-	11	
Gnomonia ulmea	-	11	21
Hericium erinaceus	-	11	
Lenzites betulina	-	11	
Mycosphaerella ulmi	-	21	

Ulmus americana (cont.)

<i>Nectria cinnabarina</i>	-	11	21
<i>Peniophora cinerea</i>	-	11	
<i>Peniophora</i> sp.	-	12	
<i>Pleurotus ostreatus</i>	-	11	
<i>Polyporus conchifer</i>	-	11	
<i>Polyporus hirsutus</i>	-	14	
<i>Polyporus squamosus</i>	-	11	
<i>Polyporus versicolor</i>	-	11	
<i>Poria ferrea</i>	-		24
<i>Steccherinum septentrionale</i>	-	11	41
<i>Verticillium lecanii</i>	-	11	
			<u><i>Ulmus glabra</i></u>
<i>Gloeosporium</i> sp.	-	11	
			<u><i>Ulmus glabra</i></u> var. <u><i>camperdowne</i></u>
<i>Mycosphaerella ulmi</i>	-		41
			<u><i>Ulmus montana</i></u>
<i>Nectria cinnabarina</i>	-		33
			<u><i>Ulmus parvifolia</i></u>
<i>Nectria cinnabarina</i>	-	11	
<i>Trichothecium roseum</i>	-	12	
<i>Tubercularia</i> sp.	-	12	
			<u><i>Ulmus pumila</i></u>
<i>Gnomonia ulmea</i>	-	11	
<i>Nectria cinnabarina</i>	-	11	21
<i>Trichothecium roseum</i>	-	11	21

		<u><i>Ulmus</i> sp.</u>
Cephalosporium sp.	-	15
Ceratocystis ulmi	-	21
Corticium vellereum	-	23
Cytospora sp.	-	11 22
Daldinia concentrica	-	23
Fomes igniarius	-	11
Ganoderma applanatum	-	33
Gnomonia ulmea	-	11 21 31
Hymenochaete tabacina	-	23
Hypsizygus tessulatus	-	11
Mycosphaerella ulmi	-	21
Nectria cinnabarina	-	12 33
Panus torulosus	-	23
Phaeophlebia stringoso-zonata	-	24
Pleurotus serotinus	-	11
Polyporus conchifer	-	14 24 41
Polyporus squamosus	-	23
Solenia anomala	-	23
*Sphaeropsis ulmicola	-	13
Steccherinum septentrionale	-	11
Trametes mollis	-	23
Valsa ambiens	-	22
Verticillium sp.	-	12
		<u><i>Vaccinium angustifolium</i></u>
Pucciniastrum goeppertianum	-	21
		<u><i>Vaccinium corymbosum</i></u>
Leptosphaerulina trifolii	-	41

				<u>Vaccinium myrtilloides</u>
Exobasidium vaccinii var. vaccinii	-		25	41
Pucciniastrum goeppertianum	-		11	
				<u>Vaccinium ovalifolium</u>
Gibbera elegantula	-			41
				<u>Vaccinium sp.</u>
Godronia cassandrae f. vaccinii	-		25	
Pucciniastrum goeppertianum	-	11	21	33
Ramularia vaccini	-		25	41
Rhytisma vaccini	-		12	
				<u>Viburnum cassinoides</u>
Coleosporium viburni	-	11	21	
				<u>Viburnum edule</u>
Puccinia linkii	-			41
				<u>Viburnum lentago</u>
Microsphaeria penicillata	-			41
				<u>Viburnum opulus</u>
Botryotis cinerea	-		23	
				<u>Viburnum trilobum</u>
Puccinia linkii	-		23	
				<u>Deciduous wood</u>
Asterostroma andinum	-		24	
Botryobasidium isabellinum	-		25	
Chlorosplenium aeruginosum	-	12		
Chlorosplenium versiforme	-	11		
Clavaria byssoides	-		23	
Clavaria stricta	-		23	

Deciduous wood (cont.)

<i>Clitopilus abortivus</i>	-	13	23
<i>Clitopilus novaboracensis</i>	-	13	
<i>Coniophora olivacea</i>	-	24	
<i>Coniophora puteana</i>	-	24	
<i>Coniophora suffocata</i>	-		41
<i>Corticium notabile</i>	-	25	
<i>Coryne sarcoides</i>	-		41
<i>Crepidotus haerens</i>	-	23	
<i>Cystostereum murraili</i>	-	14	
<i>Cytidia salicina</i>	-	25	
<i>Dacrymyces deliquescens</i> var. <i>deliquescens</i>	-		41
<i>Daedalea unicolor</i>	-		41
<i>Diatrype stigma</i>	-		31
<i>Favolus alveolaris</i>	-	11	
<i>Ganoderma applanatum</i>	-	11	
<i>Grandinia farinacea</i>	-		23
<i>Helotium citrinum</i>	-		41
<i>Hericium ramosum</i>	-		41
<i>Hymenochaete agglutinans</i>	-	11	
<i>Hymenochaete corrugata</i>	-	11	
<i>Hymenochaete rubiginosa</i>	-		41
<i>Hymenochaete tabacina</i>	-	12	24
<i>Hyphodontia breviseta</i>	-		24
<i>Hypoxylon fragiforme</i>	-	12	
<i>Lentinus lepideus</i>	-		23
<i>Lopharia cinerascens</i>	-		41

Deciduous wood (cont.)

<i>Merulius tremellosus</i>	-	11	41
<i>Mollisia caespitica</i>	-		31
* <i>Mycena haematopus</i>	-	23	
* <i>Mycena haematopus</i> var. <i>marginata</i>	-	23	
<i>Mycena stylobates</i>	-	23	
* <i>Mycena subcoerulea</i>	-	23	
<i>Mycoacia setosa</i>	-		41
<i>Mycoacia stenodon</i>	-		41
<i>Naucoria erinacea</i>	-	23	
<i>Odontia queletii</i>	-		41
<i>Pellicularia isabellina</i>	-	25	
<i>Pellicularia pruinata</i>	-	25	
<i>Peniophora byssoides</i>	-	11	
<i>Peniophora longispora</i>	-		41
<i>Peniophora nuda</i>	-		41
<i>Peniophora</i> sp.	-	12	
<i>Pholiota confragosa</i>	-	23	
* <i>Pleurotus atrocaeruleus</i> var. <i>griseus</i>	-	23	
<i>Plicatura nivea</i>	-	11	
<i>Pluteus cervinus</i>	-	23	33
<i>Polyporus brumalis</i>	-		41
<i>Polyporus caesius</i>	-	11	41
<i>Polyporus conchifer</i>	-		41
<i>Polyporus dichrous</i>	-	24	
<i>Polyporus galactinus</i>	-		41
<i>Polyporus hirsutus</i>	-		41
<i>Polyporus immitis</i>	-	24	

Deciduous wood (cont.)

<i>Polyporus squamosus</i>	-		41
<i>Polyporus tulipiferae</i>	-		31
<i>Polyporus versicolor</i>	-	12 21	41
<i>Poria corticola</i>	-		41
<i>Poria elongata</i>	-		41
<i>Poria ferruginosa</i>	-	24	41
<i>Poria medulla-panis</i>	-		41
<i>Poria nigrescens</i>	-	24	
<i>Poria pannocincta</i>	-		41
<i>Poria semitincta</i>	-	25 35	
<i>Poria sanguinolenta</i>	-		41
<i>Pycnoporus cinnabarinus</i>	-		41
<i>Rosellinia ligniaria</i>	-		41
<i>Steccherinum fimbriatum</i>	-		41
<i>Steccherinum setulosum</i>	-		41
<i>Stereum ostrea</i>	-		41
<i>Stereum sp.</i>	-	12	
<i>Tomentella pallidofulva</i>	-		41
<i>Vararia effuscata</i>	-	24	
<i>Vararia investiens</i>	-	24	41

HERBACEOUS PLANTS*Agropyron repens*

Phyllachora graminis - 21

Allium schoenoprasum

Puccinia mixta - 41

Althaea rosea

Puccinia malvacearum - 11 21

Alyssum saxatile

Peronospora parasitica - 41

Ambrosia psilostachya

Puccinia xanthii - 41

Apocynum androsaemifolium

Puccinia seymouriana - 21

Stagonospora apocyni - 41

Aralia nudicaulis

Nyssopsis clavellosa - 11

Aralia sp.

Nyssopsis clavellosa - 11

Artemisia ludoviciana var. *ludoviciana*

Puccinia tanaceti - 41

Aster macrophyllus

Puccinia asteris - 11 21

Aster sp.

Coleosporium asterum - 11 21

Puccinia asteris - 21

Puccinia dioicae - 11 21

		<u>Atriplex cornosa</u>	
Physoderma pulposa	-		41
		<u>Avena sativa</u>	
Leptosphaeria avenaria var. avenaria	-		41
		<u>Carex vaginata</u>	
Septoria caricis	-	11	
		<u>Carex sp.</u>	
Rutstroemia paludosa	-		41
Nettiospora caricina	-		41
		<u>Centaurea cyanus</u>	
Puccinia cyani var. cyani	-		41
		<u>Cerastium alpinum</u>	
Puccinia arenariae	-		41
		<u>Chrysopsis villosa</u> var. <u>florosa</u>	
Puccinia grindeliae	-		41
		<u>Cichorium intybus</u>	
Puccinia hieracii	-		41
		<u>Cirsium edule</u>	
Puccinia inclusa var. boreohesperia	-		41
		<u>Clarkia amoena</u>	
Pucciniastrum epilobii	-	35	
		<u>Claytonia caroliniana</u>	
Puccinia mariae-wilsoniae	-		41
		<u>Clematis virginiana</u>	
Puccinia recondita	-	11 21	
		<u>Dioscorea</u> sp.	
Cercospora dioscoreae	-		41

		<u>Dryopteris spinulosa</u> var. <u>intermedia</u>	
Helicobasidium holosporum	-	24	
		<u>Echinocystis lobata</u>	
Septoria sicyi	-	41	
		<u>Epilobium angustifolium</u>	
Pistillaria typhuloides	-	41	
Pucciniastrum epilobii	-	11 23 33	
		<u>Epilobium glandulosum</u>	
Pucciniastrum epilobii	-	25 35	
		<u>Epilobium</u> sp.	
Pucciniastrum epilobii	-	11 21	
		<u>Erigeron strigosus</u>	
Leptothyrium punctiforme	-	41	
		<u>Fragaria virginiana</u>	
Mycosphaerella fragariae	-	11	
		<u>Galium boreale</u>	
Placosphaeria punctiformis	-	41	
		<u>Galium septentrionale</u>	
Hainesia borealis	-	41	
		<u>Gardenia</u> sp.	
Pestalotia langloisii	-	41	
		<u>Geocaulon lividum</u>	
Cronartium comandrae	-	11	
		<u>Grindelia intergrifolia</u> var. <u>macrophylla</u>	
Coleosporium asterum	-	41	
		<u>Helianthemum canadense</u>	
Cylindrosporium eminens	-	41	

	<u>Helianthus annuus</u>	
Puccinia helianthi	-	41
	<u>Helianthus petiolaris</u>	
	ssp. <u>petiolaris</u>	
Puccinia helianthi	-	41
	<u>Iris tingitans</u>	
Bipolaris iridis	-	41
	<u>Juncus effusus</u> var. <u>compactus</u>	
Phyllachora therophila	-	21
	<u>Laportea canadensis</u>	
Septoria urticae	-	41
	<u>Lathyrus ochroleucus</u>	
Phleospora reticulata	-	41
	<u>Lespedeza hirta</u>	
Uromyces lespedezae-procumbentis	-	41
	<u>Lychnis chaledonica</u>	
Erysiphe cichoracearum	-	11
	<u>Lycopersicum esculentum</u>	
Septoria lycopersici	-	41
	<u>Maianthemum canadense</u>	
Uromyces acuminatus var. magnatus	-	21
	<u>Matteuccia struthiopteris</u>	
Uredinopsis struthiopteridis	-	11
	<u>Medicago lupulina</u>	
Uromyces striatus	-	41
	<u>Medicago sativa</u>	
Phoma anceps	-	41
Uromyces striatus	-	41

		<u>Melampyrum lineare</u>	
Cronartium coleosporioides	-	11	
		<u>Menyanthes trifoliata</u>	
Septoria menyanthis	-		41
		<u>Mertensia maritima</u> var. <u>tenella</u>	
Puccinia mertensiae	-		41
		<u>Nardus stricta</u>	
Leptosphaeria nardi	-		41
		<u>Oenothera biennis</u>	
Septoria oenotherae	-		41
		<u>Oenothera perennis</u>	
Septoria oenotherae	-	25	
		<u>Oenothera</u> sp.	
Septoria oenotherae	-	11	
		<u>Onoclea sensibilis</u>	
Uredinopsis mirabilis	-	21	
		<u>Osmorrhiza claytoni</u>	
Septoria osmorrhizae	-		41
		<u>Osmunda cinnamomea</u>	
Uredinopsis osmundae	-	21	
		<u>Osmunda claytoniana</u>	
Uredinopsis osmundae	-	11 21	
		<u>Osmunda</u> sp.	
Uredinopsis osmundae	-	21 31	
		<u>Phaseolus vulgaris</u>	
Uromyces phaseoli	-		41
		<u>Phlox</u> sp.	
Erysiphe cichoracearum	-	11	

	<u>Polygonum</u> sp.	
Septoria polygonorum	-	11
	<u>Potentilla</u> <u>anserina</u>	
Marssonina potentillae	-	41
	<u>Potentilla</u> <u>fruticosa</u>	
Phragmidium andersonii	-	41
	<u>Prenanthes</u> <u>racemosa</u>	
Puccinia orbicula	-	21
	<u>Prenanthes</u> sp.	
Puccinia orbicula	-	11
	<u>Pteridium</u> sp.	
Uredinopsis sp.	-	21
	<u>Pyrola</u> <u>elliptica</u>	
Chrysomyxa pyrolata	-	25
	<u>Ranunculus</u> <u>acris</u>	
Puccinia recondita	-	21
	<u>Ranunculus</u> <u>rhomboideus</u>	
Septoria polaris	-	41
	<u>Rudbeckia</u> sp.	
Septoria rudbeckiae var. oaklandica	-	41
	<u>Sanicula</u> <u>gregaria</u>	
Phyllosticta vexans	-	41
	<u>Scirpus</u> <u>atrovirens</u>	
Xenoglossa eriophora	-	41
	<u>Sedum</u> <u>purpureum</u>	
Septoria sedi	-	41
	<u>Setaria</u> <u>viridis</u>	
Pyrenophaete setariae	-	41

		<u><i>Smilacina recemosa</i></u>
Phyllosticta crenata	-	41
Septoria smilacinae	-	41
		<u><i>Smilacina stellata</i></u>
Sphaeropsis cruenta	-	41
		<u><i>Solanum tuberosum</i></u>
Rhizoctonia solani	-	41
		<u><i>Solidago bicolor</i></u>
Puccinia dioicae	-	21
		<u><i>Solidago rigida</i></u>
Leptothyrium similisporum	-	41
		<u><i>Solidago rugosa</i></u>
Coleosporium asterum	-	21
Puccinia dioicae	-	21
Puccinia virgae-aurea	-	21
		<u><i>Solidago</i> sp.</u>
Coleosporium asterum	-	11 21
Puccinia dioicae	-	11 21
		<u><i>Spartina pectinata</i></u>
Puccinia sparganioides	-	11 41
		<u><i>Spartina</i> sp.</u>
Puccinia sparganioides	-	11 21
Uromyces acuminatus var. spartinae	-	21
		<u><i>Stachys germanica</i></u>
Septoria stachydis	-	41
		<u><i>Systremma yuccae</i></u>
Leptosphaeria opuntiae	-	41

	<u><i>Thalictrum polygamum</i></u>	
<i>Puccinia recondita</i>	-	41
<i>Tranzschelia thalictri</i>	-	11
		<u><i>Thymus</i> sp.</u>
<i>Lophiostoma caulinum</i>	-	41
		<u><i>Trifolium pratense</i></u>
<i>Stagonospora meliloti</i>	-	41
		<u><i>Triticum aestivum</i></u>
<i>Helminthosporium bisetpatum</i>	-	41
<i>Helminthosporium proliferatum</i>	-	41
		<u><i>Veratrum eschscholtzii</i></u>
<i>Puccinia veratri</i>	-	41
		<u><i>Veronica suickii</i></u>
<i>Puccinia albulensis</i> ssp. <i>cascadensis</i>	-	41
		<u><i>Viola</i> sp.</u>
<i>Puccinia violae</i>	-	11
		<u><i>Vitis riparia</i></u>
<i>Phyllosticta spermoides</i>	-	41
		<u><i>Zea mays</i></u>
<i>Chaetomium globosum</i>	-	41
<i>Cochliobolus lunatus</i>	-	41
<i>Cochliobolus spiciferus</i>	-	41

MISCELLANEOUS HOSTSAtmosphere

<i>Clathridium corticola</i>	-	41
------------------------------	---	----

Concrete wall

<i>Phycomyces</i> sp.	-	11
-----------------------	---	----

Culture

<i>Aspergillus niger</i>	-	11
--------------------------	---	----

<i>Emericellopsis microspora</i>	-	41
----------------------------------	---	----

<i>Hyalondendron</i> sp.	-	11
--------------------------	---	----

<i>Rhodotorula</i> sp.	-	11
------------------------	---	----

<i>Verpatinia calthicola</i>	-	41
------------------------------	---	----

Decayed wood

<i>Berkleasmium concinnum</i>	-	41
-------------------------------	---	----

<i>Calcarisporium arbuscula</i>	-	41
---------------------------------	---	----

<i>Cantharellus cibarius</i>	-	41
------------------------------	---	----

<i>Cantharellus floccosus</i>	-	11
-------------------------------	---	----

<i>Chlorosplenium aeruginascens</i>	-	11
-------------------------------------	---	----

<i>Coniophora suffocata</i>	-	41
-----------------------------	---	----

<i>Costantinella terrestris</i>	-	41
---------------------------------	---	----

<i>Ganoderma applanatum</i>	-	11
-----------------------------	---	----

<i>Gloeocystidiellum lividocoeruleum</i>	-	25
--	---	----

<i>Hymenochaete corrugata</i>	-	11
-------------------------------	---	----

<i>Lenzites laricina</i>	-	41
--------------------------	---	----

<i>Lycoperdon subincarnatum</i>	-	25
---------------------------------	---	----

<i>Polyporus resinosus</i>	-	41
----------------------------	---	----

<i>Polyporus versicolor</i>	-	21
-----------------------------	---	----

<i>Poria spissa</i>	-	41
---------------------	---	----

Decayed wood (cont.)

<i>Rhinotrichum subalutaceum</i>	-		41
----------------------------------	---	--	----

<i>Serpula lacrimans</i> var. <i>lacrimans</i>	-	11	21
--	---	----	----

<i>Tomentella fumosus</i>	-	11	
---------------------------	---	----	--

Dung

<i>Coprotus ochraceus</i>	-		25
---------------------------	---	--	----

Forest soil

<i>Aspergillus versicolor</i>	-	15	
-------------------------------	---	----	--

<i>Aureobasidium pullulans</i>	-	15	
--------------------------------	---	----	--

<i>Cylindrocarpon radicicola</i>	-	15	
----------------------------------	---	----	--

<i>Fusarium</i> sp.	-	15	
---------------------	---	----	--

<i>Mortierella isabellina</i>	-	15	
-------------------------------	---	----	--

<i>Mortierella</i> sp.	-	15	
------------------------	---	----	--

<i>Mucor</i> sp.	-	15	
------------------	---	----	--

<i>Paecilomyces clavisporis</i>	-		41
---------------------------------	---	--	----

<i>Paecilomyces</i> sp.	-	15	
-------------------------	---	----	--

<i>Penicillium brevi-compactum</i>	-	15	
------------------------------------	---	----	--

<i>Penicillium citrinum</i>	-	15	
-----------------------------	---	----	--

<i>Penicillium janthinellum</i>	-	15	
---------------------------------	---	----	--

<i>Penicillium viridicatum</i>	-	15	
--------------------------------	---	----	--

<i>Trichoderma viride</i>	-	15	
---------------------------	---	----	--

<i>Zygorhynchus vuilleminii</i>	-	15	
---------------------------------	---	----	--

Ground

<i>Agaricus campestris</i>	-	11	
----------------------------	---	----	--

<i>Agaricus xanthodermus</i>	-		41
------------------------------	---	--	----

<i>Amanita muscaria</i>	-	11	
-------------------------	---	----	--

<i>Amanitopsis vaginata</i>	-	11	
-----------------------------	---	----	--

<i>Armillaria mellea</i>	-		21
--------------------------	---	--	----

	<u>Ground</u>	
<i>Armillaria ventricosa</i>	-	41
<i>Boletinus cavipes</i>	-	11
<i>Boletinus paluster</i>	-	41
<i>Boletinus pictus</i>	-	11
<i>Boletus subvelutipes</i>	-	11
<i>Calodon ferrugineus</i>	-	11
<i>Cantharellus cibarius</i>	-	11
<i>Cantharellus floccosus</i>	-	11
<i>Clavaria cristata</i>	-	11
<i>Clitocybe gibba</i>	-	41
<i>Clitocybe sinopica</i>	-	25
<i>Clitocybe squamulosa</i>	-	25
<i>Coprinus atramentarius</i>	-	11
<i>Cortinarius armillatus</i>	-	41
<i>Craterellus cornucopioides</i>	-	41
<i>Dentinum repandum</i>	-	11
<i>Fuscoboletinus sinuspaulianus</i>	-	25
<i>Gloeocystidiellum citrinum</i>	-	41
<i>Gyromitra esculenta</i>	-	11
<i>Gyromitra sp.</i>	-	11
<i>Hericium coralloides</i>	-	41
<i>Hydnellum aurantiacum</i>	-	21
<i>Hydnellum caeruleum</i>	-	21
<i>Hydnellum scrobiculatum</i>	-	41
<i>Hydnellum suaveolens</i>	-	11
<i>Hydnnum imbricatum</i>	-	41
<i>Hydnnum stereosarcinon</i>	-	21

Ground (cont.)

<i>Hygrophorus conicus</i>	-	11				
<i>Hygrophorus</i> sp.	-	11				
<i>Leccinum scabrum</i>	-	11				
<i>Leotia viscosa</i>	-					41
<i>Lycoperdon candidum</i>	-	25				
<i>Lycoperdon perlatum</i> var. <i>perlatum</i>	-	25				
<i>Lycoperdon pusillum</i>	-	25				
<i>Lycoperdon pyriforme</i>	-	25				
<i>Marasmius</i> sp.	-	11				
<i>Morchella</i> sp.	-	11				
<i>Phellodon niger</i> var. <i>alboniger</i>	-					41
<i>Phellodon</i> sp.	-	22				
<i>Pholiota vermifluua</i>	-	11				
<i>Polyporus abietinus</i>	-	24				
<i>Polyporus caeruleoporus</i>	-	24				
<i>Polyporus cinnamomeus</i>	-	23				
<i>Polyporus confluens</i>	-	23				
<i>Polyporus perennis</i>	-	11	21	34	41	
<i>Polyporus schweinitzii</i>	-	11	21			
<i>Polyporus tomentosus</i>	-	11	21			
<i>Pseudotomentella umbrina</i>	-					41
<i>Rhizina undulata</i>	-	11				
<i>Russula basifurcata</i>	-	25				
<i>Russula brevipes</i>	-	25				
<i>Russula emetica</i>	-					41
<i>Russula peckii</i>	-	25				

Ground (cont.)

<i>Sarcodon underwoodi</i>	-	21
<i>Suillus grevillei</i>	-	25
<i>Suillus placidus</i>	-	25
<i>Thelephora terrestris</i>	-	11 21
<i>Tremellodendron pallidum</i>	-	24

Horse

<i>Trichophyton mentagrophytes</i>	-	11
------------------------------------	---	----

Other FungiApiosporina morbosa

<i>Phaestoma sphaerophila</i>	-	11	21	31	41
-------------------------------	---	----	----	----	----

Fomes fomentarius

<i>Heterochaetella dubia</i>	-	24
------------------------------	---	----

<i>Poria candidissima</i>	-	24
---------------------------	---	----

Lenzites sp.

<i>Botryobasidium vagum</i>	-	24
-----------------------------	---	----

Mushroom

<i>Hypomyces lactifluorum</i>	-	11
-------------------------------	---	----

REFERENCES

- Bair, Margaret E. 1972. Preliminary Studies on the Dothideales in Temperate North America. Contributions from the University of Michigan Herbarium, 9: 523-638.
- Bigelow, Howard E. 1968. The Genus Clitocybe in North America. II. Section Infundibuliformes. Lloydia, 31: 43-62.
- Bowerman, C.A. 1961. Lycoperdon in Eastern Canada with Special Reference to the Ottawa District. Can. J. Bot. 39: 353-383.
- Chiko, A.W., A.G. Davidson, and W.R. Newell. 1962. Maritime Provinces Forest Disease Conditions. In Annu. Rep. For. Insect Dis. Surv. Can. Dep. For., Ottawa.
- Cooke, W.B. 1957. The Porotheleasiae: Porothelium. Mycologia: 49 680-693.
- Cummins, George B. and John A. Stevenson. 1956. A check list of North American rust fungi (Uredinales). Plant Dis. Repr. Suppl. 240.
- Davidson, A.G. 1954. Maritime Provinces, Forest Disease Survey. In Annu. Rep. For. Insect Dis. Surv. Can. Dep. Agric., Ottawa.
- _____, and D.R. Redmond. 1957. Decay of Spruce in the Maritime Provinces. Forest. Chron., 33: 373-380.
- _____, and W.R. Newell. 1958. Atlantic Provinces, Forest Disease Survey. In Annu. Rep. For. Insect Dis. Surv. Can. Dep. Agric., Ottawa.
- _____, and W.R. Newell. 1959. Atlantic Provinces, Forest Disease Survey. In Annu. Rep. For. Insect Dis. Surv. Can. Dep. Agric., Ottawa.

_____, and W.R. Newell. 1960. Maritime Provinces, Forest Disease Survey. In Annu. Rep. For. Insect Dis. Surv. Can. Dep. For., Ottawa.

_____, and W.R. Newell. 1961. Maritime Provinces, Forest Disease Survey. In Annu. Rep. For. Insect Dis. Surv. Can. Dep. For., Ottawa.

Fritz, C.W. 1954. Fructification of Poria cocos (Schw.) Wolf on Poplar. Can. J. Bot. 32: 545-548.

Ginns, James H. 1970. Taxonomy of Plicatura nivea (Aphyllophorales). Can. J. Bot. 48: 1039-1043.

Groves, J.W. 1952. The genus Tympanis. Can. J. Bot. 30: 571-651.

_____. 1954. The Genus Durandiella. Can. J. Bot. 32: 116-144.

_____. 1965. The Genus Godronia. Can. J. Bot. 43: 1195-1276.

Hughes, S.J. 1956. Microfungi. Can. J. Bot. 33: 259-268.

Jackson, H.S. 1948. Studies of Canadian Thelephoraceae. II. Some New Species of Corticium. Can. J. Res. C, 26: 143-157.

Kendrick, W.B. 1961. Hyphomycetes of conifer leaf litter Thysanophora gen. nov. Can. J. Bot. 39: 817-832.

Kimbrough, James W., E.R. Luck-Allen, and Roy F. Cain. 1972. North American species of Coprotus (Thelebolaceae:Peyiyales). Can. J. Bot. 50, 957-971.

Lemke, Paul Arenz. 1964. The Genus Aleurodiscus (Sensu Stricta) in North America. Can. J. Bot. 42: 213-282.

Nobles, M.K. 1937. First Canadian record of Aleurodiscus subcruentatus. Mycologia 29: 387-91.

Pantidou, M.E. and Groves, J.W. 1966. Cultural Studies of Boletaceae - Some Species of Suillus and Fuscoboletinus. Can. J. Bot. 44, 1371-92.

- Parmelee, J.A. 1965. The Genus Gymnosporangium in Eastern Canada. Can. J. Bot. 43: 239-267.
- Pomerleau, René and Smith, Alex W. 1962. Fuscoboletinus, A New Genus of the Boletales. Brittonia 14: 156-172.
- Reid, James and Cain, R.F. 1960. Additional Diaporthales on Twigs from Ontario. Can. J. Bot. 38: 945-950.
- Rogers, D.P. 1943. The Genus Pellicularia (Thelephoraceae). Farlowia 1: 95-118.
- Savile, D.B.O. 1950. North American Species of Chrysomyxa. Can. J. Res. C, 28: 318-330.
- _____. 1952. A Study of the Species of Cintractia on Carex, Kobresia, and Scirpus in North America. Can. J. Bot. 30: 410-435.
- _____. 1959. Notes on Exobasidium. Can. J. Bot. 37: 641-656.
- _____. 1962. Some Fungal Parasites of Onagraceae. Can. J. Bot. 40: 1385-1398.
- Schol-Schwarz, M. Beatrice. 1970. Revision of the genus Phialophora (Moniliales). Ryksherbarium Leidon, Vol. 6, Part 1, pp. 59-94.
- Shaffer, Robert L. 1964. The Subsection Lactarioideae of Russula. Mycologia, 56: 202-231.
- _____. 1970. Notes on the Subsection Crassotunicatinae and Other Species of Russula. Lloydia, 33.
- Shields, J.K. and H.H. Unligil. 1968. Deterioration of Softwood Chips Owing to Outside Storage in New Brunswick. Pulp and Paper Magazine of Canada, pp. 1-7.
- Shoemaker, R.A. 1964. Conidial States of some Botryosphaeria species on Vitis and Quercus. Can. J. Bot. 42: 1297-1301.

- Smerlis, E. 1962. Taxonomy and morphology of Potenbniamyces balsamicola sp. nov. associated with a twig and branch blight of balsam fir in Quebec. Can. J. Bot. 40: 351-359.
- _____. 1970. Botryosphaeria laricis and its relationship to Macrophoma sapinea. Can. J. Bot., 48: 1899-1901.
- Stillwell, M.A. 1954. Progress of Decay in Decadent Yellow Birch Trees. Forest. Chron. 30: 292-298.
- _____. 1955. Decay of Yellow Birch in Nova Scotia. Forest. Chron. 31: 74-83.
- _____, and Davidson, A.G. 1953. Maritime Provinces, Forest Disease Survey. In Annu. Rep. For. Insect Dis. Surv. Can. Dep. Agric., Ottawa.
- van der Westhuizen, G.C.A. 1963. The cultural characters, structure of the fruit body, and type of interfertility of Cerrena unicolor (Bull ex Fr.) Murr. Can. J. Bot. 41: 1487-1499.